


PH
c41/ci

CERAMICS INTERNATIONAL



PIETRO VINCENZINI

GENERAL EDITOR

EDITORS-IN-CHIEF

L. BERGSTROM
SWEDEN

R.K. BORDIA
USA

Z.Y. FU
CHINA

T. OHJI
JAPAN

J.A. VARELA
BRAZIL

<http://www.elsevier.com/locate/ceramint>





(Abstracted/indexed in: *Applied Mechanics Reviews*; *Br. Ceram Abstr.*; *Ceramic Abstracts*; *Chemical Abstracts*; *Current Contents/Engineering, Computing & Technology*; *Current Contents/Physical, Chemical and Earth Sciences*; *Materials Science Citation Index*; *Met. Abstr.*; *Sci. Abstr.*; *Science Citation Index*; *SciSearch*; *World Alum. Abstr.* Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.)

CONTENTS

Volume 40 Issue 1 PART A 2014

Review

- 1 Effect of soaking time on the photoluminescence properties of cerium oxide nanoparticles
R.C. DEUS, C.R. FOSCHINI (Brazil), B. SPITOVA (Czech Republic), F. MOURA, E. LONGO & A.Z. SIMÕES (Brazil)

Original Articles

- 11 Crystallization, structure and fluorescence emission of Nd³⁺- and Yb³⁺-doped NCS transparent glass-ceramics
A. LU, X. HU, Y. LEI, Z. LUO & X. LI (PR China)
- 17 Microstructure evolution and its effect on the mechanical properties of the ZrC–SiC composite joint diffusion bonded with pure Ni foil
C. SONG, T. LIN, P. HE, W. YANG, D. JIA & J. FENG (China)
- 25 Cerium carbonate hydroxide and ceria micro/nanostructures: Synthesis, characterization and electrochemical properties of CeCO₃OH
F. HRIZI, H. DHAOUADI & F. TOUATI (Tunisie)
- 31 Mechanical alloying, sintering and characterization of Al₂O₃–20wt%–Cu nanocomposite
M.F. ZAWRAH, R.A. ESSAWY, H.A. ZAYED, A.H. ABDEL FATTAH & M.A. TAHA (Egypt)
- 39 Novel high dielectric constant and low-loss tetragonal tungsten bronze dielectrics Ba₅LnMgNb₉O₃₀ (Ln=La, Nd, Sm, Gd and Yb)
X. WANG, M. LI, C. ZHOU, M. WANG & W. LU (China)
- 47 High-temperature microwave bilayer absorber based on lithium aluminum silicate/lithium aluminum silicate–SiC composite
C.-H. PENG, P. SHIU CHEN & C.-C. CHANG (ROC)
- 57 Photocatalytic degradation properties of Ni(OH)₂ nanosheets/ZnO nanorods composites for azo dyes under visible-light irradiation
X. CAI, Y. CAI, Y. LIU, S. DENG, Y. WANG, Y. WANG (People's Republic of China) & I. DJERDJ (Croatia)
- 67 Removal of CuS phases from electrodeposited CuInS₂ films
H. CHEN, Y.-M. YEH, C.H. LIAO, J.Z. CHEN & C.-L. WANG (ROC)
- 73 Template-free fabrication of pure single-crystalline BaTiO₃ nano-wires by molten salt synthesis technique
B.-R. LI, W. SHANG, Z.-L. HU & N.-Q. ZHANG (China)

Continued on inside back cover



ELSEVIER

Available online at www.sciencedirect.com

ScienceDirect



CONTENTS—Continued from outside back cover

- 81 Electrochemical characteristics of $\text{LiNi}_{0.7}\text{Co}_{0.3}\text{O}_2$ synthesized from different combinations of hydro-oxides, carbonates, and oxides at 800 °C
M.Y. SONG, H. RIM & H.R. PARK (Republic of Korea)
- 87 Performance enhancement of cylindrical ferroelectric transducers
S. MOHAMMADI, A. KHODAYARI & P. MOHAMMADI (Iran)
- 93 Preparation and performance of MAO coatings obtained on AZ91D Mg alloy under unipolar and bipolar modes in a novel dual electrolyte
S. WANG, Y. XIA, L. LIU & N. SI (China)
- 101 Enhanced photocatalytic performance of transition metal doped Bi_2O_3 nanoparticles under visible light irradiation
P. MALATHY, K. VIGNESH, M. RAJARAJAN & A. SUGANTHI (India)
- 109 Fabrication and gas sensing properties of C-doped and un-doped TiO_2 nanotubes
N. KILINÇ, E. ŞENNIK, M. IŞIK, A.Ş. AHSEN, O. ÖZTÜRK & Z.Z. ÖZTÜRK (Turkey)
- 117 Effects of simultaneous change of Mg^{2+} and Ti^{4+} contents on the luminescence properties of $\text{Y}_2\text{O}_2\text{S}:\text{Eu}^{3+}$, Mg^{2+} , Ti^{4+} nanotubes
D. LIU, P. HUANG, C. CUI, L. WANG & G. JIANG (PR China)
- 123 Shear-rate dependence modeling of gelcast slurries: Effects of dispersant content and solid loading
A. NOJOOMI, M.A. FAGHIHI-SANI & M. KHOSHKALAM (Iran)
- 129 Structure–property relationships and densification-crystallization behaviours of simplified lithium disilicate glass compositions
H.R. FERNANDES (Portugal), D.U. TULYAGANOV (Portugal, Uzbekistan), M.J. PASCUAL (Spain) & J.M.F. FERREIRA (Portugal)
- 141 Synthesis of ZnO microstructures in glycerol/water solution
X. DONG, A. ZHANG & P. YANG (PR China)
- 149 The effect of deposition power on the micro-structure and dielectric response of $\text{Pb}_{0.4}\text{Sr}_{0.6}\text{TiO}_3$ thin films
K. LI (People's Republic of China), D. RÉMIENS (France), G. DU, T. LI, X. DONG & G. WANG (People's Republic of China)
- 155 High frequency electrical transport properties of CoFe_2O_4 and $\text{Sr}_2\text{NiMnFe}_{12}\text{O}_{22}$ composite ferrites
A. ASLAM, M.U. ISLAM, I. ALI, M.S. AWAN, M. IRFAN & A. IFTIKHAR (Pakistan)
- 163 Strengthening mechanism of graphene oxide nanosheets for Al_2O_3 –C refractories
Q. WANG, Y. LI, M. LUO, S. SANG, T. ZHU & L. ZHAO (PR China)
- 173 Enhancing the performance of front-illuminated dye-sensitized solar cells with highly [001] oriented, single-crystal-like TiO_2 nanotube arrays
Z. YANG, Z. MA, D. PAN, D. CHEN, F. XU & S. CHEN (PR China)
- 181 Effects of praseodymium substitution on electrical properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ ceramics
A.K. RAI, J. GIM, E.-C. SHIN, H.-H. SEO, V. MATHEW (Republic of Korea), K.D. MANDAL, O. PARKASH (India), J.-S. LEE & J. KIM (Republic of Korea)
- 191 Porosity dependence of elastic modulus of porous Cr_3C_2 ceramics
L. ZHANG (China, Canada), K. GAO (China), A. ELIAS, Z. DONG & W. CHEN (Canada)
- 199 Ferroelectric properties of BiFeO_3 nanodots shattered by atomic force microscope
J.Y. SON & H. SONG (Republic of Korea)
- 203 Effect of 2-D regular channels and their configurations on properties of ceramic preforms
O.L. IGHODARO & O.I. OKOLI (United States)
- 211 Growth of high-quality Ga–F codoped ZnO thin films by mid-frequency sputtering
Q. SHI, K. ZHOU, M. DAI, S. LIN, H. HOU, C. WEI & F. HU (PR China)

(contents continued from Inside back cover)

- 217 Properties of heavily W-doped TiO_2 films deposited on Al_2O_3 -deposited glass by simultaneous rf and dc magnetron sputtering
S.-S. LIN (ROC)
- 227 Synthesis and optimization of cubic NiFe_2O_4 nanoparticles with enhanced saturation magnetization
M.W. KADI (Kingdom of Saudi Arabia) & R.M. MOHAMED (Kingdom of Saudi Arabia, Egypt)
- 233 Fabrication and characterization of B_2O_3 – Al_2O_3 – Na_2O glass system for transparent dielectric layer
M. DING, C. LU, Q. CUI, Y. NI & Z. XU (PR China)
- 241 Characterization and spectral studies of Co^{3+} -doped $\text{Cd}_{0.4}\text{Mn}_{0.6}\text{Fe}_2\text{O}_4$ ferrites
M.A. AMER, T.M. MEAZ, A.G. MOSTAFA, M. EL-KASTAWI & A.I. GHONEIM (Egypt)
- 249 Influence of citrate/nitrate ratio on the preparation of $\text{Li}_{0.5}\text{La}_{0.5}\text{TiO}_3$ nanopowder by combustion method
C.R. MILIAN PILA, T.M. OTERO, E. PÉREZ CAPPE (Cuba), O.L. ALVES (Brasil), P. ARANDA (Spain), M.A. FRUTIS (México) & Y.M. LAFFITA (Cuba)
- 257 On the possibility of hercynite formation in a solid state reaction at the Al_2O_3 –iron interface: A density-functional theory study
L. AMIRKHANYAN, T. WEISSBACH, J. KORTUS & C.G. ANEZIRIS (Germany)
- 263 Application of the statistical Taguchi method to optimize X-SiAlON and mullite formation in composite powders prepared by the SRN process
A. JAMSHIDI, A.A. NOURBAKHS, S. NAGHIBI (Iran) & K.J.D. MACKENZIE (New Zealand)
- 273 Fabrication of zirconia-toughened alumina parts by powder injection molding process: Optimized processing parameters
S. MD ANI, A. MUCHTAR, N. MUHAMAD & J.A. GHANI (Malaysia)
- 281 Structure and antibacterial property of nano- SiO_2 supported oxide ceramic
N. TALEBIAN & E. ZARE (Iran)
- 289 Ionothermal synthesis and characterization of $\text{Li}_2\text{MnSiO}_4/\text{C}$ composites as cathode materials for lithium-ion batteries
X. LI, Y. LIU, Z. XIAO, W. GUO & R. ZHANG (PR China)
- 297 Crystallization and sinterability of glass-ceramics in the system La_2O_3 – SrO – B_2O_3
S.V. SMILJANIĆ, S.R. GRUJIĆ, M.B. TOŠIĆ, V.D. ŽIVANOVIĆ, J.N. STOJANOVIĆ, S.D. MATIJAŠEVIĆ & J.D. NIKOLIĆ (Serbia)
- 307 Recycling of porcelain stoneware scraps in alkali bonded ceramic composites
V. MEDRI & E. LANDI (Italy)
- 317 A study on the precursor of vanadium pentoxide by the hydrothermal method
J. WANG, W. YU, S. XU, S. DAI, J. WANG, C. WANG, W. ZENG & P. CAO (China)
- 323 RHEED and XPS study of cerium interaction with SnO_2 (110) surface
J. BERAN (Czech Republic, Japan), S. HISHITA (Japan), K. MAŠEK, V. MATOLÍN (Czech Republic) & H. HANEDA (Japan)
- 331 Evolution of remnant state variables and linear material properties in ferroelectric ceramics during compressive loading and unloading
D.W. JI & S.-J. KIM (Republic of Korea)
- 341 Power generation characteristics of PZT piezoelectric ceramics using drop weight impact techniques: Effect of dimensional size
M.-C. CHURE, L. WU, K.-K. WU, C.-C. TUNG, J.-S. LIN & W.-C. MA (Taiwan)

- 347 The influence of laser treatment on thermal shock resistance of plasma-sprayed nanostructured yttria stabilized zirconia thermal barrier coatings
R. GHASEMI, R. SHOJA-RAZAVI, R. MOZAFARINIA & H. JAMALI (Iran)
- 357 Analysis of the complex permeability of NiCuZn ferrites up to 1 GHz with regard to Cu content and sintering temperature
C.A. STERGIOU & V. ZASPALIS (Greece)
- 367 Novel reduced toxic route synthesis and characterization of chemical bath deposited ZnSe thin films
G.L. AGAWANE, S.W. SHIN, M.P. SURYAWANSHI, K.V. GURAV, A.V. MOHOLKAR, J.Y. LEE, P.S. PATIL, J.H. YUN & J.H. KIM (South Korea)
- 375 Magnetic nanocomposite based on titania–silica/cobalt ferrite for photocatalytic degradation of methylene blue dye
F.A. HARRAZ, R.M. MOHAMED (Egypt, Saudi Arabia), M.M. RASHAD (Egypt), Y.C. WANG & W. SIGMUND (USA)
- 385 Effect of sol-layers on Sb-doped SnO₂ thin films as solution-based transparent conductive oxides
H.-R. AN (Republic of Korea), C.Y. KIM (South Korea), S.-T. OH & H.-J. AHN (Republic of Korea)
- 393 Electroless silver plating on Pb-based glass frits by a one-step activation method without stannum and palladium
B. HUANG, W. GAN, G. GUO, Y. LI, T. LIN & X. LIU (PR China)
- 399 Microstructures and mechanical properties of three-dimensional ceramic filler modified carbon/carbon composites
Y. CAI, S. FAN, X. YIN, L. ZHANG, L. CHENG & Y. WANG (PR China)
- 409 Nanostructured TiO₂ films: Enhanced NH₃ detection at room temperature
P. DHIVYA, A.K. PRASAD & M. SRIDHARAN (India)
- 417 Sol–gel deposition of fluorine-doped tin oxide glasses for dye sensitized solar cells
I.Y.Y. BU (Republic of China)
- 423 Synthesis of High aspect ratio CdTiO₃ nanofibers via electrospinning: characterization and photocatalytic activity
M. SHAMSHI HASSAN, T. AMNA & M.-S. KHIL (Republic of Korea)
- 429 One-pot triethanolamine-assisted hydrothermal synthesis of Ag/ZnO heterostructure microspheres with enhanced photocatalytic activity
B. CHAI, X. WANG, S. CHENG, H. ZHOU & F. ZHANG (PR China)
- 437 Influence of substrate temperature on the properties of CeO₂ thin films by simple nebulizer spray pyrolysis technique
R. SURESH, V. PONNUSWAMY, R. MARIAPPAN & N. SENTHIL KUMAR (India)
- 447 Nanocrystalline Ce doped CoFe₂O₄ as an acetone gas sensor
M.S. KHANDEKAR (India), N.L. TARWAL (Republic of Korea), I.S. MULLA & S.S. SURYAVANSHI (India)
- 453 Enhanced surface crystallization of glass by adding traditional oxide nucleating agents
H. LIU, Y. WANG, T. WANG, R. YANG & S. LIU (China)
- 459 Room temperature critical behavior and magnetocaloric properties of La_{0.6}Nd_{0.1}(CaSr)_{0.3}Mn_{0.9}V_{0.1}O₃
A. DHAHRI, F.I.H. RHOUMA, S. MNEFGUI, J. DHAHRI (Tunisia) & E.K. HLIL (France)
- 465 A study of the oxidation behavior of multilayered tungsten nitride/amorphous tungsten oxide film prepared in a planar magnetron sputtering system
S. KHAMSEH (Iran)
- 471 Effect of Mn substitution on the cation distribution and temperature dependence of magnetic anisotropy constant in Co_{1-x}Mn_xFe₂O₄ (0.0≤x≤0.4) ferrites
M. ATIF (Pakistan, Austria), R. SATO TURTELLI, R. GRÖSSINGER (Austria), M. SIDDIQUE & M. NADEEM (Pakistan)

- 479 Microstructure and strength of needle coke modified ceramic casting molds
F. WANG, F. LI, B. HE & B. SUN (China)
- 487 Synthesis and characterization of $\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$ - PbTiO_3 relaxor ferroelectrics modified by $\text{Ba}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3$
J. GAO, Q. LI, N. LUO, Q. YAN, Y. ZHANG & X. CHU (China)
- 495 A sonochemical-assisted synthesis of spherical silica nanostructures by using a new capping agent
M. MASJEDI-ARANI, M. SALAVATI-NIASARI, D. GHANBARI & G. NABIYOUNI (Iran)
- 501 The structure and in vitro apatite formation ability of porous titanium covered bioactive microarc oxidized TiO_2 -based coatings containing Si, Na and Ca
R. ZHOU, D. WEI, S. CHENG, B. LI, Y. WANG, D. JIA, Y. ZHOU & H. GUO (PR China)
- 511 Effects of dispersion surfactants on the properties of ceramic-carbon nanotube (CNT) nanocomposites
F. INAM, A. HEATON, P. BROWN, T. PEIJS & M.J. REECE (UK)
- 517 Fabrication of single phase CuO nanowires and effect of electric field on their growth and investigation of their photocatalytic properties
M. FARBOD, N. MEAMAR GHAFARI & I. KAZEMINEZHAD (Iran)
- 523 Effects of rare-earth (Er, La and Yb) doping on morphology and structure properties of ZnO nanostructures prepared by wet chemical method
R. ZAMIRI, A.F. LEMOS, A. REBLO (Portugal), H.A. AHANGAR (Iran) & J.M.F. FERREIRA (Portugal)
- 531 In-situ formation of carbon nanotubes in pyrolytic carbon-silicon nitride composite ceramics
X. LIU, X. YIN, G. ZHENG, Y. LIU, L. KONG, Q. LI (China) & X. YUAN (China, New Zealand)
- 541 Influence of SiC additive on the ablation behavior of C/C composites modified by ZrB_2 -ZrC particles under oxyacetylene torch
L. LIU, H. LI, X. SHI, Q. FU, W. FENG, X. YAO & C. NI (PR China)
- 551 Photoluminescence properties of $(\text{Sr}_{1-x}\text{Ca}_x)_{1-y}\text{ZrO}_3:y\text{Eu}^{3+}$ phosphors for near-ultraviolet excited LEDs
K.N. SHINDE, A. HAKEEM (Republic of Korea), S.J. DHOBLE (India) & K. PARK (Republic of Korea)
- 557 Relaxor behavior and energy storage performance of ferroelectric PLZT thin films with different Zr/Ti ratios
Z. HU, B. MA, S. LIU, M. NARAYANAN & U. BALACHANDRAN (USA)
- 563 Calcium phosphate coatings: Morphology, micro-structure and mechanical properties
S. SABER-SAMANDARI (Iran), K. ALAMARA (Australia) & S. SABER-SAMANDARI (Turkey)
- 573 Comparative study of reactive and non-reactive sintering route for producing B_6O - TiB_2 materials
O.T. JOHNSON (South Africa, Namibia), I. SIGALAS (South Africa) & M. HERRMANN (Germany)
- 581 Effects of zircon on porous structure and alkali durability of borosilicate glasses
M. HASANUZZAMAN (Ireland, Bangladesh), A. RAFFERTY (Ireland) & A.G. OLABI (Ireland, UK)
- 591 Effects of prestrain applied to poly(ethylene terephthalate) substrate before coating of indium-tin-oxide film on film quality and optical, electrical, and mechanical properties
T.-C. LI, C.-J. CHUNG, C.-F. HAN, P.-T. HSIEH, K.-J. CHEN & J.-F. LIN (Taiwan)
- 605 Preparation of (100) CeO_2 and (110) $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ films by laser chemical vapor deposition
P. ZHAO, A. ITO & T. GOTO (Japan)
- 611 Application of LnCrTeO_6 oxides as new ceramic pigments of the type "green chromium"
G.X. GAYO, F. TRONCOSO & A.E. LAVAT (Argentina)
- 619 Thermal shock resistance of two micro-structured alumina obtained by natural sintering and SPS
H. BELGHALEM, M. HAMIDOUCE (Algérie), L. GREMILLARD, G. BONNEFONT & G. FANTOZZI (France)

- 629 Effects of different synthesizing processes on the dielectric and piezoelectric properties of $0.65(\text{K}_{0.5}\text{Bi}_{0.5}\text{TiO}_3)-0.35\text{BaTiO}_3$ ceramics
P.-S. CHENG, Y.-H. LIN, Y.-T. HSIEH & C.-F. YANG (ROC)
- 637 A comparative study on positive temperature coefficient effect of $\text{BaTiO}_3-\text{K}_{0.5}\text{Bi}_{0.5}\text{TiO}_3$ ceramics by conventional and microwave sintering
P. GAO, Y. PU, Y. WU & P. LI (People's Republic of China)
- 643 Synthesis and characterization of planar heterojunction hybrid polymer solar cells based on copper phthalocyanine (CuPc) and titanium dioxide
S.S. MALI (India, South Korea), H. KIM, J.H. KIM (South Korea), P.S. PATIL (India, South Korea) & C. KOOK HONG (South Korea)
- 651 Synthesis and characterization of $\text{Nd}_2\text{Sn}_x\text{Zr}_{2-x}\text{O}_7$ pyrochlore ceramics
L. KONG, Y. ZHANG, I. KARATCHEVTSEVA, M.G. BLACKFORD, G.R. LUMPKIN & G. TRIANI (Australia)
- 659 Eutectoid decomposition of aluminum titanate (Al_2TiO_5) ceramics under Spark Plasma (SPS) and Conventional (CRH) thermal treatments
R. PAPITHA, M.B. SURESH, D. CHAKRAVARTY (India), A. SWARNAKAR (Belgium), D. DAS & R. JOHNSON (India)
- 667 Grain growth kinetics of barium titanate synthesized using conventional solid state reaction route
K.R. KAMBALE, A.R. KULKARNI & N. VENKATARAMANI (India)
- 675 Magnetic dilution effect of nano-crystalline NiFe_2O_4 synthesized via sucrose-assisted combustion route
M.A. GABAL, S. KOSA & T.S. EL MUTTAIRI (Saudi Arabia)
- 683 Microstructure, mechanical properties, and bonding mechanism of ultrasonic-assisted brazed joints of SiC ceramics with ZnAlMg filler metals in air
X. CHEN, J. YAN, S. REN, Q. WANG, J. WEI & G. FAN (PR China)
- 691 Optimal electroless plating rate enhancement techniques for the fabrication of low cost dense nickel/ceramic composite membranes
A. AGARWAL, M. PUJARI, R. UPPALURI & A. VERMA (India)
- 699 Preparation and optic properties of 3D ZnSe hierarchical nanostructure
S.-Z. KANG, L. JIA, X. LI, L. QIN & J. MU (China)
- 703 Structure analysis and multiferroic properties of Zr^{4+} doped BiFeO_3 ceramics
J. XIE, C. FENG, X. PAN & Y. LIU (China)
- 707 Phase composition, microstructure and mechanical properties of ZrC coatings produced by chemical vapor deposition
Y. LONG (PR China), A. JAVED (Pakistan), J. CHEN, Z.-K. CHEN & X. XIONG (PR China)
- 715 Densification behavior of Spark Plasma Sintered La_2O_3 -YSZ ceramic composites
K.D. ROBLES ARELLANO, L. BICHLER (Canada), K. AKKIRAJU (India), R. FONG (Canada) & K. MONDAL (Canada, India)
- 723 Catalytic conversion of syngas to olefins over Mn-Fe catalysts
S.A. AL-SAYARI (Saudi Arabia)
- 729 *In-vitro* characterization of antibacterial bioactive glass containing ceria
Y.-F. GOH, A.Z. ALSHEMARY, M. AKRAM, M.R. ABDUL KADIR & R. HUSSAIN (Malaysia)
- 739 Preparation of red-emitting phosphor $(\text{Y,Gd})\text{BO}_3:\text{Eu}^{3+}$ by high temperature ball milling
L. JIA, Z. SHAO, Q. LÜ, Y. TIAN & J. HAN (PR China)
- 745 Fabrication of ceramic coatings from polysilazane/aluminum: Effect of aluminum content on chemical composition, microstructure, and mechanical properties
F. XIAO, Z. ZHANG, F. ZENG, Y. LUO & C. XU (China)

- 753 Effect of different solvents on the structural and optical properties of zinc oxide thin films for optoelectronic applications
K.L. FOO, M. KASHIF, U. HASHIM & W.-W. LIU (Malaysia)
- 763 Lighter tableware ceramic by controlling porosity: Effect of porosity on mechanical properties
B. VERHAEGHE, C. COURTOIS (France), F. PETIT, F. CAMBIER (Belgique), J.-D. GUÉRIN, A. LERICHE (France) & S. HAMPSHIRE (Ireland)
- 771 Characterization of bovine-derived porous hydroxyapatite scaffold and its potential to support osteogenic differentiation of human bone marrow derived mesenchymal stem cells
G. KRISHNAMURITHY, M.R. MURALI, M. HAMDI, A.A. ABBAS, H.B. RAGHAVENDRAN & T. KAMARUL (Malaysia)
- 779 Wear and friction behavior of self-lubricating alumina–zirconia–fluoride composites fabricated by the PECS technique
S.-H. KIM & S. WOHN LEE (South Korea)
- 791 External short circuit-assisted proton conducting ceramic membrane for H₂ permeation
K. ZHANG, J. SUNARSO, G.H. PHAM, S. WANG & S. LIU (Australia)
- 799 Oxygen permeability of asymmetric membrane of functional La_{0.8}Sr_{0.2}Cr_{0.5}Fe_{0.5}O_{3-δ}(LSCrF)–Zr_{0.8}Y_{0.2}O_{2-δ}(YSZ) supported on porous YSZ
W. FANG, Y. ZHANG, J. GAO & C. CHEN (China)
- 805 Preparation and properties of plasma sprayed strontium-doped calcium polyphosphate coating for bone tissue engineering
W. LIAO, Y. XIAO, Z. GU, L. LI & X. YU (PR China)
- 811 Influence of the chemical and mineralogical composition on the reactivity of volcanic ashes during alkali activation
P.N. LEMOUGNA, U.F. CHINJE MELO (Cameroon), M.-P. DELPLANCKE & H. RAHIER (Belgium)
- 821 Spark plasma sintering of ZrB₂–SiC composites with in-situ reaction bonded silicon carbide
A. ORTONA (Switzerland), M.A. LAGOS (Spain), G. SCOCCHI (Switzerland) & J. BARCENA (Spain)
- 827 Influence of thickness of MgO overlayer on the properties of ZnO thin films prepared on *c*-plane sapphire for H₂ sensing
K. VIJAYALAKSHMI, K. KARTHICK, P. DEEPAK RAJ & M. SRIDHARAN (India)
- 835 Mechanical properties and microstructure of two-dimensional carbon fiber reinforced zirconia composites prepared by hot-pressing
J. AI, G. ZHOU, H. ZHANG, P. LIU, Z. WANG & S. WANG (PR China)
- 841 Pt/Ga₂O₃–SiO₂ nanoparticles for efficient visible-light photocatalysis
E.S. BAEISSA (Saudi Arabia) & R.M. MOHAMED (Saudi Arabia, Egypt)
- 849 Influence of fused zirconium corundum addition on properties of chrome-free castables for RH refining furnace
Z. XINWEI, L. YONGHE, Q. WENDONG, Z. WEI, Y. PENG, N. JIANHUA & C. RENQU (PR China)
- 853 Phase transition and piezoelectric, ferromagnetic response of B-site (Co, Nb) modified BaTiO₃ ceramics
M. ZHOU, J. ZHANG, L. JI, Y. WANG, J. WANG & F. YU (China)
- 859 Utility of by-product quantum dots obtained during synthesis of Cu₂ZnSnS₄ colloidal ink
P.K. SARSWAT & M.L. FREE (United States)
- 871 Microwave-assisted synthesis and sintering of potassium sodium niobate lead-free piezoelectric ceramics
M. FEIZPOUR, H. BARZEGAR BAFROOEI, R. HAYATI & T. EBADZADEH (Iran)
- 879 CVR-SiC coating of graphite pebbles for fusion blanket application
Y.-H. YUN, Y.-H. PARK, M.-Y. AHN & S. CHO (Republic of Korea)
- 887 Single-step wick-debinding and sintering for powder injection molding
L. GORJAN, T. KOSMAČ & A. DAKSKOBLER (Slovenia)

- 893 Powder injection molding process design for UAV engine components using nanoscale silicon nitride powders
J. LENZ, R.K. ENNETI (USA), S.-J. PARK (Republic of Korea) & S.V. ATRE (USA)
- 901 Phase transitions and structural changes of nanostructured chlorapatite under thermal treatment
B. NASIRI-TABRIZI, A. FAHAMI & R. EBRAHIMI-KAHRIZSANGI (Iran)
- 911 Properties of yttrium-doped barium zirconate ceramics synthesized by the oxidant-peroxo method
M.D. GONÇALVES & R. MUCCILLO (Brazil)
- 919 Polymerization-induced phase separation in the preparation of macroporous $\text{TiO}_2/\text{SiO}_2$ thin films
Y. SITU, T. HUANG, Y. CHEN, W. HUANG & H. HUANG (People's Republic of China)
- 929 Effects of Sr/Ti ratio on the microstructure and energy storage properties of nonstoichiometric SrTiO_3 ceramics
Z. WANG, M. CAO, Z. YAO, G. LI, Z. SONG, W. HU, H. HAO, H. LIU & Z. YU (PR China)
- 935 Fabrication of near-zero thermal expansion of fully dense β -eucryptite ceramics by microwave sintering
R. BENAVENTE, A. BORRELL, M.D. SALVADOR, O. GARCIA-MORENO, F.L. PEÑARANDA-FOIX & J.M. CATALA-CIVERA (Spain)
- 943 ZnO nanoswords and nanopills: Hydrothermal synthesis, characterization and optical properties
A. MOULAHI & F. SEDIRI (Tunisia)
- 951 Microstructure and compressibility of SiC nanoparticles reinforced Cu nanocomposite powders processed by high energy mechanical milling
M.R. AKBARPOUR, E. SALAHI, F. ALIKHANI HESARI, A. SIMCHI (Iran) & H.S. KIM (South Korea)
- 961 Oxidation kinetics of TiN-containing composites
H. XINMEI & C. KUO-CHIH (China)
- 967 RF sputtered tri-functional antireflective TiO_2 (arc- TiO_2) compact layer for performance enhancement in dye-sensitised solar cell
M.H. ABDULLAH & M. RUSOP (Malaysia)
- 975 Physical and chemical properties of multifunctional ZnO nanostructures prepared by precipitation and hydrothermal methods
S. SUWANBOON, P. AMORNPITOKSUK, P. BANGRAK & C. RANDORN (Thailand)
- 985 Hydroxyapatite/sericin composite film prepared through mineralization of flexible ethanol-treated sericin film with simulated body fluids
H.P. ZHANG, X.Y. WANG, S.J. MIN, M. MANDAL, M.Y. YANG & L.J. ZHU (China)
- 993 Double layer bioglass-silica coatings on 316L stainless steel by sol-gel method
S. POURHASHEM & A. AFSHAR (Iran)
- 1001 The influence of new wet synthesis route on the morphology, crystallinity and thermal stability of multiple ions doped nanoapatite
K. JAMUNA-THEVI, N.M. DAUD, M.R. ABDUL KADIR & H. HERMAWAN (Malaysia)
- 1013 Effect of dopants on ferroelectric and piezoelectric properties of lead zirconate titanate thin films on Si substrates
M.D. NGUYEN (Viet Nam, The Netherlands), T.Q. TRINH (Viet Nam), M. DEKKERS, E.P. HOUWMAN (The Netherlands), H.N. VU (Viet Nam) & G. RIJNDERS (The Netherlands)
- 1019 Preparation and electrochemical properties of spinel $\text{LiFe}_x\text{Cu}_y\text{Mn}_{1.2}\text{O}_4$ by ultrasonic spray pyrolysis
B. EBIN, S. GÜRMEN (Turkey) & G. LINDBERGH (Sweden)
- 1029 Novel akermanite-based bioceramics from preceramic polymers and oxide fillers
E. BERNARDO, J.-F. CARLOTTI, P.M. DIAS, L. FIOCCO (Italy), P. COLOMBO (Italy, USA), L. TRECCANI, U. HESS & K. REZWAN (Germany)

- 1037 Fabrication of Ni/WC composite with two distinct layers through centrifugal infiltration combined with a thermite reaction
Y. XU, Z. YANG, Z. HAN, G. LIU & J. LI (PR China)
- 1045 Transmission electron microscopy study on crack propagation characteristics of pressureless sintered 15R- β -U Sialon-polytypoid composite
Z. HUANG (PR China), S. HUANG (PR China, New Zealand), M. FANG, Y.-G. LIU (PR China), X. OUYANG (PR China, New Zealand) & J. HUANG (PR China)
- 1051 Grain growth in BaTiO₃ ceramics assisted by an intergranular glass film
C.-H. NIEN, C.-Y. HSIEH, J.-Y. HONG & H.-Y. LU (Taiwan)
- 1059 One-pot synthesis of grass-like Fe₃O₄ nanostructures by a novel microemulsion-assisted solvothermal method
Y. LI, R. JIANG, T. LIU, H. LV, L. ZHOU & X. ZHANG (PR China)
- 1065 Effect of AlN-Y₂O₃ addition on the properties and microstructure of in-situ strengthened SiC-TiB₂ composites prepared by hot pressing
J. HU, H. XIAO, W. GUO, Q. LI, W. XIE & B. ZHU (China)
- 1073 Synthesis and microwave dielectric properties of Zn₂SnO₄ ceramics
Q. MA, S. WU & Y. FAN (China)
- 1081 The releasing behavior and in vitro osteoinductive evaluations of dexamethasone-loaded porous calcium phosphate cements
A. FOROUZANDEH, S. HESARAKI & A. ZAMANIAN (Iran)
- 1093 Effect of zircon content on chemical and mechanical behavior of silica-based ceramic cores
A. KAZEMI, M.A. FAGHIHI-SANI, M.J. NAYYERI, M. MOHAMMADI & M. HAJFATHALIAN (Iran)
- 1099 A highly conductive and transparent solution processed AZO/MWCNT nanocomposite
I.Y.Y. BU (Republic of China) & M.T. COLE (United Kingdom)
- 1105 Decisive role of MgO addition in the ultra-broad temperature stability of multicomponent BaTiO₃-based ceramics
L. LI, M. WANG, Y. LIU, J. CHEN & N. ZHANG (China)
- 1111 Improved electrical properties of Nd-doped K_{0.5}Bi_{4.5}Ti₄O₁₅ thin films prepared by chemical solution deposition
J.W. KIM, D. DO, C.M. RAGHAVAN & S.S. KIM (Republic of Korea)
- 1117 High temperature X-ray studies of mayenite synthesized using the citrate sol-gel method
S.N. UDE, C.J. RAWN, R.A. PEASCOE, M.J. KIRKHAM, G.L. JONES & E. ANDREW PAYZANT (USA)
- 1125 Effects of CeO₂ nanoparticles and annealing temperature on the microwave dielectric properties of MgTiO₃ ceramics
S.K. THATIKONDA, D. GOSWAMI & P. DOBBIDI (India)
- 1133 Temperature stability, phase structure and electrical behavior of Li-modified 0.99(K_{0.48}Na_{0.52})NbO₃-0.01BiCoO₃ piezoelectric ceramics
W. WU, D. XIAO, J. MA, J. WU, J. LI & W. LIANG (PR China)
- 1139 Preparation and characterization of poly(vinyl butyral) electrospun nanocomposite fibers reinforced with ultrasonically functionalized sepiolite
S. AHMED BEN HASSAN, D.B. STOJANOVIĆ, A. KOJOVIĆ, I. JANKOVIĆ-ČASTVAN, D. JANAČKOVIĆ, P.S. USKOKOVIĆ & R. ALEKSIĆ (Serbia)
- 1147 Developments of cobalt ferrite nanoparticles prepared by the sol-gel process
M. SAJJIA, M. OUBAHA, M. HASANUZZAMAN (Ireland) & A.G. OLABI (UK)
- 1155 Microfiltration of oil-water emulsions using low cost ceramic membranes prepared with the uniaxial dry compaction method
S. EMANI, R. UPPALURI & M.K. PURKAIT (India)

- 1165 Wear performance of SiC/G coating at elevated temperatures
J. ZHANG, Z. WANG, L. NIU & W. SUN (China)
- 1171 Optical properties of multiferroic LuFeO_3 ceramics
L.P. ZHU, H.M. DENG, L. SUN, J. YANG, P.X. YANG & J.H. CHU (PR China)
- 1177 Production of glass spheres from blast furnace slags by a thermal flame projection process
E.M. SAUCEDO-SALAZAR, Y.A. PERERA-MERCADO, F.R. RODRÍGUEZ-RUIZ & A. ARAUZA-VILLARREAL (México)
- 1183 Effect of substitution of magnetic rare earth Nd at non-magnetic La site on structure and properties of LaSrFeO_4
D. SINGH, S. SINGH, A. MAHAJAN & N. CHOUDHARY (India)
- 1189 Synthesis of nano-crystalline $\text{Sm}_{0.5}\text{Sr}_{0.5}\text{Co(Fe)O}_{3-\delta}$ perovskite oxides by a microwave-assisted sol-gel combustion process
L. LI, J. SONG, Q. LU & X. TAN (China)
- 1195 Electrical properties of lead-free KNN films on SRO/STO by RF magnetron sputtering
T. LI, G. WANG, K. LI, G. DU, Y. CHEN, Z. ZHOU (People's Republic of China), D. RÉMIENS (France) & X. DONG (People's Republic of China)

Short Communications

- 1199 Microstructure analysis of $\text{C}_f/\text{SiC-ZrC}$ composites in both fabrication and plasma wind tunnel testing processes
Q. FENG (China), Z. WANG, H.J. ZHOU, P. HE, L. GAO, Y.M. KAN, X.Y. ZHANG, Y.S. DING & S. DONG (PR China)
- 1205 Shape-controlled electrochemical synthesis of SrWO_4 crystallites and their optical properties
X. LI, Z. SONG & B. QU (PR China)
- 1209 Effect of particle size on the dielectric and piezoelectric properties of 0-3BCTZO/cement composites
S. HUNPRATUB, T. YAMWONG, S. SRILOMSAK (Thailand), S. MAENSIRI (Thailand) & P. CHINDAPRASIRT (Thailand)
- 1215 Porous Al_2O_3 microspheres prepared by a novel ice-templated spray drying technique
M. YU, K. ZHOU, Y. ZHANG & D. ZHANG (PR China)
- 1221 Fabrication of c-axis-oriented apatite-type polycrystalline $\text{La}_{10}\text{Si}_6\text{O}_{27}$ ceramic and its anisotropic oxide ionic conductivity
S. NAKAYAMA, Y. HIGUCHI, M. SUGAWARA, A. MAKIYA, K. UEMATSU & M. SAKAMOTO (Japan)
- 1225 Thermal expansion behavior and polarization properties of lead-free ferroelectric potassium lithium tantalate niobate single crystals
Y. LI, J. LI (China, USA), Z. ZHOU (China), R. GUO & A. BHALLA (USA)
- 1229 One-pot synthesis of NaA and NaP zeolite powders using agro-waste material and other low cost organic-free precursors
S. BOHRA, D. KUNDU & M.K. NASKAR (India)
- 1235 Effects of growth temperature on nitrogen incorporation into InGaPN epilayer and its optical properties
K.M. KIM, S. HASEGAWA, H. ASAHI (Japan) & J.H. RYU (Republic of Korea)
- 1241 Green synthesis of flower-like ZnO decorated reduced graphene oxide composites
L. ZHANG, G. DU, B. ZHOU & L. WANG (China)
- 1245 Crystallinity and morphological evolution of hydrothermally synthesized potassium manganese oxide nanowires
M.F.L. HARIS (Malaysia), C.-Y. YIN, Z.-T. JIANG, B.-M. GOH (Australia), X. CHEN (USA, China), W.A. AL-MASRY, A.M. ABUKHALAF, M. EL-HARBAWI (Saudi Arabia), N.M. HUANG & H.N. LIM (Malaysia)
- 1251 A nanocomposite of needle-like MnO_2 nanowires arrays sandwiched between graphene nanosheets for supercapacitors
H. SONG, X. LI, Y. ZHANG, H. WANG, H. LI & J. HUANG (PR China)

- 1257 Aqueous gelcasting of silica ceramics using DMAA
W. WAN, J. YANG, J. ZENG, L. YAO & T. QIU (PR China)
- 1263 Evaluation of residual stress in microplasma sprayed hydroxyapatite coating by nanoindentation
A. DEY & A.K. MUKHOPADHYAY (India)
- 1273 Variation of thermal expansion of carbon/carbon composites from 850 to 2500 °C
P. WANG, S. ZHANG, H. LI, J. KONG, W. LI & W. ZAMAN (PR China)

Corrigendum

- 1277 Corrigendum to: Mechanical properties and microstructures of 2D C_f/ZrC–SiC composites using ZrC precursor and polycarbosilane
Q. LI, S. DONG, P. HE, H. ZHOU, Z. WANG, J. YANG, B. WU & J. HU (China)