


ПН
С41/сi

CERAMICS INTERNATIONAL



PIETRO VINCENZINI

GENERAL EDITOR

EDITORS-IN-CHIEF

L. BERGSTROM
SWEDEN

R.K. BORDIA
USA

Z.Y. FU
CHINA

T. OHJI
JAPAN

J.A. VARELA
BRAZIL

<http://www.elsevier.com/locate/ceramint>



ELSEVIER



(Abstracted/indexed in: *Applied Mechanics Reviews*; *Br. Ceram Abstr.*; *Ceramic Abstracts*; *Chemical Abstracts*; *Current Contents/Engineering, Computing & Technology*; *Current Contents/Physical, Chemical and Earth Sciences*; *Materials Science Citation Index*; *Met. Abstr.*; *Sci. Abstr.*; *Science Citation Index*; *SciSearch*; *World Alum. Abstr.* Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.)

CONTENTS

Volume 40 Issue 1 PART B 2014

Original Articles

- 1279 Structural, optical and magnetic properties of $Zn_{0.97-x}Al_xCr_{0.03}S$ nanoparticles
D.A. REDDY, C. LIU (Republic of Korea), R.P. VIJAYALAKSHMI & B.K. REDDY (India)
- 1289 Mechanical properties and electrical conductivity of alumina/MWCNT and alumina/zirconia/MWCNT composites
M. MICHÁLEK, J. SEDLÁČEK, M. PARCHOVIANSKY, M. MICHÁLKOVÁ & D. GALUSEK (Slovakia)
- 1297 Titania nanotubes and fullerenes C_{60} assemblies and their photocatalytic activity under visible light
M. GRANDCOLAS, J. YE & K. MIYAZAWA (Japan)
- 1303 Tough ceramics by microwave sintering of nanocrystalline titanium diboride ceramics
D. DEMIRSKYI (Japan, USA, Ukraine), D. AGRAWAL (USA) & A. RAGULYA (Ukraine)
- 1311 Synthesis of nano α -alumina powders using hydrothermal and precipitation routes: a comparative study
S. GHANIZADEH, X. BAO, B. VAIDHYANATHAN & J. BINNER (UK)
- 1321 Morphological, structural, and gas-sensing characterization of tin-doped indium oxide nanoparticles
A. AYESHAMARIAM (India), M. KASHIF (Malaysia), M. BOUOUDINA (Bahrain), U. HASHIM (Malaysia), M. JAYACHANDRAN (India) & M.E. ALI (Malaysia)
- 1329 Fabrication and properties of SiC/mullite composite porous ceramics
Y. JING, X. DENG, J. LI, C. BAI & W. JIANG (China)
- 1335 Structure, ferroelectric, piezoelectric and ferromagnetic properties of $BiFeO_3-Ba_{0.85}Ca_{0.15}Ti_{0.90}Zr_{0.10}O_3$ lead-free multiferroic ceramics
D. LIN, K.W. KWOK & H.L.W. CHAN (China)
- 1341 Effect of microstructure refinement on performance of $Ni/Ce_{0.8}Gd_{0.2}O_{1.9}$ anodes for low temperature solid oxide fuel cell
F.S. TORKNIK, M. KEYANPOUR-RAD, A. MAGHSOUDIPOUR (Iran) & G.M. CHOI (South Korea)
- 1351 Hydrothermal synthesis, characterization and optical properties of ellipsoid shape $\alpha-Fe_2O_3$ nanocrystals
M. MOHAMMADIKISH (Iran)
- 1359 Joining of silicon carbide and graphite by spark plasma sintering
T. OKUNI, Y. MIYAMOTO, H. ABE & M. NAITO (Japan)

Continued on inside back cover



ELSEVIER

Available online at www.sciencedirect.com

ScienceDirect



CONTENTS—Continued from outside back cover

- 1365 Microstructure and technological properties of porcelain stoneware tiles moulded at different pressures and thicknesses
J.M. PÉREZ & M. ROMERO (Spain)
- 1379 Highly stable- silica encapsulating magnetite nanoparticles ($\text{Fe}_3\text{O}_4/\text{SiO}_2$) synthesized using single surfactantless-polyol process
M. ABBAS (Republic of Korea, Egypt), B. PARVATHEESWARA RAO (India),
MD. NAZRUL ISLAM (Republic of Korea), S.M. NAGA (Egypt), M. TAKAHASHI (Republic of Korea, Japan)
& C. KIM (Republic of Korea)
- 1387 Mesoporous vanadium oxide nanostructures: Hydrothermal synthesis, optical and electrochemical properties
I. MJEJRI, N. ETTEYEB & F. SEDIRI (Tunisia)
- 1399 SPS sintering of silicon nitride with fluoride additive
Z. TATLI, F. ÇALIŞKAN (Turkey), J. BUTLER, C. CROWLEY & S. HAMPSHIRE (Ireland)
- 1405 Life time of new SYSZ thermal barrier coatings produced by plasma spraying method under thermal shock test and high temperature treatment
M.R. LOGHMAN-ESTARKI, R. SHOJA RAZAVI, H. EDRIS, M. POURBAFRANY, H. JAMALI
& R. GHASEMI (Islamic Republic of Iran)
- 1415 Structure and electrochemical performance of surface modified LaPO_4 coated LiMn_2O_4 cathode materials for rechargeable lithium batteries
P. MOHAN & G. PARUTHIMAL KALAI GNAN (India)
- 1423 Fabrication of WO_3 nanotube sensors and their gas sensing properties
S. AN, S. PARK, H. KO & C. LEE (Republic of Korea)
- 1431 Analysis of water leaching and transition processes in zirconium oxychloride octahydrate production
R. LIU, J. QU, J. SONG, T. QI & A. DU (China)
- 1439 Si_3N_4 -TiN-SiC three particle phase composites for wear applications
G. BLUGAN, M. HADAD, T. GRAULE & J. KUEBLER (Switzerland)
- 1447 Spherical shaped pore structured cermet supports for solid oxide fuel cells
Y.M. PARK & H. KIM (Republic of Korea)
- 1457 Improved electrical and optical properties of GZO films with a thin TiO_2 buffer layer deposited by RF magnetron sputtering
D. KIM (Republic of Korea)
- 1461 Superconducting properties of polycrystalline $\text{YBa}_2\text{Cu}_3\text{O}_{7-d}$ prepared by sintering of ball-milled precursor powder
A. HAMRITA, Y. SLIMANI, M.K. BEN SALEM, E. HANNACHI (Tunisia), L. BESSAIS (France), F. BEN AZZOUZ & M. BEN SALEM (Tunisia)
- 1471 High-temperature corrosion of silicon carbide ceramics by coal ashes
M. HERRMANN, G. STANDKE, S. HÖHN, G. HIMPEL & T. GESTRICH (Germany)
- 1481 Synthesis of silicon carbide whiskers using reactive graphite as template
Y. LI, Q. WANG, H. FAN, S. SANG, Y. LI & L. ZHAO (PR China)
- 1489 Rapid synthesis and thermal catalytic performance of N-doped ZnO/Ag nanocomposites
J. LU, J. ZHU, Z. WANG, J. CAO & X. ZHOU (China)
- 1495 Effects of porosity and pore size on the properties of AgO-decorated porous diatomite ceramic composites
W. SHEN, L. FENG, A. LEI, Z. LIU & Y. CHEN (China)
- 1503 Phosphate chemical binder as an anti-hydration additive for Al_2O_3 -MgO refractory castables
T.M. SOUZA, A.P. LUZ, T. SANTOS JR., D.C. GIMENES, M.M. MIGLIOLI, A.M. CORREA
& V.C. PANDOLFELLI (Brazil)

(contents continued from Inside back cover)

- 1513 Fabrication of anode-supported tubular $\text{Ba}(\text{Zr}_{0.1}\text{Ce}_{0.7}\text{Y}_{0.2})\text{O}_{3-\delta}$ cell for intermediate temperature solid oxide fuel cells
S.H. MIN, R.-H. SONG, J.G. LEE, M.-G. PARK, K.H. RYU, Y.-K. JEON & Y.-G. SHUL (Republic of Korea)
- 1519 Facile co-precipitation synthesis of shape-controlled magnetite nanoparticles
L. SHEN, Y. QIAO, Y. GUO, S. MENG, G. YANG, M. WU & J. ZHAO (P R China)
- 1525 Methane oxidation behavior over $\text{La}_{0.08}\text{Sr}_{0.92}\text{Fe}_{0.20}\text{Ti}_{0.80}\text{O}_{3-\delta}$ perovskite oxide for SOFC anode
J.S. YOON, E.J. YI, B.H. CHOI, M.-J. JI & H.J. HWANG (Republic of Korea)
- 1531 Hydrothermal synthesis and characterization of mesoporous rod-like hybrid organic-inorganic nanocrystalline based vanadium oxide
L. SOLTANE & F. SEDIRI (Tunisia)
- 1539 Influence of fiber coating thickness on microstructure and mechanical properties of carbon fiber-reinforced zirconium diboride based composites
K. XIAO, Q. GUO, Z. LIU, S. ZHAO & Y. ZHAO (China)
- 1545 Effect of annealing temperature on structural and optical properties of Mg-doped ZnO nanoparticles and their photocatalytic efficiency in alprazolam degradation
T.B. IVETIĆ, M.R. DIMITRIEVSKA, N.L. FINČUR, L.J.R. ĐAČANIN, I.O. GÚTH, B.F. ABRAMOVIĆ & S.R. LUKIĆ-PETROVIĆ (Serbia)
- 1553 Incorporation of cadmium sulfide nanoparticles on the cadmium titanate nanofibers for enhanced organic dye degradation and hydrogen release
B. PANT (Republic of Korea), H.R. PANT (Republic of Korea, Nepal), N.A.M. BARAKAT, M. PARK, T.-H. HAN, B.H. LIM & H.-Y. KIM (Republic of Korea)
- 1561 A two-step solid state synthesis of LiFePO_4/C cathode with varying carbon contents for Li-ion batteries
J. GIM, J. SONG, D. NGUYEN, M. HILMY ALFARUQI, S. KIM, J. KANG, A.K. RAI, V. MATHEW & J. KIM (South Korea)
- 1569 Sol-gel synthesis and dielectric properties of Ruddlesden-Popper phase $\text{Sr}_{n+1}\text{Ti}_n\text{O}_{3n+1}$ ($n=1, 2, 3, \infty$)
W. GE, C. ZHU, H. AN, Z. LI, G. TANG & D. HOU (People's Republic of China)
- 1575 Structural and microwave characterization of $\text{Ni}_{0.2}\text{Co}_x\text{Zn}_{0.8-x}\text{Fe}_2\text{O}_4$ for antenna applications
K. MOHIT, V.R. GUPTA, N. GUPTA & S.K. ROUT (India)
- 1587 Characterization and photocatalytic properties of nanoporous titanium dioxide layer fabricated on pure titanium substrates by the anodic oxidation process
T. DIKICI, M. EROL, M. TOPARLI & E. CELIK (Turkey)
- 1593 Study on the slag corrosion resistance of unfired $\text{Al}_2\text{O}_3\text{-SiC}/\beta\text{-Sialon}/\text{Ti}(\text{C}, \text{N})\text{-C}$ refractories
D.-X. YANG, Y.-G. LIU, M.-H. FANG, Z.-H. HUANG & D.-Y. YE (PR China)
- 1599 Synthesis of hollow core-shell ZnCo_2O_4 spheres and their formation mechanism
Y. SUN, L. ZHANG, J. ZHANG, P. CHEN, S. XIN, Z. LI (PR China) & J. LIU (USA)
- 1605 Spectroscopic and structural features of Eu^{3+} -doped zinc pyrophosphate ceramic
L. QIN, C. XU, Y. HUANG (China), S.I. KIM & H.J. SEO (Republic of Korea)
- 1613 Glass-free low-temperature sintering and microwave dielectric properties of $\text{CaWO}_4\text{-Li}_2\text{WO}_4$ ceramics
Z. ZHANG, H. SU, X. TANG, H. ZHANG, T. ZHOU & Y. JING (China)
- 1619 Characterization of rare earth oxide-rich glass applied to the glass-infiltration of a ceramic system
C.M.M. BIGHETTI, S. RIBEIRO, S.P.T. BORGES, K. STRECKER, J.P.B. MACHADO & C. SANTOS (Brazil)
- 1627 Surface morphology and photoelectric properties of fluorine-doped tin oxide thin films irradiated with 532 nm nanosecond laser
B.-J. LI, L.-J. HUANG, M. ZHOU, N.-F. REN & B. WU (PR China)

- 1635 Er doped ZnO nanoplates: Synthesis, optical and dielectric properties
R. ZAMIRI, A. KAUSHAL, A. REBELO & J.M.F. FERREIRA (Portugal)
- 1641 The influence of disorder on the appearance of Griffiths phase and magnetoresistive properties in $(\text{La}_{1-x}\text{Nd}_x)_{2/3}(\text{Ca}_{1-y}\text{Sr}_y)_{1/3}\text{MnO}_3$ oxides
J. KHELIFI (Tunisie, France), A. TOZRI, F. ISSAOUI, E. DHAHRI (Tunisie) & E.K. HLIL (France)
- 1651 Effect of calcination temperature for magnesite on interaction of MgO-rich phases with boric acid
K. SASAKI & S. MORIYAMA (Japan)
- 1661 Effects of ethyl cellulose polymers on rheological properties of $(\text{La,Sr})(\text{Ti,Fe})\text{O}_3$ -terpineol pastes for screen printing
S. MURAKAMI, K. RI, T. ITOH, N. IZU, W. SHIN, K. INUKAI, Y. TAKAHASHI & Y. ANDO (Japan)
- 1667 Porosity formation and enhanced solubility of calcium silicate hydrate in hydrothermal synthesis
W. GUAN, F. JI, D. FANG, Y. CHENG, Z. FANG, Q. CHEN & P. YAN (PR China)
- 1675 Foaming performance of aqueous albumin and mullite-albumin systems used in cellular ceramic processing
M.L. SANDOVAL & M.A. CAMERUCCI (Argentina)
- 1687 Microstructure evolution and optical properties of *c*-axis-oriented ZnO thin films incorporated with silver nanoisland layers
Y.-C. LIANG & X.-S. DENG (Taiwan)
- 1693 Electrodeposition for the synthesis of ZnO nanorods modified by surface attachment with ZnO nanoparticles and their dye-sensitized solar cell applications
Y. MENG, Y. LIN & Y. LIN (People's Republic of China)
- 1699 In situ elastic modulus evaluation of Al_2O_3 -MgO refractory castables
T.M. SOUZA, A.P. LUZ, M.A.M. BRITO & V.C. PANDOLFELLI (Brazil)
- 1709 Thermal evolution of the mechanical properties of calcareous earthenware
M.F. SERRA, M.F. ACEBEDO, M.S. CONCONI, G. SUAREZ, E.F. AGLIETTI & N.M. RENDTORFF (Argentina)
- 1717 Synthesis and characterization of lead zirconate titanate (PZT) obtained by two chemical methods
C.A. OLIVEIRA, E. LONGO, J.A. VARELA & M.A. ZAGHETE (Brazil)
- 1723 Luminescence properties and energy transfer investigations of $\text{Sr}_3\text{AlO}_4\text{F}:\text{Ce}^{3+}, \text{Tb}^{3+}$ phosphor
J. SUN, G. SUN & Y. SUN (China)
- 1729 Improved photocatalytic and gas sensing properties of $\alpha\text{-Fe}_2\text{O}_3$ nanoparticles derived from $\beta\text{-FeOOH}$ nanospindles
H. YAN, X. SU, C. YANG, J. WANG & C. NIU (China)
- 1735 Effect of solid loading on gelcasting of silica ceramics using DMAA
W. WAN, J. YANG, J. ZENG, L. YAO & T. QIU (PR China)
- 1741 Comparative study of an experimental Portland cement and ProRoot MTA by electrochemical impedance spectroscopy
K.-P. SEONG, S.-Y. JEON, B. SINGH, J.-H. HWANG & S.-J. SONG (Republic of Korea)
- 1747 Sol-gel synthesis of nanostructured titania-silica mesoporous membranes with photo-degradation and physical separation capacities for water purification
V. TAJER-KAJINEBAF, H. SARPOOLAKY & T. MOHAMMADI (Iran)
- 1759 Pressureless sintered silicon carbide with enhanced mechanical properties obtained by the two-step sintering method
G. MAGNANI, A. BRENTARI, E. BURRESI & G. RAITERI (Italy)
- 1765 Large scale production of spherical WO_3 powder with ultrasonic spray pyrolysis assisted by sol-gel method for hydrogen detection
T. YANG, Y. ZHANG & C. LI (China)

- 1771 Low sintering temperature of ZnNb_2O_6 for silver co-sintering
R. QUERCIOLO, J. BERNARD, J.-M. HAUSSONNE, J.-M. REBOUL & D. HOUIVET (France)
- 1781 Effect of grain size on the electrical properties of high dense BPT nanocrystalline ferroelectric ceramics
V.R. MUDINEPALLI, S. SONG, J. LI (China) & B.S. MURTY (India)
- 1789 Preparation of 3D interconnected macroporous hydroxyapatite scaffolds by PVA assisted foaming method
W. WANG, B. CHU, C. LIN, S. CHEN, H. RU, X. YUE & Q. JIA (PR China)
- 1797 Effect of milling on dielectric and microwave absorption properties of SiC based composites
A. KUMAR, V. AGARWALA & D. SINGH (India)
- 1807 Effect of the volume fraction of SiC on the microstructure and creep behavior of hot pressed $\text{Al}_2\text{O}_3/\text{SiC}$ composites
M. PARCHOVIANSKÝ, D. GALUSEK, M. MICHÁLEK, P. ŠVANČÁREK, M. KAŠIAROVÁ, J. DUSZA & M. HNATKO (Slovakia)
- 1815 Morphology control of β -SiAlON via salt-assisted combustion synthesis
J. NIU, K. HARADA, I. NAKATSUGAWA & T. AKIYAMA (Japan)
- 1821 Preparation of innovative metallic composite glazes for porcelainized stoneware tiles
C. SILIGARDI, L. TAGLIAFERRI, L. LUSVARGHI, G. BOLELLI & D. VENTURELLI (Italy)
- 1829 Microstructure and mechanical properties of ZrO_2 ceramics toughened by 5–20 vol% Ta metallic particles fabricated by pressureless sintering
A. SMIRNOV & J.F. BARTOLOMÉ (Spain)
- 1835 Preparation of lithium niobate particles via reactive molten salt synthesis method
A.R. KAMALI & D.J. FRAY (UK)
- 1843 Comparison of thermo-mechanical characteristics of non-doped and 3 mol% B-site Zr-doped $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$
G. PEĆANAC, L. KIESEL, R. KRIEGEL & J. MALZBENDER (Germany)
- 1851 Mo-doped indium oxide films by dip-coating: Synthesis, microstructure and optical properties
F. NANNI, F.R. LAMASTRA, F. FRANCESCHETTI, F. BICCARI & I. CACCIOTTI (Italy)
- 1859 Critical parameters to obtain Yb^{3+} doped Lu_2O_3 and ZnO transparent ceramics
M. PRAKASAM, O. VIRAPHONG, D. MICHAU & A. LARGETEAU (France)
- 1865 Proton-conducting $\text{Ba}_{1-x}\text{K}_x\text{Ce}_{0.6}\text{Zr}_{0.2}\text{Y}_{0.2}\text{O}_{3-\delta}$ oxides synthesized by sol-gel combined with composition-exchange method
K.-R. LEE, Y.-C. CHIANG, I.-M. HUNG, C.-J. TSENG, J.-K. CHANG & S.-W. LEE (ROC)
- 1873 Grain boundary character distributions of sigma2 boundaries in WC-Co composites with different cobalt volume fractions
X. YUAN (China)
- 1879 In vivo investigation of biological responses to tricalcium silicate pastes in muscle tissue
Q. LIN, W. ZHANG, C. LU, G. HOU & Z. XU (China)
- 1885 Effects of different organic additives on the formation of $\text{YPO}_4:\text{Eu}^{3+}$ nano-/microstructures under hydrothermal conditions with enhanced photoluminescence
H. LAI, Y. DU, M. ZHAO, K. SUN & L. YANG (PR China)
- 1893 Innovative solvo-combustion route for the rapid synthesis of MoO_3 and Sm_2O_3 materials
M.A. RUIZ-GÓMEZ, C. GÓMEZ-SOLÍS, M.E. ZARAZÚA-MORÍN, L.M. TORRES-MARTÍNEZ, I. JUÁREZ-RAMÍREZ, D. SÁNCHEZ-MARTÍNEZ & M.Z. FIGUEROA-TORRES (México)
- 1901 Monoclinic Li_2TiO_3 nano-particles via hydrothermal reaction: Processing and structure
C.-L. YU (PR China, Japan), K. YANAGISAWA, S. KAMIYA, T. KOZAWA & T. UEDA (Japan)

- 1909 Preparation of nano-structured Ni-Ce_{0.8}Gd_{0.2}O_{1.9} anode materials for solid oxide fuel cells via the water-in-oil (W/O) micro-emulsion route
M.K. RATH, M.-J. LEE & K.-T. LEE (Republic of Korea)
- 1919 Crystal structure and highly enhanced ferroelectric properties of (Tb, Cr) co-doped BiFeO₃ thin films fabricated by a sol-gel method
G. DONG, G. TAN, W. LIU, A. XIA & H. REN (China)
- 1927 Development of highly conductive and transparent copper doped zinc oxide thin films via 2-methoxyethanol modified sol-gel dip-coating technique
H.A. AL-KHANBASHI, W. SHIRBEENY, A.A. AL-GHAMDY (Saudi Arabia), L.M. BRONSTEIN (Saudi Arabia, USA) & W.E. MAHMOUD (Saudi Arabia)
- 1933 Effects of Mg doping on multiferroic properties of bilayered Co_{1-x}Mg_xFe₂O₄/PMN-PT composite thin films
J.M. LI, G.Z. LI, Z.H. BAI, L.L. WANG, M. FENG & H.B. LI (PR China)
- 1939 Mechanical properties of SiC/SiC composites fabricated by PIP process with a new precursor polymer
Z. LUO, X. ZHOU, J. YU, K. SUN & F. WANG (China)
- 1945 Effect of synthesis route on the structural, optical and magnetic properties of Fe₃O₄ nanoparticles
S.A. KULKARNI, P.S. SAWADH, P.K. PALEI & K.K. KOKATE (India)
- 1951 Structurally enhanced photocatalytic activity of flower-like ZnO synthesized by PEG-assisted hydrothermal route
P.V. ADHYAPAK, S.P. MESHRAM, D.P. AMALNERKAR & I.S. MULLA (India)
- 1961 Use of bauxite from Cameroon for solid state sintering and characterization of calcium dialuminate (CaO·2Al₂O₃) refractory cement
A.B. TCHAMBA (Cameroon, France), U.C. MELO (Cameroon), G.L. LECOMTE-NANA (France), E. KAMSEU (Cameroon), C. GAULT (France), R. YONGUE & D. NJOPWOUO (Cameroon)
- 1971 Effect of Y³⁺ substitution on structural, electrical and optical properties of BiFeO₃ ceramics
V. SINGH, S. SHARMA, P.K. JHA, M. KUMAR & R.K. DWIVEDI (India)
- 1979 Influence of energy transfer from Ce³⁺ to Eu²⁺ on luminescence properties of Ba₃Si₆O₉N₄:Ce³⁺, Eu²⁺ phosphors
H. CHEN, C. LI, Y. HUA, L. YU, Q. JIANG, D. DENG, S. ZHAO, H. MA & S. XU (China)
- 1985 Microwave-hydrothermal/solvothermal synthesis of kesterite, an emerging photovoltaic material
X. YAN (PR China, USA), E. MICHAEL, S. KOMARNENI, J.R. BROWNSON (USA) & Z.-F. YAN (PR China)
- 1993 Halfmetallic ferromagnetism in rare earth nitrides RENs (RE=Gd, Dy, and Ho): A first principles study
R. RAJESWARAPALANICHAMY, A.T. ASVINI MEENAATCI & K. IYAKUTTI (India)
- 2005 Effects of sintering behavior on piezoelectric properties of porous PZT ceramics
W. LIU, J. XU, R. LV, Y. WANG, H. XU & J. YANG (China)
- 2011 Zirconia-toughened WC with/without VC and Cr₃C₂
D. ZHENG, X. LI, Y. LI, S. QU & C. YANG (China)
- 2017 Preparation and photocatalytic activity of N-Ag co-doped TiO₂/C porous ultrafine fibers mat
N. WU, Y. WANG, Y. LEI & B. WANG (PR China)
- 2023 Structural and magneto-transport properties of (La_{0.6}Ca_{0.2}Sr_{0.2}MnO₃)_{1-x}(Sb₂O₃/CuO)_x composites
M. NASRI, M. TRIKI, E. DHAHRI (Tunisie), P. LACHKAR & E.K. HLIL (France)
- 2029 Preparation and electrochemical characterization of flower-like Li_{1.2}Ni_{0.17}Co_{0.17}Mn_{0.5}O₂ microstructure cathode by electrospinning
J.W. MIN, C.J. YIM & W.B. IM (Republic of Korea)
- 2035 Nanosilica synthesized by the Pechini method for potential application as a catalytic support
P.C. RIBEIRO, R.H.G.A.. KIMINAMI & A.C.F.M.. COSTA (Brazil)

- 2041 Green synthesis and evaluation of metabolic activity of starch mediated nanoceria
M. DARROUDI, M. SARANI, R. KAZEMI OSKUEE, A. KHORSAND ZAK, H.A. HOSSEINI & L. GHOLAMI (Iran)
- 2047 Chemically modified boron nitride-epoxy terminated dimethylsiloxane composite for improving the thermal conductivity
K. KIM, M. KIM, Y. HWANG & J. KIM (Korea)
- 2057 Effect of deposition temperature on the orientation and electrical properties of $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ films prepared by laser CVD using liquid-source evaporation
P. ZHAO, A. ITO & T. GOTO (Japan)
- 2063 Interfacial and mechanical characterization of yttria-stabilized zirconia (YSZ) to stainless steel joints fabricated using Ag–Cu–Ti interlayers
K.-L. LIN (Taiwan), M. SINGH, R. ASTHANA (USA) & C.-H. LIN (Taiwan)
- 2073 Wettability of 2519Al on B_4C at 1000–1250°C and mechanical properties of infiltrated B_4C –2519Al composites
H. WU, F. ZENG, T. YUAN, F. ZHANG & X. XIONG (China)
- 2083 Plasticity and fracture of sapphire at room temperature: Load-controlled microcompression of four different orientations
A. MONTAGNE, S. PATHAK, X. MAEDER & J. MICHLER (Switzerland)
- 2091 Synthesis as well as Raman and optical properties of Cu-doped ZnO nanorods prepared at low temperature
J. IQBAL (Pakistan, China), T. JAN (Pakistan), M. SHAFIQ, A. ARSHAD, N. AHMAD (Pakistan), S. BADSHAHD (Pakistan) & R. YU (Republic of China)
- 2097 Novel synthesis of nanophase anatase under conventional- and microwave-hydrothermal conditions: DeNO_x properties
S. KOMARNENIN, S. ESQUIVEL, Y. D. NOH (United States), S. SITTHISANG (United States, Thailand), J. TANTIRUNGROTECHAI (Thailand), H. LI, S. YIN, T. SATO & H. KATSUKID (Japan)
- 2103 Sintering behavior, phase evolution and microwave dielectric properties of thermally stable $(1-x)\text{Li}_3\text{NbO}_4-x\text{CaTiO}_3$ composite ceramic
H. ZHOU, W. WANG, X. CHEN, Y. MIAO, X. LIU, L. FANG & F. HE (China)
- 2109 Effect of $\text{MgO}/\text{La}_2\text{O}_3$ co-doping on the microstructure, transmittance and microwave dielectric properties of translucent polycrystalline alumina
L. YUAN, H. WANG, H. LIN, W. LI, X. LI & J. SHI (China)
- 2115 Facile synthesis of $\text{CoAl-LDH}/\text{MnO}_2$ hierarchical nanocomposites for high-performance supercapacitors
Z.P. DIAO, Y.X. ZHANG, X.D. HAO & Z.Q. WEN (P.R. China)
- 2121 Modeling the current density in sol–gel electrophoretic deposition of titania thin film
S. GHANNADI, H. ABDIZADEH & M.R. GOLOBOSTANFARD (Iran)
- 2127 CuO nanobelts synthesized by a template-free hydrothermal approach with optical and magnetic characteristics
R.M. MOHAMED (Saudi Arabia, Egypt), F.A. HARRAZ (Egypt, Saudi Arabia) & A. SHAWKY (Egypt)
- 2135 Band gap engineering in $\text{Zn}_{(1-x)}\text{Cd}_x\text{O}$ and $\text{Zn}_{(1-x)}\text{Mg}_x\text{O}$ thin films by RF sputtering
S. GOWRISHANKAR, L. BALAKRISHNAN & N. GOPALAKRISHNAN (India)
- 2143 Characterization of lead glazed potteries from Smyrna (Izmir/Turkey) using multiple analytical techniques; Part I: Glaze and engobe
M. ÖZÇATAL, M. YAYGINGÖL, A. İSSI, A. KARA, S. TURAN, F. OKYAR, Ş. PFEIFFER TAŞ (Turkey), I. NASTOVA, O. GRUPČE & B. MINČEVA-ŠUKAROVA (Republic of Macedonia)
- 2153 Characterization of lead glazed potteries from Smyrna (Izmir/Turkey) using multiple analytical techniques; Part II: Body
M. ÖZÇATAL, M. YAYGINGÖL, A. İSSI, A. KARA, S. TURAN, F. OKYAR, Ş. PFEIFFER TAŞ (Turkey), I. NASTOVA, O. GRUPČE & B. MINČEVA-ŠUKAROVA (Republic of Macedonia)

- 2161 Influence of Ag–S codoping on silver chemical states and stable p-type conduction behavior of the ZnO films
Y. XU, T. YANG, B. YAO, Y.F. LI, Z.H. DING, J.C. LI, H.Z. WANG, Z.Z. ZHANG, L.G. ZHANG, H.F. ZHAO & D.Z. SHEN (PR China)
- 2169 Visible light-induced photocatalytic activity of SiO₂/carbon cluster composite materials
H. MATSUI (Japan), K. SANTHI (India), S. SUGIYAMA, M. YOSHIHARA (Japan) & S. KARUPPUCHAMY (India)
- 2173 Photoluminescence properties of Eu³⁺ in garnet-type Li₇La₃Zr₂O₁₂ polycrystalline ceramics
X. ZHANG (China, Republic of Korea), Z. ZHANG (China), S.I. KIM, Y. MOON YU & H.J. SEO (Republic of Korea)
- 2179 Structural, morphological and gas sensing properties of undoped and Lanthanum doped nanocrystalline SnO₂
L.P. CHIKHALE, J.Y. PATIL, A.V. RAJGURE, F.I. SHAIKH, I.S. MULLA & S.S. SURYAVANSHI (India)
- 2187 Experimental study on the contact angle formation of solidified iron–chromium droplets onto yttria ceramic substrates for the yttria/ferrous alloy system with variable chromium content
K. VERHIEST, S. MULLENS, J. PAUL, I. DE GRAEVE, N. DE WISPELAERE, S. CLAESSENS, A. DEBREMAECKER & K. VERBEKEN (Belgium)
- 2201 Studies of dielectric, pyroelectric and conduction mechanism of Sr₃Ta₂O₈
B. PATI, R.N.P. CHOUDHARY & P.R. DAS (India)
- 2209 Effect of polyethylene glycol on porous transparent TiO₂ films prepared by sol–gel method
J.M. CALDERON-MORENO, S. PREDA, L. PREDOANA, M. ZAHARESCU, M. ANASTASESCU, M. NICOLESCU, M. STOICA, H. STROESCU, M. GARTNER, O. BUIU, M. MIHAILA & B. SERBAN (Romania)
- 2221 The use of a diatomite–kaolin composite coating to design the pore characteristics of a sintered diatomite membrane
J.-H. HA, E. OH & I.-H. SONG (Republic of Korea)
- 2229 Multiferroic based reddish brown pigments: Bi_{1-x}M_xFeO₃ (M=Y and La) for coloring applications
V. JAMES, P. PRABHAKAR RAO, S. SAMEERA & S. DIVYA (India)
- 2237 Enhanced biocorrosion resistance of surface modified magnesium alloys using inorganic/organic composite layer for biomedical applications
A. ABDAL-HAY (Republic of Korea, Egypt), M. DEWIDAR (Egypt), J. LIM & J.K. LIM (Republic of Korea)
- 2249 Optical and dielectric features of zinc oxy fluoro borate glass ceramics with TiO₂ as crystallizing agent
P. NARESH, G.N. RAJU, V.R. KUMAR (India), M. PIASECKI (Poland), I.V. KIYTYK (Poland, Ukraine) & N. VEERAAIAH (India)
- 2261 Property optimization of BST-based composite glass ceramics for energy-storage applications
J. WANG, L. TANG, B. SHEN & J. ZHAI (China)
- 2267 Nanocrystalline indium-based oxides by tartarate precursor route
D. GINGASU, I. MINDRU, L. PATRON, G. MARINESCU, S. PREDA, J.M. CALDERON-MORENO, N. STANICA & C. ANDRONESCU (Romania)
- 2275 Hollow Zn₂SnO₄ boxes coated with N-doped carbon for advanced lithium-ion batteries
Y. ZHAO, Y. HUANG, Q. WANG, K. WANG, M. ZONG, L. WANG & X. SUN (PR China)
- 2281 Effects of (Dy, Zn) co-doping on structural and electrical properties of BiFeO₃ thin films
C.M. RAGHAVAN, J.W. KIM & S.S. KIM (Republic of Korea)
- 2287 Investigation of preparation of Ca- α -Sialon powders via artificial neural networks analysis
H. ZHANG, S. DU, Y. CAO, L. LU (China) & S. ZHANG (China, UK)
- 2295 Hydrothermal synthesis and gas-sensing properties of ultrathin hexagonal ZnO nanosheets
W. GUO, M. FU, C. ZHAI (PR China) & Z. WANG (Japan)

- 2299 Phase formation, microstructure and magnetic properties of $(1-x)\text{BiFeO}_{3-x}(0.9\text{Pb}(\text{Mg}_{1/3}\text{Nb}_{2/3})\text{O}_3-0.1\text{PbTiO}_3)$ system
R. WONGMANEERUNG, P. JANTARATANA, R. YIMNIRUN & S. ANANTA (Thailand)
- 2305 A study on in-situ synthesis of $\text{TiB}_2\text{-SiC}$ ceramic composites by reactive hot pressing
G. ZHAO, C. HUANG, H. LIU, B. ZOU, H. ZHU & J. WANG (PR China)
- 2315 Compressive mechanical properties of porous alumina powder compacts
Y. HIRATA, T. SHIMONOSONO, T. SAMESHIMA & S. SAMESHIMA (Japan)
- 2323 Influence of autogeneous pressure under hydrothermal reaction on the structural and thermal stability of nanostructured titanates
S. PUTDEE, O. MEKASUWANDUMRONG, A. SOOTTITANTAWAT & J. PANPRANOT (Thailand)
- 2331 Morphology and magnetic properties of barium hexaferrite ceramics synthesized in x wt% NaCl -($100-x$) wt% KCl molten salts
E. AYDOGAN, S. KAYA & A.F. DERICIOGLU (Turkey)
- 2337 A novel TiO_2 nanorod/nanoparticle composite architecture to improve the performance of dye-sensitized solar cells
M. ZHU, L. CHEN, H. GONG, M. ZI & B. CAO (China)
- 2343 The effects of citrate ion on morphology and photocatalytic activity of flower-like $\text{Bi}_2\text{O}_2\text{CO}_3$
S. LIU, Y. TU & G. DAI (PR China)
- 2349 Preparation, characterization and electrical conductivity studies of nanocrystalline scheelite $\text{Ba}_{1-x}\text{Dy}_x\text{MoO}_{4+\delta}$
P. JENA, N. NALLAMUTHU, M. VENKETSWARULU & N. SATYANARAYANA (India)
- 2359 Facile synthesis and performance of polypyrrole-coated hollow Zn_2SnO_4 boxes as anode materials for lithium-ion batteries
K. WANG, Y. HUANG, T. HAN, Y. ZHAO, H. HUANG & L. XUE (PR China)
- 2365 Photocatalytic activity of visible-light-active iron-doped coatings prepared by plasma spraying
P. CTIBOR, Z. PALA, V. STENGL & R. MUSALEK (Czech Republic)
- 2373 Phase stability and microstructure of manganese-doped calcia-stabilized zirconia heat treated in a reducing atmosphere
Y.-L. HUANG, Y.-C. LEE, D.-C. TSAI, R.-H. HUANG & F.-S. SHIEU (Taiwan)
- 2381 Fabrication and characterization of micro-dimple array on Al_2O_3 surfaces by using a micro-tooling
T. ROY (Malaysia), D. CHOUDHURY (Malaysia, Czech Republic)A. BIN MAMAT & B. PINGGUAN-MURPHY (Malaysia)
- 2389 Hydrogenation and dehydrogenation rates of oxide Fe_2O_3 -added magnesium, and effects of Ti addition
M.Y. SONG, Y.J. KWAK & H.R. PARK (Republic of Korea)
- 2395 High sensing properties of Ce-doped $\alpha\text{-Fe}_2\text{O}_3$ nanotubes to acetone
C. LIU, H. SHAN, L. LIU, S. LI & H. LI (PR China)
- 2401 Influence of sintering parameters on microstructure and electrical conductivity of $\text{La}_{10}\text{Si}_6\text{O}_{27}$ ceramics
J. XIANG, Z.-G. LIU, J.-H. OUYANG & F.-Y. YAN (China)
- 2411 Electrochemical properties of Na_xCoO_2 ($x\sim 0.71$) cathode for rechargeable sodium-ion batteries
A.K. RAI, L.T. ANH, J. GIM, V. MATHEW & J. KIM (Republic of Korea)
- 2419 X-ray reflectivity and surface energy analyses of the physical and electrical properties of $\alpha\text{-IGZO/GZO}$ double active layer thin film transistors
J.-L. WU, H.-Y. LIN, B.-Y. SU, Y.-C. CHEN, S.-Y. CHU, S.-Y. LIU, C.-C. CHANG & C.-J. WU (Taiwan)

- 2427 *XRD and Raman study on crystal structures and dielectric properties of Ba[Mg_{(1-x)/3}Zr_xNb_{2(1-x)/3}]O₃ solid solutions*
H. ZHANG, C. DIAO, S. LIU, S. JIANG, X. JING & F. SHI (PR China)
- 2435 *Fabrication of ZnO nanodisks from structural transformation of ZnO nanorods through natural oxidation and their emission characteristics*
M. ISRAR-QADIR, S. JAMIL-RANA, O. NUR, M. WILLANDER, L.A. LARSSON & P.O. HOLTZ (Sweden)
- 2441 *Structural and electrical properties of sodium bismuth titanate (Na_{0.5}Bi_{0.5}TiO₃) thin films optimized using the Taguchi approach*
A.S. DARYAPURKAR, J.T. KOLTE, P.R. APTE & P. GOPALAN (India)
- 2451 *Influence of rare-earth Nd, Dy, and Ho doping on structural and electrical properties of (Na_{0.53}K_{0.47})_{0.942}Li_{0.058}NbO₃ based lead-free piezoceramics*
J. ZHOU, Q. MA, P. WANG, L. CHENG & S. LIU (China)
- 2461 *A gradient LMAS interlayer joint of SiC coated C/C composites to LAS glass ceramics*
Q.-G. FU, H. PENG, H.-J. LI, J. WANG & Q. ZHU (PR China)
- 2467 *Photoluminescence imaging of EuBO₃, TbBO₃, Eu(III)-BO_x, and Tb(III)-BO_x nanostructures*
Y. SOHN (South Korea)

Short Communications

- 2477 *Microstructure and varistor properties of Y₂O₃-doped ZnO-Pr₆O₁₁-CoO-Cr₂O₃-La₂O₃ ceramics*
CHOON-W. NAHM (Republic of Korea)
- 2483 *Fabrication and properties of 3-D C₇/ZrC-SiC composites via in-situ reaction*
Q. LI, S. DONG, Z. WANG, G. SHI, Y. MA, H. ZHOU & Z. WANG (China)
- 2489 *High stable dielectric permittivity and low dielectric loss in sol-gel derived BiFeO₃ thin films*
Y. REN, X. ZHU, C. ZHANG, J. ZHU, J. ZHU & D. XIAO (China)
- 2495 *Self-activated luminescence characteristics of double perovskite ceramic Sr₂ZrCeO₆*
C.W. PARK & H.J. SEO (Republic of Korea)
- 2501 *High DC resistivity in microwave sintered Li_{0.49}Zn_{0.02}Mn_{0.06}Fe_{2.43}O₄ ferrites*
P. KUMAR, J.K. JUNEJA, C. PRAKASH, S. SINGH, R.K. SHUKLA & K.K. RAINA (India)
- 2505 *The correlation between the microstructure and macroscopic properties of (K,Na,Li)(Nb,Ta)O₃ ceramic via rare earth oxide doping*
Y. ZHAO, L. WANG, R. HUANG, R. LIU & H. ZHOU (PR China)
- 2511 *Mechanical properties of nanostructured TiN-AlN composites rapidly consolidated by pulsed current activated sintering*
W. KIM, J.-W. LIM, H.-S. OH & I.-J. SHON (Republic of Korea)
- 2519 *Comparison of different methods to produce dense zinc ferrite ceramics with high electrical resistance*
A. SUTKA (Latvia), M. STINGACIU (Denmark), D. JAKOVLEVS & G. MEZINSKIS (Latvia)
- 2523 *Enhanced 3D hierarchical double porous Co₃O₄/graphene architecture for superior rechargeable lithium ion battery*
F. SUN, K. HUANG, X. QI, T. GAO, Y. LIU, X. ZOU & J. ZHONG (PR China)
- 2529 *Enhanced energy storage properties of dysprosium doped strontium titanate ceramics*
Q.-G. HU (China), Z.-Y. SHEN (China, USA), Y.-M. LI, Z.-M. WANG, W.-Q. LUO & Z.-X. XIE (China)
- 2535 *Preparation of high performance AlN/Hydantion composite by gelcasting and infiltration processes*
C. JIANG, D. ZHANG, X. GAN, R. XIE, F. ZHANG & K. ZHOU (China)

- 2539 Preparation of single phase nano-sized β -SiAlON powders by nitridation of silica–alumina gel in ammonia
L. ZHANG, L. ZHANG, Z. LIN, Y. JIANG, J. HE, W. CAI & S. LI (China)
- 2545 Microwave dielectric properties of Ti_3SiC_2 powders synthesized by solid state reaction
Z. LI, X. WEI, F. LUO, W. ZHOU & Y. HAO (China)
- 2551 Piezoelectric behavior of $(1-x)(\text{PbMgNbO}_3\text{-PbZrTiO}_3)\text{-}x(\text{BaTiO}_3)$ ceramics for energy harvester applications
M.-S. CHAE & J.-H. KOH (Republic of Korea)