


CERAMICS INTERNATIONAL



PIETRO VINCENZINI

GENERAL EDITOR

EDITORS-IN-CHIEF

L. BERGSTROM
SWEDEN

R.K. BORDIA
USA

Z.Y. FU
CHINA

T. OHJI
JAPAN

J.A. VARELA
BRAZIL

<http://www.elsevier.com/locate/ceramint>





(Abstracted/indexed in: *Applied Mechanics Reviews*; *Br. Ceram Abstr.*; *Ceramic Abstracts*; *Chemical Abstracts*; *Current Contents/Engineering, Computing & Technology*; *Current Contents/Physical, Chemical and Earth Sciences*; *Materials Science Citation Index*; *Met. Abstr.*; *Sci. Abstr.*; *Science Citation Index*; *SciSearch*; *World Alum. Abstr.*. Also covered in the abstract and citation database SCOPUS®. Full text available on *ScienceDirect®*.)

CONTENTS

Volume 40 Issue 10 PART B 2014

Review

- 16085 Study of the recovery and recycling of tailings from the concentration of iron ore for the production of ceramic
F.L. DA SILVA, F.G.S. ARAÚJO, M.P. TEIXEIRA, R.C. GOMES & F.L. VON KRÜGER (Brazil)

Original Articles

- 16091 Microwave synthesis, characterization, bioactivity and in vitro biocompatibility of zeolite–hydroxyapatite (Zeo–HA) composite for bone tissue engineering applications
N. IQBAL, M.R. ABDUL KADIR, N.H.B. MAHMOOD, M.F.M. YUSOFF, J.A. SIDDIQUE, N. SALIM, G.R.A. FROEMMING, M.N. SARIAN, H.R. BALAJI RAGHAVENDRAN & T. KAMARUL (Malaysia)
- 16099 Hot-pressing of MoSi₂ reinforced B₄C composites
S. KUMAR, K. SAIRAM, J.K. SONBER, T.S.R.CH. MURTHY, V. REDDY, G.V.S. NAGESWARA RAO & T. SRINIVASA RAO (India)
- 16107 Fabrication of a novel nanostructured calcium zirconium silicate scaffolds prepared by a freeze-casting method for bone tissue engineering
S. SADEGHPOUR, A. AMIRJANI, M. HAFEZI & A. ZAMANIAN (Iran)
- 16115 Laminating; the best way to improve Charpy impact energy of nanocomposites
M. ABDELLAHI, M. BAHMANPOUR & M. BAHMANPOUR (Iran)
- 16127 One-step mechanical synthesis of LiFePO₄/C composite granule under ambient atmosphere
T. KOZAWA, N. KATAOKA, A. KONDO, E. NAKAMURA, H. ABE & M. NAITO (Japan)
- 16133 Effect of Sn⁴⁺ substitution on the dielectric properties of Bi₂O₃–ZnO–Nb₂O₅ pyrochlores
L.X. LI, Y.X. JIN, H.L. DONG, S.H. YU & D. XU (China)
- 16141 Sol-gel combustion synthesis of Zr-doped BaTiO₃ nanopowders and ceramics: Dielectric and ferroelectric studies
M. AGHAYAN (Iran), A. KHORSAND ZAK (Iran, Malaysia), M. BEHDANI (Iran) & A. MANAF HASHIM (Malaysia)
- 16147 DFT investigation on structural stability, electronic properties and CO adsorption characteristics on anatase and rutile TiO₂ nanostructures
V. NAGARAJAN & R. CHANDIRAMOULI (India)
- 16159 Laser texturing of zirconia surface with presence of TiC and B₄C: Surface hydrophobicity, metallurgical, and mechanical characteristics
B.S. YILBAS (Saudi Arabia)

Continued on inside back cover



ELSEVIER

Available online at www.sciencedirect.com

ScienceDirect

CONTENTS—Continued from outside back cover

- 16169 TEM investigation of the interface formation in cubic boron nitride containing α -SiAlON composites
J.C. GARRETT, I. SIGALAS (South Africa) & M. HERRMANN (Germany)
- 16177 Influence of Mn_2O_3 content on the textural and catalytic properties of $Mn_2O_3/Al_2O_3/SiO_2$ nanocatalyst
M.M. MOTLAGH, S.A. HASSANZADEH-TABRIZI & A. SAFFAR-TELURI (Iran)
- 16183 Preparation of solid superacid $S_2O_8^{2-}/TiO_2$ —exfoliated graphite (EG) and its catalytic performance
Q. ZHAO, S. MENG, J. WANG, Z. LI, J. LIU & Y. GUO (China)
- 16189 Eu³⁺-doped CdWO₄ phosphor for red-light emission: Hydrothermal preparation and blue light excitation
M. YOU, J. XU, Z. ZHANG & Y. ZHOU (PR China)
- 16195 Synthesis of niobium oxide fibers by electrospinning and characterization of their morphology and optical properties
G.C. LEINDECKER, A.K. ALVES & C.P. BERGMANN (Brazil)
- 16201 Solid particle erosion-wear behavior of SiC–Si₃N₄ composite ceramic at elevated temperature
X. LI, H. DING, Z. HUANG, M. FANG, B. LIU, Y. LIU, X. WU & S. CHEN (PR China)
- 16209 Laser sintering and radioluminescence emission of pure and doped Y₂O₃ ceramics
T.C.D. OLIVEIRA, M.S.D. SILVA, L.M.D. JESUS, D.V. SAMPAIO, J.C.A.D. SANTOS, N.R.D.S. SOUZA & R.S.D. SILVA (Brazil)
- 16213 Preparation of feedstocks from nano/submicron-sized TiO₂ particles to obtain photocatalytic coatings by atmospheric plasma spraying
M.C. BORDES, M. VICENT, A. MORENO, V. LÓPEZ, R. MORENO, M.D. SALVADOR, R. BENAVENTE & E. SÁNCHEZ (Spain)
- 16227 Structural stability studies of graphene in sintered ceramic nanocomposites
F. INAM, T. VO (United Kingdom) & B.R. BHAT (India)
- 16235 Effect of cobalt substitution on the structure, electrical, and magnetic properties of nanocrystalline Ni_{0.5}Zn_{0.5}Fe₂O₄ prepared by the polyol process
H. HUILI (Tunisia), B. GRINDI (Tunisia, France), G. VIAU (France) & L. BEN TAHAR (Tunisia)
- 16245 Influence of doping level on the structure, texture, and nonlinear optical properties of graphene oxide/Au hybrids doped ORMOSIL gel glasses
C. ZHENG, W. CHEN, S. CAI, X. XIAO & X. YE (PR China)
- 16253 Preparation of LaPO₄:Ce³⁺, Tb³⁺ nanophosphors by mixed co-precipitation process and their photoluminescence properties
N. WANG, S. ZHANG, X. ZHANG & Y. WEI (China)
- 16259 Optimization of process parameters to maximize hardness of metal/ceramic nanocomposites produced by high energy ball milling
M. ABDELLAHI, M. BHMANPOUR & M. BAHMANPOUR (Iran)
- 16273 Low thermal conductivity Sr²⁺, Zn²⁺ and Ti⁴⁺ ions co-doped LaMgAl₁₁O₁₉ for potential thermal barrier coating applications
H. LU, C.-A. WANG & C. ZHANG (PR China)
- 16281 The effect of ITO/Mo/MoO₃ anode multilayer film on efficient hole extraction in MEH-PPV/ZnO NP hybrid solar cells
J. PARK, G. PARK, H.-J. KO & J.-S. HA (Republic of Korea)
- 16287 Towards the synthesis of an Mg-containing silicate glass-ceramic to be used as a scaffold for cementum/alveolar bone regeneration
O.-M. GOUDOURI (Germany), E. KONTONASAKI, K. CHRISSAFIS (Greece), K. ZINN, A. HOPPE, R. DETSCH (Germany), K.M. PARASKEVOPOULOS (Greece) & A.R. BOCCACCINI (Germany)
- 16299 The features of combustion and structure formation of ceramic materials in the Cr-Al-Si-B system
Y.U.S. POGOZHEV, A.YU. POTANIN, E.A. LEVASHOV & D.YU. KOVALEV (Russia)

(contents continued from Inside back cover)

- 16309 Fabrication of $\text{TiO}_2/\text{SiO}_2$ hybrid fibers with tunable internal porous structures
H. HOU, L. WANG, G. WEI, J. CHEN, W. YANG, B. TANG & F. GAO (PR China)
- 16317 Ethanol-dependent solvothermal synthesis of monodispersed YAG powders with precursor obtained through bubbling ammonia
X. LI, T. ODOOM-WUBAH, Z. CHEN, B. ZHENG & J. HUANG (PR China)
- 16323 Cubic yttria stabilized zirconia sintering additive impacts: A comparative study
A.J. FLEGLER, T.E. BURYE, Q. YANG & J.D. NICHOLAS (USA)
- 16337 Synthesis and characterization of GdVO_4 nanostructures by a tartaric acid-assisted sol-gel method
N. CHUMHA, S. KITTIWACHANA, T. THONGTEM, S. THONGTEM & S. KAOWPHONG (Thailand)
- 16343 A room-temperature hydrogen sensor based on Pd nanoparticles doped TiO_2 nanotubes
C. XIANG (PR China), Z. SHE (Canada), Y. ZOU, J. CHENG, H. CHU, S. QIU, H. ZHANG, L. SUN & F. XU (PR China)
- 16349 Synthesis and sintering of hydroxyapatite derived from eggshells as a calcium precursor
P. KAMALANATHAN, S. RAMESH, L.T. BANG, A. NIAKAN, C.Y. TAN, J. PURBOLAKSONO, H. CHANDRAN & W.D. TENG (Malaysia)
- 16361 Direct scanning electron microscopy-based observation of dispersed core-shell-type nanoparticles in a wet state
N. IZU, T. OGURA, T. AKAMATSU, T. ITOH & W. SHIN (Japan)
- 16365 Effect of rare earth ion doping on the structural, microstructural and diffused phase transition characteristics of $\text{BaBi}_2\text{Nb}_2\text{O}_9$ relaxor ferroelectrics
B.R. KANNAN & B.H. VENKATARAMAN (India)
- 16371 Role of Sr^{2+} substitution on structural, thermal and conducting behavior of $\text{Bi}_{1-x}\text{Sr}_x\text{FeO}_3$ ($0.40 \leq x \leq 0.55$)
S. THAKUR, O.P. PANDEY & K. SINGH (India)
- 16381 Synthesis, microstructure and properties of MoSi_2 -5 vol% Al_2O_3 composites
J. WANG, P. FENG, J. NIU, R. GUO, Z. LIU (China) & F. AKHTAR (Sweden)
- 16389 Densification behavior of high purity SiC by hot pressing
E.J. LEE, D.H. LEE, J.C. KIM & D.J. KIM (South Korea)
- 16393 Synthesis and characterization of $\text{PrBa}_{0.5}\text{Sr}_{0.5}\text{Co}_{2-x}\text{Ni}_x\text{O}_{5+\delta}$ ($x=0.1, 0.2$ and 0.3) cathodes for intermediate temperature SOFCs
L. LIU, R. GUO, S. WANG, Y. YANG & D. YIN (China)
- 16399 The effect of different sources of porous carbon on the synthesis of nanostructured boron carbide by magnesiothermic reduction
P. ASGARIAN, A. NOURBAKHSH, P. AMIN, R. EBRAHIMI-KAHRIZSANGI (Iran) & K.J.D. MACKENZIE (New Zealand)
- 16409 A combined use of optical microscopy, X-ray powder diffraction and micro-Raman spectroscopy for the characterization of ancient ceramic from Ebla (Syria)
P. BALLIRANO, C. DE VITO, L. MEDEGHINI, S. MIGNARDI, V. FERRINI, P. MATTHIAE, D. BERSANI & P.P. LOTTICI (Italy)
- 16421 Effect of Mo_2C addition on the microstructure and fracture behavior of (W,Ti)C-based cemented carbides
Z. LIN, J. XIONG, Z. GUO, W. ZHOU, W. WAN & L. YANG (PR China)
- 16429 High temperature wear and frictional properties of duplex-treated tool steel sliding against a two phase brass
I. EBRAHIMZADEH & F. ASHRAFIZADEH (Iran)
- 16441 Multiferroic behavior of nanocrystalline BaTiO_3 sintered at different temperatures
N. SHARMA, A. GAUR & U. KR GAUR (India)

- 16449 Structural and magnetocaloric effect of $\text{Ln}_{0.67}\text{Sr}_{0.33}\text{MnO}_3$ ($\text{Ln}=\text{La, Pr and Nd}$) nanoparticles
G.F. WANG, L.R. LI, Z.R. ZHAO, X.Q. YU & X.F. ZHANG (China)
- 16455 Porous/dense $\text{La}_{0.8}\text{Sr}_{0.2}\text{Ga}_{0.8}\text{Mg}_{0.2}\text{O}_{3-\delta}$ (LSGM) bilayer infiltrated with metallic oxidation catalyst
Z. SALEHI, F. BASOLI, A. SANSON, E. MERCADELLI, S. LICOCCHIA & E. DI BARTOLOMEO (Italy)
- 16465 Facile template-free hydrothermal fabrication of ZnO hollow microspheres for gas sensing applications
H. SUN, L. WANG, D. CHU, Z. MA, A. WANG, Y. ZHENG & L. WANG (PR China)
- 16475 Utilization of radioactive high-calcium Mongolian flyash for the preparation of alkali-activated geopolymers for safe use as construction materials
J. TEMUUJIN, A. MINJIGMAA, B. DAVAABAL, U. BAYARZUL, A. ANKHTUYA, TS. JADAMBAA (Mongolia) & K.J.D. MACKENZIE (New Zealand)
- 16485 Synthesis of hierarchical m-BiVO₄ particles via hydro-solvothermal method and their photocatalytic properties
Y. MA, H. JIANG, X. ZHANG, J. XING & Y. GUAN (PR China)
- 16495 NO₂ sensing properties of nanostructured tungsten oxide thin films
A.T. MANE, S.B. KULKARNI, S.T. NAVALE, A.A. GHANWAT (India), N.M. SHINDE, J. KIM (Republic of Korea) & V.B. PATIL (India)
- 16503 Effects of Mn doping on the electrical and dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ fibres
F. AMARAL, E. CLEMENTE, M.A. VALENTE, L.C. COSTA & F.M. COSTA (Portugal)
- 16513 Effects of sintering processes on mechanical properties and microstructure of Ti(C,N)-TiB₂-Ni composite ceramic cutting tool material
L. WANG, H. LIU, C. HUANG, B. ZOU & X. LIU (PR China)
- 16521 On the chemical interaction of $\text{Li}_{1+x}(\text{Ni Mn})\text{O}_2$ with carbon and carbon precursors
K.A. KURILENKO, O.A. SHLYAKHTIN, O.A. BRYLEV & O.A. DROZHIN (Russia)
- 16529 Structural and magnetic properties of nickel ferrite nanoparticles synthesized via a template-assisted sol-gel method
D.-Y. LI, Y.-K. SUN, P.-Z. GAO, X.-L. ZHANG & H.-L. GE (China)
- 16535 Fabrication and properties of MgO-C refractories improved with expanded graphite
S. MAHATO, S.K. PRATIHAR & S.K. BEHERA (India)
- 16543 Activated sintering of activated carbon-doped magnesia
Y. XIE, Z. CHEN, Y. WU, M. YANG, L. WEI & H. HU (PR China)
- 16549 Effect of composition on microstructure and polarization resistance of solid oxide fuel cell anode Ni-YSZ composites made by co-precipitation
X. XI, H. ABE & M. NAITO (Japan)
- 16557 Lanthanum doping effect in barium strontium titanate glass ceramics
X. WANG, Y. ZHANG, J. ZHU, X. SONG, R. LV, J. LIU & M. ZHANG (PR China)
- 16563 Absorption characteristics of single-layer ceramics under oblique incident microwave irradiation
Z. PENG (China, USA), J.-Y. HWANG (USA, China), M. ANDRIESE, Y. ZHANG (USA), G. LI & T. JIANG (China)
- 16569 Optical properties and thermal durability of copper cobalt oxide thin film coatings with integrated silica antireflection layer
A. AMRI (Indonesia), Z.-T. JIANG, N. WYATT (Australia), C.-Y. YIN (United Kingdom), N. MONDINOS, T. PRYOR & M.M. RAHMAN (Australia)
- 16577 Hydrothermal preparation of porous materials from a rutile-quartz concentrate
K.L. ZANAVESKIN, R.V. LUKASHEV, M.N. MAKHIN & L.N. ZANAVESKIN (Russian Federation)

(contents continued from Inside back cover)

- 16309 Fabrication of $\text{TiO}_2/\text{SiO}_2$ hybrid fibers with tunable internal porous structures
H. HOU, L. WANG, G. WEI, J. CHEN, W. YANG, B. TANG & F. GAO (PR China)
- 16317 Ethanol-dependent solvothermal synthesis of monodispersed YAG powders with precursor obtained through bubbling ammonia
X. LI, T. ODOOM-WUBAH, Z. CHEN, B. ZHENG & J. HUANG (PR China)
- 16323 Cubic yttria stabilized zirconia sintering additive impacts: A comparative study
A.J. FLEGLER, T.E. BURYE, Q. YANG & J.D. NICHOLAS (USA)
- 16337 Synthesis and characterization of GdVO_4 nanostructures by a tartaric acid-assisted sol-gel method
N. CHUMHA, S. KITTIWACHANA, T. THONGTEM, S. THONGTEM & S. KAOUPHONG (Thailand)
- 16343 A room-temperature hydrogen sensor based on Pd nanoparticles doped TiO_2 nanotubes
C. XIANG (PR China), Z. SHE (Canada), Y. ZOU, J. CHENG, H. CHU, S. QIU, H. ZHANG, L. SUN & F. XU (PR China)
- 16349 Synthesis and sintering of hydroxyapatite derived from eggshells as a calcium precursor
P. KAMALANATHAN, S. RAMESH, L.T. BANG, A. NIAKAN, C.Y. TAN, J. PURBOLAKSONO, H. CHANDRAN & W.D. TENG (Malaysia)
- 16361 Direct scanning electron microscopy-based observation of dispersed core-shell-type nanoparticles in a wet state
N. IZU, T. OGURA, T. AKAMATSU, T. ITOH & W. SHIN (Japan)
- 16365 Effect of rare earth ion doping on the structural, microstructural and diffused phase transition characteristics of $\text{BaBi}_2\text{Nb}_2\text{O}_9$ relaxor ferroelectrics
B.R. KANNAN & B.H. VENKATARAMAN (India)
- 16371 Role of Sr^{2+} substitution on structural, thermal and conducting behavior of $\text{Bi}_{1-x}\text{Sr}_x\text{FeO}_3$ ($0.40 \leq x \leq 0.55$)
S. THAKUR, O.P. PANDEY & K. SINGH (India)
- 16381 Synthesis, microstructure and properties of MoSi_2 -5 vol% Al_2O_3 composites
J. WANG, P. FENG, J. NIU, R. GUO, Z. LIU (China) & F. AKHTAR (Sweden)
- 16389 Densification behavior of high purity SiC by hot pressing
E.J. LEE, D.H. LEE, J.C. KIM & D.J. KIM (South Korea)
- 16393 Synthesis and characterization of $\text{PrBa}_{0.5}\text{Sr}_{0.5}\text{Co}_{2-x}\text{Ni}_x\text{O}_{5+\delta}$ ($x=0.1, 0.2$ and 0.3) cathodes for intermediate temperature SOFCs
L. LIU, R. GUO, S. WANG, Y. YANG & D. YIN (China)
- 16399 The effect of different sources of porous carbon on the synthesis of nanostructured boron carbide by magnesiothermic reduction
P. ASGARIAN, A. NOURBAKHSH, P. AMIN, R. EBRAHIMI-KAHRIKSANGI (Iran) & K.J.D. MACKENZIE (New Zealand)
- 16409 A combined use of optical microscopy, X-ray powder diffraction and micro-Raman spectroscopy for the characterization of ancient ceramic from Ebla (Syria)
P. BALLIRANO, C. DE VITO, L. MEDEGHINI, S. MIGNARDI, V. FERRINI, P. MATTHIAE, D. BERSANI & P.P. LOTTICI (Italy)
- 16421 Effect of Mo_2C addition on the microstructure and fracture behavior of (W,Ti)C-based cemented carbides
Z. LIN, J. XIONG, Z. GUO, W. ZHOU, W. WAN & L. YANG (PR China)
- 16429 High temperature wear and frictional properties of duplex-treated tool steel sliding against a two phase brass
I. EBRAHIMZADEH & F. ASHRAFIZADEH (Iran)
- 16441 Multiferroic behavior of nanocrystalline BaTiO_3 sintered at different temperatures
N. SHARMA, A. GAUR & U. KR GAUR (India)

- 16449 Structural and magnetocaloric effect of $\text{Ln}_{0.67}\text{Sr}_{0.33}\text{MnO}_3$ ($\text{Ln}=\text{La, Pr and Nd}$) nanoparticles
G.F. WANG, L.R. LI, Z.R. ZHAO, X.Q. YU & X.F. ZHANG (China)
- 16455 Porous/dense $\text{La}_{0.8}\text{Sr}_{0.2}\text{Ga}_{0.8}\text{Mg}_{0.2}\text{O}_{3-\delta}$ (LSGM) bilayer infiltrated with metallic oxidation catalyst
Z. SALEHI, F. BASOLI, A. SANSON, E. MERCADELLI, S. LICOCCHIA & E. DI BARTOLOMEO (Italy)
- 16465 Facile template-free hydrothermal fabrication of ZnO hollow microspheres for gas sensing applications
H. SUN, L. WANG, D. CHU, Z. MA, A. WANG, Y. ZHENG & L. WANG (PR China)
- 16475 Utilization of radioactive high-calcium Mongolian flyash for the preparation of alkali-activated geopolymers for safe use as construction materials
J. TEMUUJIN, A. MINJIGMAA, B. DAVAABAL, U. BAYARZUL, A. ANKHTUYA, TS. JADAMBAA (Mongolia) & K.J.D. MACKENZIE (New Zealand)
- 16485 Synthesis of hierarchical m-BiVO_4 particles via hydro-solvothermal method and their photocatalytic properties
Y. MA, H. JIANG, X. ZHANG, J. XING & Y. GUAN (PR China)
- 16495 NO_2 sensing properties of nanostructured tungsten oxide thin films
A.T. MANE, S.B. KULKARNI, S.T. NAVALE, A.A. GHANWAT (India), N.M. SHINDE, J. KIM (Republic of Korea) & V.B. PATIL (India)
- 16503 Effects of Mn doping on the electrical and dielectric properties of $\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ fibres
F. AMARAL, E. CLEMENTE, M.A. VALENTE, L.C. COSTA & F.M. COSTA (Portugal)
- 16513 Effects of sintering processes on mechanical properties and microstructure of $\text{Ti}(\text{C,N})-\text{TiB}_2-\text{Ni}$ composite ceramic cutting tool material
L. WANG, H. LIU, C. HUANG, B. ZOU & X. LIU (PR China)
- 16521 On the chemical interaction of $\text{Li}_{1+x}(\text{Ni Mn})\text{O}_2$ with carbon and carbon precursors
K.A. KURILENKO, O.A. SHLYAKHTIN, O.A. BRYLEV & O.A. DROZHIN (Russia)
- 16529 Structural and magnetic properties of nickel ferrite nanoparticles synthesized via a template-assisted sol-gel method
D.-Y. LI, Y.-K. SUN, P.-Z. GAO, X.-L. ZHANG & H.-L. GE (China)
- 16535 Fabrication and properties of $\text{MgO}-\text{C}$ refractories improved with expanded graphite
S. MAHATO, S.K. PRATIHAR & S.K. BEHERA (India)
- 16543 Activated sintering of activated carbon-doped magnesia
Y. XIE, Z. CHEN, Y. WU, M. YANG, L. WEI & H. HU (PR China)
- 16549 Effect of composition on microstructure and polarization resistance of solid oxide fuel cell anode Ni-YSZ composites made by co-precipitation
X. XI, H. ABE & M. NAITO (Japan)
- 16557 Lanthanum doping effect in barium strontium titanate glass ceramics
X. WANG, Y. ZHANG, J. ZHU, X. SONG, R. LV, J. LIU & M. ZHANG (PR China)
- 16563 Absorption characteristics of single-layer ceramics under oblique incident microwave irradiation
Z. PENG (China, USA), J.-Y. HWANG (USA, China), M. ANDRIESE, Y. ZHANG (USA), G. LI & T. JIANG (China)
- 16569 Optical properties and thermal durability of copper cobalt oxide thin film coatings with integrated silica antireflection layer
A. AMRI (Indonesia), Z.-T. JIANG, N. WYATT (Australia), C.-Y. YIN (United Kingdom), N. MONDINOS, T. PRYOR & M.M. RAHMAN (Australia)
- 16577 Hydrothermal preparation of porous materials from a rutile-quartz concentrate
K.L. ZANAVESKIN, R.V. LUKASHEV, M.N. MAKHIN & L.N. ZANAVESKIN (Russian Federation)

- 16581 Effect of V_2O_5 addition on the properties of reaction-bonded porous SiC ceramics
Y. LI, C.-Y. BAI, X.-Y. DENG, J.-B. LI, Y.-N. JING & Z.-M. LIU (China)
- 16589 A novel orange emitting bismuth molybdate based phosphor
B. HAN, J. ZHANG, P. LI, J. LI, Y. BIAN & H. SHI (People's Republic of China)
- 16595 Gelcasting porous alumina beads of tailored shape and porosity
R. SALOMÃO, P.H. CARDOSO & J. BRANDI (Brazil)
- 16603 Optimization of tungsten oxide films electro-deposited on macroporous silicon for gas sensing applications: Effect of annealing temperature
N. MENDOZA-AGÜERO, Y. KUMAR, S.F. OLIVE-MÉNDEZ, J. CAMPOS-ALVAREZ & V. AGARWAL (México)
- 16611 Fabrication of thick YSZ thermal barrier coatings using electrophoretic deposition
M. BAI (UK), F. GUO (PR China) & P. XIAO (UK)
- 16617 Cations distribution and magnetic properties of Co-Zr doped $BaCo_xZr_xFe_{(12-2x)}O_{19}$ prepared via citrate precursor sol-gel route
R.K. MUDSAINIYAN, S.K. CHAWLA, S.S. MEENA, N. SHARMA, R. SINGH & A. DAS (India)
- 16627 Synthesis by a chemical method and characterization of $CaZrO_3$ powders: Potential application as humidity sensors
R.S. ANDRÉ, S.M. ZANETTI, J.A. VARELA & E. LONGO (Brazil)
- 16635 Effect of loading rate and temperature on monotonic tensile behavior in two-dimensional C/SiC composites
H. MEI, Q. BAI, H. LI, C. YU & L. CHENG (PR China)
- 16641 Influence of the C/C preform density on tribological characteristics of C/C-SiC composites under different conditions
H. WANG, D. ZHU, F. WAN, W. ZHOU & F. LUO (China)
- 16647 Bright reddish-orange emission and enhanced electrical properties of Sm-doped unfilled tetragonal tungsten bronze $Ba_4LaTiNb_9O_{30}$
T. WEI, Y.Q. WANG, Q.J. ZHOU, Z.P. LI, L.Q. ZHAN & Q. JIN (China)
- 16653 Electroless nickel-phosphorus plating on silicon carbide particles for metal matrix composites
P. HE, S. HUANG, H. WANG, Z. HUANG, J. HU, X. CHENG & C. PAN (China)
- 16665 Single-cycle thermal shock resistance of ZrB_2 -SiCnp ceramic composites
H. WENBO, Z. SHANBAO & Z. JIHONG (China)
- 16671 Preparation and enhanced photocatalytic activity of Ag-nanowires@ SnO_2 core-shell heterogeneous structures
H. LIU, T. LIU, X. DONG, R. HUA & Z. ZHU (PR China)
- 16677 Utilisation of spent filtration earth or spent bleaching earth from the oil refinery industry in clay products
D. ELICHE-QUESADA & F.A. CORPAS-IGLESIAS (Spain)
- 16789 Microwave assisted gel-combustion synthesis of 8 mol% YSZ: A study of the effect of fuel on the ionic conductivity
S.K. VIJAY, V. CHANDRAMOULI, S. KHAN, P.C. CLINSHA & S. ANTHONYSAMY (India)
- 16701 Tunable thermoelectric properties of $Ca_{0.9}Yb_{0.1}MnO_3$ through controlling the particle size via ball mill processing
R. KABIR, D. WANG, T. ZHANG, R. TIAN, R. DONELSON, T. TECK TAN & S. LI (Australia)
- 16707 Physicochemical and biological properties of iron and zinc ions co-doped nanocrystalline hydroxyapatite, synthesized by ultrasonication
J.R. RAMYA, K.T. ARUL, K. ELAYARAJA & S.N. KALKURA (India)
- 16719 Effect of raw materials on formation and densification of magnesium aluminate spinel
R. SARKAR & S. SAHOO (India)

- 16727 Characterization of carbon-bonded alumina filters with active or reactive coatings in a steel casting simulator
S. DUDCZIG, C.G. ANEZIRIS, M. EMMEL, G. SCHMIDT, J. HUBALKOVA & H. BEREK (Germany)
- 16743 Effect of mechanical alloying on the phase evolution, microstructure and bio-corrosion properties of a Mg/HA/TiO₂/MgO nanocomposite
S.Z. KHALAJABADI, M.R. ABDUL KADIR, S. IZMAN, H.R. BAKHSHESHI-RAD & S. FARAHANY (Malaysia)
- 16761 Preparation of Al₂O₃/TiC micro-composite ceramic tool materials by microwave sintering and their microstructure and properties
Y. CHENG, S. SUN & H. HU (PR China)
- 16767 Auto-combustion processed high alumina cement and its implementation as bauxite based low cement castables
V. KUMAR, V.K. SINGH, A. SRIVASTAVA & P.H. KUMAR (India)
- 16779 Preparation of κ -Al₂O₃/resin composite coating on polyethylene terephthalate foil for gas-permeation barrier
W.J. TSENG & J.-H. CHANG (Taiwan)
- 16785 Determination of isothermal mass and charge transport properties of La₂NiO_{4+ δ} by ion-blocking cell method
S.-Y. JEON, H.-N. IM, B. SINGH, S.-K. HONG & S.-J. SONG (Republic of Korea)
- 16791 Studies on densification, mechanical, microstructural and structure–properties relationship of refractory aggregates prepared from Indian magnesite by changing lime–silica ratio
C. GHOSH, A. GHOSH, H.S. TRIPATHI, J. GHOSH & M.K. HALDAR (India)
- 16799 Optical and magnetic properties of Ni doped ZnO planetary ball milled nanopowder synthesized by co-precipitation
K.P. SHINDE, R.C. PAWAR, B.B. SINHA, H.S. KIM, S.S. OH & K.C. CHUNG (South Korea)

Short Communications

- 16805 Simple preparation of petal-like TiO₂ nanosheets as anode materials for lithium-ion batteries
F. WU, Z. WANG, X. LI & H. GUO (PR China)
- 16811 Crack healing and strengthening of SiC whisker and ZrO₂ fiber reinforced ZrB₂ ceramics
J. LIN, Y. HUANG & H. ZHANG (China)
- 16817 Synthesis and improved photocatalytic activity of ultrathin TiO₂ nanosheets with nearly 100% exposed (001) facets
K. CHEN, Z. JIANG, J. QIN, Y. JIANG, R. LI, H. TANG & X. YANG (PR China)
- 16825 Microstructure and properties of the inter-locked corundum/mullite structure
S. LIU, J. LIU, Y. ZHAO, F. HOU & H. DU (China)
- 16829 A comparative study of the pressureless sinterability of 3 mol% Y₂O₃-stabilized ZrO₂ powders prepared by the sol–gel method under different synthesis conditions without modifiers
N. MAMANA (Argentina), A.L. ORTIZ, F. SÁNCHEZ-BAJO (Spain) & R. CARUSO (Argentina)
- 16835 Novel low-firing microwave dielectric ceramics: BaMV₂O₇ (M=Mg, Zn)
L. FANG, Z. WEI, C. SU, F. XIANG & H. ZHANG (China)

Retraction Notice

- 16841 Retracted “Microstructure development and phase evolution of alumina–mullite nanocomposite” [Ceram. Int. 40(2) (2014) 2605–2611]
A. SEDAGHAT, E. TAHERI-NASSAJ (Iran), G.D. SORARU (Italy) & T. EBADZADEH (Iran)