


PI
C41/ci

CERAMICS INTERNATIONAL



PIETRO VINCENZINI

GENERAL EDITOR

EDITORS-IN-CHIEF

L. BERGSTROM
SWEDEN

R.K. BORDIA
USA

Z.Y. FU
CHINA

T. OHJI
JAPAN

J.A. VARELA
BRAZIL

<http://www.elsevier.com/locate/ceramint>





(Abstracted/indexed in: *Applied Mechanics Reviews*; *Br. Ceram Abstr.*; *Ceramic Abstracts*; *Chemical Abstracts*; *Current Contents/Engineering, Computing & Technology*; *Current Contents/Physical, Chemical and Earth Sciences*; *Materials Science Citation Index*; *Met. Abstr.*; *Sci. Abstr.*; *Science Citation Index*; *SciSearch*; *World Alum. Abstr.* Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.)

CONTENTS

Volume 40 Issue 3 2014

Original Articles

- 3829 Interactions of high-chromia refractory materials with infiltrating coal slag in the oxidizing atmosphere of a cyclone furnace
Z. ZHOU, Y. BO, Y. ZHANG, Z. HUANG, L. CHEN, L. GE, J. ZHOU & K. CEN (People's Republic of China)
- 3841 Structural, magnetic and dielectric behavior of $Mg_{1-x}Ca_xNi_yFe_{2-y}O_4$ nano-ferrites synthesized by the micro-emulsion method
R. ALI, M.A. KHAN, A. MAHMOOD, A.H. CHUGHTAI, A. SULTAN (Pakistan), M. SHAHID (South Korea), M. ISHAQ & M.F. WARSI (Pakistan)
- 3847 Microstructure and electrical conductivity of Mo/TiN composite powder for alkali metal thermal to electric converter electrodes
S.-D. KIM, S.-Y. KIM, J. HOON JOO & S.-K. WOO (Republic of Korea)
- 3855 Potentiostatically deposited polypyrrole/graphene decorated nano-manganese oxide ternary film for supercapacitors
Y.S. LIM, Y.P. TAN, H.N. LIM, N.M. HUANG, W.T. TAN, M.A. YARMO (Malaysia) & C.-Y. YIN (Australia)
- 3865 Controlling the degradation rate of bioactive magnesium implants by electrophoretic deposition of akermanite coating
M. RAZAVI (Iran, USA), M. FATHI, O. SAVABI, S. MOHAMMAD RAZAVI, B. HASHEMI BENI (Iran), D. VASHAEE & L. TAYEBI (USA)
- 3873 Negative thermal expansion and shift in phase transition temperature in Mo-substituted ZrW_2O_8 thin films prepared by pulsed laser deposition
H. LIU, K. PAN, Q. JIN, Z. ZHANG, G. WANG & X. ZENG (PR China)
- 3879 Effect of heat treatment on the mechanical properties of PIP–SiC/SiC composites fabricated with a consolidation process
S. ZHAO, X. ZHOU & J. YU (PR China)
- 3887 Enhancement of the photocatalytic performance of Ni-loaded TiO_2 photocatalyst under sunlight
Y. LIU, Z. WANG, W. FAN, Z. GENG & L. FENG (China)
- 3895 Low temperature sintering and microwave dielectric properties of $CaSiO_3$ – Al_2O_3 ceramics for LTCC applications
H. WANG, Z. HE, D. LI, R. LEI, J. CHEN & S. XU (PR China)
- 3903 Coloured TiO_2 based glazing obtained by spray pyrolysis for solar thermal applications
M. DUDITA (Romania), L.M. MANCIERU (France), M. ANASTASESCU, M. NICOLESCU, M. GARTNER & A. DUTA (Romania)

Continued on inside back cover



ELSEVIER

Available online at www.sciencedirect.com

ScienceDirect

CONTENTS—Continued from outside back cover

- 3913 Surface quality improvement of porous thin films suitable for nanoindentation
Z. CHEN, X. WANG, F. GIULIANI & A. ATKINSON (UK)
- 3925 Effect of the solid precursors on the formation of nanosized TiB_x powders in RF thermal plasma
S. KLÉBERT, A. MÁRIA KESZLER, I. SAJÓ, E. DROTÁR, I. BERTÓTI, E. BÓDIS, P. FAZEKAS, Z. KÁROLY
& J. SZÉPVÖLGYI (Hungary)
- 3933 Phase transitions in $(1-x)BaZr_{0.2}Ti_{0.8}O_3-xBa_{0.7}Ca_{0.3}TiO_3$ powders and ceramic pellets
W. WANG, W.L. LI, D. XU, W.P. CAO, Y.F. HOU & W.D. FEI (PR China)
- 3939 Optimization of binder removal for ceramic microfabrication via polymer co-extrusion
K. SHARMIN & I. SCHOEGL (USA)
- 3947 Enhanced microwave absorption of $La_{0.7}Sr_{0.3}MnO_{3-\delta}$ based composites with added carbon black
C.-Y. TSAY, Y.-H. HUANG & D.-S. HUNG (Taiwan)
- 3953 Quality improvement of single crystal 4H SiC grown with a purified β -SiC powder source
J.G. KIM, E.J. JUNG, Y. KIM (Republic of Korea), Y. MAKAROV (USA) & D.J. CHOI (Republic of Korea)
- 3961 Evaluation of ascorbic acid-loaded calcium phosphate bone cements: Physical properties and in vitro release behavior
K. HEMMATI, S. HESARAKI & A. NEMATI (Iran)
- 3969 MCM-41 supported CuO/Bi_2O_3 nanoparticles as potential catalyst for 1,4-butyne diol synthesis
G. YANG, Y. XU, X. SU, Y. XIE, C. YANG, Z. DONG & J. WANG (China)
- 3975 Simple fabrication of rod-like N-doped TiO_2/Ag with enhanced visible-light photocatalytic activity
X. ZHOU, J. LU, J. CAO, M. XU & Z. WANG (China)
- 3981 Hydrothermal assisted synthesis and hot-corrosion resistance of nano lanthanum zirconate particles
C. WANG, Y. WANG, L. WANG, X. SUN, C. YANG, Z. ZOU & X. LI (PR China)
- 3989 Effects of liquid phases on densification of TiO_2 -doped $Al_2O_3-ZrO_2$ composite ceramics
Y. ZU, G. CHEN, X. FU, K. LUO, C. WANG, S. SONG & W. ZHOU (PR China)
- 3995 Preparation of ZrO_2/Gd_2O_3 composite ceramic materials by coprecipitation method
H. WANG, H. HUANG, J. LIANG & J. LIU (PR China)
- 4001 Novel synthesis and characterization of silicon carbide nanowires on graphite flakes
J. DING, C. DENG, W. YUAN, H. ZHU & X. ZHANG (PR China)
- 4009 The dependence of the photocatalytic activity of TiO_2 /carbon nanotubes nanocomposites on the modification of the carbon nanotubes
V.R. DJOKIĆ, A.D. MARINKOVIĆ (Serbia), O. ERSEN (France), P.S. USKOKOVIĆ, R.D. PETROVIĆ,
V.R. RADMILOVIĆ & D.T. JANAČKOVIĆ (Serbia)
- 4019 The preparation, characterization and photocatalytic activity of radical-shaped CeO_2/ZnO microstructures
I.-T. LIU, M.-H. HON & L.G. TEOH (Taiwan)
- 4025 Effects of aluminium doping on structural and photoluminescence properties of ZnO nanoparticles
G. SRINET, R. KUMAR & V. SAJAL (India)
- 4033 Mechanochemistry, crystal structure and magnetic characterization of M-type $SrFe_{12}O_{19}$
F. SÁNCHEZ-DE JESÚS, A.M. BOLARÍN-MIRÓ, C.A. CORTÉS-ESCOBEDO, R. VALENZUELA (Mexico)
& S. AMMAR (France)
- 4039 Iron oxide supported sulfated TiO_2 nanotube catalysts for NO reduction with propane
K. NARASIMHARAO, M.A. MALIK, M.M. MOKHTAR, S.N. BASAHEL & S.A. AL-THABAITI (Saudi Arabia)
- 4055 Growth and optical properties of cerium dioxide nanocrystallites prepared by coprecipitation routes
H.-H. KO (Taiwan), G. YANG (People's Republic of China, PR China), H.-Z. CHENG, M.-C. WANG (Taiwan)
& X. ZHAO (People's Republic of China)

(contents continued from Inside back cover)

- 4065 Synthesis and processing of spinel powders for transparent ceramics
M. SUAREZ, V. ROCHA, A. FERNANDEZ, J.L. MENENDEZ & R. TORRECILLAS (Spain)
- 4071 Fabrication and characterization of hardened bodies from Japanese volcanic ash using geopolymerization
H. TAKEDA, S. HASHIMOTO, H. KANIE, S. HONDA & Y. IWAMOTO (Japan)
- 4077 Phase stability and hot corrosion behavior of ZrO_2 - Ta_2O_5 compound in Na_2SO_4 - V_2O_5 mixtures at elevated temperatures
M.H. HABIBI, S. YANG & S.M. GUO (USA)
- 4085 Ferroelectric and structural instability of $(Pb,Ca)TiO_3$ thin films prepared in an oxygen atmosphere and deposited on LSCO thin films which act as a buffer layer
D.S.L. PONTES, F.M. PONTES, M.A. PEREIRA-DA-SILVA, M. ZAMPIERI, A.J. CHIQUITO, P.S. PIZANI & E. LONGO (Brazil)
- 4095 Effect of the fluoride content on the bioactivity of calcium silicate-based endodontic cements
P. TADDEI, E. MODENA, A. TINTI, F. SIBONI, C. PRATI & M.G. GANDOLFI (Italy)
- 4109 Graphene nanosheets-tungsten oxides composite for supercapacitor electrode
Y. CAI, Y. WANG, S. DENG, G. CHEN, Q. LI, B. HAN, R. HAN & Y. WANG (People's Republic of China)
- 4117 Microstructural adjustment of Ni - $BaCe_{0.9}Y_{0.1}O_{3-\delta}$ cermet membrane for improved hydrogen permeation
H. KIM, B. KIM, J. LEE, K. AHN, H.-R. KIM, K.J. YOON, B.-K. KIM, Y.W. CHO, H.-W. LEE & J.-H. LEE (Republic of Korea)
- 4127 The influence of TiO_2 content on the properties of glass ceramics: Crystallization, microstructure and hardness
D.P. MUKHERJEE & S.K. DAS (India)
- 4135 Ceramic/metal nanocomposites by lyophilization: Spark plasma sintering and hardness
C.F. GUTIERREZ-GONZALEZ, S. AGOURAM (Spain), R. TORRECILLAS (Spain, Russian Federation), J.S. MOYA & S. LOPEZ-ESTEBAN (Spain)
- 4141 Joining of Si_3N_4 to Si_3N_4 using a $AuPd(Co, Ni)$ - V filler alloy and the interfacial reactions
H.-P. XIONG, B. CHEN, Y. PAN, H.-S. ZHAO & W.-L. GUO (PR China)
- 4149 Heat treatment of 6H-SiC under different gaseous environments
W.J. LEE, C. LI, N. BURKE, J. PATEL (Australia), M. WILSON & K. GERDES (USA)
- 4155 Influence of the reaction conditions on the thermal stability of mesoporous MCM-48 silica obtained at room temperature
H.I. MELÉNDEZ-ORTIZ, Y.A. PERERA-MERCADO, L.A. GARCÍA-CERDA, J.A. MERCADO-SILVA & G. CASTRUITA (México)
- 4163 Low surface area nanosilica from an agricultural biomass for fabrication of dental nanocomposites
M. NOUSHAD, I. AB RAHMAN, N.S. CHE ZULKIFLI, A. HUSEIN & D. MOHAMAD (Malaysia)
- 4173 Synthesis of ternary zinc spinel oxides and their application in the photodegradation of organic pollutant
C.G. ANCHIETA, D. SALLET, E.L. FOLETTTO, S.S. DA SILVA, O. CHIAVONE-FILHO & C.A.O. DO NASCIMENTO (Brazil)
- 4179 A comparative study of the synthesis of nanocrystalline Yttrium Aluminium Garnet using sol-gel and co-precipitation methods
P. RAMANUJAM, B. VAIDHYANATHAN, J. BINNER, A. ANSHUMAN & C. SPACIE (UK)
- 4187 Suppression of 3D mobility of carrier and superconductivity by Y^{+3} substitution in $Cu_{0.5}Tl_{0.5}Ba_2(Ca_{2-x}Y_x)Cu_3O_{10-\delta}$ samples
M. MUMTAZ, N.A. KHAN, S. ABBAS (Pakistan) & K. SHEHZAD (China)

- 4193 Application of the statistical Taguchi method to optimize TiO₂ nanoparticles synthesis by the hydrothermal assisted sol-gel technique
S. NAGHIBI, M.A. FAGHIHI SANI & H.R. MADAAH HOSSEINI (Iran)
- 4203 Preparation and characterization of single crystalline In₂O₃ films deposited on MgO (110) substrates by MOCVD
Z. LI, C. ZHAO, W. MI, C. LUAN, X. FENG & J. MA (PR China)
- 4207 Elastic anomalies in tridymite- and cristobalite-based silica materials
W. PABST, E. GREGOROVÁ & J. KUTZENDÖRFER (Czech Republic)
- 4213 Synthesis, crystallization behavior and microstructure of oxynitride glass-ceramics with different modifier elements
G. QU, X. HU, L. CUI & A. LU (PR China)
- 4219 Electrochemical properties of LiNiO₂ cathode after TiO₂ or ZnO addition
M.Y. SONG, H.U. KIM & H.R. PARK (Republic of Korea)
- 4225 Effect of magnesium content on structure and dielectric properties of cubic bismuth magnesium niobate pyrochlores
L. GAO, S. JIANG, R. LI, B. LI & Y. LI (China)
- 4231 Compressive creep behavior of spark plasma sintered La₂O₃-YSZ composite
K.D. ROBLES ARELLANO, L. BICHLER (Canada) & K. MONDAL (Canada, India)
- 4237 Phase equilibria and dielectric properties of Bi_{3+(5/2)x}Mg_{2-x}Nb_{3-(3/2)x}O_{14-x} cubic pyrochlores
P.Y. TAN, K.B. TAN, C.C. KHAW, Z. ZAINAL, S.K. CHEN & M.P. CHON (Malaysia)
- 4247 Reduced leakage current of multiferroic BiFeO₃ ceramics with microwave synthesis
V. RAGHAVENDRA REDDY, D. KOTHARI, S. KUMAR UPADHYAY, A. GUPTA, N. CHAUHAN & A.M. AWASTHI (India)
- 4251 Structural and electrical properties of BZT-added BNLT ceramics
P. KANTHA, N. PITIPATHSIN, K. PENGPAT, S. EITSSAYEAM & S. POJPRAPAI (Thailand)
- 4257 Investigation on low loss (1-x) Mg_{0.95}Co_{0.05}TiO₃-(x) Ca_{0.6}La_{0.8/3}TiO₃ composite series for achieving a nearly zero temperature coefficient of resonant frequency
S. KESHRI & S. SINGH RAJPUT (India)
- 4267 Camphor sulfonic acid doped polyaniline-tin oxide hybrid nanocomposites: Synthesis, structural, morphological, optical and electrical transport properties
G.D. KHUSPE, M.A. CHOUGULE, S.T. NAVALE, S.A. PAWAR & V.B. PATIL (India)
- 4277 Microstructure and dielectric properties of Dy/Mn doped BaTiO₃ ceramics
V. PAUNOVIC, V.V. MITIC, Z. PRIJIC & L.J. ZIVKOVIC (Serbia)
- 4285 Influence of sample size on strength distribution of advanced ceramics
S. NOHUT (Turkey)
- 4297 Bi-component MnO/ZnO hollow microspheres embedded in reduced graphene oxide as electrode materials for enhanced lithium storage
F. JIANG, L.W. YANG, Y. TIAN, P. YANG, S.W. HU, K. HUANG, X.L. WEI & J.X. ZHONG (China)
- 4305 Influence of different surfactants on crystal growth behavior and sinterability of La₂Ce₂O₇ solid solution
Y. WANG, C. WANG, C. LI, Y. CHENG & F. CHI (China)
- 4311 The effect of Ga³⁺ addition on the sinterability and microwave dielectric properties of RE₃Al₅O₁₂ (Tb³⁺, Y³⁺, Er³⁺ and Yb³⁺) garnet ceramics
A. SUNNY, V. VISWANATH, K. PEETHAMBHARAN SURENDRAN & M. THOMAS SEBASTIAN (India)
- 4319 Sintering and electrical properties of La-modified (Na_{0.52}K_{0.45}Li_{0.03})_{1-3x}La_x(Nb_{0.88}Sb_{0.09}Ta_{0.03})O₃ lead-free ceramics
J. DU, Z. XU, B. DENG, R. CHU, X. YI, L. ZHENG & Y. LI (China)

- 4323 High energy-storage properties of $[(\text{Bi}_{1/2}\text{Na}_{1/2})_{0.94}\text{Ba}_{0.06}]\text{La}_{(1-x)}\text{Zr}_x\text{TiO}_3$ lead-free anti-ferroelectric ceramics
Y. WANG, Z. LV, H. XIE & J. CAO (PR China)
- 4327 Optical properties of group-I-doped ZnO nanowires
A. SA'AEDI, R. YOUSEFI, F. JAMALI-SHEINI, M. CHERAGHIZADE, A.K. ZAK (Iran) & N.M. HUANG (Malaysia)
- 4333 Effect of nanocarbon sources on microstructure and mechanical properties of MgO–C refractories
T. ZHU, Y. LI, S. SANG (PR China), S. JIN (PR China, Austria), Y. LI, L. ZHAO & X. LIANG (PR China)
- 4341 Enhanced piezoelectric properties of $(\text{K}_{0.40}\text{Na}_{0.60})_{0.94}\text{Li}_{0.06}\text{Nb}_{0.94}\text{SbO}_3$ lead-free ceramics by optimizing the sintering temperature
T. CHEN, H. WANG, T. ZHANG, G. WANG, J. ZHOU, J. ZHANG & Y. LIU (PR China)
- 4345 Synthesis and photoluminescence properties of $\text{La}_{1-x}\text{AlO}_3:x\text{Tb}^{3+}$ green phosphors for white LEDs
S.J. YOON (Korea), S.J. DHOBLE (India) & K. PARK (Korea)
- 4351 Evaluation of potential applications of recycled moulding and core sands to production of ceramic building materials
Z. PYTEL (Poland)
- 4359 Densification behavior and related phenomena of spark plasma sintered boron carbide
X. LI, D. JIANG, J. ZHANG, Q. LIN, Z. CHEN & Z. HUANG (China)
- 4367 Colour performance investigation of a Cr_2O_3 green pigment prepared via the thermal decomposition of CrOOH
S.-T. LIANG, H.-L. ZHANG, M.-T. LUO, K.-J. LUO, P. LI, H.-B. XU & Y. ZHANG (China)
- 4375 Structural, electrical, and optical properties of Sb-doped SnO_2 transparent conductive oxides fabricated using an electrospray technique
B.-R. KOO & H.-J. AHN (Republic of Korea)
- 4383 Electrical characterization of ZnO-based thin film nanodiodes fabricated through atomic layer deposition: Effect of electron beam irradiation on interfacial property
Y.-H. YOU, M.-K. KIM, B.-C. LEE & J. HWANG (Republic of Korea)
- 4389 Phase transition, microstructure, and dielectric properties of Li/Ta/Sb co-doped $(\text{K}, \text{Na})\text{NbO}_3$ lead-free ceramics
S. QIAN, K. ZHU, X. PANG, J. LIU, J. QIU & J. DU (China)
- 4395 Solubility studies and thermophysical properties of uranium–neodymium mixed oxides system
R. VENKATA KRISHNAN, R. BABU, G. PANNEERSELVAM, B.M. SINGH, A. SENAPATI, K. ANANTHASIVAN, M.P. ANTONY & K. NAGARAJAN (India)
- 4407 Significant improvement of refractoriness of Al_2O_3 –C castables containing calcium aluminate nano-coatings on graphite
S. DUTTA, P. DAS, A. DAS & S. MUKHOPADHYAY (India)
- 4415 Low hydrothermal temperature synthesis of porous calcium silicate hydrate with enhanced reactivity SiO_2
W. GUAN, F. JI, Z. FANG, D. FANG, Y. CHENG, P. YAN & Q. CHEN (PR China)
- 4421 Research on the grain growth and the mechanism of $(\text{U}, \text{Ti})\text{O}_2$ dispersion fuel microspheres
H. WANG, J. LIANG, C. LU, H. HUANG & J. REN (PR China)
- 4429 Effect of 2-propanol and water contents on the crystallization and particle size of titanium dioxide synthesized at low-temperature
J.-P. NIKKANEN, E. HUTTUNEN-SAARIVIRTA, X. ZHANG, S. HEINONEN, T. KANERVA, E. LEVÄNEN & T. MÄNTYLÄ (Finland)
- 4437 The role of Eu_2O_3 and CeO_2 on the phase formation, infrared emission and magnetic properties of $\text{Co}_{0.6}\text{Zn}_{0.4}\text{Fe}_2\text{O}_4$ ceramics by a solvothermal method
Y. ZHANG, J. MA, J. LU & D. WEN (China)

- 4445 Photoluminescence properties of praseodymium doped cerium oxide nanocrystals
A.C. CABRAL, L.S. CAVALCANTE, R.C. DEUS, E. LONGO, A.Z. SIMÕES & F. MOURA (Brazil)
- 4455 Periodically twinned 6H-SiC nanowires with fluctuating stems
L. LI, Y. CHU, H. LI, L. QI & Q. FU (China)
- 4461 Dense mullite zirconia composites obtained from the reaction sintering of milled stoichiometric alumina zircon mixtures by SPS
N.M. RENDTORFF (Argentina), G. SUÁREZ (Argentina, Japan), Y. SAKKA (Japan) & E.F. AGLIETTI (Argentina)
- 4471 Electrical properties of Ag-doped ZnO nano-plates synthesized via wet chemical precipitation method
R. ZAMIRI, B.K. SINGH, D. DUTTA, A. REBLO & J.M.F. FERREIRA (Portugal)
- 4479 Characteristics of hydrolyzed layer and contamination on fused silica induced during polishing
D. LIAO, X. CHEN, C. TANG, R. XIE & Z. ZHANG (China)
- 4485 Effects of nitrogen pressure on microstructures and properties of $\text{Sr}_2\text{Fe}_{10/9}\text{Mo}_{8/9}\text{O}_6$ thin films
J. XU, W.-J. JI, J.-F. WANG, Z.-B. GU & S.-T. ZHANG (China)
- 4491 IBLIC effect leading to colossal dielectric constant in layered structured Eu_2CuO_4 ceramic
P. SALAME, R. DRAI, O. PRAKASH & A.R. KULKARNI (India)
- 4499 Synthesis, characterization and magnetic properties of glass ceramics containing nanoparticles of both Ba-hexaferrite and Zn-ferrite
M.A. AZOOZ & S.A.M. ABDEL-HAMEED (Egypt)
- 4507 Characterization, antibacterial and *in vitro* compatibility of zinc–silver doped hydroxyapatite nanoparticles prepared through microwave synthesis
N. IQBAL, M.R.A. KADIR, N.H. MAHMOOD, N. SALIM, G.R.A. FROEMMING, H.R. BALAJI & T. KAMARUL (Malaysia)
- 4515 Thermal behavior and characteristics of fired geopolymers produced from local Cameroonian metakaolin
A. ELIMBI, H.K. TCHAKOUTE, M. KONDOH & J. DIKA MANGA (Cameroon)
- 4521 Temperature induced evolution of structure/microstructure parameters and their correlations with electric/magnetic properties of nanocrystalline Nickel ferrite
M. VUCINIC-VASIC, M. BOSKOVIC, A. ANTIC, G. STOJANOVIC, M. RADOVANOVIC (Serbia), M. FABIAN (Slovakia), C. JOVALEKIC, M.B. PAVLOVIC & B. ANTIC (Serbia)
- 4529 The effect of argon shielding gas at plasma spray process on the structure and properties of MoSi_2 coating
M. ERFANMANESH, S. REZA BAKHSHI, M. KHAJELAKZAY & M. SALEKBAFGHI (Iran)
- 4535 Synthesis and luminescence properties of nitrated lanthanum magnesium hexaluminate $\text{LaMgAl}_{11}\text{O}_{19}$ phosphors
X. MIN, M. FANG, Z. HUANG, Y. LIU, C. TANG, T. QIAN & X. WU (PR China)
- 4541 Reduction behaviors and catalytic properties for methanol steam reforming of Cu-based spinel compounds CuX_2O_4 ($X=\text{Fe, Mn, Al, La}$)
Y.-H. HUANG, S.-F. WANG (ROC), A.-P. TSAI & S. KAMEOKA (Japan)
- 4553 Preparation of controlled-shape ZnS microcrystals and photocatalytic property
S. ZHANG (PR China)
- 4559 Synthesis and characterization of Ca–Sr–P coating on pure magnesium for biomedical application
Y. LU, L. TAN, B. ZHANG, J. LIN & K. YANG (China)
- 4567 Preparation, characterization and thermophysical properties of $(\text{Sm}_{1-x}\text{Gd}_x)_2\text{Ce}_2\text{O}_7$ solid solutions
Z. HONGSONG, L. XIAOCHUN, L. GANG & L. ZHENJUN (China)
- 4575 Influence of precursor $\text{Bi}^{3+}/\text{Fe}^{3+}$ ion concentration on hydrothermal synthesis of BiFeO_3 crystallites
L.J. DI, H. YANG, T. XIAN, R.S. LI, Y.C. FENG & W.J. FENG (People's Republic of China)

- 4579 Evaluation of hot corrosion behavior of CSZ, CSZ/micro Al₂O₃ and CSZ/nano Al₂O₃ plasma sprayed thermal barrier coatings
M. NEJATI, M.R. RAHIMPOUR & I. MOBASHERPOUR (Iran)
- 4591 Rheological properties and stability of NMP based cathode slurries for lithium ion batteries
W. BAUER & D. NÖTZEL (Germany)
- 4599 Mechanism of Fe₂TiO₅ as oxygen carrier for chemical looping process and evaluation for hydrogen generation
Y. KU, Y.-C. LIU, P.-C. CHIU, Y.-L. KUO & Y.-H. TSENG (Taiwan)
- 4607 Improved visible light photocatalytic activity of MWCNT/BiOBr composite synthesized via a reactable ionic liquid
J. XIA, J. DI, S. YIN, H. LI, L. XU, Y. XU, C. ZHANG & H. SHU (PR China)
- 4617 Effects of sintering temperature on the properties of donor-acceptor codoped Ba_{0.67}-Sr_{0.33}TiO₃ ceramics for pyroelectric infrared detector applications
Z. XU, H. QIANG, Y. CHEN & C. NIE (China)
- 4623 Comparison of (BiO)₂CO₃ to CdCO₃ as anode materials for lithium-ion batteries
L. SHAO, S. WANG, K. WU, M. SHUI, R. MA, D. WANG, N. LONG, Y. REN & J. SHU (People's Republic of China)
- 4631 Low-temperature synthesis of BiVO₄ powders by Pluronic-assisted hydrothermal method: Effect of the surfactant and temperature on the morphology and structural control
U.M. GARCÍA-PÉREZ, A. MARTÍNEZ-DE LA CRUZ, S. SEPÚLVEDA-GUZMÁN (Mexico) & J. PERAL (Spain)
- 4639 Raman spectra and dielectric properties of the nanocrystalline Li_{0.43}Nb_{0.57}O_{3+δ}
C.-L. KUO, G.-J. CHEN, C.-S. HSI, J.-W. WANG, Y.-S. CHANG, Y.-Y. LI & W.-S. HWANG (Taiwan)
- 4643 Effects of the Al content on pore structures of porous Ti₃AlC₂ ceramics by reactive synthesis
J. YANG, C. LIAO, J. WANG, Y. JIANG & Y. HE (China)
- 4649 Effect of solids concentration on pore structure of ZnO-foams prepared by particle-stabilized foaming route
J.-J. JHAO, M.-H. YANG & W.J. TSENG (Taiwan)
- 4655 Tribological properties of titania nanofilms coated on glass surface by the sol-gel method
G. JI, Z. SHI, W. ZHANG & G. ZHAO (China)
- 4663 Microstructure characterization of thermal barrier coating systems after controlled exposure to a high temperature
J.D. OSORIO, J.P. HERNÁNDEZ-ORTIZ (Colombia, USA) & A. TORO (Colombia)
- 4673 A simple microwave-assisted combustion synthesis and structural, optical and magnetic characterization of ZnO nanoplatelets
Y. KÖSEOĞLU (Istanbul-Turkey, Kazakhstan)
- 4681 Bactericidal efficiency of nanostructured Al-O/Ti-O composite thin films prepared by dual magnetron reactive co-sputtering technique
A.B. PANDA, S. GOPIKISHAN, S.K. MAHAPATRA, P.K. BARHAI, A.K. DAS & I. BANERJEE (India)
- 4691 The optical properties and sunscreen application of spherical h-BN-TiO₂/mica composite powder
C.-Y. SU, H.-Z. TANG, G.-D. ZHU, C.-C. LI & C.-K. LIN (Taiwan)
- 4697 A critical role of pH in the combustion synthesis of nano-sized SrAl₂O₄:Eu²⁺, Dy³⁺ phosphor
E. SHAFIA (Italy), M. BODAGHI (Portugal), S. ESPOSITO (Italy) & A. AGHAEI (Iran)
- 4707 Effects of the single layer CVD SiC interphases on mechanical properties of mullite fiber-reinforced mullite matrix composites fabricated via a sol-gel process
Y. WANG, H. CHENG & J. WANG (PR China)
- 4717 A study on partially protonated titanate nanotubes: Enhanced thermal stability and improved photocatalytic activity
L. SHI, L. CAO, W. LIU, G. SU, R. GAO & Y. ZHAO (PR China)

- 4725 Effect of Eu^{3+} concentration on the luminescence properties of $\text{Y}_2\text{O}_2\text{S}:\text{Eu}^{3+}, \text{Mg}^{2+}, \text{Ti}^{4+}$ nanotubes
C. CUI, G. JIANG, P. HUANG, L. WANG & D. LIU (China)
- 4731 Effect of exposure parameters and annealing on the structure and morphological properties of nanopatterned sapphire substrates prepared by solid state reaction
L. CUI, G.-G. WANG, H.-Y. ZHANG & J.-C. HAN (PR China)
- 4739 Fabrication and mechanical properties of SiC reinforced reaction-bonded silicon nitride based ceramics
H.-L. HU, D.-X. YAO, Y.-F. XIA, K.-H. ZUO & Y.-P. ZENG (China)
- 4745 Diameter selective behavior of human nasal epithelial cell on Ag-coated TiO_2 nanotubes
M.-Y. LAN, S.-L. LEE, H.-H. HUANG, P.-F. CHEN, C.-P. LIU & S.-W. LEE (ROC)
- 4753 Non-lead Ce: $\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3\text{-BiFeO}_3$ solid solution thin film with significantly reduced leakage current and large polarization
C.H. YANG, H.T. WU, F. YANG & G.D. HU (China)
- 4759 Compositional dependence of dielectric and ferroelectric properties in $\text{BiFeO}_3\text{-BaTiO}_3$ solid solutions
H. ZHANG (Germany, China), W. JO, K. WANG & K.G. WEBBER (Germany)
- 4767 Characterization and photocatalytic properties of hexagonal and monoclinic WO_3 prepared via microwave-assisted hydrothermal synthesis
D.B. HERNANDEZ-URESTI, D. SÁNCHEZ-MARTÍNEZ, A. MARTÍNEZ-DE LA CRUZ, S. SEPÚLVEDA-GUZMÁN & L.M. TORRES-MARTÍNEZ (Mexico)
- 4777 Sago starch as binder and pore-forming agent for the fabrication of porcelain foam
A.R. JAMALUDIN, S.R. KASIM, M.Z. ABDULLAH & Z.A. AHMAD (Malaysia)
- 4785 A new aqueous PEGDMA/AM system for 3YSZ gelcasting
H. WU, L. ZHOU, Y. CHEN, F. XIA & J. XIAO (PR China)
- 4791 Single-microemulsion-based solvothermal synthesis of magnetite microflowers
Y. LI, R. JIANG, T. LIU, H. LV & X. ZHANG (PR China)
- 4797 Large-scale preparation of SiBN ceramic fibres from a single source precursor
Y. PENG, K. HAN, X. ZHAO & M. YU (PR China)
- 4805 Applicability of ceramic membrane filters in pretreatment of coke-contaminated petrochemical wastewater: Economic feasibility study
E. SALEHI, S.S. MADAENI, A.A. SHAMSABADI & S. LAKI (Iran)
- 4811 Effect of nano-MgO on thermal and mechanical properties of aluminate cement composite thermal energy storage materials
H. YUAN, Y. SHI, Z. XU, C. LU, Y. NI & X. LAN (China)
- 4819 Combined effect of SiC chopped fibers and SiC whiskers on the toughening of ZrB_2
D. SCITI, L. PIENZI, D.D. FABBRICHE, S. GUICCIARDI & L. SILVESTRONI (Italy)
- 4827 Green chemistry approach for the synthesis of ZnO nanopowders and their cytotoxic effects
M. DARROUDI, Z. SABOURI, R. KAZEMI OSKUEE, A. KHORSAND ZAK, H. KARGAR (Iran) & M.H.N. ABD HAMID (Malaysia)
- 4833 Effect of ciprofloxacin incorporation in PVA and PVA bioactive glass composite scaffolds
M. MABROUK, A.A. MOSTAFA (France, Egypt), H. OUDAESSE (France), A.A. MAHMOUD & M.I. EL-GOHARY (Egypt)
- 4847 Effect of sputtering parameters on photoluminescence properties of Al doped ZnO films deposited on Si substrates
H. CHEN, J. DING & W. GUO (China)

- 4853 Properties and residual stress distribution of plasma sprayed magnesia stabilized zirconia thermal barrier coatings
M.N. BAIG, F.A. KHALID, F.N. KHAN & K. REHMAN (Pakistan)
- 4869 Fabrication and characterization of $Zn_xCd_{1-x}S$ nanoparticles in chitosan alginate nanocomposite films
L. WANG, Y. SUN & X. YANG (PR China)
- 4875 Preparation and electrical properties of $Ni_{0.6}Mn_{2.4-x}Sn_xO_4$ NTC ceramics
Z. WANG, Z. LI, Y. ZHANG, R. ZHANG, P. QIN, C. CHEN (PR China) & L. WINNUBST (The Netherlands)
- 4879 Thermal cycle development of PMMA pore former removal for honeycomb-type SOFC supports
S.J. LEE, J.M. LEE, Y.G. KIM, S.D. YOON & J.W. YUN (Republic of Korea)
- 4889 Synthesis, structural and luminescence properties of Ti co-doped $ZnO/Zn_2SiO_4:Mn^{2+}$ composite phosphor
P.V. RAMAKRISHNA, D.B.R.K. MURTHY & D.L. SASTRY (India)
- 4897 The effect of the crystallization of oxidation-derived SiO_2 on the properties of porous $Si_3N_4-SiO_2$ ceramics synthesized by oxidation
X. LI, P. WU & D. ZHU (PR China)
- 4903 Synthesis of neodymium doped yttria nanopowders by microwave-assisted glycine combustion method and the powder characteristics
N. WANG, X. ZHANG & Z. BAI (China)
- 4909 Apatite formation on alumina: The role of the initial adsorption of calcium and phosphate ions
J. COREÑO-ALONSO, O. COREÑO-ALONSO & J. MERCED MARTÍNEZ-ROSALES (Mexico)
- 4917 Influence of calendaring on the properties of paper-derived alumina ceramics
T. SCHLORDT, B. DERMEIK, V. BEIL, M. FREIHART, A. HOFENAUER, N. TRAVITZKY & P. GREIL (Germany)
- 4927 Synthesis of high aspect ratio platelike $Ba_{1-x}Ca_xTiO_3$ particles by topochemical microcrystal conversion method
X. YAN, F. GAO & Z. LIU (China)
- 4933 Effect of surfactants on the synthesis of $Al_2O_3-CeO_2$ nanocomposite using a reverse microemulsion method
R. POURNAJAF, S.A. HASSANZADEH-TABRIZI & M. GHASHANG (Iran)
- 4939 A novel processing method of $Sr_{0.7}Y_{0.3}CoO_{2.65-\delta}$ cathode for intermediate temperature solid oxide fuel cells
L. FAN, L. LIU, Y. WANG, H. HUO & Y. XIONG (China)
- 4945 Enhanced magnetic properties of substituted Sr-hexaferrite nanoparticles synthesized by co-precipitation method
G.R. GORDANI, A. GHASEMI & A. SAIDI (Iran)
- 4953 SiO_2 nanoparticles addition effect on microstructure and pinning properties in $YBa_2Cu_3O_y$
M.K. BEN SALEM, E. HANNACHI, Y. SLIMANI, A. HAMRITA, M. ZOUAOUI (Tunisia), L. BESSAIS (France), M. BEN SALEM (Tunisia) & F. BEN AZZOUZ (Tunisia, Saudi Arabia)
- 4963 Enhancement of temperature coefficient of resistivity in $La_{0.67}Ca_{0.33}MnO_3$ polycrystalline ceramics
J. MA, Y. CAI, W. WANG, Q. CUI (China), M. THEINGI (China, Myanmar), H. ZHANG & Q. CHEN (China)
- 4969 Cylindrical stacks and flower-like tungsten oxide microstructures: Controllable synthesis and photocatalytic properties
Q.-H. LI, L.-M. WANG, D.-Q. CHU, X.-Z. YANG & Z.-Y. ZHANG (China)
- 4975 Chemical and structural analysis related to defects in nanocrystalline $Ba_{1-x}Sr_xTiO_3$ grown via hydrothermal sol-gel
S. FUENTES, F. CÉSPEDES, L. PADILLA-CAMPOS & D.E. DIAZ-DROGUETT (Chile)
- 4985 Preparation of high refractive index $La_2O_3-TiO_2$ glass by aerodynamic levitation technique and effects of Bi_2O_3 substitution on its thermal and optical properties
H. XIANG, L. GUAN, Z. PENG & J. LI (PR China)

Short Communications

- 4989 Spinel lithium titanate from brookite nanocrystallites
X. MENG, X. WANG, Y. ZHOU, L. TONG, X. ZENG & X. CHEN (PR China)
- 4995 An in situ hydrothermal fabrication process of poly(vinyl alcohol)/apatite-like nanocomposites with improved thermal and mechanical properties
A. ABDAL-HAY (Republic of Korea, Egypt), C.I. KIM & J.K. LIM (Republic of Korea)
- 5001 Laminated ZrB₂-SiC/graphite ceramics with simultaneously improved flexural strength and fracture toughness
C. WEI, X. ZHANG & S. LI (PR China)
- 5007 Effect of different oxides addition on the thermal expansion coefficients and residual stresses of Fe-based diamond composites
P. HAN, F.-R. XIAO, W.-J. ZOU & B. LIAO (China)
- 5015 LiCa₃ZnV₃O₁₂: A novel low-firing, high Q microwave dielectric ceramic
C. SU, L. FANG, Z. WEI, X. KUANG & H. ZHANG (China)
- 5019 MnO₂-modified 0.98(K_{0.5}Na_{0.5})NbO₃-0.02LaFeO₃ ceramics with low dielectric loss for high temperature ceramics capacitors applications
H. CHENG, W. ZHOU, H. DU, F. LUO, D. ZHU (China) & B. XU (Singapore)
- 5025 Oxidation behavior of spark plasma sintered ZrC-SiC composites obtained from the polymer-derived ceramics route
D. PIZON, L. CHARPENTIER, R. LUCAS, S. FOUCAUD, A. MAÎTRE & M. BALAT-PICHELIN (France)
- 5033 Properties of novel Li_{4-3x}Cr_xSiO₄ ceramic electrolyte
S.B.R.S. ADNAN & N.S. MOHAMED (Malaysia)
- 5039 Co-synthesis of ZnO/SnO₂ mixed nanowires via a single-step carbothermal reduction method
T. THARSIKA, A.S.M.A. HASEEB (Malaysia), S.A. AKBAR (USA) & M.F.M. SABRI (Malaysia)
- 5043 Preparation of Li₇La₃Zr₂O₁₂ solid electrolyte via a sol-gel method
M. KOTOBUKI & M. KOISHI (Japan)
- 5049 Preparation and characterization of LA/PCL composite fibers containing beta tricalcium phosphate (β-TCP) particles
C.-H. PARK, E.K. KIM (Republic of Korea), L.D. TIJING (Australia), A. AMARJARGAL (Republic of Korea), H.R. PANT (Republic of Korea, Nepal), C.S. KIM (Republic of Korea) & H.K. SHON (Australia)
- 5055 Graphene spheres loaded urchin-like Cu_xO (x=1 or 2) for use as a high performance photocatalyst
B. ZENG, X. CHEN, Y. LUO, Q. LIU & W. ZENG (People's Republic of China)
- 5061 Concentration quenching of Eu²⁺ in Ba₂LiB₅O₁₀:Eu²⁺ phosphor
Y. LIU, Y. DING, Z. PENG (China), Q. YU, X. TIAN & G. DONG (PR China)
- 5067 Molten salt synthesis of YAG:Ce³⁺ phosphors from oxide raw materials
L. GAN, Z.-Y. MAO, F.-F. XU, Y.-C. ZHU & X.-J. LIU (PR China)
- 5073 Mixed-valent VO_x/polymer nanohybrid fibers for flexible energy storage materials
A. ALTECOR, Q. LI, K. LOZANO & Y. MAO (USA)
- 5079 Fabrication and properties of porous Si₃N₄-SiO₂ ceramics with dense surface and gradient pore distribution
X. LI, P. WU & D. ZHU (PR China)
- 5085 Shape-controlled synthesis of MnWO₄ nanocrystals by a surfactant-free hydrothermal method
Y. WANG, L. YANG, Y. WANG, X. WANG & G. HAN (PR China)

- 5091 $\text{La}(\text{OH})_3:\text{Ln}^{3+}$ (Ln=Sm, Er, Gd, Dy, and Eu) nanorods synthesized by a facile hydrothermal method and their enhanced photocatalytic degradation of Congo red in the aqueous solution
Y. WANG, S. LIU, Y. CAI, S. DENG, B. HAN, R. HAN, Q. LI & Y. WANG (People's Republic of China)
- 5097 Microstructure and the dielectric properties of SiCN-Si₃N₄ ceramics fabricated via LPCVD/CVI
X. LIU, L. ZHANG, Y. LIU, F. YE & X. YIN (China)
- 5103 Microwave-hydrothermal synthesis of CuO nanorods and their catalytic applications in sodium humate synthesis and RhB degradation
L. SHI, C. YANG, X. SU, J. WANG, F. XIAO, J. FAN, C. FENG & H. SUN (China)