


774/
c41/ci

CERAMICS INTERNATIONAL



PIETRO VINCENZINI

GENERAL EDITOR

EDITORS-IN-CHIEF

L. BERGSTROM
SWEDEN

R.K. BORDIA
USA

Z.Y. FU
CHINA

T. OHJI
JAPAN

J.A. VARELA
BRAZIL

<http://www.elsevier.com/locate/ceramint>



ELSEVIER



(Abstracted/indexed in: *Applied Mechanics Reviews*; *Br. Ceram Abstr.*; *Ceramic Abstracts*; *Chemical Abstracts*; *Current Contents/Engineering, Computing & Technology*; *Current Contents/Physical, Chemical and Earth Sciences*; *Materials Science Citation Index*; *Met. Abstr.*; *Sci. Abstr.*; *Science Citation Index*; *SciSearch*; *World Alum. Abstr.* Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.)

CONTENTS

Volume 40 Issue 5 2014

Reviews

- 6383 Preparation of highly ordered ZnO nanowire arrays by paired-cell deposition
W. FENG, P. HUANG & L. JIANG (PR China)
- 6389 Feldspar and firing cycle effects on the evolution of sanitary-ware vitreous body
A. BERNASCONI, N. MARINONI, A. PAVESE, F. FRANCESCON (Italy) & K. YOUNG (United Kingdom)
- 6399 A polyacrylamide gel route to photocatalytically active BiVO₄ particles with monoclinic scheelite structure
J.H. SUN & H. YANG (People's Republic of China)

Original Articles

- 6405 Fabrication and characterization of silk/forsterite composites for tissue engineering applications
A. TEIMOURI, L. GHORBANIAN, A. NAJAFI CHERMAHINI & R. EMADI (Iran)
- 6413 Investigation of Tb-doping on structural transition and multiferroic properties of BiFeO₃ thin films
G. DONG, G. TAN, Y. LUO, W. LIU, H. REN & A. XIA (China)
- 6421 Influence of the synthesis process on the features of Y₂O₃-stabilized ZrO₂ powders obtained by the sol-gel method
N. MAMANA (Argentina), A. DÍAZ-PARRALEJO, A.L. ORTIZ, F. SÁNCHEZ-BAJO (Spain) & R. CARUSO (Argentina)
- 6427 Thermodynamic analysis on the codeposition of ZrC-SiC by chemical vapor deposition using the ZrCl₄-C₃H₆-MTS-H₂-Ar system
Y. ZHU, L. CHENG, S. GAO, J. LI, J. DENG & L. ZHANG (PR China)
- 6435 The effect of concentration of Dy³⁺ ions on luminescence properties of Y₂O₂S:Dy³⁺, Mg²⁺, Ti⁴⁺ phosphors
P. HUANG, X. HE, C. CUI & L. WANG (China)
- 6441 Effect of calcination temperature on the structural properties and photocatalytic activities of solvothermal synthesized TiO₂ hollow nanoparticles
F. HE, F. MA, J. LI, T. LI & G. LI (PR China)
- 6447 Low-temperature solution combustion synthesis of high performance LiNi_{0.5}Mn_{1.5}O₄
G. LIU, X. KONG, Q. WANG, H. SUN, B. WANG & Z. YI (China)

Continued on inside back cover



ELSEVIER

Available online at www.sciencedirect.com

ScienceDirect

CONTENTS—Continued from outside back cover

- 6453 *In situ* synthesis, fabrication and Rietveld refinement of the hydroxyapatite/titania composite coatings on 316L SS
A. SARKAR & S. KANNAN (India)
- 6465 Synthesis and thermal behavior of Cu/Y₂W₃O₁₂ composite
S. DAS, S. DAS & K. DAS (India)
- 6473 Characterization of submicrometer-sized NiZn ferrite prepared by spark plasma sintering
S. SONG, Q. SONG, J. LI, V.R. MUDINEPALLI (China) & Z. ZHANG (United Kingdom)
- 6481 Structure and properties of nanostructured ceramic matrix composite coatings prepared in-situ by reactive plasma spraying micro-sized Al-Fe₂O₃-Cr₂O₃ powders
L. WANG, D. YAN, Y. YANG, Y. DONG, X. CHEN & J. ZHANG (China)
- 6487 Structural and magnetic properties of Pr-Ni substituted Ca_{0.5}Ba_{0.5}Fe₁₂O₁₉ hexa-ferrite nanoparticles
H.M. KHAN (Pakistan, UK), M.U. ISLAM (Pakistan), Y. XU (UK, China), M. NAEEM ASHIQ, I. ALI, M. ASIF IQBAL & M. ISHAQUE (Pakistan)
- 6495 Ag/Bi₂WO₆ plasmonic composites with enhanced visible photocatalytic activity
J. LI, Z. GUO & Z. ZHU (PR China)
- 6503 The coloring of geopolymers by the addition of copper compounds
H. TAKEDA, S. HASHIMOTO, S. HONDA & Y. IWAMOTO (Japan)
- 6509 Evaluation of plasma sprayed alumina-40wt% titania and partially stabilized zirconia coatings on high density graphite for uranium melting application
J. SURE, CH. JAGADEESWARA RAO, P. VENKATESH, B. PRABHAKARA REDDY, C. MALLIKA & U. KAMACHI MUDALI (India)
- 6525 High-performance 3D SiC/PyC/SiC composites fabricated by an optimized PIP process with a new precursor and a thermal molding method
Z. LUO, X. ZHOU, J. YU & F. WANG (China)
- 6533 Enhancement of hybrid sol-gel coating and industrial application on polished porcelain stoneware tiles and investigation of the performance
M. AKARSU, E. BURUNKAYA, A. TUNALI, N. TAMSÜ SELLI & E. ARPAÇ (Turkey)
- 6541 Self-propagating high-temperature synthesis of advanced ceramics in the Mo-Si-B system: Kinetics and mechanism of combustion and structure formation
E.A. LEVASHOV, YU.S. POGOZHEV, A.YU. POTANIN, N.A. KOCHETOV, D.YU. KOVALEV, N.V. SHVYNDINA & T.A. SVIRIDOVA (Russia)
- 6553 Synthesis and structural, magnetic characterization of nanocrystalline Zn_{1-x}Mn_xO diluted magnetic semiconductors (DMSs) synthesized by combustion reaction
R.A. TORQUATO (Brazil), S.E. SHIRSATH (Japan), R.H.G.A. KIMINAMI & A.C.F.M. COSTA (Brazil)
- 6561 Phase tuning of zirconia nanocrystals by varying the surfactant and alkaline mineralizer
A. UMA MAHESWARI, S.R. MOHAN, S. SARAVANA KUMAR & M. SIVAKUMAR (India)
- 6569 Highly uniform Gd(OH)₃ and Gd₂O₃:Eu³⁺ hexagram-like microcrystals: glucose-assisted hydrothermal synthesis, growth mechanism and luminescence property
G. XING, Q. GUO, Q. LIU, Y. LI, Y. WANG, Z. WU & G. WU (China)
- 6579 Effect of carbon nanotubes on sintering behavior of alumina prepared by sol-gel method
Y. LIU, H.G. CHAE, Y. HO CHOI & S. KUMAR (USA)
- 6589 Characteristics of electrical power generation from lead zirconate titanate piezoelectric ceramics under cyclic loading
M. OKAYASU, M. MIZUNO & T. SHIRAIISHI (Japan)

(contents continued from Inside back cover)

- 6597 Green synthesis of aniline by phosphorus-doped titanium dioxide polymorphs
R.M. MOHAMED (Kingdom of Saudi Arabia, Egypt, Saudi Arabia) & M.W. KADI (Kingdom of Saudi Arabia)
- 6605 Hydrothermal synthesis of different colors and morphologies of ZnO nanostructures and comparison of their photocatalytic properties
M. FARBOD & E. JAFARPOOR (Iran)
- 6611 Crack-healing behavior of hot-pressed TZ3Y20A-SiC ceramics
X.-P. ZHANG, J.-H. OUYANG, Z.-G. LIU, Y.-J. WANG & Y. ZHOU (China)
- 6617 Bioactive HA/TiO₂ coating on magnesium alloy for biomedical applications
P. AMARAVATHY, S. SATHYANARAYANAN, S. SOWNDARYA & N. RAJENDRAN (India)
- 6631 Random stacking template of polymer spheres and water soluble particles to fabricate porous hydroxyapatite with interconnected pores
Y. TANG, Q. MIAO, K. ZHAO, M. ZHU & Z. WU (PR China)
- 6639 Mechanical and tribological properties of silicon carbide coating on Inconel alloy from liquid pre-ceramic precursor
J. MUKHERJEE, S. CHAKRABORTY (India), S. CHAKRAVARTY (Singapore), A. RANJAN & P.K. DAS (India)
- 6647 Effect of mechanical stress on phase stability and polarization states in ferroelectric barium titanate and lead titanate
D. ZHU & W. MA (People's Republic of China)
- 6655 Infrared absorption spectroscopy and fluctuations induced conductivity (FIC) analysis of Be-doped TlBa₂Ca₂Cu₃O_{10-δ} superconductor
M. MUMTAZ, M. ZUBAIR, N.A. KHAN & K. NADEEM (Pakistan)
- 6663 Isothermal crystallization kinetics and effect of crystallinity on the optical properties of nanosized CeO₂ powder
H.-H. KO (Taiwan), G. YANG (PR China), M.-C. WANG (Taiwan) & X. ZHAO (PR China)
- 6673 Effect of substrate temperature on the structural, electrical, and optical properties of GZO/ZnO films deposited by radio frequency magnetron sputtering
S.-K. KIM, S.-H. KIM, S.-Y. KIM, J.-H. JEON, T.-K. GONG, D.-H. CHOI, D.-I. SON & D. KIM (Korea)
- 6677 Novel glass ceramic foams materials based on red mud
Y. GUO, Y. ZHANG, H. HUANG, K. MENG, K. HU, P. HU, X. WANG, Z. ZHANG & X. MENG (PR China)
- 6685 V-doped In₂O₃ nanofibers for H₂S detection at low temperature
J. LIU, W. GUO, F. QU, C. FENG, C. LI, L. ZHU, J. ZHOU, S. RUAN & W. CHEN (PR China)
- 6691 Effect of grain size and density of spray-pyrolyzed hydroxyapatite particles on the sinterability of hydroxyapatite disk
J.S. CHO, J.-C. LEE, S.H. CHUNG, J.K. SEO & S.-H. RHEE (Republic of Korea)
- 6699 Effect of the stirring rate on physical and electrochemical properties of LiMnPO₄ nanoplates prepared in a polyol process
H.-J. ZHU, X.-M. LIU, H. YANG & X.-D. SHEN (PR China)
- 6705 Visible light photocatalytic degradation of thiophene using Ag-TiO₂/multi-walled carbon nanotubes nanocomposite
E.S. AAZAM (Kingdom of Saudi Arabia)
- 6713 Magnetic properties of MnZn ferrite nanoparticles obtained by SHS and sol-gel autocombustion techniques
S.A. SEYYED EBRAHIMI, S.M. MASOUDPANAH, H. AMIRI & M. YOUSEFZADEH (Iran)

- 6719 Effect of process parameters on photophysical properties and barium molybdate phosphors characteristics
M.F.C. ABREU, F.V. MOTTA, R.C. LIMA, M.S. LI, E. LONGO & A.P.D.A. MARQUES (Brazil)
- 6731 Influence of titania content on mechanosynthesis of chlorapatite–titania composite nanopowders
A. FAHAMI & B. NASIRI-TABRIZI (Iran)
- 6739 Reactive synthesis for porous Ti_3AlC_2 ceramics through TiH_2 , Al and graphite powders
J. YANG, C. LIAO, J. WANG, Y. JIANG & Y. HE (China)
- 6747 Asymmetric TiO_2 hybrid photocatalytic ceramic membrane with porosity gradient: Effect of structure directing agent on the resulting membranes architecture and performances
R. GOEI & T.-T. LIM (Singapore)
- 6759 Effects of precursor concentration on crystalline morphologies and particle sizes of electrospun WO_3 nanofibers
J. MUANGBAN & P. JAROENAPIBAL (Thailand)
- 6765 Thermal behavior of longitudinal convective–radiative porous fins with different section shapes and ceramic materials (SiC and Si_3N_4)
M. HATAMI & D.D. GANJI (Iran)
- 6777 Studies on the synthesis and sintering of nanocrystalline yttria
S. BALAKRISHNAN, K. ANANTHASIVAN & K.C. HARI KUMAR (India)
- 6787 Scandium ion doped yttrium oxide transparent ceramic from nitrate alanine microwave combustion synthesized nanopowders
R. MANN, K. LAISHRAM, R. GAUTAM, S. SHAKYA & N. MALHAN (India)
- 6793 The preparation and properties of $\text{SiC}_w/\text{B}_4\text{C}$ composites infiltrated with molten silicon
J. WANG, W. LIN, Z. JIANG, L. DUAN & G. YANG (China)
- 6799 Microwave-assisted preparation of submicron-sized FeTiO_3 powders
J. RU, Y. HUA, C. XU, J. LI, Y. LI, D. WANG, K. GONG, R. WANG & Z. ZHOU (PR China)
- 6807 TPR, XRD and XPS characterisation of ceria-based materials synthesized by freeze-drying precursor method
J. MARRERO-JEREZ (Spain), S. LARRONDO (Argentina), E. RODRÍGUEZ-CASTELLÓN & P. NÚÑEZ (Spain)
- 6815 Room temperature magnetoelectric coupling study in multiferroic $\text{Bi}_4\text{NdTi}_3\text{Fe}_{0.7}\text{Ni}_{0.3}\text{O}_{15}$ prepared by a multicalcination procedure
X. CHEN, J. XIAO, J. YAO, Z. KANG, F. YANG & X. ZENG (PR China)
- 6821 One-step hydrothermal synthesis and microwave electromagnetic properties of $\text{RGO}/\text{NiFe}_2\text{O}_4$ composite
M. ZONG, Y. HUANG, X. DING, N. ZHANG, C. QU & Y. WANG (PR China)
- 6829 Erosion behavior of $\text{SiC}-\text{WC}$ composites
S.K. SHARMA, B.V.M. KUMAR (India), K.-Y. LIM, Y.-W. KIM (Republic of Korea) & S.K. NATH (India)
- 6841 Structure, dielectric and piezoelectric properties of $\text{Ba}_{0.90}\text{Ca}_{0.10}\text{Ti}_{1-x}\text{Sn}_x\text{O}_3$ lead-free ceramics
D. LIN (China, PR China), K.W. KWOK & H.L.W. CHAN (China)
- 6847 In-vitro bioactivity of wollastonite materials derived from limestone and silica sand
R. ABD RASHID, R. SHAMSUDIN, M.A. ABDUL HAMID & A. JALAR (Malaysia)
- 6855 Fabrication of porous microspheres and network arrays of Zn–Al hydrotalcite-like compounds on Al substrate via facile hydrothermal method
R. SHI, P. YANG, Y. YIN, X. DONG & J. LI (PR China)

- 6865 Inorganic microencapsulated core/shell structure of Al–Si alloy micro-particles with silane coupling agent
F. HE, S. CHAO, X. HE & M. LI (China)
- 6875 Strengthening/toughening of 2D C/SiC composites by coating
Y.P. XIE, L.F. CHENG, L.J. LI, Z.X. MENG & L.T. ZHANG (PR China)
- 6881 Microstructure and mechanical properties of $\text{Si}_3\text{N}_4/42\text{CrMo}$ joints brazed with TiNp modified active filler
T. WANG, J. ZHANG, C. LIU & G. WANG (PR China)
- 6891 Free-standing SnO_2 nanoparticles@graphene hybrid paper for advanced lithium-ion batteries
T. GAO, K. HUANG, X. QI, H. LI, L. YANG & J. ZHONG (PR China)
- 6899 Effect of ZnO-WO_3 additives on sintering behavior and microwave dielectric properties of $0.95\text{MgTiO}_3-0.05\text{CaTiO}_3$ ceramics
W. XIE, H. ZHOU, H. ZHU, J. ZHAO, G. TANG & X. YU (China)
- 6903 Cosmetic properties of $\text{TiO}_2/\text{mica-BN}$ composite powder prepared by spray drying
C.-Y. SU, H.-Z. TANG, K. CHU & C.-K. LIN (Taiwan)
- 6913 Luminescent properties of $\text{Sr}_2\text{B}_2\text{O}_5: \text{Tm}^{3+}, \text{Na}^+$ blue phosphor
L. CAI, L. YING, J. ZHENG, B. FAN, R. CHEN & C. CHEN (China)
- 6919 The tribological performance of TiN, WC/C and DLC coatings measured by the four-ball test
Y. XIAO, W. SHI, J. LUO & Y. LIAO (China)
- 6927 Modification of polypropylene filter with metal oxide and reduced graphene oxide for water treatment
S.N. ARIFFIN, H.N. LIM, F.A. JUMERI, M. ZOBIR, A.H. ABDULLAH, M. AHMAD, N.A. IBRAHIM, N.M. HUANG, P.S. TEO, K. MUTHOOSAMY & I. HARRISON (Malaysia)
- 6937 Nickel silicide nanocrystal-containing magnetoceramics from the bulk pyrolysis of polysilazane and nickelocene
X. ZHANG, L. CHEN, L. MENG, F. CHEN & J. KONG (PR China)
- 6949 Biomimetic deposition of hydroxyapatite on the surface of silica thin film covered steel tape
B. ČOLOVIĆ, V. JOKANOVIĆ (Republic of Serbia), B. JOKANOVIĆ (Germany) & N. JOVIĆ (Republic of Serbia)
- 6957 Milling-induced phenomena in SrTiO_3
B. PSIUK, J. SZADE, R. WRZALIK, M. OSADNIK & T. WALA (Poland)
- 6963 Magnetic and sterilizing properties of $\text{Ag(II)O-Fe}_3\text{O}_4$ hybrids synthesized via mechano-chemistry
L. FENG, W. SHEN, H. FENG, A. LEI & Z. LIU (China)
- 6973 Synthesis of La-doped NiO nanofibers and their electrochemical properties as electrode for supercapacitors
J. JIA, F. LUO, C. GAO, C. SUO, X. WANG, H. SONG & X. HU (PR China)
- 6979 Influence of carbon sources on LiFePO_4/C composites synthesized by the high-temperature high-energy ball milling method
J. WANG, Z. SHAO & H. RU (China)
- 6987 Effects of inclination angle applied to a polyethylene terephthalate substrate before the coating of Al-doped ZnO on film quality and mechanical and optical properties
T.-C. LI, C.-J. CHUNG, C.-F. HAN & J.-F. LIN (Taiwan)
- 6999 Stimulation of strontium-doped calcium polyphosphate for bone tissue engineering to protein secretion and mRNA expression of the angiogenic growth factors from endothelial cells in vitro
X. WANG, Y. WANG, L. LI, Z. GU, H. XIE & X. YU (PR China)

- 7007 Effect of Eu doping on structure and electrical properties of lead-free $(\text{Bi}_{0.5}\text{Na}_{0.5})_{0.94}\text{Ba}_{0.06}\text{TiO}_3$ ceramics
X. MA, J. YIN, Q. ZHOU, L. XUE & Y. YAN (China)
- 7015 Sonophotocatalytic degradation of trichloroacetic acid in aqueous solution
B. HU, C. WU, Z. ZHANG & L. WANG (PR China)
- 7023 Effects of MgO micropowder on microstructure and resistance coefficient of Al_2O_3 -MgO castable matrix
Y. ZOU, H. GU, A. HUANG, M. ZHANG & C. JI (China)
- 7029 Comparison of 4V and 3V electrochemical properties of nanocrystalline LiMn_2O_4 cathode particles in lithium ion batteries prepared by ultrasonic spray pyrolysis
B. EBIN (Turkey, USA), V. BATTAGLIA (USA) & S. GÜRMEEN (Turkey)
- 7037 Effect of substrate temperature on the mechanical and tribological properties of W/WC produced by DC magnetron sputtering
L.C. AGUDELO-MORIMITSU, J. DE LA ROCHE, A. RUDEN, D. ESCOBAR & E. RESTREPO-PARRA (Colombia)
- 7043 Fabrication of Ce:YAG, Ce,Cr:YAG and Ce:YAG/Ce,Cr:YAG dual-layered composite phosphor ceramics for the application of white LEDs
X. YI, S. ZHOU, C. CHEN, H. LIN, Y. FENG, K. WANG & Y. NI (PR China)
- 7049 Mechanical properties of plasma sprayed nanostructured TiO_2 coatings on mild steel
S.M. FORGHANI, M.J. GHAZALI, A. MUCHTAR & A.R. DAUD (Malaysia)
- 7057 Microwave synthesis of magnetically separable ZnFe_2O_4 -reduced graphene oxide for wastewater treatment
F.A. JUMERI, H.N. LIM, S.N. ARIFFIN, N.M. HUANG, P.S. TEO, S.O. FATIN, C.H. CHIA & I. HARRISON (Malaysia)
- 7067 Synthesis and characterisation of gel-derived mullite precursors from rice husk silica
S. SEMBIRING, W. SIMANJUNTAK, P. MANURUNG, D. ASMI (Indonesia) & I.M. LOW (Australia)
- 7073 Elastic-plastic analysis of ultrafine-grained $\text{Si}_2\text{N}_2\text{O}$ - Si_3N_4 composites by nanoindentation and finite element simulation
J. LUO, Z. ZHAO, J. SHEN & C. ZHANG (PR China)
- 7081 Influence of A-site Ba substitution on microwave dielectric properties of $(\text{Ba}_x\text{Mg}_{1-x})(\text{A}_{0.05}\text{Ti}_{0.95})\text{O}_3$ (A=Zr, Sn) ceramics
C.-F. TSENG, T.-C. WEI & S.-C. LU (Taiwan)
- 7087 Low temperature sintering and microwave dielectric properties of $\text{Li}_2\text{ZnTi}_3\text{O}_8$ ceramics doped with ZnO - La_2O_3 - B_2O_3 glass
X. LU, Y. ZHENG, Z. DONG, P. CHENG & R. LIN (China)
- 7093 Visible photocatalytic activity and photoelectrochemical behavior of TiO_2 nanoparticles modified with metal porphyrins containing hydroxyl group
C. HUANG, Y. LV, Q. ZHOU, S. KANG, X. LI & J. MU (China)
- 7099 Indirect selective laser sintering of epoxy resin- Al_2O_3 ceramic powders combined with cold isostatic pressing
K. LIU, Y. SHI, C. LI (China), L. HAO (United Kingdom), J. LIU & Q. WEI (China)
- 7107 Synthesis of ZnO nanoparticles by an aerosol process
B.K. OZCELIK & C. ERGUN (Turkey)
- 7117 Glass-ceramics produced from thin-film transistor liquid-crystal display waste glass and blast oxygen furnace slag
C.-S. FAN & K.-C. LI (ROC)

- 7125 Purification of titania nanoparticle thin films: Triviality or a challenge?
U. JOOST, A. SAARVA, M. VISNAPUU, E. NÕMMISTE, K. UTT, R. SAAR & V. KISAND (Estonia)
- 7133 Mechano-synthesis of nanocomposites in $\text{TiO}_2\text{-B}_2\text{O}_3\text{-Mg-Al}$ quaternary system
T. ADHAMI, R. EBRAHIMI-KAHRIZSANGI & B. NASIRI-TABRIZI (Iran)
- 7143 Tribological properties of Al_2O_3 nanoparticles as lubricating oil additives
T. LUO, X. WEI, X. HUANG, L. HUANG & F. YANG (China)
- 7151 Superhydrophobic surface decorated with vertical ZnO nanorods modified by stearic acid
A.B. GURAV (India), S.S. LATTHE (Japan), R.S. VHATKAR (India), J.-G. LEE, D.-Y. KIM, J.-J. PARK & S.S. YOON (South Korea)
- 7161 Microstructural effect of α -Sialon ceramic on the resistance to cavitation erosion in deionized water
X. GONG, W. HE, Z. LI, L. GUI, J. HAN, Q. LIU, J. MENG & J. LU (PR China)
- 7171 $\text{ZrB}_2\text{-SiC}$ gradient oxidation protective coating for carbon/carbon composites
X. REN, H. LI, Y. CHU, K. LI & Q. FU (PR China)
- 7177 Synthesis of $\text{La}_{0.9}\text{Sr}_{0.1}\text{Ga}_{0.8}\text{Mg}_{0.2}\text{O}_{3-\delta}$ electrolyte via ethylene glycol route and its characterizations for IT-SOFC
RAGHVENDRA, R. KUMAR SINGH & P. SINGH (India)
- 7185 Mechano-synthesis of the multiferroic cubic spinel Co_2MnO_4 : Influence of the calcination temperature
M.E.D. SANTOS (Brazil, France), A. CASTRO, I. MARTINEZ (Spain), P. NORONHA LISBOA-FILHO (Brazil) & O. PEÑA (France)
- 7195 $\text{Pt/Cd}_2\text{Sb}_2\text{O}_{6.8}$ nanoparticles for efficient visible light photocatalysis
E.S. BAEISSA (Saudi Arabia)
- 7203 Mechanical and oxidation resistance properties of 3D carbon fiber-reinforced mullite matrix composites prepared by sol-gel process
H. LIU, Q. MA & W. LIU (China)
- 7213 Effect of Cl^- on the properties of Li_2TiO_3 ceramic powders synthesized by in-situ hydrolysis
C. XU, Y. LI, L. LI, X. WANG, Q. HAN, M. REN & W. YE (PR China)
- 7219 A facile synthesis of reduced graphene oxide-wrapped WO_3 nanowire composite and its enhanced electrochemical catalysis properties
M. HUANG, Y. WU & W. HU (PR China)
- 7227 Surface characterization of Mo-implanted 6H-SiC by high temperature non-reactive wetting tests with the Ni-56Si alloy
S.T. ZHAO (China), F. VALENZA (Italy), G.W. LIU (China), M.L. MUOLO (Italy), G.J. QIAO (China) & A. PASSERONE (Italy)
- 7235 Low temperature, spark plasma sintering behavior of zirconia added by a novel type of alumina nanofibers
N. VOLTSIHIN (Estonia), M. RODRÍGUEZ (Spain), I. HUSSAINOVA & M. AGHAYAN (Estonia)
- 7245 The influence of granulation on the gelcasting of pressureless-sintered silicon carbide ceramics
X. LI, Q. YAN, M. CAO, Y. MI, Y. HAN & C. GE (China)
- 7253 Microstructure and mechanical properties of $\text{ZrB}_2\text{-SiC}$ joints fabricated by a contact-reactive brazing technique with Ti and Ni interlayers
W. YANG, T. LIN, P. HE, H. WEI, L. XING & D. JIA (China)

- 7261 Effects of impurities on silver-(ZrO₂)_{0.92}(Y₂O₃)_{0.08} interface morphology in solid oxide cells
M. KEANE & P. SINGH (USA)
- 7269 Effects of the single layer CVD BN interface on mechanical properties of oxide-oxide composites fabricated by a sol-gel process
Y. WANG, H. CHENG & J. WANG (PR China)
- 7279 Effect of annealing temperature on structural and magnetic properties of BaFe₁₂O₁₉ hexaferrite nanoparticles
Z. MOSLEH, P. KAMELI, M. RANJBAR & H. SALAMATI (Iran)
- 7285 Synthesis, characterization and ceramization of a carbon-rich zirconium-containing precursor for ZrC ceramic
C. LIU, K. LI, H. LI, S. ZHANG, Y. ZHANG & B. WANG (PR China)
- 7293 Effects of heating rate on the phase and microstructure evolution in Bi-2223/Ag/Ni superconducting tapes
X.P. CHEN, M. LIU, L.M. SHANG, L. MEI & Q. LIU (China)
- 7297 Effect of CaO/SiO₂ ratio on the preparation and crystallization of glass-ceramics from copper slag
Z. YANG, Q. LIN, S. LU, Y. HE, G. LIAO & Y. KE (China)
- 7307 Effects of carbon matrix on microstructure and properties of 3-D C/ZrC composites prepared by reactive melt infiltration
S. WANG, Y. ZHU, H. CHEN, W. LI & Z. CHEN (China)
- 7315 Ca₇ZrAl₆O₁₈ acting as a hydraulic and ceramic bonding in the MgO-CaZrO₃ dense refractory composite
J. SZCZERBA, D. MADEJ, K. DUL & P. BOBOWSKA (Poland)
- 7321 (Pr_{0.9}La_{0.1})₂(Ni_{0.74}Cu_{0.21}Ga_{0.05})O_{4+δ} as cathode material for CeO₂-based intermediate-temperature solid-oxide fuel cell
Y. WANG, X. ZHAO, S. LÜ, B. YU, X. MENG, Y. ZHANG, J. YANG, C. FU & Y. JI (P.R. China)
- 7329 Synthesis, sintering and dielectric properties of a BaTiO₃-Ni composite
M. SALEEM, I.S. KIM, J.S. SONG, S.J. JEONG, M.S. KIM (Republic of Korea) & S. YOON (Switzerland)
- 7337 ZrO₂ influence on structure and properties of some alkali lime zinc aluminosilicate glass ceramics
I. ATKINSON, E.M. ANGHEL, C. MUNTEANU, M. VOICESCU & M. ZAHARESCU (Romania)
- 7345 Effect of processing parameters on the formation of TiB₂ nanopowder by mechanically induced self-sustaining reaction
B. NASIRI-TABRIZI, T. ADHAMI & R. EBRAHIMI-KAHRIZSANGI (Iran)
- 7355 Investigation on bioactivity and cytotoxicity of mesoporous nano-composite MCM-48/hydroxyapatite for ibuprofen drug delivery
H. AGHAEI, A.A. NOURBAKHSI, S. KARBASI, R. JAVADKALBASI, M. RAFIENIA, N. NOURBAKHSI, S. BONAKDAR (Iran) & K.J.D. MACKENZIE (New Zealand)
- 7363 Up-conversion luminescence properties of Yb³⁺-Ho³⁺ co-doped CaLa₂ZnO₅
F. LI, L. LI, C. GUO, T. LI (China), H. MI NOH & J.H. JEONG (Republic of Korea)
- 7367 Fabrication and luminescence properties of Er³⁺ doped yttrium lanthanum oxide transparent ceramics
Q. LU, Q. YANG, Y. YUAN, C. JIANG & Y. WANG (China)
- 7373 Weibull statistical analysis of splitting tensile strength of concretes containing class F fly ash, micro/nano-SiO₂
L.E. ZAPATA-ORDÚZ, G. PORTELA & O.M. SUÁREZ (USA)
- 7389 Simulation of acoustic properties of some tellurite glasses
R. EL-MALLAWANY, M.S. GAAFAR (Saudi Arabia), M.A.M. ABDEEN & S.Y. MARZOUK (Egypt)

- 7395 Stability aspects of porous $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$
M. LIPINSKA-CHWALEK (Germany, Poland), F. SCHULZE-KÜPPERS & J. MALZBENDER (Germany)
- 7401 Non-hydrothermal synthesis and characterization of MCM-41 mesoporous materials from iron ore tailing
G. YANG, Y. DENG & J. WANG (PR China)
- 7407 Phase formation of zinc titanate precursor prepared by a hydrothermal route at pH 5
C.-L. WANG, W.-S. HWANG, H.-L. CHU, C.-S. HSI, H.-H. KO, K.-M. CHANG (Taiwan), X. ZHAO (PR China), M.-C. WANG & W.-L. LI (Taiwan)
- 7417 Facile synthesis of ZnO and transition metal doped ZnO nanoparticles for the photocatalytic degradation of Methyl Orange
J. KAUR & S. SINGHAL (India)
- 7425 Food-directed synthesis of cerium oxide nanoparticles and their neurotoxicity effects
M. DARROUDI, S.J. HOSEINI, R. KAZEMI OSKUEE, H.A. HOSSEINI, L. GHOLAMI & S. GERAYLI (Iran)
- 7431 Gas phase synthesis and physico-chemical properties of vanadium oxide nanoparticles
J.H. KIM, M. PARK, Y. SOHN & W.G. SHIN (South Korea)
- 7439 Development of butyl rubber–rutile composites for flexible microwave substrate applications
J. CHAMESWARY & M.T. SEBASTIAN (India)
- 7449 Effect of sintering temperature and nanotube concentration on microstructure and properties of carbon nanotube/ alumina nanocomposites
S. SARKAR & P.KR. DAS (India)
- 7459 Effect of synthesis conditions on the morphology and crystal structure of biferroic $\text{Bi}_5\text{Ti}_3\text{FeO}_{15}$
M. GARCÍA-GUADERRAMA, G.G.C. ARIZAGA & A. DURÁN (Mexico)
- 7467 Processing of diamond particle reinforced silicon(Ti) matrix composites by in-situ reactive sintering and their thermal properties
C. ZHU, H. ZHAO, W. FA, X. YANG & Z. ZHENG (China)
- 7473 High electromechanical performance with spark plasma sintering of undoped $\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$ ceramics
M. BAH, F. GIOVANNELLI, F. SCHOENSTEIN, G. FEUILLARD, E. LE CLEZIO & I. MONOT-LAFFEZ (France)
- 7481 Mechanical properties and in situ crack growth observation of SiC/SiC composites
S. ZHAO (PR China, UK), X. ZHOU, J. YU (PR China) & P. MUMMERY (UK)
- 7487 Influence of Mg doping level on morphology, optical, electrical properties and antibacterial activity of ZnO nanostructures
J. IQBAL, T. JAN, M. ISMAIL, N. AHMAD, A. ARIF, M. KHAN, M. ADIL, SAMI-UL-HAQ & A. ARSHAD (Pakistan)
- 7495 Effect of the Ba/Na ratio on the microstructure and dielectric properties of $(\text{BaO}, \text{Na}_2\text{O})\text{-Nb}_2\text{O}_5\text{-SiO}_2$ glass–ceramics
S. XUE, J. WANG, S. LIU, W. ZHANG, L. TANG, B. SHEN & J. ZHAI (China)
- 7501 Optical properties and energy transfer of $\text{NaCaPO}_4\text{: Tb}^3\text{,Eu}^{3+}$ phosphors
Z. LIANG, F. MO, X. ZHANG, L. ZHOU, P. CHEN & C. XU (China)
- 7507 Mechanical properties of partially pyrolysed composites with plain weave basalt fibre reinforcement
M. ČERNÝ, M. HALASOVÁ, J. SCHWAIGSTILLOVÁ, Z. CHLUP, Z. SUCHARDA, P. GLOGAR, J. SVÍTILOVÁ, A. STRACHOTA & Š. RYGLOVÁ (Czech Republic)

- 7523 Influence of the coating preparation method and of nanosilica addition on the bonding character of Si_3N_4 layer on a silica crucible
X. GONG, H. DU, X. ZHANG, X. HU & D. ZHANG (China)
- 7531 Preparation of $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ (BSCF) feedstocks with different thermoplastic binders and their use in the production of thin tubular membranes by extrusion
R.T. CRUZ (Brazil, Switzerland), S.R. BRAGANÇA, C.P. BERGMANN (Brazil), T. GRAULE & F. CLEMENS (Switzerland)
- 7539 Thermophysical properties of SiC/Al composites with three dimensional interpenetrating network structure
S. LI, D. XIONG, M. LIU, S. BAI & X. ZHAO (China)
- 7545 Fabrication and sealing performance of rare-earth containing glass–ceramic seals for intermediate temperature solid oxide fuel cell applications
H. ABDOLI, P. ALIZADEH (Iran) & K. AGERSTED (Denmark)
- 7555 Hydrothermally-assisted selenization of CuInSe_2 thin films on copper foils
J.-S. MA, S. DAS, C.-Y. YANG, F.-S. CHEN & C.-H. LU (ROC)
- 7561 Single-step combustion synthesis of LaAlO_3 powders and their sintering behavior
R. IANOȘ, R. LAZĂU, S. BORCĂNESCU & R. BĂBUȚĂ (Romania)

Short Communications

- 7567 Photodegradation of methylene blue of niobium-doped zinc oxide thin films produced by electrostatic spray deposition
H. YOON, B.N. JOSHI, S.-H. NA, J.-Y. CHOI & S.S. YOON (Republic of Korea)
- 7573 Cr^{3+} in diffusion doped Cr^{2+} :ZnS
M. CHEN, C. HU, W. LI, H. KOU, J. LI, Y. PAN & B. JIANG (China)
- 7579 Rapid fabrication of porous $\text{Si}_3\text{N}_4/\text{SiC}$ ceramics via nitridation of silicon powder with ZrO_2 as catalyst
H.-L. HU, Y.-P. ZENG, Y.-F. XIA, D.-X. YAO, K.-H. ZUO (China), J. GÜNSTER & J.G. HEINRICH (Germany)
- 7583 Amine-grafted zeolites-mesoporous ceramics: Synthesis and adsorption characteristics
D. ARULDOSS, R. SAIGOANKER, J.D. SAVARIMUTHU & R. JAGANNATHAN (India)
- 7589 $0.99(\text{K}_{0.45}\text{Na}_{0.52}\text{Li}_{0.03})(\text{Nb}_{1-x}\text{Sb}_x)\text{O}_3-0.01\text{BiScO}_3$ lead-free ceramics with excellent piezoelectric properties and broad sintering temperature
C. LIU, D. XIAO, T. HUANG, J. WU, F. LI & J. ZHU (China)
- 7595 Oxidation protection system for hot elastic modulus evaluation of refractory ceramics
T.M. SOUZA, A.P.M. MATI, M.A.M. BRITO & V.C. PANDOLFELLI (Brazil)
- 7601 Catalyst free single-step fabrication of SnO_2/ZnO core–shell nanostructures
T. THARSIKA, A.S.M.A. HASEEB (Malaysia), S.A. AKBAR (USA) & M.F.M. SABRI (Malaysia)
- 7607 (Ti,W)C–Ni cermet prepared by high-energy ball milling and subsequent carbothermal reduction of $\text{TiO}_2\text{–Ti–WO}_3\text{–C}$ mixture
H. KWON, J. KIM, S.-A. JUNG, C.-Y. SUH, D.-S. KIL, K.-M. ROH & W. KIM (South Korea)
- 7613 Electroplating assisted diffusion bonding of ZrC–SiC composite for full ceramic joints
C. SONG, P. HE, T. LIN, H. WEI & W. YANG (China)
- 7617 Facile synthesis and photoluminescent properties of BCNO phosphors for white light emitting diodes application
S. YAN, X. ZHANG, Z. LU, M. YU, X. XU, J. LIN, Y. FAN, X. ZHANG, F. MENG & C. TANG (China)

- 7621 Synthesis of ultrafine (Ti,W,Nb)C solid solution powders by microwave-assisted carbothermal reduction
G. ZHANG, W. XIONG, Z. YAO, S. CHEN, X. CHEN & Q. YANG (China)
- 7627 Fractal analysis of microstructure-related indentation toughness of *Clinocardium californiense* shell
H.M. JI, W.Q. ZHANG & X.W. LI (PR China)
- 7633 A high Q and temperature stable microwave dielectric ceramic $Ba_4LiTa_2SbO_{12}$
Y. TANG, L. FANG, C. SU & H. ZHANG (China)
- 7637 Influence of $Li_3V_2(PO_4)_3$ complexing on the performance of $LiMnPO_4$ based materials utilized in lithium ion battery
Y. BI, W. YANG, B. YANG, C. WANG, D. WANG & S. SHI (China)
- 7643 Influences of Fe_2O_3 on the structure and properties of $Bi_2O_3-B_2O_3-SiO_2$ low-melting glasses
S. GU, Z. WANG, S. JIANG & H. LIN (China)
- 7647 Synthesis and luminescence of $BiPO_4:xEu^{3+}$ powders by solid state reaction method
X. SUN, X. SUN, J. HE, X. LI & J. LV (China)
- 7651 Titanium dioxide composite films for enhanced photocatalytic activity
M.-L. DAI, L.-X. GUAN, F. LI & M.-M. YAO (China)

Corrigenda

- 7657 Corrigendum to "Characterization of lead glazed potteries from Smyrna (Izmir/Turkey) using multiple analytical techniques; Part II: Body" [Ceram. Int. 40 (2014) 2153–2160]
M. ÖZÇATAL, M. YAYGINGÖL, A. İSSI, A. KARA, S. TURAN, F. OKYAR, Ş. PFEIFFERTAŞ (Turkey), I. NASTOVA, O. GRUPČE & B. MINČEVA-ŠUKAROVA (Republic of Macedonia)
- 7659 Corrigendum to "Characterization of lead glazed potteries from Smyrna (Izmir/Turkey) using multiple analytical techniques; Part I: Glaze and engobe" [Ceram. Int. 40 (2014) 2143–2151]
M. ÖZÇATAL, M. YAYGINGÖL, A. İSSI, A. KARA, S. TURAN, F. OKYAR, Ş. PFEIFFERTAŞ (Turkey), I. NASTOVA, O. GRUPČE & B. MINČEVA-ŠUKAROVA (Republic of Macedonia)