


174/
C41/ci

CERAMICS INTERNATIONAL



PIETRO VINCENZINI

GENERAL EDITOR

EDITORS-IN-CHIEF

L. BERGSTROM
SWEDEN

R.K. BORDIA
USA

Z.Y. FU
CHINA

T. OHJI
JAPAN

J.A. VARELA
BRAZIL

<http://www.elsevier.com/locate/ceramint>





(Abstracted/indexed in: *Applied Mechanics Reviews*; *Br. Ceram Abstr.*; *Ceramic Abstracts*; *Chemical Abstracts*; *Current Contents/Engineering, Computing & Technology*; *Current Contents/Physical, Chemical and Earth Sciences*; *Materials Science Citation Index*; *Met. Abstr.*; *Sci. Abstr.*; *Science Citation Inded*; *SciSearch*; *World Alum. Abstr.* Also covered in the abstract and citation database **SCOPUS®**. Full text available on *ScienceDirect®*.)

CONTENTS

Volume 40 Issue 6 2014

Original Articles

- 7661 Weibull distribution of the fracture strength of 99% alumina ceramic reshaped by cold isostatic pressing
Y. FU, Z. TAO & X. HOU (China)
- 7669 Photoluminescence and photoelectrochemical properties of the spray deposited copper doped zinc oxide thin films
N.L. TARWAL (Republic of Korea, India), K.V. GURAV (Republic of Korea), S.H. MUJAWAR, S.B. SADALE (India),
K.W. NAM, W.R. BAE (Republic of Korea), A.V. MOHOLKAR (India), J.H. KIM (Republic of Korea), P.S. PATIL (India,
Republic of Korea) & J.H. JANG (Republic of Korea)
- 7679 Comprehensive study on the sintering behavior of yttria nano-powder in contact with electrolytic iron using the rapid solidification processing technique
K. VERHIEST, S. MULLENS, J. PAUL, I. DE GRAEVE, N. DE WISPELAERE, S. CLAESSENS, A. DEBREMAECKER
& K. VERBEKEN (Belgium)
- 7693 Environmental remediation from thiophene solution by photocatalytic oxidation using a Pd/ZrO₂-chitosan nanocomposite
M.Y. ABDELAAL & R.M. MOHAMED (Saudi Arabia, Egypt)
- 7701 Emission analysis of CdO-Bi₂O₃-B₂O₃ glasses doped with Eu³⁺ and Tb³⁺
C. NAGESWARA RAJU, S. SAILAJA, S. HEMASUNDARA RAJU, S.J. DHOBLE, U. RAMBABU (India), Y.-D. JHO
(Republic of Korea) & B. SUDHAKAR REDDY (India)
- 7711 Fabrication and characterization of mini alumina ceramic turbine rotor using a tailored gelcasting process
M. HUANG, P. HE, J. YANG, F. DUAN, S.C. LIM & M.S. YIP (Singapore)
- 7723 High piezoelectric performance and temperature dependence of ferroelectric and piezoelectric properties of Bi(Mg_{0.5}Zr_{0.5})O₃-PbTiO₃ near morphotropic phase boundary
L. FAN, J. CHEN, Q. WANG, J. DENG, R. YU & X. XING (China)
- 7729 Novel homogeneous gel fibers and capillaries from blend of titanium tetrabutoxide and siloxane functionalized ionic liquid
M. TARKANOVSKAJA, R. VÄLBE, K. PÖHAKO-ESKO, U. MÄEORG, V. REEDO, A. HOOP, K. SAAL, A. KRUMME,
I. KINK, I. HEINMAA & A. LÖHMUS (Estonia)

Continued on inside back cover



Available online at www.sciencedirect.com

ScienceDirect

CONTENTS—Continued from outside back cover

- 7737 Facile synthesis of different morphologies of Te-doped ZnO nanostructures
F. JAMALI-SHEINI, R. YOUSEFI, M.R. MAHMOUDIAN (Iran), N. ALI BAKR (Iraq), A. SA'AEDI (Iran)
& N. MING HUANG (Malaysia)
- 7745 Characterization studies on plasma sprayed (AT/HA) bi-layered nano ceramics coating on biomedical commercially pure titanium dental implant
R. PALANIVELU, S. KALAINATHAN & A. RUBAN KUMAR (India)
- 7753 Synthesis and characterization of Mn-doped ZnO nanorods grown in an ordered periodic honeycomb pattern using nanosphere lithography
S. YILMAZ (Turkey, Ireland), S. GARRY, E. MCGLYNN (Ireland) & E. BACAKSIZ (Turkey)
- 7761 Photochemical synthesis of AZrO_{3-x} thin films (A=Ba, Ca and Sr) and their characterization
G. CABELLO, L. LILLO, C. CARO, G.E. BUONO-CORE, B. CHORNIK, M. FLORES, C. CARRASCO & C.A. RODRIGUEZ (Chile)
- 7769 Preparation of uniform 2D ZnO nanostructures by the ionic liquid-assisted sonochemical method and their optical properties
M. SABBAGHAN, J. BEHESHTIAN & S.A.M. MIRSAEIDI (Iran)
- 7775 Consolidation of nanoparticle suspensions by centrifugation in non-porous moulds
M. TRUNEC & J. MISAK (Czech Republic)
- 7783 Studies on mechanical behavior of LSFT-CGO dual-phase membranes at elevated temperatures in ambient air and slightly reducing environments
T. NITHYANANTHAM, S. BISWAS (India), N. NAGENDRA & S. BANDOPADHYAY (USA)
- 7791 Dielectric and impedance spectroscopy of Sr(Bi_{0.5}Nb_{0.5})O₃ ceramics
B.C. SUTAR, R.N.P. CHOUDHARY & P.R. DAS (India)
- 7799 Effect of CoFe₂O₄ mole percentage on multiferroic and magnetoelectric properties of Na_{0.5}Bi_{0.5}TiO₃/CoFe₂O₄ particulate composites
R.V. KRISHNAIAH, A. SRINIVAS, S.V. KAMAT, T. KARTHIK & S. ASTHANA (India)
- 7805 Structural, magnetic, vibrational and impedance properties of Pr and Ti codoped BiFeO₃ multiferroic ceramics
P.C. SATI, M. ARORA, S. CHAUHAN, M. KUMAR & S. CHHOKER (India)
- 7817 Degradation of La_{0.6}Sr_{0.4}CoO₃-based cathode performance in solid oxide fuel cells due to the presence of aluminum oxide deposited through atomic layer deposition
E.-H. KIM, H.-J. JUNG, K.-S. AN, J.-Y. PARK, J. LEE, I.-D. HWANG, J.-Y. KIM, M.-J. LEE, Y. KWON & J.-H. HWANG (Republic of Korea)
- 7823 Synthesis, structure and optical properties of $x(\text{CuO})/(1-x)\text{Ni(OH)}_2$ [$x=0, 0.1$ and 0.3] nanocomposites
H. DHAOUADI, S. KOUASS & F. TOUATI (Tunisie)
- 7829 Solution-processed semiconducting aluminum-zinc-tin-oxide thin films and their thin-film transistor applications
K.-A. KIM, J.-Y. BAK, J.-S. CHOI & S.-M. YOON (Republic of Korea)
- 7837 Magnetic properties of hard (CoFe₂O₄)-soft (Fe₃O₄) composite ceramics
F. YI (China)
- 7841 Corrosion behavior in simulated environments of ITZO films prepared by two targets co-sputtering
B. ZHANG, Z. WU & Y. TAO (PR China)
- 7851 Synthesis of pure Cu₂O thin layers controlled by in-situ conductivity measurements
A. LABIDI (Tunisia), H. OUALI, A. BEJAOUUI (Tunisia, France), T. WOOD, C. LAMBERT-MAURIAT (France), M. MAAREF (Tunisia) & K. AGUIR (France)

(contents continued from Inside back cover)

- 7857 Interfacial reactions and joining characteristics of a Cu–Pd–V system filler alloy with C_f/SiC composite
H.-P. XIONG, B. CHEN, Y. PAN, W. MAO & Y.-Y. CHENG (PR China)
- 7865 The optimal synthesis condition by sol–gel method and electrical properties of Mn_{1.5-x}Co_{1.5}Ni_xO₄ ceramics
H. ZHANG, A. CHANG, F. GUAN, L. ZHAO, Q. ZHAO, J. YAO & X. HUANG (China)
- 7873 Gelcasting of silicon carbide ceramics using phenolic resin and furfuryl alcohol as the gel former
Y. ZHANG, Z. YUAN & Y. ZHOU (PR China)
- 7879 Electrophoretic deposition of bioactive glass nanopowders on magnesium based alloy for biomedical applications
R. ROJAEI, M. FATHI, K. RAEISSEI & M. TAHERIAN (Iran)
- 7889 Controlling surface microstructure of calcium phosphate ceramic from random to custom-design
L. WANG (China), X. LUO, D. BARBIERI (The Netherlands), C. BAO (China) & H. YUAN (The Netherlands)
- 7899 Modeling and optimization of operating parameters for abrasive waterjet turning alumina ceramics using response surface methodology combined with Box–Behnken design
D. LIU, C. HUANG, J. WANG, H. ZHU, P. YAO & Z. LIU (China)
- 7909 Raman and dielectric investigation of (Ba_{0.9-x}Sr_xCa_{0.1})(Ti_{0.8}Zr_{0.2})O₃ ferroelectric ceramics
F. BAHRI & H. KHEMAKHEM (Tunisie)
- 7915 Densification and mechanical properties of boron carbide with micro-hole array by micro-powder injection molding
C.-R. WANG, H. XIAO, K.-W. SHAO, Z. LU & K.-F. ZHANG (China)
- 7923 CVD synthesis of Al₂O₃ nanotubular structures using a powder source
S.J. PARK & D.J. CHOI (South Korea)
- 7931 Temperature-dependent morphology changes of noble metal tricalcium phosphate-nanocomposites
C. BERGMANN, A. SCHWENKE, L. SAJTI, B. CHICHKOV & H. FISCHER (Germany)
- 7941 Structural and magnetic properties of erbium doped nanocrystalline Li–Ni ferrites
I. AHMAD, T. ABBAS, A.B. ZIYA & A. MAQSOOD (Pakistan)
- 7947 Structural, dielectric and piezoelectric properties of (Bi_{0.5}Na_{0.5})TiO₃–(Bi_{0.5}K_{0.5})TiO₃–Bi(Zn_{0.5}Ti_{0.5})O₃ thin films prepared by sol–gel method
W. LI, H. ZENG, K. ZHAO, J. HAO & J. ZHAI (China)
- 7953 Synthesis of MnFe₂O₄ nanocrystals by wet-milling under atmospheric conditions
T. ŞİMŞEK, S. AKANSEL, Ş. ÖZCAN & A. CEYLAN (Turkey)
- 7957 Optical and electrical properties of *p*-type Ag-doped ZnO nanostructures
S. KHOSRAVI-GANDOMANI, R. YOUSEFI, F. JAMALI-SHEINI (Iran) & N.M. HUANG (Malaysia)
- 7965 ZnO photoanodes with different morphologies grown by electrochemical deposition and their dye-sensitized solar cell properties
M. ZI, M. ZHU, L. CHEN (China), H. WEI (Germany), X. YANG & B. CAO (China)
- 7971 In-vitro corrosion inhibition mechanism of fluorine-doped hydroxyapatite and brushite coated Mg–Ca alloys for biomedical applications
H.R. BAKHSHESHI-RAD, E. HAMZAH, M. DAROONPARVAR (Malaysia), R. EBRAHIMI-KAHRIZSANGI (Iran) & M. MEDRAJ (Canada)
- 7983 Effect of Dy-substitution on structural, electrical and magnetic properties of multiferroic BiFeO₃ ceramics
S. PATTANAYAK, R.N.P. CHOUDHARY, P.R. DAS (India) & S.R. SHANNIGRAHI (Singapore)

- 7993 Effect of nickel doping on structural, optical, electrical and ethanol sensing properties of spray deposited nanostructured ZnO thin films
I. MUNIYANDI, G.K. MANI, P. SHANKAR & J.B.B. RAYAPPAN (India)
- 8003 Spectroscopic investigation of synergistic bioactivity behavior of some ternary borate glasses containing fluoride anions
A.M. ABDELGHANY & H. KAMAL (Egypt)
- 8013 Room temperature NO₂ gas sensor based on PPy/α-Fe₂O₃ hybrid nanocomposites
S.T. NAVALE, G.D. KHUSPE, M.A. CHOUGULE & V.B. PATIL (India)
- 8021 Hydrothermal synthesis of flower-like Zn₂SnO₄ composites and their performance as anode materials for lithium-ion batteries
K. WANG, Y. HUANG, H. HUANG, Y. ZHAO, X. QIN, X. SUN & Y. WANG (PR China)
- 8027 Thermal properties of Er:Li₂TiGeO₅ ferroelastic ceramics
A. SIERADZKI, D. SZEWCZYK, A. GĄGOR, R. POPRAWSKI & A. JEŻOWSKI (Poland)
- 8033 PTCR anomaly in barium-titanate-based composites
I. ZAJC & M. DROFENIK (Slovenia)
- 8037 Contribution of gallium oxide content to the crystallization characteristics and chemical stability of sodium phlogopite glasses
H.A. ABO-MOSALLAM, S.N. SALAMA & S.M. SALMAN (Egypt)
- 8045 Aerosol assisted chemical vapour deposited (AACVD) of TiO₂ thin film as compact layer for dye-sensitised solar cell
S.P. LIM, N.M. HUANG, H.N. LIM & M. MAZHAR (Malaysia)
- 8053 Electrochemical characteristics of electrospun La_{0.6}Sr_{0.4}Co_{0.2}Fe_{0.8}O_{3-δ}-Gd_{0.1}Ce_{0.9}O_{1.95} cathode
J.G. LEE, M.G. PARK, J.H. PARK & Y.G. SHUL (Republic of Korea)
- 8061 Photocatalytic degradation of bisphenol A and dye by graphene-oxide/Ag₃PO₄ composite under visible light irradiation
C. WANG, J. ZHU, X. WU, H. XU, Y. SONG, J. YAN, Y. SONG, H. JI, K. WANG & H. LI (PR China)
- 8071 Synthesis of α-Al₂O₃ platelets and kinetics study for thermal decomposition of its precursor in molten salt
Y. HUANG, Y. XIA, S. LIAO, Z. TONG, G. LIU, Y. LI & Z. CHEN (China)
- 8081 CdWO₄ nanorods: Ultrafast synthesis via a PEG-1000 polymer-assisted enhanced microwave synthesis route and their photoluminescence property
J. YAN, Y. SHEN, R. CAO & T. LI (China)
- 8087 One step synthesis of Ag/Ag₃PO₄/BiPO₄ double-heterostructured nanocomposites with enhanced visible-light photocatalytic activity and stability
Y. LV, K. HUANG, W. ZHANG, B. YANG, F. CHI, S. RAN & X. LIU (PR China)
- 8093 A designed Mn₂O₃/MCM-41 nanoporous composite for methylene blue and rhodamine B removal with high efficiency
B. HAN, F. ZHANG, Z. FENG, S. LIU, S. DENG, Y. WANG & Y. WANG (People's Republic of China)
- 8103 Sol-gel synthesis of novel cobalt doped zinc tin oxide composite for photocatalytic application
I.Y.-Y. BU (ROC)
- 8111 A perovskite-type KNbO₃ nanoneedles based biosensor for direct electrochemistry of hydrogen peroxide
B. CAI, M. ZHAO, Y. WANG, Y. ZHOU, H. CAI, Z. YE & J. HUANG (China)

- 8117 Synthesis and characterization of high-purity aluminum nitride nanopowder by RF induction thermal plasma
K.-I. KIM, S.-C. CHOI, J.-H. KIM, W.-S. CHO, K.-T. HWANG & K.-S. HAN (Republic of Korea)
- 8125 Atomic-scale microstructures, Raman spectra and dielectric properties of cubic pyrochlore-typed $\text{Bi}_{1.5}\text{MgNb}_{1.5}\text{O}_7$ dielectric ceramics
Y. LI (Saudi Arabia), X. ZHU (China) & T.A. KASSAB (Saudi Arabia)
- 8135 Fabrication of thin-film gadolinia-doped ceria (GDC) interdiffusion barrier layers for intermediate-temperature solid oxide fuel cells (IT-SOFCs) by chemical solution deposition (CSD)
E.-O. OH, C.-M. WHANG, Y.-R. LEE, S.-Y. PARK, D.H. PRASAD, K.J. YOON, B.-K. KIM, J.-W. SON, J.-H. LEE & H.-W. LEE (South Korea)
- 8143 Synthesis of micro-and nanosized PbS with different morphologies by the hydrothermal process
F. DAVAR, M. MOHAMMADIKISH, M.R. LOGHMAN-ESTARKI & M. MASTERI-FARAHANI (Iran)
- 8149 Composition and microstructure of a periclase–composite spinel brick used in the burning zone of a cement rotary kiln
G. LIU, N. LI, W. YAN, C. GAO, W. ZHOU & Y. LI (PR China)
- 8157 CdS quantum dots sensitized ZnO spheres via ZnS overlayer to improve efficiency for quantum dots sensitized solar cells
Y. LIN, Y. LIN, Y. MENG & Y. WANG (People's Republic of China)
- 8165 Microstructure and mechanical properties of in situ $\text{TiAl}/\text{Ti}_2\text{AlC}$ composites prepared by reactive hot pressing
C.-H. YANG, F. WANG, T.-T. AI & J.-F. ZHU (PR China)
- 8173 A new simple route for the preparation of nanosized copper selenides under different conditions
A. SOBHANI & M. SALAVATI-NIASARI (Islamic Republic of Iran)
- 8183 Microwave- or conventional–hydrothermal synthesis of Co-based materials for electrochemical energy storage
K. CHEN (China), Y.D. NOH, R.R. PATEL (USA), W. HUANG, J. MA (USA, China), K. LI (China), S. KOMARNENI (USA) & D. XUE (China)
- 8189 One-step electrochemical deposition of nickel sulfide/graphene and its use for supercapacitors
X. LIU, X. QI, Z. ZHANG, L. REN, Y. LIU, L. MENG, K. HUANG & J. ZHONG (PR China)
- 8195 Synthesis and tunable thermal expansion properties of $\text{Sc}_{2-x}\text{Y}_x\text{W}_3\text{O}_{12}$ solid solutions
Q. LIU, Z. YU, G. CHE, J. YAO, X. SUN, X. CHENG & J. YANG (PR China)
- 8201 Thermally induced crystallization of mechanosynthesized chlorapatite–titania composite nanopowders
B. NASIRI-TABRIZI & A. FAHAM (Iran)
- 8211 Structure, composition and properties of p-type CuCrO_2 thin films
R.-S. YU & C.-P. TASI (Taiwan)
- 8219 Physical properties of new, lead free $(\text{Na}_{0.5}\text{Bi}_{0.5})_{(1-x)}\text{Ba}_x\text{Ti}_{(1-x)}(\text{Fe}_{0.5}\text{Nb}_{0.5})_x\text{O}_3$ ceramics
A. AMOURI (Tunisia, France), J. ROUQUETTE, B. HEHLEN, J.L. SAUVAJOL (France) & H. KHEMAKHEM (Tunisia)
- 8229 Luminescent properties of a novel afterglow phosphor $\text{Sr}_3\text{Al}_2\text{O}_5\text{Cl}_2:\text{Eu}^{2+}, \text{Ce}^{3+}$
R. CHEN, Y. HU, L. CHEN, X. WANG, Y. JIN & H. WU (PR China)
- 8237 Pd catalyzed $\text{Sr}_{0.92}\text{Y}_{0.08}\text{TiO}_{3-\delta}/\text{Sm}_{0.2}\text{Ce}_{0.8}\text{O}_{2-\delta}$ anodes in solid oxide fuel cells
H.S. KIM, G.S. KIM, J.W. YUN, H.C. HAM, J.H. JANG, J. HAN, S.W. NAM, Y.-G. SHUL & S.P. YOON (Republic of Korea)

- 8245 Single-phase silicocarnotite synthesis in the subsystem $\text{Ca}_3(\text{PO}_4)_2$ – Ca_2SiO_4
S. SERENA, M.A. SAINZ & A. CABALLERO (Spain)
- 8253 Dielectric properties of $\text{C}_1\text{Si}_3\text{N}_4$ sandwich composites prepared by gelcasting
H. LUO, P. XIAO, L. HUANG & W. HONG (PR China)
- 8261 Enhanced thermoelectric effect of carbon fiber reinforced cement composites by metallic oxide/cement interface
J. WEI, L. HAO, G. HE & C. YANG (China)
- 8265 Preparation of monolith SiC aerogel with high surface area and large pore volume and the structural evolution during the preparation
Y. KONG (PR China, USA), X. SHEN, S. CUI (PR China) & M. FAN (USA)
- 8273 Thermal plasma spheroidization of aluminum oxide and characterization of the spheroidized alumina powder
V. CHATURVEDI, P.V. ANANTHAPADMANABHAN, Y. CHAKRAVARTHY, S. BHANDARI, N. TIWARI, A. PRAGATHEESWARAN & A.K. DAS (India)
- 8281 Mechanochemical synthesis of $\text{YNbO}_4:\text{Eu}$ nanocrystalline powder and its structural, microstructural and photoluminescence properties
LJ.R. ĐAĆANIN, M.D. DRAMIĆANIN, S.R. LUKIĆ-PETROVIĆ, D.M. PETROVIĆ, M.G. NIKOLIĆ, T.B. IVETIĆ & I.O. GÚTH (Serbia)
- 8287 Characterization of low-temperature solution-processed indium–zinc oxide semiconductor thin films by KrF excimer laser annealing
C.-Y. TSAY & T.-T. HUANG (Taiwan)
- 8293 In vitro biodegradable and mechanical performance of biphasic calcium phosphate porous scaffolds with unidirectional macro-pore structure
D.-H. KIM, K.-L. KIM, H.-H. CHUN (Republic of Korea), T.-W. KIM (Japan), H.-C. PARK & S.-Y. YOON (Republic of Korea)
- 8301 *In vitro* chondrocyte interactions with TiO_2 nanofibers grown on Ti–6Al–4V substrate by oxidation
A.W. TAN, A. DALILOTTOJARI, B. PINGGUAN-MURPHY, R. AHMAD (Malaysia) & S. AKBAR (USA)
- 8305 Gas sensing properties of multiple networked GaN/ WO_3 core-shell nanowire sensors
S. PARK, H. KO, S. KIM & C. LEE (Republic of Korea)
- 8311 The influence of In_2O_3 on electrical characteristics of iron mixed Li_2O – PbO – B_2O_3 – SiO_2 – Bi_2O_3 multi-component glass system
P. RAMESH BABU, R. VIJAY, V. RAVI KUMAR, D. KRISHNA RAO & N. VEERAIAH (India)
- 8323 Effect of interfacial-active elements addition on the incorporation of micron-sized SiC particles in molten pure aluminum
M. MOHAMMADPOUR, R. AZARI KHOSROSHAH, R. TAHERZADEH MOUSAVIAN (Iran) & D. BRABAZON (Ireland)
- 8333 Enhanced dielectric and ferroelectric properties of BaTiO_3 ceramics prepared by microwave assisted radiant hybrid sintering
V.R. REDDY, S.K. UPADHYAY, A. GUPTA, A.M. AWASTHI & S. HUSSAIN (India)
- 8341 Synthesis and dissolution behavior of nanosized silicon and magnesium co-doped fluorapatite obtained by high energy ball milling
T. AHMADI, A. MONSHI, V. MORTAZAVI, M.H. FATHI (Iran), S. SHARIFI (The Netherlands), B. HASHEMI BENI, A. MOGHARE ABED, M. KHERADMANDFARD & A. SHARIFNABI (Iran)

- 8351 Nano/micro-hybrid NiS cathodes for lithium ion batteries
T.S. SONIA, P. ANJALI, S. ROSHNY, V. LAKSHMI, R. RANJUSHA, K.R.V. SUBRAMANIAN, S.V. NAIR & A. BALAKRISHNAN (India)
- 8357 Structural development and magnetic phenomenon in Zn–Cr–Fe multi oxide nano-crystals
MOHD. HASHIM (India), S.E. SHIRSATH (Japan), S.S. MEENA, P. BHATT, R.K. KOTNALA (India), S. KUMAR (Republic of Korea), R. KUMAR, D. RAVINDER & ALIMUDDIN (India)
- 8369 Beta-sialon phosphor deposits fabricated by electrophoretic deposition (EPD) process in a magnetic field
C. ZHANG, T. UCHIKOSHI, L. LIU, Y. SAKKA & N. HIROSAKI (Japan)
- 8377 Investigation of biocompatible nanosized materials for development of strong calcium phosphate bone cement: Comparison of nano-titania, nano-silicon carbide and amorphous nano-silica
M. MOHAMMADI, S. HESARAKI & M. HAFEZI-ARDAKANI (Iran)
- 8389 The growth and conductivity of nanostructured ZnO films grown on Al-doped ZnO precursor layers by pulsed laser deposition
H. KUMARAKURU, D. CHERNS & A.M. COLLINS (United Kingdom)
- 8397 Effect of precursor concentration on structural, morphological and opto-electric properties of ZnO thin films prepared by spray pyrolysis
M. BANETO (Togo), A. ENESCA (Romania), Y. LARE, K. JONDO, K. NAPO (Togo) & A. DUTA (Romania)
- 8405 Fabrication and properties of $Mn_{1.56}Co_{0.96}Ni_{0.48}O_4$ free-standing ultrathin chips
W. KONG, L. CHEN, B. GAO, B. ZHANG, P. ZHAO, G. JI, A. CHANG & C. JIANG (China)
- 8411 SnO_2 based sensors with improved sensitivity and response-recovery time
M. KUMAR, A. KUMAR & A.C. ABHYANKAR (India)
- 8419 Phase transition and piezoelectric properties of lead-free $(Bi_{1/2}Na_{1/2})TiO_3$ – $BaTiO_3$ ceramics
J.-H. CHO, Y.-H. JEONG, J.-H. NAM, J.-S. YUN & Y.-J. PARK (Republic of Korea)
- 8427 Synthesis and optical properties of pure monoclinic zirconia nanosheets by a new precursor F. DAVAR & M.R. LOGHMAN-ESTARKI (Iran)
- 8435 Fabrication and characteristic of non-oxide fiber tow reinforced silicon nitride matrix composites by low temperature CVI process
G. HAN, Y. LIU, L. ZHANG & L. CHENG (China)
- 8439 Enhanced electrochemical properties of $LiFePO_4/C$ synthesized with two kinds of carbon sources, PEG-4000 (organic) and Super p (inorganic)
Y. WANG, R. MEI & X. YANG (China)
- 8445 Detection of trivalent-iron based on low-dimensional semiconductor metal oxide nanostructures for environmental remediation by ICP-OES technique
M.M. RAHMAN, S.B. KHAN, K.A. ALAMRY, H.M. MARWANI & A.M. ASIRI (Saudi Arabia)
- 8455 Synthesis and electrochemical performance of a $LiMn_{1.83}Co_{0.17}O_4$ shell/ $LiMn_2O_4$ core cathode material
C.-H. ZHENG, Z.-F. WU, J.-C. LI, X. LIU & D.-L. FANG (PR China)
- 8465 Studies on ionic conductivity of dense 6 mol% Sc^{3+} -doped SnP_2O_7 – SnO_2 composite ceramic at intermediate temperatures
H. WANG, J. CHEN & R. QIAO (China)
- 8469 Fabrication and evaluation of (PVA/HAp/PCL) bilayer composites as potential scaffolds for bone tissue regeneration application
S. UMA MAHESHWARI, V.K. SAMUEL & N. NAGIAH (India)

- 8479 Lead immobilization by geopolymers based on mechanically activated fly ash
V. NIKOLIĆ, M. KOMLJENOVIC, N. MARJANOVIĆ, Z. BAŠČAREVIĆ & R. PETROVIĆ (Serbia)
- 8489 Structural variability of high purity cordierite/steatite ceramics sintered from mixtures with various vermiculites
M. VALAŠKOVÁ, J. ZDRÁLKOVÁ, G. SIMHA MARTYNKOVÁ, B. SMETANA, J. VLČEK & S. ŠTUDENTOVÁ (Czech Republic)
- 8499 Hydrothermal synthesis and characterization of poly(paraphenylenediamine)/Nb₂O₅ core–shell composite
M. BOUKRIBA & F. SEDIRI (Tunisia)
- 8507 Low temperature sintering and microwave dielectric properties of Ba₃(PO₄)₂–BaWO₄ composite ceramics
Z. WANG & J.J. BIAN (China)
- 8513 Optical influence of annealing in nano- and submicron-scale ZrO₂ powders
S. ASHRAF, M. IRFAN, D. KIM, J.-H. JANG, W.-T. HAN & Y.-D. JHO (Republic of Korea)
- 8519 Effect of brazing time on microstructure and mechanical properties of cubic boron nitride/steel joints
R. JOHARI MIAB & A.M. HADIAN (Iran)
- 8525 Fabrication of Si₃N₄ reticulated porous ceramics reinforced by needle-like β-Si₃N₄
H. YUE, X. WANG & J. TIAN (PR China)
- 8533 Transformation of molten SnCl₂ to SnO₂ nano-single crystals
A.R. KAMALI, G. DIVITINI, C. DUCATI & D.J. FRAY (UK)
- 8539 Preparation and properties of transparent Eu:YAG fluorescent ceramics with different doping concentrations
Q. LIU, Y. YUAN, J. LI, J. LIU, C. HU, M. CHEN, L. LIN, H. KOU, Y. SHI, W. LIU, H. CHEN, Y. PAN & J. GUO (China)
- 8547 Magnetic photocatalysts of cenospheres coated with Fe₃O₄/TiO₂ core/shell nanoparticles decorated with Ag nanoparticles
J. ZHAN, H. ZHANG & G. ZHU (China)
- 8561 Evolution of porous structure and free-volume entities in magnesium aluminate spinel ceramics
H. KLYM (Ukraine), A. INGRAM (Poland), I. HADZAMAN (Ukraine) & O. SHPOTYUK (Ukraine, Poland)
- 8569 Pr-doped 3Y-TZP nanopowders for colored dental restorations: Mechanochemical processing, chromaticity and cytotoxicity
L. SHI, W. CHEN, X. ZHOU, F. ZHAO & Y. LI (China)
- 8575 Effects of ceramic based pastes on electrochemical performance of solid oxide fuel cells
A. MAT, B. TIMURKUTLUK, C. TIMURKUTLUK & Y. KAPLAN (Turkey)
- 8585 Electrochemical performances of Li_{1+z}NiO₂ (z=0, 0.04, 0.08, 0.10, 0.12, and 0.15) synthesized by a combustion method
M.Y. SONG, H.R. PARK & S.N. KWON (Republic of Korea)
- 8593 Topochemical synthesis and magnetic properties of BaFe₁₂O₁₉ nanorods using α-FeOOH nanowires as templates
C.-Y. XU, L.-S. FU, X. CAI, X.-Y. SUN & L. ZHEN (China)
- 8599 Structural and spectroscopic studies of rare earths doped ceria (RE_{La,Sc,Yb}:CeO₂) nanopowders
C. ESTHER JEYANTHI (India), R. SIDDHESWARAN (Czech Republic), P. KUMAR (Taiwan), V. SIVA SHANKAR & K. RAJARAJAN (India)
- 8607 Preparation and photocatalytic activity of BiOX–TiO₂ composite films (X=Cl, Br, I)
J. YANG, X. WANG, X. LV, X. XU, Y. MI & J. ZHAO (China)

- 8613 Crack-free nanostructured BaTiO₃ thin films prepared by sol–gel dip-coating technique
R. ASHIRI, A. NEMATI & M. SASANI GHAMSARI (Iran)
- 8621 Mechanical and corrosion-resistant properties of Ti–Nb–Si–N nanocomposite films prepared by a double glow discharge plasma technique
J. XU, G.D. WANG, X. LU, L. LIU (PR China), P. MUNROE (Australia) & Z.-H. XIE (PR China, Australia)
- 8631 Nanostructuring anatase through the addition of acetic acid by the sol–gel low temperature aqueous processing
O. MUÑIZ-SERRATO & J. SERRATO-RODRÍGUEZ (Mexico)
- 8637 Synthesis and properties of Pb(Zn_{1/3}Nb_{2/3})O₃ modified Pb(Zr_{0.95}Ti_{0.05})O₃ pyroelectric ceramics
H. WEI & Y. CHEN (China)
- 8645 Magnetic, dielectric and microwave properties of M–Ti substituted barium hexaferrites (M=Mn²⁺, Co²⁺, Cu²⁺, Ni²⁺, Zn²⁺)
H. SÖZERİ, H. DELİGÖZ, H. KAVAS & A. BAYKAL (Turkey)
- 8659 Structural characterization and optical property of TiO₂ powders prepared by the sol–gel method
Y.F. YOU, C.H. XU, S.S. XU, S. CAO, J.P. WANG, Y.B. HUANG & S.Q. SHI (PR China)
- 8667 Dual functions of novel glass–ceramic floor tile design and preparation
R. YAO, S. LIAO, C. DAI, Y. YANG & F. ZHENG (PR China)
- 8677 Degradation of TiAlN coatings by the accelerated life test using pulsed laser ablation
S. JEON (Korea), C.J. VAN TYNE (USA) & H. LEE (Korea)
- 8687 Reverse microemulsion synthesis of CeO₂ nanopowder using polyoxyethylene(23)lauryl ether as a surfactant
R. POURNAJAF, S.A. HASSANZADEH-TABRIZI & M. JAFARI (Iran)
- 8693 Introduction of Ag nanoparticles and AZO layer to prepare AZO/Ag/FTO trilayer films with high overall photoelectric properties
N.-F. REN, L.-J. HUANG, M. ZHOU & B.-J. LI (PR China)
- 8701 Activity of the ZnO–Fe₂O₃ catalyst on the degradation of Dicamba and 2,4-D herbicides using simulated solar light
M.L. MAYA-TREVIÑO, J.L. GUZMÁN-MAR, L. HINOJOSA-REYES, N.A. RAMOS-DELGADO (México),
M.I. MALDONADO (Spain) & A. HERNÁNDEZ-RAMÍREZ (México)
- 8709 Bandgap variation of nanostructure tin doped CdO films via SILAR processing
B. ŞAHİN, T. TAŞKÖPRÜ & F. BAYANSAL (Turkey)
- 8715 Electrical behavior of Bi_{0.95}Nd_{0.05}FeO₃ thin films grown by the soft chemical method
F.B. DESTRO, F. MOURA, C.R. FOSCHINI, M.G. RANIERI, E. LONGO & A.Z. SIMÕES (Brazil)
- 8723 Fabrication and performance investigation of 2-2 connectivity lead-free barium zirconate titanate–Portland cement composites
R. POTONG, R. RIANYOI, A. NGAMJARUROJANA & A. CHAIPANICH (Thailand)
- 8729 Microstructural and magnetic behavior of mixed Ni–Zn–Co and Ni–Zn–Mn ferrites
S. RAMESH, B. CHANDRA SEKHAR, P.S.V. SUBBA RAO & B. PARVATHEESWARA RAO (India)
- 8737 Fabrication and geometrical factors of a novel piezoelectric composite
Y. ZHANG, W. MA, Q. SUN, C. TANG & H. ZHAO (China)
- 8743 Visible light photocatalysis of mixed phase zinc stannate/zinc oxide nanostructures precipitated at room temperature in aqueous media
M. NAJAM KHAN (Thailand), M. AL-HINAI, A. AL-HINAI (Oman) & J. DUTTA (Thailand, Oman)

- 8753 Composition dependent magnetism in novel triple perovskite $\text{Sr}_3\text{MFeMoO}_9$ (M=Mn, Co, Ni)
J.-F. WANG, B. HU, J. ZHANG, Z.-B. GU & S.-T. ZHANG (China)
- 8761 Effects of synthesis conditions on the structural, stability and ion conducting properties of $\text{Li}_{0.30}(\text{La}_{0.50}\text{Ln}_{0.50})_{0.567}\text{TiO}_3$ ($\text{Ln}=\text{La, Pr, Nd}$) solid electrolytes for rechargeable lithium batteries
K. VIDAL (Spain), L. ORTEGA-SAN-MARTÍN (Peru), A. LARRAÑAGA, R.I. MERINO, A. ORERA & M.I. ARRIORTUA (Spain)
- 8769 Effect of Al concentration on the electrical characteristics of solution-processed Al doped ZnSnO thin film transistors
H.-J. JEON (Republic of Korea), W.J. MAENG (USA) & J.-S. PARK (Republic of Korea)
- 8775 Polyol synthesis of Al-doped ZnO spherical nanoparticles and their UV-vis-NIR absorption properties
N. IZU, K. SHIMADA, T. AKAMATSU, T. ITOH, W. SHIN, K. SHIRAISHI & T. USUI (Japan)
- 8783 Microstructure characteristics of blue-and-white porcelain from the folk kiln of Ming and Qing Dynasties
Y. QU, J. XU, X. XI, C. HUANG & J. YANG (PR China)
- 8791 Effects of laser remelting on microstructure and solid particle erosion characteristics of ZrO_2 -7wt% Y_2O_3 thermal barrier coating prepared by plasma spraying
D. WANG, Z. TIAN, L. SHEN, Z. LIU & Y. HUANG (PR China)
- 8801 Removal of silicon in acid leaching and flocculation processes during zirconium oxychloride octahydrate production
R. LIU, T. XUE, J. SONG, Y. WANG, T. QI, J. QU & A. DU (China)
- 8809 Toughness prediction in functionally graded Al6061/SiCp composites produced by roll-bonding
H. POURALIAKBAR, A. HOSSEINI MONAZZAH, R. BAGHERI, S.M. SEYED REIHANI, G. KHALAJ (Iran), A. NAZARI (Australia) & M.R. JANDAGHI (Iran)
- 8827 The reduction of Eu^{3+} to Eu^{2+} in a new orange-red emission $\text{Sr}_3\text{P}_4\text{O}_{13}$: Eu phosphor prepared in air and its photoluminescence properties
J. LIU, K. LIANG, Z.-C. WU, Y.-M. MEI, S.-P. KUANG & D.-X. LI (PR China)
- 8833 The use of urban river sediments as a primary raw material in the production of highly insulating brick
Y. XU, C. YAN, B. XU, X. RUAN & Z. WEI (China)
- 8841 Fabrication of transparent Y_2O_3 ceramics via aqueous gelcasting
Y. SUN (PR China), S. SHIMAI (PR China, Japan), X. PENG, G. ZHOU (PR China), H. KAMIYA (Japan) & S. WANG (PR China)
- 8847 Enhanced energy-storage performances of Bi_2O_3 - Li_2O added $(1-x)(\text{Na}_{0.5}\text{Bi}_{0.5})\text{TiO}_3$ - $x\text{BaTiO}_3$ thick films
L. ZHANG, X. HAO & L. ZHANG (China)
- 8853 Polycrystalline $(\text{Y}_{0.7}\text{Gd}_{0.3})_2\text{O}_3$: Eu^{3+} ceramics fabricated by Spark Plasma Sintering: Densification and microstructure development
R.K. WHIFFEN, Ž. ANTIĆ, B. MILIĆEVIĆ, M. POŠARAC-MARKOVIĆ, D. JANAĆKOVIĆ, M.D. DRAMIĆANIN (Serbia), M.G. BRIK (Estonia), I. STEINS (Latvia) & D. VELJOVIĆ (Serbia)
- 8863 Enhancing the photocatalytic degradation of salicylic acid by using molecular imprinted S-doped TiO_2 under simulated solar light
Z. WANG, X. LIU, W. LI, H. WANG & H. LI (China)

Short Communications

- 8869 Effects of atmospheric Ti (III) reduction on Nb_2O_5 -doped $\text{Li}_4\text{Ti}_5\text{O}_{12}$ anode materials for lithium ion batteries
S.-K. KIM, E.-S. KWON, T.-H. KIM, J. MOON & J. KIM (Korea)

- 8875 A novel granulation technique using a freeze-thaw method
K.-S. CHOU, H.-L. LIU, L.-H. KAO, C.-M. YANG & S.-H. HUANG (Taiwan)
- 8879 Study of Yb:YAG ceramic slab with Cr⁴⁺:YAG edge cladding
W. LIU, J. LI, J. LIU, B. LIU, Y. FU, Y. PAN & J. GUO (PR China)
- 8885 Electrical properties of SiC ceramics sintered with 0.5 wt% AlN-RE₂O₃ (RE=Y, Nd, Lu)
K.-Y. LIM, Y.-W. KIM & K. JOO KIM (Republic of Korea)
- 8891 Preparation of a photocatalytic TiO₂/ZnTiO₃ coating on glazed ceramic tiles
S. KE, X. CHENG, Q. WANG, Y. WANG & Z. PAN (China)
- 8897 Pulsed-laser deposition and characterization of CuIn_{1-x}M_xSe₂ (M=Cr, V, and Ti) films
C.-C. CHEN, W.-C. CHANG, P.-C. TSAI, X. QI, M.-G. TSAI, I.-G. CHEN, C.-Y. LIN, P.-H. WU & K.-P. CHANG (Taiwan)
- 8905 Mullite fiber sealing pad with favorable high-temperature rebound resilience fabricated through colloidal processing
S. SHEN, Y. ZHAO, H. DU, M. WANG, L. ZHAO, G. TIAN & J. LIU (People's Republic of China)
- 8911 Stability domains of Nb(CN) during the carburization/nitridation of metallic niobium
H. KWON, J. KIM & W. KIM (Korea)
- 8915 ZrB₂ ceramics doped with AlB₂
J. ZHAO, H.-T. LIU, J.-X. LIU & G.-J. ZHANG (China)
- 8921 The synthesis of PrB₆ nanowires and nanotubes by the self-catalyzed method
M. CHI, Y. ZHAO, Q. FAN & W. HAN (PR China)
- 8925 SO₄²⁻/SnO₂ as a new electrode for electrochemical supercapacitors
Y. GAO, J. WU, W. ZHANG, Y. TAN, T. TANG, S. WANG, B. TANG & J. ZHAO (China)
- 8931 YBaCo₃ZnO_{7+δ}-Sm₂O₃ as the cathode material for proton-conducting SOFCs
Z. TAO, G. HOU, X. ZHI, N. XU & Q. ZHANG (China)

Corrigendum

- 8935 Corrigendum to "Microstructure of silicon-incorporated carbon films with various silicon concentrations deposited by hybrid magnetron sputtering/chemical vapor deposition" [Ceram. Int. 39 (2013) 5585–5590]
H.-C. CHENG, D.-Y. WANG, W.-C. LAN, P.-Y. WANG, S.-F. OU, Y.-J. SU & K.-L. OU (Taiwan)