


CERAMICS INTERNATIONAL



PIETRO VINCENZINI

GENERAL EDITOR

EDITORS-IN-CHIEF

L. BERGSTROM
SWEDEN

R.K. BORDIA
USA

Z.Y. FU
CHINA

T. OHJI
JAPAN

J.A. VARELA
BRAZIL

<http://www.elsevier.com/locate/ceramint>





(Abstracted/indexed in: *Applied Mechanics Reviews*; *Br. Ceram Abstr.*; *Ceramic Abstracts*; *Chemical Abstracts*; *Current Contents/Engineering, Computing & Technology*; *Current Contents/Physical, Chemical and Earth Sciences*; *Materials Science Citation Index*; *Met. Abstr.*; *Sci. Abstr.*; *Science Citation Index*; *SciSearch*; *World Alum. Abstr.* Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.)

CONTENTS

Volume 40 Issue 7 PART A 2014

Reviews

- 8937 Effects of oil shale addition and sintering cycle on the microstructure and mechanical properties of porous cordierite-ceramic
A. BENHAMMOU, Y. EL HAFIANE, A. ABOURRICHE, Y. ABOULIATIM, L. NIBOU, A. YAACOUBI (Morocco), N. TESSIER-DOYEN, A. SMITH (France) & B. TANOUTI (Morocco)
- 8945 Critical parameters near the ferromagnetic-paramagnetic phase transition in $\text{La}_{0.5}\text{Ca}_{0.5-x}\text{Ag}_x\text{MnO}_3$ compounds ($0.1 \leq x \leq 0.2$)
M. SMARI, I. WALHA, A. OMRI (Tunisia), J.J. ROUSSEAU (France), E. DHAHRI (Tunisia) & E.K. HLIL (France)
- 8953 How does Na, K alkali metal concentration change the early age structural characteristic of kaolin-based geopolymers
A.D. HOUNSI (Togo), G. LECOMTE-NANA (France), G. DJÉTÉLI (Togo), P. BLANCHART (France), D. ALOWANOU, P. KPELOU, K. NAPO, G. TCHANGBÉDJI (Togo) & M. PRAISLER (Romania)
- 8963 A generalized mechanism of 1D ZnO rods growth in homogeneous solution
W. FENG & P. HUANG (PR China)
- 8969 Thermal and structural study of BIVOX undoped and doped with La in various atmosphere toward applications in IT-SOFC
G. PAŚCIAK, J. CHMIELOWIEC (Poland) & S.H. CHAN (Singapore)
- 8975 Effect of temperature and alkaline concentration on metakaolin leaching kinetics
N. GRANIZO, A. PALOMO & A. FERNANDEZ-JIMÉNEZ (Spain)

Original Articles

- 8987 Tool life models of nano ceramic tool for turning hard steel based on FEM simulation and experiments
H.-J. HU & W.-J. HUANG (China)
- 8997 Multiple shell hollow CoFe_2O_4 spheres: Synthesis, formation mechanism and properties
L. ZHANG, Y. SUN, W. JIA, S. MA, B. SONG, Y. LI, H. JIU (PR China) & J. LIU (USA)
- 9003 Synthesis of BiOBr-graphene and BiOBr-graphene oxide nanocomposites with enhanced visible light photocatalytic performance
W. ZHANG, F. DONG, T. XIONG & Q. ZHANG (China)

Continued on inside back cover



ELSEVIER

Available online at www.sciencedirect.com

ScienceDirect

CONTENTS—Continued from outside back cover

- 9009 Mechanical and microwave dielectric properties of KD-I SiC₇/SiC composites fabricated through precursor infiltration and pyrolysis
H. TIAN, H.-T. LIU & H.-F. CHENG (PR China)
- 9017 Dielectric and impedance spectroscopy of BiFeO₃–NaTaO₃ multiferroics
S. MOHANTY, R.N.P. CHOUDHARY, R. PADHEE & B.N. PARIDA (India)
- 9027 Structural, dielectric, ferromagnetic, ferroelectric and ac conductivity studies of the BaTiO₃–CoFe_{1.8}Zn_{0.2}O₄ multiferroic particulate composites
R. SHARMA, P. PAHUJA & R.P. TANDON (India)
- 9037 Luminescent properties and energy transfer of thermal stable Ca₁₀Na (PO₄)₇:Ce³⁺, Mn²⁺ red phosphor under UV excitation
X. ZHANG, C. ZHOU, J. SONG, L. ZHOU & M. GONG (China)
- 9045 Effects of processing parameters on cellular ceramics obtained by paraffin emulsified suspensions
M.F. SANCHES (Portugal, Brazil), N. VITORINO, J.C.C. ABRANTES, J.R. FRADE (Portugal), J.B. RODRIGUES NETO & D. HOTZA (Brazil)
- 9055 The mechanical and electrical properties of ZrO₂–TiO₂–Na-β/β"-alumina composite electrolyte synthesized via a citrate sol–gel method
L.-P. YANG, S.-J. SHAN, X.-L. WEI, X.-M. LIU, H. YANG & X.-D. SHEN (China)
- 9061 Effect of NiO-doping on the microstructure and the dielectric properties of CaCu₃Ti₄O₁₂ ceramics
T. LI, J. CHEN, D. LIU, Z. ZHANG, Z. CHEN, Z. LI, X. CAO & B. WANG (China)
- 9069 Controlling morphologies and growth mechanism of hexagonal prisms with planar and pyramid tips of ZnO microflowers by microwave radiation
A. PHURUANGRAT, T. THONGTEM & S. THONGTEM (Thailand)
- 9077 Preparation, characterization and photocatalytic performance of g-C₃N₄/Bi₂WO₆ composites for methyl orange degradation
H. WANG, J. LU, F. WANG, W. WEI, Y. CHANG & S. DONG (PR China)
- 9087 Thermal shock properties of 3D-C/SiC composites prepared via polymer infiltration pyrolysis (PIP)
X. YANG, H.-F. HU, Y.-D. ZHANG & Z.-H. CHEN (China)
- 9095 Ag₃PO₄/Fe₂O₃ composite photocatalysts with an *n*–*n* heterojunction semiconductor structure under visible-light irradiation
Y. YAN, H. GUAN, S. LIU & R. JIANG (PR China)
- 9101 Cu-doped NiO for aqueous asymmetric electrochemical capacitors
G. YUAN, Y. LIU, M. YUE, H. LI, E. LIU, Y. HUANG & D. KONG (China)
- 9107 *In-situ* X-ray diffraction study on the structural evolutions of oxidized fluorophosphates as anode materials for lithium-ion batteries
X. LIN, R. MA, L. SHAO, M. SHUI, K. WU, D. WANG, N. LONG, Y. REN & J. SHU (People's Republic of China)
- 9121 Effect of Ni doping on the structure and properties of In₂O₃ nanocrystals prepared under magnetic field
H. TONG (People's Republic of China, Japan), D. CHU (Australia), K. ZUO, Y.-P. ZENG (People's Republic of China), N. ENOMOTO, M. INADA, Y. TANAKA & J. HOJO (Japan)
- 9127 About the defect structure in differently doped PZT ceramics: A temperature dependent positron lifetime study
K. DROGOWSKA (Germany, Czech Republic), M. ELSAYED (Germany, Egypt), R. KRAUSE-REHBERG & A.G. BALOGH (Germany)
- 9133 Physical, chemical and thermal characterization of alumina–magnesia–carbon refractories
V. MUÑOZ (Argentina), P. PENA (Spain) & A.G.T. MARTÍNEZ (Argentina)

(contents continued from Inside back cover)

- 9151 Low thermal conductivity in $\text{La}_2\text{Zr}_2\text{O}_7$ pyrochlore with A-site partially substituted with equimolar Yb_2O_3 and Er_2O_3
Y. ZHANG, M. XIE, F. ZHOU, X. CUI, X. LEI, X. SONG & S. AN (China)
- 9159 Effect of sintering temperature on mechanical and tribological properties of hydroxyapatite measured by nanoindentation and nanoscratch experiments
A. KARIMZADEH, M.R. AYATOLLAHI (Iran), A.R. BUSHROA (Malaysia) & M.K. HERLIANSYAH (Indonesia)
- 9165 Phase transition and electrical properties of $(1-x)\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3-x\text{Bi}_{0.5}\text{Na}_{0.5}\text{Zr}_{0.8}\text{Ti}_{0.2}\text{O}_3$ lead-free piezoceramics
Z. WANG, J.G. WU, M. XIAO, D.Q. XIAO, T. HUANG, B. WU, F.X. LI & J.G. ZHU (PR China)
- 9171 The effect of the molecular weight of polyethylene glycol on the microstructure of freeze-cast alumina
C. PEKOR & I. NETTLESHIP (USA)
- 9179 Liquid phase sintering of $\text{Si}_3\text{N}_4/\text{SiC}$ nanopowders derived from silica fume
J. SURI & L.L. SHAW (USA)
- 9189 Influence of substrate temperature on structural and optical properties of ZnCdO thin films deposited by dc magnetron sputtering
Y.R. SUI, Y.G. YUE, Y. CAO, B. YAO, X.Y. LIU, J.H. LANG, M. GAO, X.F. LI, X.Y. LI & J.H. YANG (PR China)
- 9195 Wet chemical synthesis of strontium-substituted hydroxyapatite and its influence on the mechanical and biological properties
J. ABERT, C. BERGMANN & H. FISCHER (Germany)
- 9205 Sintering, microstructure and magnetic properties of low-temperature-fired NiCuZn ferrites doped with B_2O_3
W. SHEN, H. ZHU, Y. JIN, H. ZHOU & Z. XU (PR China)
- 9211 First-principles studies on electronic transport properties of CdS nanoribbon based molecular device
R. CHANDIRAMOULI (India)
- 9217 High frequency induction heated sintering of nanostructured $\text{Al}_2\text{O}_3\text{-ZrB}_2$ composite produced by MASHS technique
B. JAMAL ABBASI, M. ZAKERI & S.A. TAYEBIFARD (Iran)
- 9225 Solid solutions of La-doped BiFeO_3 obtained by the Pechini method with improvement in their properties
D.S. GARCÍA-ZALETA, A.M. TORRES-HUERTA, M.A. DOMÍNGUEZ-CRESPO, J.A. MATUTES-AQUINO (Mexico), A.M. GONZÁLEZ (Spain) & M.E. VILLAFUERTE-CASTREJÓN (Mexico)
- 9235 Borazine derived porous boron nitride–boron nitride composites fabricated by precursor infiltration and pyrolysis
K. LIU, C. ZHANG, B. LI, S. WANG & F. CAO (PR China)
- 9241 Synthesis of anatase TiO_2 nanotubes derived from a natural leucoxene mineral by the hydrothermal method
D. APHAIRAJ, T. WIRUNMONGKOL, S. NIYOMWAS, S. PAVASUPREE & P. LIMSUWAN (Thailand)
- 9249 Preparation and multiferroic properties of 2-2 type $\text{CoFe}_2\text{O}_4/\text{Pb}(\text{Zr},\text{Ti})\text{O}_3$ composite films with different structures
M. SHI, R. ZUO, Y. XU, L. WANG, C. GU, H. SU, J. ZHONG & G. YU (China)
- 9257 Sensing properties of YSZ-based NO_x sensors with double-perovskite $(\text{La}_{0.8}\text{Sr}_{0.2})_2\text{FeNiO}_{6-\delta}$ -sensing electrodes
L. ZHOU, X. LI, H. WU, Z. LIAO, Q. YUAN, F. XIA & J. XIAO (P.R. China)
- 9265 Synthesis, characterization, and sensing applications of polypyrrole coated Fe_3O_4 nanostrip bundles
M.R. MAHMOUDIAN (Malaysia, Iran), Y. ALIAS, W.J. BASIRUN, P. MENG WOI, S. BARADARAN & M. SOOKHAKIAN (Malaysia)
- 9273 Enhanced electrocaloric effect in lead-free NBT-based ceramics
W.P. CAO, W.L. LI, D. XU, Y.F. HOU, W. WANG & W.D. FEI (People's Republic of China)

- 9279 Effect of heat treatment on structures and corrosion characteristics of electroless Ni–P–SiC nanocomposite coatings
C. MA, F. WU, Y. NING, F. XIA & Y. LIU (PR China)
- 9285 Electrical properties of multidoped ceria
M. STOJMENOVIĆ, S. BOŠKOVIĆ (Serbia), M. ŽUNIĆ (Serbia, Brazil), J.A. VARELA (Brazil), M. PREKAJSKI, B. MATOVIĆ & S. MENTUS (Serbia)
- 9293 *In situ* oxidation synthesis of visible-light-driven plasmonic photocatalyst Ag/AgCl/g-C₃N₄ and its activity
T. ZHOU, Y. XU, H. XU, H. WANG, Z. DA, S. HUANG, H. JI & H. LI (PR China)
- 9303 Preparation, photocatalytic properties and mechanism of Fe or N-doped Ag/ZnO nanocomposites
A. MENG, X. LI, X. WANG & Z. LI (PR China)
- 9311 Influence of process parameters on synthesis of hierarchical porous titania photoanode prepared by controlled phase separation for dye sensitized solar cell
M.R. GOLOBOSTANFARD & H. ABDIZADEH (Iran)
- 9319 Fabrication of Y-doped barium cerium zirconate thin films by electrostatic spray deposition technique for protonic ceramic fuel cell application
R. PORNPRASERTSUK, M. PIYAWORAPAIBOON & S. JINAWATH (Thailand)
- 9327 Investigation of yttria-doped alumina nanocomposites reinforced by multi-walled carbon nanotubes
I. AHMAD, M. ISLAM, A.A. ALMAJID (Kingdom of Saudi Arabia), B. YAZDANI & Y. ZHU (United Kingdom)
- 9337 Effect of Zn substitution on the structural and magnetic properties of Ni–Co ferrites
K. RAJU (Republic of Korea), G. VENKATAIAH (India) & D.H. YOON (Republic of Korea)
- 9345 *Wet abrasive behavior of composite materials obtained from solid residuals mixed with polymer and ceramic matrix*
J. VITE-TORRES, M. VITE-TORRES, J.R. LAGUNA-CAMACHO, J.E. ESCALANTE-MARTÍNEZ, E.A. GALLARDO-HERNÁNDEZ & E.E. VERA-CARDENAS (Mexico)
- 9355 Electrical properties of Sn-doped Ba_{0.75}Sr_{0.25}Ti_{0.95}O₃ perovskite
R. BRAHEM, H. RAHMOUNI, N. FARHAT, J. DHAHRI, K. KHIROUNI (Tunisia) & L.C. COSTA (Portugal)
- 9361 Effects of RF power on the growth behaviors of CuAlO₂ thin films
P.-H. HSIEH, Y.-M. LU & W.-S. HWANG (Taiwan)
- 9367 Experimental determination of the uniaxial viscosity of low-temperature co-fired ceramic tapes by vertical sintering
L. YU, S. QI, Z. MA & R. ZUO (China)
- 9377 On the use of nanoliposomes as soft templates for controlled nucleation and growth of hydroxyapatite nanocrystals under hydrothermal conditions
A. RAMEDANI, A. YAZDANPANA, F. MOZTARZADEH & M. MOZAFARI (Iran)
- 9383 Effect of Re substitution on the formation and fluctuation-induced conductivity of a Tl Sr₂(Ca_{1-x}Re_x)Cu₂O_{7-δ} (x=0.05–0.30) superconductor
A. AL-SHARABI & R. ABD-SHUKOR (Malaysia)
- 9389 Polymorphic phase transition and enhanced electrical properties of (Ba_{0.91}Ca_{0.09-x}Sr_x)(Ti_{0.92}Sn_{0.08})O₃ lead-free ceramics
X. WANG, X. CHAO, P. LIANG, L. WEI & Z. YANG (People's Republic of China)
- 9395 Dielectric properties of Fe doped hydroxyapatite prepared by sol–gel method
O. KAYGILI (Turkey), S.V. DOROZHKIN (Russia), T. ATES (Turkey), A.A. AL-GHAMDI (Saudi Arabia) & F. YAKUPHANOGLU (Turkey, Saudi Arabia)

- 9403 Micro-porous silica–yttria membrane by sol–gel method: Preparation and characterization
S. KHANMOHAMMADI & E. TAHERI-NASSAJ (Iran)
- 9413 Enhanced electrochemical performance of carbon-coated $\text{Li}_2\text{MnSiO}_4$ nanoparticles synthesized by tartaric acid-assisted sol–gel process
K.-S. PARK, Y.-H. JIN, L.-S. KANG, G.-H. LEE, N.-H. LEE, D.-W. KIM & H.S. HONG (Republic of Korea)
- 9419 Ultra-high temperature ceramic TaB_2 – TaC – SiC coating for oxidation protection of SiC -coated carbon/carbon composites
X. REN, H. LI, Q. FU & K. LI (PR China)
- 9427 Environment friendly ceramics from hazardous industrial wastes
V. MYMRIN, R.A.C. RIBEIRO (Brazil), K. ALEKSEEV, E. ZELINSKAYA, N. TOLMACHEVA (Russia) & R. CATAI (Brazil)
- 9439 Influence of cobalt substitution on the magnetic properties of zinc nanocrystals synthesized via micro-emulsion route
H. MALIK, A. MAHMOOD, K. MAHMOOD, M.Y. LODHI, M.F. WARSI (Pakistan), I. SHAKIR (Saudi Arabia, Pakistan), H. WAHAB, M. ASGHAR & M.A. KHAN (Pakistan)
- 9445 Photo-induced properties of TiO_2/ZnAl layered double hydroxide coating onto porous mineral substrates
O. RUDIC, J. RANOGAJEC, T. VULIC, S. VUCETIC, D. CJEPA & D. LAZAR (Serbia)
- 9457 Synthesis and photoluminescence properties of EuVO_4 red phosphors
K.Y. KIM, S.J. YOON & K. PARK (Korea)
- 9463 Photoelectrocatalytic activity of ferric oxide nanocatalyst: A synergistic effect of thickness
M.A. MAHADIK, S.S. SHINDE, V.S. MOHITE, S.S. KUMBHAR, K.Y. RAJPURE, A.V. MOHOLKAR & C.H. BHOSALE (India)
- 9473 Nanostructured merwinite bioceramic coating on Mg alloy deposited by electrophoretic deposition
M. RAZAVI (Iran, USA), M. FATHI, O. SAVABI, B. HASHEMI BENI (Iran), D. VASHAEE & L. TAYEBI (USA)
- 9485 Hydrothermal-assisted synthesis and sintering of $\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$ – $x\text{LiTaO}_3$ lead-free piezoelectric ceramics
H. HAO, G. TAN, H. REN, A. XIA & P. XIONG (China)
- 9493 Synthesis of CoWSi – WSi_2 nanocomposite by mechanical alloying and subsequent heat treatment
M. ZAREZADEH MEHRIZI, M. SHAMANIAN & A. SAIDI (Iran)
- 9499 High lithium content silicates: A comparative study between four routes of synthesis
E. CARELLA & M.T. HERNANDEZ (Spain)
- 9509 Study of the thermal resistance of alpha-phase aluminum oxide ($\alpha\text{-Al}_2\text{O}_3$) films deposited on the paper substrate
A.J.T. LISBÔA, N.S.L.S. VASCONCELOS, J.H.G. RANGEL, M.M.O. OLIVEIRA, E. LONGO, J.A. VARELA & J.S. VASCONCELOS (Brazil)
- 9517 Synthesis, characterisation and *in vitro* evaluation of sol–gel derived SiO_2 – P_2O_5 – CaO – B_2O_3 bioactive system
R. LUCACEL CICEO, D.-L. TRANDAFIR, T. RADU, O. PONTA & V. SIMON (Romania)
- 9525 Photodegradation of phenol red on a Ni-doped niobate/carbon composite
S. LANFREDI, M.A.L. NOBRE, P.G.P. MORAES (Brazil) & J. MATOS (Venezuela)
- 9535 TiO_2 nanoparticulated LZSA glass-ceramic matrix composites
F.R. CESCNETO, S. ARCARO, F. RAUPP-PEREIRA, J.B. RODRIGUES NETO, D. HOTZA & A.P. NOVAES DE OLIVEIRA (Brazil)

- 9541 Microwave hydrothermal synthesis of N-doped BiVO₄ nanoplates with exposed (040) facets and enhanced visible-light photocatalytic properties
G. TAN, L. ZHANG, H. REN, J. HUANG, W. YANG & A. XIA (China)
- 9549 Electrical properties of ZrB₂-SiC ceramics with potential for heating element applications
R. HE, D. FANG, P. WANG, X. ZHANG & R. ZHANG (PR China)
- 9555 Strength of fine grained carbon-bonded alumina (Al₂O₃-C) materials obtained by means of the small punch test
S. SOLTYSIAK, M. ABENDROTH, M. KUNA, Y. KLEMM & H. BIERMANN (Germany)
- 9563 One-dimensional GaN nanostructures prepared via chemical vapor deposition: Substrate induced size and dimensionality
Q.N. ABDULLAH (Malaysia, Iraq), F.K. YAM (Malaysia), N.K. HASSAN (Iraq), M.A. QEED (Malaysia), K. AL-HEUSEEN (Jordan), M. BOUOUDINA (Kingdom of Bahrain) & Z. HASSAN (Malaysia)
- 9571 Pulsed rf magnetron sputtered alumina thin films
I.N. REDDY, V.R. REDDY, N. SRIDHARA, V.S. RAO, M. BHATTACHARYA, P. BANDYOPADHYAY, S. BASAVARAJA, A.K. MUKHOPADHYAY, A.K. SHARMA & A. DEY (India)
- 9583 Effect of capillary action on bone regeneration in micro-channeled ceramic scaffolds
D.S. OH, Y.J. KIM, M.-H. HONG (USA), M.-H. HAN & K. KIM (Republic of Korea)
- 9591 The effects of sintering atmosphere on microstructures and electrical properties of lead-free (Bi_{0.5}Na_{0.5})TiO₃-based ceramics
C.-S. CHEN, P.-Y. CHEN, C.-S. TU, T.-L. CHANG & C.-K. CHAI (Taiwan)
- 9599 Eco-environmental synthesis and characterization of nanophase powders of Co, Mg, Mn and Ni ferrites
D. GHERCA, A. PUI, V. NICA, O. CALTUN & N. CORNEI (Romania)
- 9609 Reverse microemulsion synthesis and characterization of CaSnO₃ nanoparticles
S. SHOJAEI, S.A. HASSANZADEH-TABRIZI & M. GHASHANG (Iran)
- 9615 Cutting performance and wear mechanism of Ti-Al-N/Al-Cr-O coated silicon nitride ceramic cutting inserts
Y. LONG, J. ZENG & W. SHANGHUA (PR China)
- 9621 An ion adsorption-diffusion process for preparing YVO₄:Eu³⁺@SiO₂ core-shell nanoparticles with strong luminescence
L. TANG, K. DING, N. CHEN & G. DU (China)
- 9629 An electron paramagnetic resonance and optical study of Cr doped BaAl₁₂O₁₉ powders
V. SINGH (South Korea), G. SIVARAMAIAH, J.L. RAO, S. SRIPADA (India) & S.H. KIM (South Korea)
- 9637 ANN model of brick properties using LPNORM calculation of minerals content
L. PEZO, M. ARSENOVIĆ & Z. RADOJEVIĆ (Serbia)
- 9647 Dopant mediated multiferroic behavior of HoMn_{1-x}Co_xO₃ (x=0, 0.025, 0.05, 0.1)
P.P. ROUT (India), S.K. PRADHAN (USA) & B.K. ROUL (India)
- 9657 Effect of wire electrical discharge machining (WEDM) parameters on surface integrity of nanocomposite ceramics
C. ZHANG (PR China)
- 9663 Monodisperse hollow perovskite BaTiO₃ nanostructures prepared by a sol-gel-hydrothermal method
X. YANG, Z. REN, G. XU, C. CHAO, S. JIANG, S. DENG, G. SHEN, X. WEI & G. HAN (PR China)
- 9671 Pipelined flash-synthesis of patterned ZnO nanoarrays and nanodevices
G.X. QIN, Q. ZOU, B. DONG (PR China), H.K. NI (USA), W.T. LIU & G.P. TU (PR China)

- 9675 The best conditions for minimizing the synthesis time of nanocomposites during high energy ball milling: Modeling and optimizing
M. ABDELLAHI (Iran), H. BAHMANPOUR (USA) & M. BAHMANPOUR (Iran)
- 9693 Preparation of ceramic tiles with black pigments using stainless steel plant dust as a raw material
X. ZHANG, G. MA, Y. JIN & P. CHENG (PR China)
- 9701 Functionalization with amine-containing organosilane of mesoporous silica MCM-41 and MCM-48 obtained at room temperature
H.I. MELÉNDEZ-ORTIZ, Y. PERERA-MERCADO, J.A. MERCADO-SILVA, Y. OLIVARES-MALDONADO, G. CASTRUITA & L.A. GARCÍA-CERDA (México)
- 9709 Fe–Sialon–Ti(C,N) composites from carbothermal reduction–nitridation of low-priced minerals and their application in taphole clay refractories
X. LIU, M. FANG, Y.-G. LIU, Z. QIAN, H. DING & Z. HUANG (China)
- 9715 The effect of a constraint on the sintering and stress development in alumina thick films
M. TILLMAN, J.A. YEOMANS & R.A. DOREY (UK)
- 9723 Effects of Nb-substitution on structure, dielectric, ferroelectric and magnetic properties of $\text{Ba}_4\text{Nd}_2\text{Fe}_2\text{Ta}_8\text{O}_{30}$ ceramics
S.F. LIU, Y.J. WU, J. LI & X.M. CHEN (China)
- 9731 Emissivity, catalycity and microstructural characterization of ZrB_2 – $\text{SiC}_{\text{fiber}}$ based UHTC at high temperature in a non-equilibrium air plasma flow
M. BALAT-PICHELIN, E. BÉCHE (France), D. SCITI & D. ALFANO (Italy)
- 9743 Facile anion-exchange synthesis of BiOI/BiOBr composite with enhanced photoelectrochemical and photocatalytic properties
H. LIN, H. YE, X. LI, J. CAO & S. CHEN (PR China)
- 9751 Spectroscopic properties of Tm^{3+} – Ho^{3+} codoped SiO_2 – Al_2O_3 – CaO – SrO glasses
X. WANG, X. FAN, S. GAO (PR China, China), K. LI & L. HU (PR China)
- 9757 Influence of growth conditions on hair-like CuS nanowires fabricated by electro-deposition and sulfurization
H. CHEN, Y.-M. YEH, Y.T. CHEN & Y.L. JIANG (ROC)
- 9763 Preparation and blast furnace slag corrosion behavior of SiC–Sialon–ZrN free-fired refractories
J. HUANG, Z. HUANG, Y. LIU, M. FANG, H. LIU, X. CAO, X. LI, M. YIN, R. WEN & H. TANG (PR China)
- 9775 Effect of titania concentration on the grain boundary conductivity of calcium-doped ceria electrolyte
M.A. KHAN, R. RAZA (Pakistan), R.B. LIMA (Sweden), M.A. CHAUDHRY, E. AHMED, N.R. KHALID, G. ABBAS (Pakistan), B. ZHU (Sweden) & N. NASIR (Pakistan)
- 9783 The influence of the agglomeration state of nanometric MgAl_2O_4 powders on their consolidation and sintering
Ł. ZYCH, R. LACH & A. WAJLER (Poland)
- 9791 RF-PECVD deposition and optical properties of hydrogenated amorphous silicon carbide thin films
E. CHEN, G. DU, Y. ZHANG, X. QIN, H. LAI & W. SHI (China)
- 9799 Novel fast-setting chitosan/ β -dicalcium silicate bone cements with high compressive strength and bioactivity
D. WANG, Y. ZHANG & Z. HONG (China)
- 9809 Physical/chemical characterization and device applications of transparent zinc–tin–oxide thin films deposited using RF sputtering
W.-R. DO & J.-H. HWANG (Korea)

- 9817 Mesoporous nanostructures of Nb_2O_5 obtained by an EISA route for the treatment of malachite green dye-contaminated aqueous solution under UV and visible light irradiation
F. HASHEMZADEH, R. RAHIMI & A. GHAFFARINEJAD (Iran)
- 9831 Site-occupancy on the luminescence properties of a single-phase $\text{Li}_4\text{SrCa}(\text{SiO}_4)_2\cdot\text{Eu}^{2+}$ phosphor
J. ZHANG, W. ZHANG, Y. HE, W. ZHOU, L. YU, S. LIAN, Z. LI & M. GONG (China)
- 9835 Study of inhomogeneous distribution of Bi-2223 phase in Ag/Ni composite-sheathed tapes
X.P. CHEN, M. LIU, L. MEI & Q. LIU (China)
- 9841 Effects of ball milling time on microstructure evolution and optical transparency of Nd:YAG ceramics
J. LIU, L. LIN, J. LI, J. LIU, Y. YUAN (China), M. IVANOV (Russia), M. CHEN, B. LIU, L. GE, T. XIE, H. KOU, Y. SHI, Y. PAN & J. GUO (China)
- 9853 Enhanced rate performance of $\text{Li}_4\text{Ti}_5\text{O}_{12}$ anode material by ethanol-assisted hydrothermal synthesis for lithium-ion battery
T.-F. YI, S.-Y. YANG, Y.-R. ZHU, M.-F. YE, Y. XIE & R.-S. ZHU (PR China)
- 9859 Micro-scale damage characterization in porous ceramics by an acoustic emission technique
A. YONEZU (Japan) & X. CHEN (USA, China)
- 9867 Titania nanoparticles modified reduced graphene oxide nanocomposite with a double-layered structure encapsulating hemoglobin for a mediator-free biosensor
H. LIU, C. DUAN, X. SU, X. DONG, W. SHEN & Z. ZHU (PR China)
- 9875 Optical thermometry based on the upconversion fluorescence from $\text{Yb}^{3+}/\text{Er}^{3+}$ codoped $\text{La}_2\text{O}_2\text{S}$ phosphor
Y. YANG, C. MI, F. YU, X. SU, C. GUO, G. LI, J. ZHANG, L. LIU, Y. LIU & X. LI (China)
- 9881 Improving piezoelectric property of $\text{BaTiO}_3\text{-CaTiO}_3\text{-BaZrO}_3$ lead-free ceramics by doping
C. LIU, X. LIU, D. WANG, Z. CHEN, B. FANG, J. DING, X. ZHAO, H. XU & H. LUO (China)
- 9889 Microstructure of TiAlN and CrAlN coatings and cutting performance of coated silicon nitride inserts in cast iron turning
Y. LONG, J. ZENG, D. YU & S. WU (PR China)
- 9895 Structural, dielectric and impedance spectroscopy studies in $(\text{Bi}_{0.90}\text{R}_{0.10})\text{Fe}_{0.95}\text{Sc}_{0.05}\text{O}_3$ [R=La, Nd] ceramics
I. COONDOO (Portugal), N. PANWAR (India), M.A. RAFIQ (Portugal, Pakistan), V.S. PULI (USA), M.N. RAFIQ (Pakistan) & R.S. KATIYAR (USA)
- 9903 Rapid synthesis of SnO_2 nanowires employing solar thermal energy
G.-H. LEE (Republic of Korea)
- 9907 Low dimensional CuO nanocomposites synthesis by pulsed wire explosion and their crystal growth mechanism
S. KRISHNAN, A.S.M.A.. HASEEB & M.R. JOHAN (Malaysia)
- 9917 Synthesis and electromagnetic properties of Fe_3S_4 nanoparticles
X. LIU, C. FENG, N. BI, Y. SUN, J. FAN, Y. LV, C. JIN, Y. WANG & C. LI (PR China)
- 9923 Preparation and characterization of porous Ag doped hydroxyapatite bioceramic scaffolds
A. DUBNIKA & V. ZALITE (Latvia)
- 9931 Optical and gas sensing properties of Al-doped ZnO transparent conducting films prepared by sol-gel method under different heat treatments
X. LIU, K. PAN, W. LI, D. HU, S. LIU & Y. WANG (People's Republic of China)

- 9941 Pressure and temperature dependence of diffusion coefficients in a model liquid and glass forming liquid
Y. SUN, B. YANG, Y. SUN, P. YANG & H. LI (China)
- 9947 Microstructural and mechanical properties of dual Ti_3AlC_2 - Ti_2AlC reinforced TiAl composites fabricated by reaction hot pressing
T. AI, F. WANG, X. FENG & M. RUAN (PR China)
- 9955 Microwave dielectric properties and microstructure of $Sm(Mg_{0.5}Ti_{0.5-x}Sn_x)O_3$ ceramics
L. YAO, J. YANG & T. QIU (China)
- 9961 Structure and dielectric properties of $(1-x)Ag_{0.9}Li_{0.1}NbO_3$ - $(x)Bi_{0.5}K_{0.5}TiO_3$ ferroelectric ceramics
J. POZINGIS, J. MACUTKEVIC, R. GRIGALAITIS, J. BANYS (Lithuania) & D.C. LUPASCU (Germany)
- 9971 Synthesis, hydration and thermal stability of hydrates in strontium-aluminate cement
P. PTÁČEK, F. ŠOUKAL, T. OPRAVIL, E. BARTONIČKOVÁ, M. ZMRZLÝ & R. NOVOTNÝ (Czech Republic)
- 9981 Preparation and catalytic properties of Cu_2O - CoO/Al_2O_3 composite coating prepared on aluminum plate by microarc oxidation
D. LIU, B. JIANG, Z. LIU, Y. GE & Y. WANG (China)
- 9989 Surface characterization of sputtered N:TiO₂ thin films within a wide range of dopant concentration
A.V. MANOLE, M. DOBROMIR, R. APETREI, V. NICA & D. LUCA (Romania)
- 9997 Optical and structural characterization of solution processed zinc oxide nanorods via hydrothermal method
C.Y. CHEE, K. NADARAJAH, M.K. SIDDIQUI & Y. WONG (Malaysia)
- 10005 Template-free and large-scale synthesis of hierarchical dandelion-like $NiCo_2O_4$ microspheres for high-performance supercapacitors
M. KUANG, W. ZHANG, X.L. GUO, L. YU & Y.X. ZHANG (PR China)
- 10013 Preparation and properties of reticulated porous γ - $Y_2Si_2O_7$ ceramics with high porosity and relatively high strength
Z. WU, L. SUN, Z. TIAN, J. WANG, J. LI & Z. HU (China)
- 10021 Low temperature rf-sputtered In and Al co-doped ZnO thin films deposited on flexible PET substrate
S.-U. PARK & J.-H. KOH (Korea)
- 10027 Hybrid composites produced by anodizing and accumulative roll bonding (ARB) processes
M.R. TOROGHINEJAD, R. JAMAATI, A. NOORYAN & H. EDRIS (Iran)
- 10037 Mechanical and electromagnetic shielding properties of SiC_f/SiC composites fabricated by combined CVI and PIP process
Y. MU, W. ZHOU, C. WANG, F. LUO, D. ZHU & D. DING (China)
- 10043 Effect of preparation parameters on the properties of hydroxyapatite containing micro-arc oxidation coating on biodegradable ZK60 magnesium alloy
X. LIN, X. WANG, L. TAN, P. WAN, X. YU, Q. LI & K. YANG (China)
- 10053 An improved solid-state reaction to synthesize Zr-doped $Li_4Ti_5O_{12}$ anode material and its application in $LiMn_2O_4/Li_4Ti_5O_{12}$ full-cell
Z. WANG, Z. WANG, W. PENG, H. GUO & X. LI (PR China)
- 10061 The synergetic effect of bioactive ceramic and nanoclay on the properties of chitosan-gelatin/nanohydroxyapatite-montmorillonite scaffold for bone tissue engineering
A. OLAD & F. FARSHI AZHAR (Iran)

- 10073 Dielectric, AC-impedance, modulus studies on $0.5\text{BaTiO}_3\cdot 0.5\text{CaCu}_3\text{Ti}_4\text{O}_{12}$ nano-composite ceramic synthesized by one-pot, glycine-assisted nitrate-gel route
L. SINGH (Republic of Korea), U.S. RAI, K. MANDAL (India), B.C. SIN, S.-I. LEE & Y. LEE (Republic of Korea)
- 10085 Enhancing visible light responsive photocatalytic activity by decorating Mn-doped ZnO nanoparticles on graphene
M. AHMAD (Pakistan, China), E. AHMED (Pakistan), W. AHMED, A. ELHISSI (United Kingdom), Z.L. HONG (China) & N.R. KHALID (Pakistan, China)
- 10099 Magnetocrystalline anisotropy of $\text{NiZnFe}_2\text{O}_4$
R.S. DE BIASI & D.G. CARVALHO (Brazil)
- 10103 Tribology properties of $\text{Al}_2\text{O}_3/\text{TiO}_2$ nanocomposites as lubricant additives
T. LUO, X. WEI, H. ZHAO, G. CAI & X. ZHENG (China)

Short Communications

- 10111 Dielectric characteristics of Sr substitution on $\text{Ca}_{0.4}\text{Sm}_{0.4}\text{TiO}_3$ ceramics at microwave frequency
C.-H. HSU & S.-H. TSAI (Taiwan)
- 10115 Microwave radiation heating synthesis and luminescence of SrWO_4 and $\text{SrWO}_4\cdot x\text{Eu}^{3+}$ powders
H. FENG, Y. YANG & X. WANG (China)
- 10119 Dependence of NiO microstructure on the electrospinning conditions
M. RISTIĆ, M. MARCIUŠ, Ž. PETROVIĆ & S. MUSIĆ (Croatia)
- 10125 A white light emitting luminescent material $\text{Ba}_3\text{Y}(\text{PO}_4)_3\cdot\text{Dy}^{3+}$
Q. LIU, Y. LIU, Y. DING, Z. PENG, X. TIAN, Q. YU & G. DONG (China)
- 10131 Alkali inorganic binders for the production of fibre based foams
V. MEDRI, S. MARTELLI, E. LANDI & L. ESPOSITO (Italy)
- 10137 Fabrication of zirconium carbide nanofibers by electrospinning
F. LI, Z. KANG, X. HUANG & G.-J. ZHANG (China)
- 10143 Effect of sintering temperature and P_2O_5 concentration on the grain shape and grain growth behavior in the $\text{ZnO}-\text{P}_2\text{O}_5$ system
I.-S. CHOI, J.-H. LEE, Y.-W. HEO & J.-J. KIM (Republic of Korea)
- 10149 Influence of Cr_2O_3 on $\text{ZnO}-\text{Bi}_2\text{O}_3-\text{MnO}_2$ -based varistor ceramics
S. MA, Z. XU, R. CHU, J. HAO, M. LIU, L. CHENG & G. LI (People's Republic of China)
- 10153 Formation of hydrogen by electrochemical reaction of CO gas and H_2O vapor using porous Gd-doped ceria electrolyte cell
Y. HIRATA, Y. KISANUKI, S. SAMESHIMA & T. SHIMONOSONO (Japan)
- 10159 Mechanical properties of deposited carbon thin films on sapphire substrates using atomic force microscopy (AFM)
S. PAT, M.Z. BALBAĞ & Ş. KORKMAZ (Turkey)
- 10163 Tubular solid oxide fuel cells fabricated by slip-phase inversion combined with a vacuum-assisted coating technique
J. XIAO, C. XIONG, L. DING, H. YUAN, L. CHEN & W. LIU (PR China)
- 10171 Visible light photocatalytic activity of $\text{CuO}/\text{Cr}_2\text{O}_3$ co-loaded multiwalled carbon nanotubes sensitized with eosin Y for hydrogen evolution from water
X. LI, J. ZHANG, S. KANG, G. LI & J. MU (China)

- 10177 Development of the embedded capacitor with ceramic/resin hybrid films for LNA module
J. LIM, S.-D. PARK, C.-S. YOO, J. KIM, H.-G. YOON & J. KIM (Republic of Korea)
- 10183 Hydrothermal synthesis of hollow hydroxyapatite microspheres with nano-structured surface assisted by inositol hexakisphosphate
D. XIAO, Z. TAN, Y. FU, K. DUAN, X. ZHENG, X. LU & J. WENG (China)
- 10189 Photoluminescence properties of novel Dy³⁺ doped Ba₅CaAl₄O₁₂ phosphors
F. YANG, H. MA, Y. LIU, B. HAN, H. FENG & Q. YU (China)
- 10193 Solid-state grain growth of garnet single crystals of complex composition
Z. LI, H. NIAN, T. FENG & D. JIANG (China)
- 10197 Macroporous ceramics: Novel route using partial sintering of alumina-powder agglomerates obtained by spray-drying
G. JEAN, V. SCIAMANNA, M. DEMUYNCK, F. CAMBIER & M. GONON (Belgium)