


Volume 272, 24 January 2014

ISSN 0304-3800

ECOLOGICAL MODELLING

An International Journal on
**ECOLOGICAL MODELLING AND
SYSTEMS ECOLOGY**



Editor-in-chief
Brian D. Fath

CONTENTS

(Abstracts/contents list published in: *Biological Abstracts*, *Cambridge Scientific Abstracts*, *Elsevier BIOBASE/Current Awareness in Biological Sciences*, *Current Contents AB & ES*, *Ecological Abstracts*, *Ecology Abstracts*, *Environment Abstracts*, *Environmental Periodicals Bibliography (EPB)*); Also covered in the abstract and citation database SCOPUS®.
Full text available on ScienceDirect®.

Articles

| | |
|--|-----|
| Influence of freshwater inflow variability on the Douro estuary primary productivity: A modelling study I.C. Azevedo, A.A. Bordalo and P. Duarte (Porto, Portugal) | 1 |
| Measuring and predicting abundance and dynamics of habitat for piping plovers on a large reservoir M.J. Anteau, M.T. Wiltermuth, M.H. Sherfy and T.L. Shaffer (Jamestown, ND, USA) | 16 |
| Comparing model scenarios of variable plankton N/P ratio versus the constant one for the application in the Baltic Sea Z. Wan (Copenhagen, Denmark) and H. Bi (Solomons, MD, USA) | 28 |
| Evaluating spatiotemporal differences and sustainability of Xiamen urban metabolism using energy synthesis D. Yang, W.T.M. Kao, G. Zhang and N. Zhang (Xiamen, China) | 40 |
| Sustainable use of prey species in a prey-predator system: Jointly determined ecological thresholds and economic trade-offs B. Ghosh and T.K. Kar (Howrah, India) | 49 |
| A time series sequestration and storage model of atmospheric carbon dioxide G.L.A.F. Arce, J.A. Carvalho Jr. (Brazil) and L.F.C. Nascimento (Taubaté, Brazil) | 59 |
| On solving a bi-level stochastic dynamic programming model for analyzing fisheries policies: Fishermen behavior and optimal fish quota D. van Dijk (Wageningen, The Netherlands and Dübendorf, Switzerland), E.M.T. Hendrix (Málaga, Spain), R. Haijema, R.A. Groeneveld and E.C. van Ierland (Wageningen, The Netherlands) | 68 |
| Measuring the potential for growth in populations investing in diapause J. Montero-Pau, C. Gabaldón, M.J. Carmona and M. Serra (Valencia, Spain) | 76 |
| A model for the description of feeding regulation by mesozooplankton under different conditions of temperature and prey nutritional status E. Acheampong (Cape Coast, Ghana and Hamburg, Germany), I. Hense (Hamburg, Germany) and M.A. St. John (Charlottenlund, Denmark) | 84 |
| Spatio-temporal evaluation of carbon emissions from biomass burning in Southeast Asia during the period 2001–2010 Y. Shi, T. Sasai and Y. Yamaguchi (Nagoya, Japan) | 98 |
| Eelgrass re-establishment in shallow estuaries is affected by drifting macroalgae – Evaluated by agent-based modeling P. Canal-Vergés, (Odense M, Denmark and Hørsholm, Denmark), M. Potthoff, F.T. Hansen (Hørsholm, Denmark), N. Holmboe (Odense SØ, Denmark), E.K. Rasmussen (Hørsholm, Denmark) and M.R. Flindt (Odense M, Denmark) | 116 |
| Comparing the suitability of classified land cover data and remote sensing variables for modeling distribution patterns of plants A.F. Cord (Leipzig, Germany), D. Klein (Wessling, Germany), F. Mora (Mexico-City, Mexico) and S. Dech (Wessling, Germany and Würzburg, Germany) | 129 |
| Predator foraging behavior and patterns of avian nest success: What can we learn from an agent-based model? K.M. Ringelman (Davis, CA, USA) | 141 |
| Mathematical evaluation of behavioral deterrent systems to disrupt fish movement D.P. Zielinski, M. Hondzo and V.R. Voller (Minneapolis, MN, USA) | 150 |
| Numerical modelling and graph theory tools to study ecological connectivity in the Great Barrier Reef C.J. Thomas, J. Lambrechts (Louvain-la-Neuve, Belgium), E. Wolanski (Townsville, Australia), V.A. Traag, V.D. Blondel, E. Deleersnijder and E. Hanert (Louvain-la-Neuve, Belgium) | 160 |
| A trade-off approach of optimal land allocation between socio-economic development and ecological stability J. Zhang, M. Fu, Z. Zhang, J. Tao and W. Fu (Beijing, China) | 175 |
| Synergism analysis of an urban metabolic system: Model development and a case study for Beijing, China Y. Zhang, H. Liu (Beijing, China) and B.D. Fath (Towson, MD, USA and Laxenburg, Austria) | 188 |
| Shared resources and disease dynamics in spatially structured populations C.L. Nunn (Durham, NC, USA and Cambridge, MA, USA), P.H. Thrall (Canberra, Australia) and P.M. Kappeler (Göttingen, Germany) | 198 |
| Mineral resource assessment: Compliance between energy and exergy respecting Odum's hierarchy concept N. Jamali-Zghal, O. Le Corre and B. Lacarrière (Nantes, France) | 208 |
| The essential parameters of a resource-based carrying capacity assessment model: An Australian case study M. Lane, L. Dawes and P. Grace (Brisbane, Australia) | 220 |
| Can fish consumption rate estimates be improved by linking bioenergetics and mercury mass balance models? Application to tunas B.E. Ferriss and T.E. Essington (Seattle, WA, USA) | 232 |
| Effects of noise and by-catch on a Danish harbour porpoise population J. Nabe-Nielsen (Denmark), R.M. Sibly (UK), J. Tougaard, J. Teilmann and S. Sveegaard (Denmark) | 242 |
| Impacts of hydropower and climate change on drivers of ecological productivity of Southeast Asia's most important wetland M.E. Arias, T.A. Cochrane (Christchurch, New Zealand), M. Kummu (Aalto, Finland), H. Lauri (Espoo, Finland), G.W. Holtgrieve (Seattle, WA, USA), J. Koponen (Espoo, Finland) and T. Piman (Christchurch, New Zealand and Vientiane, Lao Democratic People's Republic) | 252 |
| The application of information diffusion technique in probabilistic analysis to grassland biological disasters risk L. Hao, L.-Z. Yang and J.-M. Gao (Nanjing, China) | 264 |
| Measuring resilience in aquatic trophic networks from supply-demand-of-energy relationships F. Arreguin-Sánchez (La Paz, Mexico) | 271 |
| Extending the ROMUL model to simulate the dynamics of dissolved and sorbed C and N compounds in decomposing boreal mor H. Laine-Kaulio, H. Koivusalo (Aalto, Finland), A.S. Komarov (Pushchino, Russia), M. Lappalainen, S. Launiainen and A. Laurén (Joensuu, Finland) ... | 277 |

(Contents continued on bm I)



(Contents continued from Outer back cover)

| | |
|---|-----|
| Modeling seed dormancy release and germination for predicting <i>Avena fatua</i> L. field emergence: A genetic algorithm approach A.M. Blanco, G.R. Chantre, M.V. Lodovichi, J.A. Bandoni, R.L. López, M.R. Vigna, R. Gigón and M.R. Sabbatini (Buenos, Argentina) | 293 |
| Environmental forcing and density-dependent controls of <i>Culex pipiens</i> abundance in a temperate climate (Northeastern Italy) Y. Jian, S. Silvestri (Durham, NC, USA), E. Belluco (Padova, Italy), A. Saltarin (Sant'Apollinare-Rovigo, Italy), G. Chillemi (Rovigo, Italy) and M. Marani (Durham, NC, USA and Padova, Italy) | 301 |
| Generalised growth models for aquatic species with an application to blacklip abalone (<i>Haliotis rubra</i>) L.R. Lloyd-Jones, Y.-G. Wang (Lucia, Australia) and W.J. Nash (Dutton Park, Australia) | 311 |
| Evaluation of simulated estimates of forest ecosystem carbon stocks using ground plot data from Canada's National Forest Inventory C.H. Shaw, A.B. Hilger, J. Metsaranta (Edmonton, Canada), W.A. Kurz, G. Russo, F. Eichel, G. Stinson, C. Smyth (Victoria, Canada) and M. Filiatrault (Edmonton, Canada) | 323 |
| Optimal harvesting of an age-structured, two-sex herbivore–plant system O. Tahvonen (Finland), J. Kumpula (Kaamanen, Finland) and A.-J. Pekkarinen (Finland) | 348 |
| A process-based model to simulate growth in forests with complex structure: Evaluation and use of 3D-CMCC Forest Ecosystem Model in a deciduous forest in Central Italy A. Collalti, L. Perugini, M. Santini, T. Chiti (Viterbo, Italy), A. Nolè (Potenza, Italy), G. Matteucci (Rende, Italy and Monterotondo Scalo, Italy) and R. Valentini (Viterbo, Italy) | 362 |
| How to determine the likely indirect food-web consequences of a newly introduced non-native species: A worked example J.K. Pinnegar (Lowestoft, UK), M.T. Tomczak (Stockholm, Sweden) and J.S. Link (Woods Hole, MA, USA) | 379 |
| Mathematical model on the effects of global climate change and decreasing forest cover on seasonal rainfall in Northern Thailand C. Likasiri, E. Duangdai and R. Pongvuthithum (Chiang Mai, Thailand) | 388 |
| Requirements, design and implementation of a general model of biological invasion D. Savage (Crawley, Australia and Bruce, Australia) and M. Renton (Crawley, Australia, Bruce, Australia and Floreat, Australia) | 394 |