



ECOLOGICAL MODELLING

An International Journal on
**ECOLOGICAL MODELLING AND
SYSTEMS ECOLOGY**



Editor-in-chief
Brian D. Fath

CONTENTS

(Abstracts/contents list published in: *Biological Abstracts*, *Cambridge Scientific Abstracts*, *Elsevier BIOBASE/Current Awareness in Biological Sciences*, *Current Contents AB & ES*, *Ecological Abstracts*, *Ecology Abstracts*, *Environment Abstracts*, *Environmental Periodicals Bibliography (EPB)*); Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.

Articles

Fertility control is much less effective than lethal baiting for controlling foxes S.R. McLeod and G. Saunders (Orange, Australia).....	1
Three-dimensional modelling of slope stability in heterogeneous montane forest ecosystems Z. Mao, F. Bourrier (Saint Martin d'Hères, France), A. Stokes and T. Fourcaud (Montpellier, France).....	11
Modeling temporal phenomena in variable environments with parametric models: An application to migrating salmon R.W. Zabel, B.J. Burke, M.L. Moser (Seattle, WA, USA) and C.C. Caudill (Moscow, ID, USA).....	23
A simulation model coupling the behaviour and energetics of a breeding central place forager to assess the impact of environmental changes R. Langton, I.M. Davies and B.E. Scott (Aberdeen, UK).....	31
The effect of adjusting model inputs to achieve mass balance on time-dynamic simulations in a food-web model of Lake Huron B.J. Langseth, M.L. Jones (East Lansing, MI, USA) and S.C. Riley (Ann Arbor, MI, USA).....	44
Friction based social force model for social foraging of sheep flock Z. Li and Y. Jiang (Nanjing, China).....	55
Coupling 3-D Eulerian bio-physics (ROMS) with individual-based shellfish ecophysiology (SHELL-E): A hybrid model for carrying capacity and environmental impacts of bivalve aquaculture D.A. Ibarra, K. Fennel and J.J. Cullen (Halifax, Canada).....	63
Modelling the effect of belowground herbivory on grassland diversity K. Körner, H. Pfestorf (Potsdam, Germany), F. May (Leipzig, Germany) and F. Jeltsch (Potsdam, Germany; Berlin, Germany and Müncheberg, Germany).....	79
Application of L-systems to geometrical construction of chamise and juniper shrubs D.R. Prince, M.E. Fletcher, C. Shen and T.H. Fletcher (Provo, UT, USA).....	86
An ecological model of the habitat mosaic in estuarine nursery areas: Part II-Projecting effects of sea level rise on fish production R.S. Fulford (Gulf Breeze, FL, USA), M.S. Peterson, W. Wu and P.O. Grammer (Ocean Springs, MS, USA).....	96
Adaptation and multiple parameter optimization of the simulation model SALMO as prerequisite for scenario analysis on a shallow eutrophic Lake Q. Chen (Beijing, China and Nanjing, China), C. Zhang (Beijing, China), F. Recknagel (Australia), J. Guo and K. Blanckaert (Beijing, China).....	109
Thinking outside the channel: Timing pulse flows to benefit salmon via indirect pathways H.I. Jager (Oak Ridge, TN, USA).....	117
A calibration procedure to improve global rice yield simulations with EPIC W. Xiong (Laxenburg, Austria and Beijing, China), J. Balkovič (Laxenburg, Austria and Bratislava, Slovak Republic), M. van der Velde (Laxenburg, Austria), X. Zhang, R.C. Izaurralde (College Park, MD, USA), R. Skalský (Laxenburg, Austria and Bratislava, Slovak Republic), E. Lin (Beijing, China), N. Mueller (St. Paul, MN, USA) and M. Obersteiner (Laxenburg, Austria).....	128
Was overfishing of predatory fish responsible for a lobster-induced regime shift in the Benguela? L.K. Blamey, É.E. Plagányi and G.M. Branch (Rondebosch, South Africa).....	140
Impact of changing flood regime on a lakeshore plant community: Long-term observations and individual-based simulation E. Winkler (Leipzig, Germany) and M. Peintinger (Radolfzell, Germany and Zürich, Switzerland).....	151
A simple numerical model for predicting vertical distribution of phytoplankton on the continental shelf J. Greenwood and P. Craig (Perth, Australia).....	165
Phenology and density-dependent dispersal predict patterns of mountain pine beetle (<i>Dendroctonus ponderosae</i>) impact J.A. Powell and B.J. Bentz (Logan, UT, USA).....	173
Uncertainty, robustness, and the value of information in managing an expanding Arctic goose population F.A. Johnson (Gainesville, FL, USA), G.H. Jensen, J. Madsen (Aarhus, Denmark) and B.K. Williams (Bethesda, MD, USA).....	186
Seeking the flowers for the bees: Integrating biotic interactions into niche models to assess the distribution of the exotic bee species <i>Lithurgus huberi</i> in South America D.P. Silva (Goiânia, Brazil), V.H. Gonzalez (Weatherford, OK, USA and Lawrence, KS, USA), G.A.R. Melo (Curitiba, Brazil), M. Lucia, L.J. Alvarez (La Plata, Argentina) and P. De Marco Jr. (Goiânia, Brazil).....	200
Relative branch size in branch clusters modelled through a Markovian process A. Zubizarreta-Gerendiain (Joensuu, Finland and Lisboa, Portugal) and M.P. Fernández (Santiago, Chile).....	210
Photosynthesis, respiration and reaeration in a stream with complex dissolved oxygen pattern and temperature dependence J.C. Correa-González, Ma. del C. Chávez-Parga, J.A. Cortés and R.M. Pérez-Munguía (Morelia, Mexico).....	220
Integrated modelling of functional and structural connectivity of river corridors for European otter recovery K. Van Looy, J. Piffady, C. Cavillon, T. Tormos (Lyon, France), P. Landry (France) and Y. Souchon (Lyon, France).....	228

(Contents continued on bm 1)



(Contents continued from Outer back cover)

Importance of accounting for phylogenetic dependence in multi-species mark-recapture studies F. Abadi (Montpellier, France and Rondebosch, South Africa), C. Barbraud, D. Besson (Villiers en Bois, France), J. Bried (Horta, Portugal), P.-A. Crochet (Montpellier, France), K. Delord (Villiers en Bois, France), J. Forcada (Cambridge, UK), V. Grosbois (Montpellier, France), R.A. Phillips (Cambridge, UK), P. Sagar (Christchurch, New Zealand), P. Thompson (Cromarty, UK), S. Waugh (Wellington, New Zealand), H. Weimerskirch (Villiers en Bois, France), A.G. Wood (Cambridge, UK) and O. Gimenez (Montpellier, France)	236
The Brownian bridge synoptic model of habitat selection and space use for animals using GPS telemetry data A.G. Wells, C.C. Blair, E.O. Garton (Moscow, ID, USA), C.G. Rice (Olympia, WA, USA), J.S. Horne, J.L. Rachlow (Moscow, ID, USA) and D.O. Wallin (Bellingham, WA, USA)	242
Global sensitivity analysis of an end-to-end marine ecosystem model of the North Sea: Factors affecting the biomass of fish and benthos D.J. Morris, D.C. Speirs, A.I. Cameron and M.R. Heath (Glasgow, UK)	251
Individual traits as drivers of spatial dispersal and infestation patterns in a host-bark beetle system M. Kautz, R. Schopf (Freising, Germany) and M.A. Imron (Bulaksumur, Indonesia)	264
An exergy-based analysis of the co-evolution of different species sharing common resources E. Sciubba and F. Zullo (Roma, Italy)	277
Lessons from a comprehensive validation of an agent based-model: The experience of the Pampas Model of Argentinean agricultural systems F.E. Bert, S.L. Rovere (Buenos Aires, Argentina), C.M. Macal, M.J. North (Argonne, IL, USA) and G.P. Podestá (Miami, FL, USA)	284