


100  
E 20/m1



Volume 291, 10 November 2014

ISSN 0304-3800

# ECOLOGICAL MODELLING

An International Journal on  
**ECOLOGICAL MODELLING AND  
SYSTEMS ECOLOGY**



Editor-in-chief  
**Brian D. Fath**



## CONTENTS

(Abstracts/contents list published in: *Biological Abstracts*, *Cambridge Scientific Abstracts*, *Elsevier BIOBASE/Current Awareness in Biological Sciences*, *Current Contents AB & ES*, *Ecological Abstracts*, *Ecology Abstracts*, *Environment Abstracts*, *Environmental Periodicals Bibliography (EPB)*); Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.

|                                                                                                                                                                                                                                                                                                                                                                                                    |     |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Logistic density-dependent growth of an <i>Aurelia aurita</i> polyps population<br>V. Melica, S. Invernizzi and G. Caristi (Trieste, Italy).....                                                                                                                                                                                                                                                   | 1   |
| Assessing the effectiveness of green infrastructures on urban flooding reduction: A community scale study<br>W. Liu, W. Chen and C. Peng (Beijing, China).....                                                                                                                                                                                                                                     | 6   |
| Assimilating remote sensing information into a coupled hydrology-crop growth model to estimate regional maize yield in arid regions<br>Y. Li, Q. Zhou, J. Zhou, G. Zhang, C. Chen and J. Wang (Lanzhou, China).....                                                                                                                                                                                | 15  |
| The mangrove forest dynamics model mesoFON<br>U. Grueters, T. Seltmann, H. Schmidt, H. Horn (Tharandt, Germany), A. Pranchai (Tharandt, Germany and Bangkok, Thailand), A.G. Vovides (Tharandt, Germany and Xalapa, Mexico), R. Peters, J. Vogt (Tharandt, Germany), F. Dahdouh-Guebas (Brussels, Belgium) and U. Berger (Tharandt, Germany).....                                                  | 28  |
| Development of a stakeholder-driven spatial modeling framework for strategic landscape planning using Bayesian networks across two urban-rural gradients in Maine, USA<br>S.R. Meyer, M.L. Johnson, R.J. Lilieholm and C.S. Cronan (Orono, ME, USA).....                                                                                                                                           | 42  |
| Validating tree litter decomposition in the Yasso07 carbon model<br>M. Didion, B. Frey (Birmensdorf, Switzerland), N. Rogiers (Bern, Switzerland) and E. Thürig (Birmensdorf, Switzerland).....                                                                                                                                                                                                    | 58  |
| A numerical study of the seasonal variations of nutrients in the Changjiang River estuary and its adjacent sea area<br>W. Fan and J. Song (Qingdao, China).....                                                                                                                                                                                                                                    | 69  |
| Modelling ecosystem structure and trophic interactions in a typical cyanobacterial bloom-dominated shallow Lake Dianchi, China<br>K. Shan (Wuhan, China and Beijing, China), L. Li (Wuhan, China), X. Wang (Chongqing, China), Y. Wu, L. Hu (Wuhan, China and Beijing, China), G. Yu and L. Song (Wuhan, China).....                                                                               | 82  |
| The transition zones (ecotone) between boreal forests and peatlands: Ecological controls on ecosystem productivity along a transition zone between upland black spruce forest and a poor forested fen in central Saskatchewan<br>D.D. Dimitrov, J.S. Bhatti and R.F. Grant (Edmonton, Canada).....                                                                                                 | 96  |
| Using vegetation data within presettlement land survey records for species distribution modeling: A tale of two datasets<br>S.J. Tulowiecki (Buffalo, NY, USA).....                                                                                                                                                                                                                                | 109 |
| Modelling the dynamics of carbon-nitrogen metabolism in the unicellular diazotrophic cyanobacterium <i>Crocospheera watsonii</i> WH8501, under variable light regimes<br>G.M. Grimaud (Sophia-Antipolis, France), S. Rabouille, A. Dron, A. Sciandra (Villefranche/mer, France) and O. Bernard (Sophia-Antipolis, France).....                                                                     | 121 |
| Uncertainty in initial forest structure and composition when predicting carbon dynamics in a temperate forest<br>A.S. Antonarakis (Brighton, UK).....                                                                                                                                                                                                                                              | 134 |
| Simulating 2368 temperate lakes reveals weak coherence in stratification phenology<br>J.S. Read (Middleton, WI, USA), L.A. Winslow, G.J.A. Hansen (Madison, WI, USA), J. Van Den Hoek (Greenbelt, MD, USA), P.C. Hanson (Madison, WI, USA), L.C. Bruce (Perth, Australia) and C.D. Markfort (Iowa City, IA, USA).....                                                                              | 142 |
| Discovery of the Life-Organizing Principle: In Search of the Fundamentals Laws of Life<br>S.E. Jørgensen (Denmark).....                                                                                                                                                                                                                                                                            | 151 |
| Spatial modeling of agricultural land use change at global scale<br>P. Meiyappan (Urbana, IL, USA), M. Dalton (Seattle, WA, USA), B.C. O'Neill (Boulder, CO, USA) and A.K. Jain (Urbana, IL, USA).....                                                                                                                                                                                             | 152 |
| Seal encounters at sea: A contemporary spatial approach using R-INLA<br>S. Carson and J. Mills Flemming (Halifax, Canada).....                                                                                                                                                                                                                                                                     | 175 |
| Fundamentals of Ecosystem Science<br>S.E. Jørgensen (Denmark).....                                                                                                                                                                                                                                                                                                                                 | 182 |
| Long-term prediction of grassland production for five temporal patterns of precipitation during the growing season of plants based on a system model in Xilingol, Inner Mongolia, China<br>Yiruhan (Guangzhou, China), M. Shiyomi (Guangzhou, China and Bunkyo, Japan), T. Akiyama (Gifu, Japan), S. Wang (Beijing, China), Y. Yamamura, Y. Hori (Bunkyo, Japan) and Ailikun (Beijing, China)..... | 183 |
| Improving the representation of roots in terrestrial models<br>E.A.H. Smithwick (University Park, PA, USA), M.S. Lucash (Portland, OR, USA), M.L. McCormack (Beijing, China) and G. Sivandran (Columbus, OH, USA).....                                                                                                                                                                             | 193 |
| Improvement of complex and refractory ecological models: Riverine water quality modelling using evolutionary computation<br>M. Kim, N. Park, R.I. (Bob) McKay, H. Shin, Y.-G. Lee (Seoul, Republic of Korea), K.-S. Jeong (Busan, Republic of Korea) and D.-K. Kim (Toronto, Canada).....                                                                                                          | 205 |
| Modelling Late Pleistocene megafaunal extinction and critical cases: A simple prey-predator perspective<br>J.C. Flores (Arica, Chile).....                                                                                                                                                                                                                                                         | 218 |

(Contents continued on page 260)



(Contents continued from Outer back cover)

|                                                                                                                                                                                                                                                                                                                                                         |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Feedbacks between vegetation and disturbance processes promote long-term persistence of forest–grassland mosaics in south Brazil<br>C.C. Blanco (Porto Alegre, Brazil), S. Scheiter (Frankfurt am Main, Germany), E. Sosinski (Pelotas, Brazil), A. Fidelis (Rio Claro, Brazil), M. Anand (Guelph, Canada) and V.D. Pillar (Porto Alegre, Brazil) ..... | 224 |
| Euphausiid respiration model revamped: Latitudinal and seasonal shaping effects on krill respiration rates<br>N. Tremblay, T. Werner, K. Huenerlage, F. Buchholz, D. Abele, B. Meyer and T. Brey (Bremerhaven, Germany) .....                                                                                                                           | 233 |
| A predictive model for taste taint accumulation in Recirculating Aquaculture Systems (RAS) farmed-fish – demonstrated with geosmin (GSM) and 2-methylisoborneol (MIB)<br>P.I. Hathurusingha and K.R. Davey (Australia) .....                                                                                                                            | 242 |
| The use of species distribution models to predict the spatial distribution of deforestation in the western Brazilian Amazon<br>R.A. de Souza (Brasília, Brazil) and P. De Marco Jr. (Goiânia, Brazil) .....                                                                                                                                             | 250 |