



Volume 89, 1 February 2013

ISSN 0013-4686

Journal of the International Society of Electrochemistry

Electrochimica Acta

Available online at www.sciencedirect.com

SciVerse ScienceDirect



CONTENTS

VOLUME 89

2013

| | | |
|--|-----|---|
| X. CHENG, F. VOLATRON, E. PARDIEU, A. BORTA, G. CARROT, C. REYNAUD, M. MAYNE, M. PINAULT, A. ETCHEBERRY and H. PEREZ | 1 | Nanocomposite electrodes based on pre-synthesized organically grafted platinum nanoparticles and carbon nanotubes. III: Determination of oxygen reduction reaction selectivity and specific area of porous electrode related to the oxygen reduction reaction ranging from $2 \text{ m}^2 \text{ gPt}^{-1}$ to $310 \text{ m}^2 \text{ gPt}^{-1}$ |
| GUIXIAO JIN, LIJUN LU, XIAOYAO GAO, MEI-JIN LI, BIN QIU, ZHENYU LIN, HUANGHAO YANG and GUONAN CHEN | 13 | Magnetic graphene oxide-based electrochemiluminescent aptasensor for thrombin |
| LINGXIANG ZHU, SU ZHANG, YUHUA CUI, HUAIHE SONG and XIAOHONG CHEN | 18 | One step synthesis and capacitive performance of graphene nanosheets/ Mn_3O_4 composite |
| LU XIONG, YU-XI HUANG, XIAN-WEI LIU, GUO-PING SHENG, WEN-WEI LI and HAN-QING YU | 24 | Three-dimensional bimetallic Pd–Cu nanodendrites with superior electrochemical performance for oxygen reduction reaction |
| YUJIAN HUANG, WANCHUN XIANG, XIAOWEN ZHOU, SHIBI FANG and YUAN LIN | 29 | The effect of oligo-organosiloxane on poly(ethylene oxide) electrolyte system for solid dye sensitized solar cells |
| S. MEENAKSHI, A.K. SAHU, S.D. BHAT, P. SRIDHAR, S. PITCHUMANI and A.K. SHUKLA | 35 | Mesostructured-aluminosilicate-Nafion hybrid membranes for direct methanol fuel cells |
| BIN WEI, JUSTIN C. TOKASH, FANG ZHANG, YOUNGGY KIM and BRUCE E. LOGAN | 45 | Electrochemical analysis of separators used in single-chamber, air-cathode microbial fuel cells |
| ARMANDO GENNARO, ABDIRISAK AHMED ISSE, ESTER GIUSANI, PATRIZIA ROMANA MUSSINI, IRENE PRIMERANO and MANUELA ROSSI | 52 | Relationship between supporting electrolyte bulkiness and dissociative electron transfer at catalytic and non-catalytic electrodes |
| CRISTIAN PIRVU and CLAUDIO CONSTANTIN MANOLE | 63 | Electrochemical surface plasmon resonance for in situ investigation of antifouling effect of ultra thin hybrid polypyrrole/PSS films |
| ANDREA P. SANDOVAL, JOSÉ MANUEL ORTS, ANTONIO RODES and JUAN M. FELIU | 72 | A comparative study of the adsorption and oxidation of L-alanine and L-serine on Au(1 0 0), Au(1 1 1) and gold thin film electrodes in acid media |
| JUSSI KAUPPILA, PETER KUNNAS, PIA DAMLIN, ANTTI VIINKANOJA and CARITA KVARNSTRÖM | 84 | Electrochemical reduction of graphene oxide films in aqueous and organic solutions |
| A.M. BAKHSHAYESH and M.R. MOHAMMADI | 90 | Development of nanostructured porous TiO_2 thick film with uniform spherical particles by a new polymeric gel process for dye-sensitized solar cell applications |
| C. LEY, S. ZENGİN ÇEKİCİ, S. KOCHIUS, K.-M. MANGOLD, U. SCHWANEBERG, J. SCHRADER and D. HOLTMANN | 98 | An electrochemical microtiter plate for parallel spectroelectrochemical measurements |
| C.O. SOARES, R.A. SILVA, M.D. CARVALHO, M.E. MELO JORGE, A. GOMES, C.M. RANGEL and M.I. DA SILVA PEREIRA | 106 | Oxide loading effect on the electrochemical performance of LaNiO_3 coatings in alkaline media |
| C. ALBU, D. DECONINCK, L. HOTOIU, J. DECONINCK and V. TOPA | 114 | Steady-state analysis of the nickel oxide in neutral and weakly alkaline solutions |
| BRIAN P. CHAPLIN, DAVID K. HUBLER and JAMES FARRELL | 122 | Understanding anodic wear at boron doped diamond film electrodes |
| KATARZYNA SZOT, MARTIN JÖNSSON-NIEDZIOLKA, EWA ROZNIECKA, FRANK MARKEN and MARCIN OPALLO | 132 | Direct electrochemistry of adsorbed proteins and bioelectrocatalysis at film electrode prepared from oppositely charged carbon nanoparticles |
| WENJING QI, MOUSTAFA TAREK GABR, ZHONGYUAN LIU, LIANZHE HU, MOYAN HAN, SHUYUN ZHU and GUOBIAO XU | 139 | Tris(2,2'-bipyridyl) ruthenium(II) electrochemiluminescence of glyoxal, glyoxylic acid, methylglyoxal, and acetaldehyde |
| DAVID W. HATCHETT, JANELLE DROESSLER, JOHN M. KINYANJUI, BEATRIZ MARTINEZ and KENNETH R. CZEWRINSKI | 144 | The direct dissolution of $\text{Ce}_2(\text{CO}_3)_3$ and electrochemical deposition of Ce species using ionic liquid trimethyl-n-butylammonium bis(trifluoromethanesulfonyl) imide containing bis(trifluoromethanesulfonyl)imide |
| MEINHARD KNOLL, CHRISTIAN ALTHAUS, MARIUS NOLTE, CHRISTIAN SCHOO and OLGA KOPP | 152 | Nano film processor based on the lateral self-oxidation of a nanoscale aluminum film |
| REN-SHENG ZHONG, YUAN-HANG QIN, DONG-FANG NIU, XIN-SHENG ZHANG, XIN-GUI ZHOU, SHI-GANG SUN and WEI-KANG YUAN | 157 | Effect of carbon nanofiber surface groups on oxygen reduction reaction of supported Pt electrocatalyst |
| JULIEN DEMEAUX, DANIEL LEMORDANT, MAGALY CAILLON-CARAVANIER, HERVÉ GALIANO and BÉNÉDICTE CLAUDE-MONTIGNY | 163 | New insights into a high potential spinel and alkylcarbonate-based electrolytes |
| BEOMGYUN JEONG, SUNGHYUN UHM, JONG-HUY KIM and JAEYOUNG LEE | 173 | Pyrolytic carbon infiltrated nanoporous alumina reducing contact resistance of aluminum/carbon interface |

| | | |
|---|-----|--|
| SHU-JIAN HUANG and Po-YU CHEN | 180 | Fabrication of macroporous Pt and PtAu electrodes for electrochemical application through galvanic replacement at macroporous Cu electrode electrodeposited at polystyrene template from room temperature ionic liquid |
| LINGJUAN DENG, ZHENGPING HAO, JIANFANG WANG, GANG ZHU, LIPING KANG, ZONG-HUAI LIU, ZUPEI YANG and ZENGLIN WANG | 191 | Preparation and capacitance of graphene/multiwall carbon nanotubes/MnO ₂ hybrid material for high-performance asymmetrical electrochemical capacitor |
| HONGYU SUN, MASHKOOR AHMAD and JING ZHU | 199 | Morphology-controlled synthesis of Co ₃ O ₄ porous nanostructures for the application as lithium-ion battery electrode |
| KATHERINE E. MOORE, BENJAMIN S. FLAVEL, JINGXIAN YU, ANDREW D. ABELL and JOSEPH G. SHAPTER | 206 | Increased redox-active peptide loading on carbon nanotube electrodes |
| HUSSEIN GHARIBI, FARHAD GOLMOHAMMADI and MEHDI KHEIRMAND | 212 | Fabrication of MEA based on optimum amount of Co in Pd _x Co/C alloy nanoparticles as a new cathode for oxygen reduction reaction in passive direct methanol fuel cells |
| LIJIE ZHONG, SHIYU GAN, XINGGUO FU, FENGHUA LI, DONGXUE HAN, LIPING GUO and Li Niu | 222 | Electrochemically controlled growth of silver nanocrystals on graphene thin film and applications for efficient nonenzymatic H ₂ O ₂ biosensor |
| ZHONGHUI CUI, XIANGXIN GUO and HONG LI | 229 | Improved electrochemical properties of MnO thin film anodes by elevated deposition temperatures: Study of conversion reactions |
| S.T. NISHANTHI, D. HENRY RAJA, E. SUBRAMANIAN and D. PATHINETTAM PADIYAN | 239 | Remarkable role of annealing time on anatase phase titania nanotubes and its photoelectrochemical response |
| STELA PRUNEANU, FLORINA POGACEAN, ALEXANDRU R. BIRIS, MARIA COROS, FUMIYA WATANABE, ENKELEDA DERVISHI and ALEXANDRU S. BIRIS | 246 | Electro-catalytic properties of graphene composites containing gold or silver nanoparticles |
| SHENGHAN ZHANG, LIAN JIA and TAN YU | 253 | Analysis of photocurrent responses of oxide films formed on stainless steel |
| O.A. DROZHIN, M.A. VOROTYNTSEV, S.R. MADUAR, N.R. KHASANOVA, A.M. ABAKUMOV and E.V. ANTIPOV | 262 | Li-ion diffusion in Li _x Nb ₉ PO ₂₅ |
| İBRAHİM ÖZÇESMECİ, AYFER KALKAN BURAT, YELİZ İPEK, ATIF KOCA and ZEHRA ALTUNTAŞ BAYIR | 270 | Synthesis, electrochemical and spectroelectrochemical properties of phthalocyanines having extended π-electrons conjugation |
| WENBO ZHAO, YI FANG, QINSHU ZHU, KUAI WANG, MIN LIU, XIAOHUA HUANG and JIAN SHEN | 278 | A novel glucose biosensor based on phosphonic acid-functionalized silica nanoparticles for sensitive detection of glucose in real samples |
| MARTA SIEK, AGNIESZKA KAMINSKA, ANNA KELM, TOMASZ ROLINSKI, ROBERT HOLYST, MARCIN OPALLO and JOANNA NIEDZIOLKA-JONSSON | 284 | Electrodeposition for preparation of efficient surface-enhanced Raman scattering-active silver nanoparticle substrates for neurotransmitter detection |
| J.J. YU, J. YANG, W.B. NIE, Z.H. LI, E.H. LIU, G.T. LEI and Q.Z. XIAO | 292 | A porous vanadium pentoxide nanomaterial as cathode material for rechargeable lithium batteries |
| PENGYI TANG, YONGQING ZHAO and CAILING XU | 300 | Step-by-step assembled poly(3,4-ethylenedioxythiophene)/manganese dioxide composite electrodes: Tuning the structure for high electrochemical performance |
| L.C. ZHANG, Z. HU, L. WANG, F. TENG, Y. Yu and C.H. CHEN | 310 | Rice paper-derived 3D-porous carbon films for lithium-ion batteries |
| JUN HONG, WEI-YUN YANG, YING-XUE ZHAO, BAO-LIN XIAO, YUN-FEI GAO, TIAN YANG, HEDAYATOLLAH GHOURCHIAN, ZAINAB MOOSAVI-MOVAHEDI, NADER SHEIBANI, JIAN-GUO LI and ALI AKBAR MOOSAVI-MOVAHEDI | 317 | Catalase immobilized on a functionalized multi-walled carbon nanotubes-gold nanocomposite as a highly sensitive bio-sensing system for detection of hydrogen peroxide |
| D. SALINAS-TORRES, J.M. SIEBEN, D. LOZANO-CASTELLÓ, D. CAZORLA-AMORÓS and E. MORALLÓN | 326 | Asymmetric hybrid capacitors based on activated carbon and activated carbon fibre-PANI electrodes |
| DONG ZHOU, LI-ZHEN FAN, HUANHUA FAN and QIAO SHI | 334 | Electrochemical performance of trimethylolpropane trimethylacrylate-based gel polymer electrolyte prepared by in situ thermal polymerization |
| ARZU GÜNEŞ, ATILLA CIHANER and AHMET M. ÖNAL | 339 | Synthesis and electro-optical properties of new conjugated hybrid polymers based on furan and fluorene units |
| A. MAHO, J. DELHALLE and Z. MEKHALIF | 346 | Study of the formation process and the characteristics of tantalum layers electrodeposited on Nitinol plates in the 1-butyl-1-methylpyrrolidinium bis(trifluoromethylsulfonyl)imide ionic liquid |
| JI-AE CHOI, YONGKU KANG and DONG-WON KIM | 359 | Lithium polymer cell assembled by in situ chemical cross-linking of ionic liquid electrolyte with phosphazene-based cross-linking agent |
| Z. EDOUF, C. FARIAUT-GEORGES, F. CUEVAS, M. LATROCHE, T. HÉZÈQUE, G. CAILLON, C. JORDY, M.T. SOUGRATI and J.C. JUMAS | 365 | Nanostructured Ni _{3.5} Sn ₄ intermetallic compound: An efficient buffering material for Si-containing composite anodes in lithium ion batteries |
| AREUM JUN, SEONYOUNG YOO, OH-HUN GWON, JEELYOUNG SHIN and GUNTAE KIM | 372 | Thermodynamic and electrical properties of Ba _{0.5} Sr _{0.5} Co _{0.8} Fe _{0.2} O _{3-δ} and La _{0.6} Sr _{0.4} Co _{0.2} Fe _{0.8} O _{3-δ} for intermediate-temperature solid oxide fuel cells |

| | | |
|---|-----|--|
| ABBAS AFKHAMI, HAMED GHAEDI, TAYYEBEH MADRAKIAN and MAJID REZAEIVALA | 377 | Highly sensitive simultaneous electrochemical determination of trace amounts of Pb(II) and Cd(II) using a carbon paste electrode modified with multi-walled carbon nanotubes and a newly synthesized Schiff base |
| XIFEI LI, YU ZHONG, MEI CAI, MICHAEL P. BALOGH, DONGNIU WANG, YONG ZHANG, RUYING LI and XUELIANG SUN | 387 | Tin-alloy heterostructures encapsulated in amorphous carbon nanotubes as hybrid anodes in rechargeable lithium ion batteries |
| HUA-CHAO TAO, MIAN HUANG, LI-ZHEN FAN and XUANHUI QU | 394 | Effect of nitrogen on the electrochemical performance of core-shell structured Si/C nanocomposites as anode materials for Li-ion batteries |
| XIAOHUI WU, XIAOTING HONG, ZHIPING LUO, K.S. Hui, HONGYU CHEN, JUNWEN Wu, K.N. Hui, LAISHENG Li, JUNMIN NAN and QIUYUN ZHANG | 400 | The effects of surface modification on the supercapacitive behaviors of novel mesoporous carbon derived from rod-like hydroxyapatite template |
| YING JIN and PAUL J. McGINN | 407 | Bulk solid state rechargeable lithium ion battery fabrication with Al-doped $\text{Li}_7\text{La}_3\text{Zr}_2\text{O}_{12}$ electrolyte and $\text{Cu}_{0.1}\text{V}_2\text{O}_5$ cathode |
| LUIS A. DIAZ, ANA VALENZUELA-MUÑIZ, MADHIVANAN MUTHUVEL and GERARDINE G. BOTTE | 413 | Analysis of ammonia electro-oxidation kinetics using a rotating disk electrode |
| YUNJIAO WANG, PENG LIU, CHAO YANG, BIN MU and AIQIN WANG | 422 | Improving capacitance performance of attapulgite/polypyrrole composites by introducing rhodamine B |
| WENGUANG ZHANG, JINGYU XI, ZHAOHUA LI, HAIPENG ZHOU, LE LIU, ZENGHUA WU and XINPING QIU | 429 | Electrochemical activation of graphite felt electrode for $\text{VO}^{2+}/\text{VO}_2^+$ redox couple application |
| J.M. PAZ-GARCÍA, B. JOHANNESSEN, L.M. OTTOSEN, A.B. RIBEIRO and J.M. RODRÍGUEZ-MAROTO | 436 | Simulation-based analysis of the differences in the removal rate of chlorides, nitrates and sulfates by electrokinetic desalination treatments |
| A.S. ABD-EL-AZIZ, S. DALGAKIRAN, I. KUCUKKAYA and B.D. WAGNER | 445 | Synthesis, electrochemistry and fluorescence behavior of thiophene derivatives decorated with coumarin, pyrene and naphthalene moieties |
| XIAOYUN BAI, GUIHUA CHEN and KWOK-KEUNG SHIU | 454 | Electrochemical biosensor based on reduced graphene oxide modified electrode with Prussian blue and poly(toluidine blue O) coating |
| YOUHAO LIAO, CHANGJUAN SUN, SHEJUN Hu and WEISHAN LI | 461 | Anti-thermal shrinkage nanoparticles/polymer and ionic liquid based gel polymer electrolyte for lithium ion battery |
| A.E. SHALAN, M.M. RASHAD, YOUHAI YU, MÓNICA LIRA-CANTÚ and M.S.A. ABDEL-MOTTALEB | 469 | Controlling the microstructure and properties of titania nanopowders for high efficiency dye sensitized solar cells |
| HONGBO SHU, XIANYOU WANG, WEICHENG WEN, QIANQIAN LIANG, XIUKANG YANG, QILIANG WEI, BENAN HU, LI LIU, XUE LIU, YUNFENG SONG, MENG ZHO, YANSONG BAI, LANLAN JIANG, MANFANG CHEN, SHUNYI YANG, JINLI TAN, YUQING LIAO and HUIMIN JIANG | 479 | Effective enhancement of electrochemical properties for LiFePO_4/C cathode materials by Na and Ti co-doping |
| LUCA MATTAROZZI, SANDRO CATTARIN, NICOLA COMISSO, PAOLO GUERRERO, MARCO MUSIANI, LOURDES VÁZQUEZ-GÓMEZ and ENRICO VERLATO | 488 | Electrochemical reduction of nitrate and nitrite in alkaline media at CuNi alloy electrodes |
| LIPING SHEN, HUANZHI LI, LIANG LU, YAFEN LUO, YAWEN TANG, YU CHEN and TIANHONG LU | 497 | Improvement and mechanism of electrocatalytic performance of Pd–Ni/C anodic catalyst in direct formic acid fuel cell |
| PING SONG, XIAO-YU GUO, YING-CHENG PAN, SHU SHEN, YINGQIONG SUN, YING WEN and HAI-FENG YANG | 503 | Insight in cysteamine adsorption behaviors on the copper surface by electrochemistry and Raman spectroscopy |
| XIAOMING ZHOU, WUYOU FU, HAIBIN YANG, YIXING LI, YANLI CHEN, MEILING SUN, JINWEN MA, LIHUA YANG, BO ZHAO and LECHENG TIAN | 510 | CdS quantum dots sensitized SnO_2 photoelectrode for photoelectrochemical application |
| SUKEUN PARK and SEOK KIM | 516 | Effect of carbon blacks filler addition on electrochemical behaviors of Co_3O_4 /graphene nanosheets as a supercapacitor electrodes |
| XIONG ZHANG, PENG YU, HAITAO ZHANG, DACHENG ZHANG, XIANZHONG SUN and YANWEI MA | 523 | Rapid hydrothermal synthesis of hierarchical nanostructures assembled from ultrathin birnessite-type MnO_2 nanosheets for supercapacitor applications |
| HUANSHUN YIN, ZHENNING XU, MO WANG, XUEPING ZHANG and SHIYU AI | 530 | An electrochemical biosensor for assay of DNA methyltransferase activity and screening of inhibitor |
| THI M.T. HUYNH, FLORIAN WEISS, NGUYEN T.M. HAI, WERNER RECKIEN, THOMAS BREDOV, ALEXANDER FLUEGEL, MARCO ARNOLD, DIETER MAYER, HUBERT KELLER and PETER BROEKMAN | 537 | On the role of halides and thiols in additive-assisted copper electroplating |
| CHONG SUN, JINGJING MIAO, JIE YAN, KAI YANG, CHUN MAO, JING JU and JIAN SHEN | 549 | Applications of antibiofouling PEG-coating in electrochemical biosensors for determination of glucose in whole blood |
| M. MARINARO, F. NOBILI, R. TOSCI and R. MARASSI | 555 | Microwave-assisted synthesis of carbon (Super-P) supported copper nanoparticles as conductive agent for $\text{Li}_4\text{Ti}_5\text{O}_{12}$ anodes for Lithium-ion batteries |

| | | |
|---|-----|--|
| XINGTIAN YIN, WENXIU QUE, DUAN FEI, HAIXIA XIE, ZUOLI HE and GANGFENG WANG | 561 | Strategies to prepare an efficient photoanode for ZnO nanowires-based CdS-CdSe co-sensitized solar cells |
| DONG LIU, JUN SHEN, NIANPING LIU, HUIYU YANG and Ai DU | 571 | Preparation of activated carbon aerogels with hierarchically porous structures for electrical double layer capacitors |
| HAIYAN PAN, HONGTING PU, MING JIN, DECHENG WAN and ALEXANDER D. MODESTOV | 577 | Semi-interpenetrating polymer networks based-on end-group crosslinked fluorine-containing polyimide via click chemistry |
| WARAPONG KRENGVIRAT, SRIMALA SREEKANTAN, AHMAD-FAUZI MOHD NOOR, GO KAWAMURA, HIROYUKI MUTO and ATSUNORI MATSUDA | 585 | Single-step growth of carbon and potassium-embedded TiO ₂ nanotube arrays for efficient photoelectrochemical hydrogen generation |
| SHUTAO WANG, DANMING CHAO, ERIK B. BERDA, XIAOTENG JIA, RUI YANG and CE WANG | 594 | Multicolor electrochromic performance of electroactive poly(amic acid) containing pendant oligoaniline, azobenzene and sulfonic acid groups |
| JING'E HUO, ENBO SHANGGUAN and QUANMIN LI | 600 | A pre-anodized inlaying ultrathin carbon paste electrode for simultaneous determination of uric acid and folic acid |
| M. BELÉN MOLINA CONCHA, MARIAN CHATENET, FABIO H.B. LIMA and EDSON A. TICIANELLI | 607 | <i>In situ</i> Fourier transform infrared spectroscopy and on-line differential electrochemical mass spectrometry study of the NH ₃ BH ₃ oxidation reaction on gold electrodes |
| LIN LIU, DEHUA DENG, YUN XING, SUJUAN LI, BAIQING YUAN, JING CHEN and NING XIA | 616 | Activity analysis of the carbodiimide-mediated amine coupling reaction on self-assembled monolayers by cyclic voltammetry |
| YUTAKA FUJIWARA, YASUYUKI KOBAYASHI, NAOTAKA HIGUCHI, YASUHIRO HOSHIYAMA and HIDEKAZU MIYAKE | 623 | Codeposition mechanism in Sn/Ag nanoparticle composite plating |
| CARLOS A. DE SOUZA, RONNY F.M. DE SOUZA, MARCELO NAVARRO, IVANI MALVESTITI, ANA P.F. DA SILVA, LOTHAR W. BIEBER and MADALENA C.C. AREIAS | 631 | Electrochemical Reformatsky reaction of α -haloketones and benzaldehyde on a graphite powder cathode free of organic solvents |
| Z. LIU, S. ZEIN EL ABEDIN and F. ENDRES | 635 | Electrodeposition of zinc films from ionic liquids and ionic liquid/water mixtures |
| PENG BAI and GUANGYU TIAN | 644 | Statistical kinetics of phase-transforming nanoparticles in LiFePO ₄ porous electrodes |
| MANUEL ALGARRA, BRUNO B. CAMPOS, BEATRIZ ALONSO, CARMEN M. CASADO, JOAQUIM C.G. ESTEVES DA SILVA and JUANA BENAVENTE | 652 | Inclusion of thiol DAB dendrimer/CdSe quantum dots based in a membrane structure: Surface and bulk membrane modification |
| MOHAMMAD HASANZADEH, MOHAMMAD HOSSEIN POURNAGHI-AZAR, NASRIN SHADJOU and ABOLGHASEM JOUBYAN | 660 | A verapamil electrochemical sensor based on magnetic mobile crystalline material-41 grafted by sulfonic acid |
| M. ARVAND, R. MOTAGHEDE MAZHABI and A. NIAZI | 669 | Simultaneous determination of guanine, adenine and thymine using a modified carbon paste electrode by TiO ₂ nanoparticles-magnesium(II) doped natrolite zeolite |
| B.B. PETKOVIĆ, M. MILČIĆ, D. STANKOVIĆ, I. STAMBOLIĆ, D. MANOJLOVIĆ, V.M. JOVANOVIĆ and S.P. SOVILJ | 680 | Complexation ability of octaazamacrocyclic ligand toward Co ²⁺ , Ni ²⁺ , Cu ²⁺ and Zn ²⁺ metal cations: Experimental and theoretical study |
| MENG TAO | 688 | Impurity segregation in electrochemical processes and its application to electrorefining of ultrapure silicon |
| MARTA FEROCI, ISABELLA CHIAROTTO and ACHILLE INESI | 692 | Internal redox amidation of α,β -unsaturated aldehydes in ionic liquids. The electrochemical route |
| ANGELA CHEN, MIN-JEN TSAO, JUI-FEN CHUANG and CHE-HSIN LIN | 700 | Electrochemical determination of Verapamil with a microchip embedded with gold nanoelectrode ensemble electrodes |
| KYUNGHO KIM, SU HAN PARK, TAE HYUNG KWON, JI EUN PARK, HYUNGKEUN AHN and MAN-JONG LEE | 708 | Characterization of Li-V-O nanorod phases and their effect on electrochemical properties of Li _{1+x} V ₃ O ₈ cathode materials synthesized by hydrothermal reaction and subsequent heat treatment |
| JORGE VAZQUEZ-ARENAS, MARK PRITZKER and MICHAEL FOWLER | 717 | Kinetic and hydrodynamic implications of 1-D and 2-D models for copper electrodeposition under mixed kinetic-mass transfer control |
| QI QIN and RUI ZHANG | 726 | A novel conical structure of polyaniline nanotubes synthesized on ITO-PET conducting substrate by electrochemical method |
| DAN WANG, WEI YAN, SANTOSH H. VIJAPUR and GERARDINE G. BOTTE | 732 | Electrochemically reduced graphene oxide-nickel nanocomposites for urea electrolysis |
| CÉLINE BARCHASZ, JEAN-CLAUDE LEPRÊTRE, SÉBASTIEN PATOUX and FANNIE ALLOIN | 737 | Electrochemical properties of ether-based electrolytes for lithium/sulfur rechargeable batteries |
| Yu DAI, YUWEN LIU and SHENGLI CHEN | 744 | Pt-W bimetallic alloys as CO-tolerant PEMFC anode catalysts |

| | | |
|---|-----|---|
| ABDEL SALAM HAMDY, F. ALFOSAIL and Z. GASEM | 749 | Eco-friendly, cost-effective silica-based protective coating for an A6092/SiC/17.5% aluminum metal matrix composite |
| M. Xu, D.G. IVEY, Z. XIE and W. Qu | 756 | Electrochemical behavior of Zn/Zn(II) couples in aprotic ionic liquids based on pyrrolidinium and imidazolium cations and bis(trifluoromethanesulfonyl)imide and dicyanamide anions |
| JIN ZHOU, WEN LI, ZHONGSHEN ZHANG, XIAOZHONG WU, WEI XING and SHUPING ZHUO | 763 | Effect of cation nature of zeolite on carbon replicas and their electrochemical capacitance |
| XIAOPING QIAO, HELIN LI, WENZHEN ZHAO and DEJUN LI | 771 | Effects of deposition temperature on electrodeposition of zinc–nickel alloy coatings |
| C.C. COOK and M.J. WAGNER | 778 | Ceramic/polymer solid electrolyte based lithium water primary battery |
| DOMINIQUE LORCY, KYONG-SOON SHIN, MICHEL GUERRO and JACQUES SIMONET | 784 | π -Donor layer coverage onto glassy carbon by electrochemical means. Reduction of ω -iodoalkyl-tetrathiafulvalenes |
| IGOR VOLOV, XIAOXUAN SUN, GREESHMA GADIKOTA, PING SHI and ALAN C. WEST | 792 | Electrodeposition of copper–tin film alloys for interconnect applications |
| TUNG-MING PAN, PEI-YOU LIAO, KUNG-YUAN CHANG and LIFENG CHI | 798 | Structural and sensing characteristics of $Gd_2Ti_2O_7$, Er_2TiO_5 and $Lu_2Ti_2O_7$ sensing membrane electrolyte–insulator–semiconductor for bio-sensing applications |
| WON-JE CHO, CHUL GI YEOM, BYUNG CHUL KIM, KWANG MAN KIM, JANG MYOUN Ko and KOOK-HYUN YU | 807 | Supercapacitive properties of activated carbon electrode in organic electrolytes containing single- and double-cationic liquid salts |
| XIANGRONG ZHANG, DMITRIJ ZAGIDULIN and DAVID W. SHOESMITH | 814 | Characterization of film properties on the Ni–Cr–Mo Alloy C-2000 |
| ANDREAS HOFMANN, MICHAEL SCHULZ and THOMAS HANEMANN | 823 | Gel electrolytes based on ionic liquids for advanced lithium polymer batteries |
| YING HUANG, CHANGMING CHENG, XIANQING TIAN, BAOZHAN ZHENG, YI LI, HONGYAN YUAN, DAN XIAO and MARTIN M.F. CHOI | 832 | Low-potential amperometric detection of dopamine based on MnO_2 nanowires/chitosan modified gold electrode |
| ANA GABRIELA PORRAS-GUTIÉRREZ, BERNARDO A. FRONTANA-URIBE, SILVIA GUTIÉRREZ-GRANADOS, SOPHIE GRIVEAU and FETHI BEDIOUI | 840 | In situ characterization by cyclic voltammetry and conductance of composites based on polypyrrole, multi-walled carbon nanotubes and cobalt phthalocyanine |
| HUN-GI JUNG, SRINIVASAN NAGARAJAN, YONG SOO KANG and YANG-KOOK SUN | 848 | Nanostructured TiO_2 microspheres for dye-sensitized solar cells employing a solid state polymer electrolyte |
| S. CORONA-AVENDAÑO, M.T. RAMÍREZ-SILVA, M. ROMERO-ROMO, A. ROJAS-HERNÁNDEZ and M. PALOMAR-PARDAVÉ | 854 | Influence of the $HClO_4$ concentration on the β -CD electropolymerization over a carbon paste electrode and on dopamine's electrochemical response |
| DIWEN YING, JUAN PENG, KAN LI, YALIN WANG, SIWEN PAN and JINPING JIA | 861 | Dual-cell reduction and group effect in an internal microelectrolysis reactor |
| | I | Recent SI |
| | II | Future SI |