



Volume 90, 15 February 2013

ISSN 0013-4686

Journal of the International Society of Electrochemistry

Electrochimica Acta

Available online at www.sciencedirect.com

SciVerse ScienceDirect



| | | |
|---|-----|---|
| A.A. MOYA | 1 | Harmonic analysis in ideal ion-exchange membrane systems |
| K.P. RATAJ, C. HAMMER, B. WALTHER and M.M. LOHRENGEL | 12 | Quantified oxygen evolution at microelectrodes |
| MUTLU I. MUGLALI, ANDREAS ERBE, YING CHEN, CHRISTOPH BARTH, PATRICK KOELSCH and MICHAEL ROHWERDER | 17 | Modulation of electrochemical hydrogen evolution rate by araliphatic thiol monolayers on gold |
| SHUBO HAN, KAODI UMERA, XIAOYAN HAN and JUSTIN W. GRAHAM | 27 | Surface electrochemical oxidation and polymerization mechanism of epicatechin |
| YANG HAN, JIANBIN ZHENG and SHEYING DONG | 35 | A novel nonenzymatic hydrogen peroxide sensor based on Ag-MnO ₂ -MWCNTs nanocomposites |
| JICHENG SHI, HONGFENG XU, LU LU and XIN SUN | 44 | Study of magnetic field to promote oxygen transfer and its application in zinc-air fuel cells |
| JING TANG, TAO WANG, XIN SUN, YUANYUAN HU, QIAOQIAO XIE, YUNXIA GUO, HAIRONG XUE and JIANPING HE | 53 | Novel synthesis of reduced graphene oxide-ordered mesoporous carbon composites and their application in electrocatalysis |
| HEE-DAE LIM, HYEOKJO GWON, HAEGYEOM KIM, SUNG-WOOK KIM, TAEHO YOON, JANG WOOK CHOI, SEUNG M. OH and KISUK KANG | 63 | Mechanism of Co ₃ O ₄ /graphene catalytic activity in Li-O ₂ batteries using carbonate based electrolytes |
| J.R.S. PEREIRA, S. RAJESH, F.M.L. FIGUEIREDO and F.M.B. MARQUES | 71 | Composite electrodes for ceria-carbonate intermediate temperature electrolytes |
| QING LI, YUEJIAO CHEN, TING YANG, DANNI LEI, GUANHUA ZHANG, LIN MEI, LIBAO CHEN, QIUHONG LI and TAIHONG WANG | 80 | Preparation of 3D flower-like NiO hierarchical architectures and their electrochemical properties in lithium-ion batteries |
| F.P. CARDOSO, S. AQUINO NETO, P.G. FENGA, P. CIANCAGLINI and A.R. DE ANDRADE | 90 | Electrochemical characterization of methanol/O ₂ biofuel cell: Use of laccase biocathode immobilized with polypyrrole film and PAMAM dendrimers |
| QINGQING ZHANG, YU LI, YIYU FENG and WEI FENG | 95 | Electropolymerization of graphene oxide/polyaniline composite for high-performance supercapacitor |
| JIANBIN PAN, XINCHUN LI, ZUANGUANG CHEN, FAN YANG, XIAOHANG WU, YINBAO LI, DUANPING SUN and YANYAN YU | 101 | A beveled working electrode coupled to a sandglass shape detection cell: A strategy to improve the sensitivity of electrochemiluminescence detection in microchip electrophoresis |
| KAI-HANG YE, SHI-AO ZHOU, XIAO-CUI ZHU, CHANG-WEI XU and PEI KANG SHEN | 108 | Stability analysis of oxide (CeO ₂ , NiO, Co ₃ O ₄ and Mn ₃ O ₄) effect on Pd/C for methanol oxidation in alkaline medium |
| ALOK KUMAR RAI, LY TUAN ANH, JIHYEON GIM, VINOD MATHEW, JUNGWON KANG, BABOO JOSEPH PAUL, JINJU SONG and JAEOOOK KIM | 112 | Simple synthesis and particle size effects of TiO ₂ nanoparticle anodes for rechargeable lithium ion batteries |
| CHEN GONG, YU-JUN BAI, YONG-XIN QI, NING LUN and JUN FENG | 119 | Preparation of carbon-coated MgFe ₂ O ₄ with excellent cycling and rate performance |
| HAITAO WANG and EN-HOU HAN | 128 | Simulation of metastable corrosion pit development under mechanical stress |
| LOIC BAGGETTO, NANCY J. DUDNEY and GABRIEL M. VEITH | 135 | Surface chemistry of metal oxide coated lithium manganese nickel oxide thin film cathodes studied by XPS |
| INJOON JANG, IMGON HWANG and YONGSUG TAK | 148 | Attenuated degradation of a PEMFC cathode during fuel starvation by using carbon-supported IrO ₂ |
| SVETLOZAR IVANOV, VESSELA TSAKOVA and ANDREAS BUND | 157 | Formation and electroanalytical performance of polyaniline-palladium nanocomposites obtained via Layer-by-Layer adsorption and electroless metal deposition |
| FEDOR S. FEDOROV, JULIA LINNEMANN, KRISTINA TSCHULIK, LARS GIEBELER, MARGITTA UHLEMANN and ANNETT GEBERT | 166 | Capacitance performance of cobalt hydroxide-based capacitors with utilization of near-neutral electrolytes |
| NIANXING WANG, PIA DAMLIN, BEATRIZ MEANA ESTEBAN, TIMO ÄÄRITALO, JOUKO KANKARE and CARITA KVARNSTRÖM | 171 | Electrochemical synthesis and characterization of copolyviologen films |
| N. ANGULAKSHMI, K.S. NAHM, JIJEEESH R. NAIR, C. GERBALDI, R. BONGIOVANNI, N. PENAZZI and A. MANUEL STEPHAN | 179 | Cycling profile of MgAl ₂ O ₄ -incorporated composite electrolytes composed of PEO and LiPF ₆ for lithium polymer batteries |
| YANYAN TIAN, HONGJUN YUE, ZHENGLIANG GONG and YONG YANG | 186 | Enhanced electrochemical performance of fluorinated carbon nanotube as cathode for Li-O ₂ primary batteries |

| | | |
|---|-----|---|
| S. ANANDHAVELU and S. THAMBIDURAI | 194 | Single step synthesis of chitin/chitosan-based graphene oxide-ZnO hybrid composites for better electrical conductivity and optical properties |
| XIUHUI LIU, ZHIHAN NAN, YU QIU, LICHUN ZHENG and XIAOQUAN LU | 203 | Hydrophobic ionic liquid immobilizing cholesterol oxidase on the electrodeposited Prussian blue on glassy carbon electrode for detection of cholesterol |
| YUANZHAN WU, SUQIN LIU, HAIYAN WANG, XIWEN WANG, XIA ZHANG and GUANHUA JIN | 210 | A novel solvothermal synthesis of Mn ₃ O ₄ /graphene composites for supercapacitors |
| ELLEN EBNER, ALEXANDER BÖRGER, MANFRED GELBKE, EVA ZENA and MARTIN WIEGER | 219 | Temperature-dependent formation of vertical concentration gradients in lead-acid batteries under PSoC operation – Part 1: Acid stratification |
| MILIVOJ LOVRIĆ, DIJANA JADREŠKO and ŠEBOJKA KOMORSKY-LOVRIĆ | 226 | Theory of square-wave voltammetry of electrode reaction followed by the dimerization of product |
| BELÉN DÍAZ, JOLANTA ŚWIATOWSKA, VINCENT MAURICE, ANTOINE SEYEU, EMMA HÄRKÖNEN, MIKKO RITALA, SANNA TERVAKANGAS, JUKKA KOLEHMAINEN and PHILIPPE MARCUS | 232 | Tantalum oxide nanocoatings prepared by atomic layer and filtered cathodic arc deposition for corrosion protection of steel: Comparative surface and electrochemical analysis |
| SHUAI ZANG, YINGJU LIU, MOUHONG LIN, JIANLI KANG, YUANMING SUN and HONGTAO LEI | 246 | A dual amplified electrochemical immunosensor for ofloxacin: Polypyrrole film-Au nanocluster as the matrix and multi-enzyme-antibody functionalized gold nanorod as the label |
| ABDELLATIF EL-GHENYMY, PERE LLUÍS CABOT, FRANCESC CENTELLAS, JOSÉ ANTONIO GARRIDO, ROSA MARÍA RODRÍGUEZ, CONCHITA ARIAS and ENRIC BRILLAS | 254 | Electrochemical incineration of the antimicrobial sulfamethazine at a boron-doped diamond anode |
| YINGXIN GOH, A.S.M.A. HASEEB and MOHD FAIZUL MOHD SABRI | 265 | Effects of hydroquinone and gelatin on the electrodeposition of Sn-Bi low temperature Pb-free solder |
| R. VIJAYAKUMAR, T. RAMKUMAR, S. MAHESWARI, P. SRIDHAR and S. PITCHUMANI | 274 | Current and clamping pressure distribution studies on the scale up issues in direct methanol fuel cells |
| XIANGJIE BO and LIPING GUO | 283 | Simple synthesis of macroporous carbon-graphene composites and their use as a support for Pt electrocatalysts |
| SHYAMA PRASAD MOHANTY and PARAG BHARGAVA | 291 | Magnesia nanoparticles in liquid electrolyte for dye sensitized solar cells: An effective recombination suppressant? |
| SEHA TIRKEŞ, JETMIRE MERSINI, ZAHIDE ÖZTAŞ, MELEK PAMUK ALGI, FATİH ALGI and ATILLA CİHANER | 295 | A new processable and fluorescent polydithienylpyrrole electrochrome with pyrene appendages |
| A.M. BAKHSHAYESH, M.R. MOHAMMADI, H. DADAR and D.J. FRAY | 302 | Improved efficiency of dye-sensitized solar cells aided by corn-like TiO ₂ nanowires as the light scattering layer |
| CÁTIA CRISPILHO CORRÊA, MURILO SANTHIAGO, ANDRÉ LUIZ BARBOZA FORMIGA and LAURO TATSUO KUBOTA | 309 | <i>In situ</i> activated nanostructured platform for oxidized glutathione biosensing |
| ALI BABAEL, ALI REZA TAHERI and MAJID AMINIKHAH | 317 | Nanomolar simultaneous determination of levodopa and serotonin at a novel carbon ionic liquid electrode modified with Co(OH) ₂ nanoparticles and multi-walled carbon nanotubes |
| HONG WANG, LIANG HE, BOGUMIL E. BRYCKI, IWONA H. KOWALCZYK, EDYTA KULISZEWSKA and YAJIANG YANG | 326 | Electrochemical characterization of the hydrophobic microenvironment within gemini surfactant micellar-hybridized supramolecular gels |
| FABIANO R. COSTA, DÉBORA V. FRANCO and LEONARDO M. DA SILVA | 332 | Electrochemical impedance spectroscopy study of the oxygen evolution reaction on a gas-evolving anode composed of lead dioxide microfibers |
| SHAOHUI XU, FEI WANG, LI MAI, LIANWEI WANG and PAUL K. CHU | 344 | Electrochemical analysis of nickel electrode deposited on silicon microchannel plate |
| QIANG LIU, KE DU, HONGWEI GUO, ZHONG-DONG PENG, YAN-BING CAO and GUO-RONG HU | 350 | Structural and electrochemical properties of Co-Mn-Mg multi-doped nickel based cathode materials LiNi _{0.9} Co _{0.1-x} [Mn _{1/2} Mg _{1/2}] _x O ₂ for secondary lithium ion batteries |
| HAKAN ÇİFTÇİ, UĞUR TAMER, MİNE ŞEN TEKER and NURAN ÖZÇİÇEK PEKMEZ | 358 | An enzyme free potentiometric detection of glucose based on a conducting polymer poly (3-aminophenyl boronic acid-co-3-octylthiophene) |
| JUN MARUYAMA, MARI YAMAMOTO, TAKAHIRO HASEGAWA, SATOSHI IWASAKI, ZYUN SIROMA and ATSUSHI MINESHIGE | 366 | Carbonaceous thin film coated on nanoparticle as fuel cell catalyst formed by one-pot hybrid physical-chemical vapor deposition of iron phthalocyanine |
| CHRISTIAN DUNKEL, MICHAEL WARK, TORSTEN OEKERMANN, RAINER OSTERMANN and BERND M. SMARSLY | 375 | Electrodeposition of zinc oxide on transparent conducting metal oxide nanofibers and its performance in dye sensitized solar cells |
| HAILIAN LIN, JIANMAO YANG, JIANYUN LIU, YONGFANG HUANG, JIANLIN XIAO and XING ZHANG | 382 | Properties of Pd nanoparticles-embedded polyaniline multilayer film and its electrocatalytic activity for hydrazine oxidation |

| | | |
|---|-----|--|
| HUI XU, JUNLING LI, ZHENJUN PENG, JUNXIA ZHUANG and JUNLONG ZHANG | 393 | Investigation of polyaniline films doped with Ni ²⁺ as the electrode material for electrochemical supercapacitors |
| ZHE YANG, WENG WEEI TJIU, WEI FAN and TIANXI LIU | 400 | Electrodepositing Ag nanodendrites on layered double hydroxides modified glassy carbon electrode: Novel hierarchical structure for hydrogen peroxide detection |
| NAOYA KOBAYASHI, HIROKI OGATA, KI CHUL PARK, KENJI TAKEUCHI and MORINOBU ENDO | 408 | Investigation on capacitive behaviors of porous Ni electrodes for electric double layer capacitors |
| YANYAN FENG and MIN GU | 416 | The electrochemical behavior of tellurium on GCE in sol and solutions |
| YUAN FANG, XIAODONG YANG, LI WANG and YONGNING LIU | 421 | An alkaline direct methanol fuel cell with a polymer fiber membrane and MnO ₂ -catalyzed cathode |
| BO JIN, AN-HUI LIU, GUANG-YIN LIU, ZHI-ZHENG YANG, XIAO-BIN ZHONG, XIN-ZHOU MA, MO YANG and HUI-YUAN WANG | 426 | Fe ₃ O ₄ -pyrolytic graphite oxide composite as an anode material for lithium secondary batteries |
| LU-LU ZHANG, GANG PENG, GAN LIANG, PENG-CHANG ZHANG, ZHAO-HUI WANG, YAN JIANG, YUN-HUI HUANG and HAO LIN | 433 | Controllable synthesis of spherical Li ₃ V ₂ (PO ₄) ₃ /C cathode material and its electrochemical performance |
| ELIANA M. TAVARES, ANA M. CARVALHO, LUÍS M. GONÇALVES, INÊS M. VALENTE, MANUELA M. MOREIRA, LUÍS F. GUIDO, JOSÉ A. RODRIGUES, THOMAS DONEUX and AQUILES A. BARROS | 440 | Chemical sensing of chalcones by voltammetry: <i>trans</i> -Chalcone, cardamonin and xanthohumol |
| FANG GAO, NIANJUN YANG, WALDEMAR SMIRNOV, HARALD OBLÖH and CHRISTOPH E. NEBEL | 445 | Size-controllable and homogeneous platinum nanoparticles on diamond using wet chemically assisted electrodeposition |
| SHIMIN ZHANG, LEIQIANG QIN, BAORYANG LU and JINGKUN XU | 452 | Low-potential electrosynthesis of novel electroactive poly(9-fluorene-methanol) and its electrochromic and blue-light-emitting properties |
| LIUBIN SONG, XINHAI LI, ZHIXING WANG, HUAJUN GUO, ZHONGLIANG XIAO, FENG ZHANG and SANJUN PENG | 461 | Thermal behaviors study of LiFePO ₄ cell by electrochemical-calorimetric method |
| YAOMING XIAO, JENG-YU LIN, WEI-YAN WANG, SHENG-YEN TAI, GENTIAN YUE and JIHUA WU | 468 | Enhanced performance of low-cost dye-sensitized solar cells with pulse-electropolymerized polyaniline counter electrodes |
| GEORGE J. NELSON, BRICE N. CASSENTI, ALDO A. PERACCHIO and WILSON K.S. CHIU | 475 | An analytical method for dye-sensitized solar cell geometric design |
| JING SHAO and KENT KAMMER HANSEN | 482 | Enhancement of NO _x removal performance for (La _{0.85} Sr _{0.15}) _{0.99} MnO ₃ /Ce _{0.9} Gd _{0.1} O _{1.95} electrochemical cells by NO _x storage/reduction adsorption layers |
| DANDAN CAI, SUQING WANG, PEICHAO LIAN, XUEFENG ZHU, DONGDONG LI, WEISHEN YANG and HAIHUI WANG | 492 | Superhigh capacity and rate capability of high-level nitrogen-doped graphene sheets as anode materials for lithium-ion batteries |
| N. PEWNIM and S. ROY | 498 | Electrodeposition of tin-rich Cu-Sn alloys from a methanesulfonic acid electrolyte |
| F.J. RECIO, P. HERRASTI, L. VAZQUEZ, C. PONCE DE LEÓN and F.C. WALSH | 507 | Mass transfer to a nanostructured nickel electrodeposit of high surface area in a rectangular flow channel |
| A. SIMIMOL, PRASANTA CHOWDHURY, S.K. GHOSH and HARISH C. BARSHILIA | 514 | Optimization of parameters for the growth of defect free ZnO nanorod arrays with intense UV emission capacity by electrochemical route |
| XUEYI GUO, PENGFEI YI, YING YANG, JIARUI CUI, SI XIAO and WENYONG WANG | 524 | Effects of surfactants on agarose-based magnetic polymer electrolyte for dye-sensitized solar cells |
| SHOULI BAI, CHUANZHEN SUN, TENG GUO, RUIXIAN LUO, YUAN LIN, AIFAN CHEN, LINA SUN and JINGBO ZHANG | 530 | Low temperature electrochemical deposition of nanoporous ZnO thin films as novel NO ₂ sensors |
| HAIRUI ZHANG, JIXIAO WANG, QIUJU SHAN, ZHI WANG and SHICHANG WANG | 535 | Tunable electrode morphology used for high performance supercapacitor: Polypyrrole nanomaterials as model materials |
| SHUAI BAN, JIUJUN ZHANG, LEI ZHANG, KEN TSAY, DATONG SONG and XINFU ZOU | 542 | Charging and discharging electrochemical supercapacitors in the presence of both parallel leakage process and electrochemical decomposition of solvent |
| YANJI ZHANG, YANPEI LIU, JIEMEI HE, PENGFEI PANG, YUNTAO GAO and QUFEN HU | 550 | Electrochemical behavior of graphene/Nafion/Azure I/Au nanoparticles composites modified glass carbon electrode and its application as nonenzymatic hydrogen peroxide sensor |
| JUNG-HYUN KIM, NICHOLAS P.W. PIECZONKA, ZICHENG LI, YAN WU, STEPHEN HARRIS and BOB R. POWELL | 556 | Understanding the capacity fading mechanism in LiNi _{0.5} Mn _{1.5} O ₄ /graphite Li-ion batteries |

| | | |
|--|-----|---|
| ALEKSANDRA PACUŁA, PAWEŁ NOWAK, ROBERT P. SOCHA, MAŁGORZATA RUGGIERO-MIKOŁAJCZYK, DARIUSZ MUCHA and ELŻBIETA BIELAŃSKA | 563 | Preparation and characterization of the electroactive composites containing nickel nanoparticles and carbon nanotubes |
| LINCHEN HAN, K.G. KARTHIKEYAN, M.A. ANDERSON, J.J. WOUTERS and KELVIN B. GREGORY | 573 | Mechanistic insights into the use of oxide nanoparticles coated asymmetric electrodes for capacitive deionization |
| HOYOUNG SUH, KYUNG-HO NAM, HYUNSUNG JUNG, CHANG-YEON KIM, JIN-GYU KIM, CHANG-SOO KIM, NOSANG V. MYUNG and KIMIN HONG | 582 | Tapered BiTe nanowires synthesis by galvanic displacement reaction of compositionally modulated NiFe nanowires |
| JINLI NIE, YAN MO, BAOZHAN ZHENG, HONGYAN YUAN and DAN XIAO | 589 | Electrochemical fabrication of lanthanum-doped TiO ₂ nanotube array electrode and investigation of its photoelectrochemical capability |
| ZHUO TAN, XIANYOU WANG and HENGHUI ZHOU | 597 | Highly energy density olivine cathode material synthesized by coprecipitation technique |
| MAIJA BLOMQUIST, JOHAN BOBACKA, ARI IVASKA and KALLE LEVON | 604 | Electrochemical and spectroscopic study on thiolation of polyaniline |
| MANUEL H. MARTIN, JULES GALIPAUD, ALIX TRANCHOT, LIONEL ROUÉ and DANIEL GUAY | 615 | Measurements of hydrogen solubility in Cu _x Pd _{100-x} thin films |
| EMEL ERMİŞ, DENİZ YİĞİT and MUSTAFA GÜLLÜ | 623 | Synthesis of poly(N-alkyl-3,4-dihydrothieno[3,4-b][1,4]oxazine) derivatives and investigation of their supercapacitive performances for charge storage applications |
| TERESA ŁUCZAK and MARIA BELTOWSKA-BRZEZINSKA | 634 | Quantitative determination of biogenic amine at gold in the presence of secondary amine during electrochemical oxidation in physiological solution containing ascorbic and uric acids |
| S. MENNE, R.-S. KÜHNEL and A. BALDUCCI | 641 | The influence of the electrochemical and thermal stability of mixtures of ionic liquid and organic carbonate on the performance of high power lithium-ion batteries |
| XIN-HONG LU, YAN-ZHEN ZHENG, JIAXING ZHAO, JIAN-FENG CHEN and XIA TAO | 649 | Aqueous chemical synthesis of large-scale ZnO aggregates with high-efficient light-scattering and application in dye-sensitized solar cells |
| MICHAEL H. ROBSON, ALEXEY SEROV, KATERYNA ARTYUSHKOVA and PLAMEN ATANASSOV | 656 | A mechanistic study of 4-aminoantipyrine and iron derived non-platinum group metal catalyst on the oxygen reduction reaction |
| SAWANTA S. MALI, RUPESH S. DEVAN, YUAN-RON MA, CHIRAYATH A. BETTY, POPATRAO N. BHOSALE, RAJENDRA P. PANMAND, BHARAT B. KALE, SANDESH R. JADKAR, PRAMOD S. PATIL, JIN-HYEOK KIM and CHANG KOOK HONG | 666 | Effective light harvesting in CdS nanoparticle-sensitized rutile TiO ₂ microspheres |
| YAN WANG, SHILI GAI, CHUNXIA LI, FEI HE, MILIN ZHANG, YONGDE YAN and PIAOPING YANG | 673 | Controlled synthesis and enhanced supercapacitor performance of uniform pompon-like β-Ni(OH) ₂ hollow microspheres |
| MASAO KANEKO and HIROHITO UENO | 682 | Direct biomass fuel cell (BMFC) for polymeric biomass with anode/catalyst device comprising a mesoporous n-semiconductor film/Co, Ni or Cu thin layer |
| GIUSEPPE ANTONIO ELIA, STEFANIA PANERO, ALBERTO SAVOINI, BRUNO SCROSATI and JUSEF HASSOUN | 690 | Mechanically milled, nanostructured Sn–C composite anode for lithium ion battery |
| ZHIPENG XIE, QINGCHAO LIU, ZHIWEN CHANG and XINBO ZHANG | 695 | The developments and challenges of cerium half-cell in zinc–cerium redox flow battery for energy storage |
| | I | Recent SI |
| | II | Future SI |