

FM

F70



ELSEVIER

Volume 361, January 15 2014

ISSN 0378-3812

FLUID PHASE

EQUILIBRIA

AN INTERNATIONAL JOURNAL

FLUID PHASE

EQUILIBRIA

CONTENTS

(Abstracted/Indexed in: *Curr. Contents/Eng. Technol. Appl. Sci. Curr. Contents/Phys. Chem. Earth Sci., Sci. Cit. Index, Phys. Abstr., ASCA, Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®*)

Full Length Article

New basis functions for the representation of vapor pressure data C.F. Leibovici and D.V. Nichita (Pau, France)	1–15
Assessing the activity coefficients of water in cholinium-based ionic liquids: Experimental measurements and COSMO-RS modeling I. Khan, K.A. Kurnia, T.E. Sintra, J.A. Saraiva (Aveiro, Portugal), S.P. Pinho (Bragança, Portugal) and J.A.P. Coutinho (Aveiro, Portugal)	16–22
Liquid–liquid equilibria of 4-methyl-2-pentanone + 1-propanol or 2-propanol + water ternary systems: Measurements and correlation at different temperatures A. Cháfer, J. de la Torre, E. Lladosa and J.B. Montón (Valencia, Spain)	23–29
Optimization of the methylic biodiesel purification process by intermediate of liquid–liquid equilibrium data for ternary systems containing methanol + water + (soybean, corn or brown shell of coconut) biodiesel R.S. Pinheiro, A.M.M. Bessa, B.A. de Queiroz, A.M.S.F. Duarte, H.B. de Sant'Ana and R.S. de Santiago-Aguiar (Fortaleza-CE, Brazil)	30–36
Improved concentration of citrus essential oil by solvent extraction with acetate ionic liquids S. Lago, H. Rodríguez, A. Arce and A. Soto (Santiago de Compostela, Spain)	37–44
Solubility and tie line data for the aqueous solutions of butyric acid with 1-octanol and 2-ethyl-1-hexanol at various temperatures A.G. Gilani, H.G. Gilani and S.L.S. Saadat (Rasht, Iran)	45–53
Ternary liquid–liquid equilibria of trifluorotris(perfluoroethyl)phosphate based ionic liquids + benzothiophene + heptane M. Wlazlo and A. Marciniak (Warsaw, Poland)	54–59
A benzene chain-based contribution method for prediction of physical properties of aromatic compounds T. Jiao (Beijing, PR China), X. Zhuang (Qingdao, PR China), C. Li (Beijing, PR China) and S. Zhang (Beijing, PR China)	60–68
Extrapolation/interpolation of infinite dilution, activity coefficient as well as liquid and solid solubility between solvents: Part 1. Alkane solvents B. Moller (Durban, South Africa and Sasolburg, South Africa), J. Rarey (Durban, South Africa and Oldenburg, Germany) and D. Ramjugernath (Durban, South Africa)	69–82
Experimental data, correlation and prediction of the extraction of benzene from cyclic hydrocarbons using [Epy][ESO ₄] ionic liquid E. Gómez, I. Domínguez (Vigo, Spain), N. Calvar (Porto, Portugal), J. Palomar (Madrid, Spain) and Á. Domínguez (Vigo, Spain)	83–92
An examination of the excess thermodynamic properties of flexible molecules from a molecular modelling perspective M.C. dos Ramos (Nashville, TN, USA), A.V. Páez (Huelva, Spain), M.M. Piñeiro (Vigo, Spain) and F.J. Blas (Huelva, Spain)	93–103
Physicochemical studies of morpholinium based ionic liquid crystals and their interaction with cyclodextrins R. Sharma, S. Mahajan and R.K. Mahajan (Amritsar, India)	104–115
Phase equilibria and excess molar enthalpies study of the binary systems (pyrrole + hydrocarbon, or an alcohol) and modeling U. Domańska (Warsaw, Poland and Durban, South Africa), M. Zawadzki, M. Królikowski (Warsaw, Poland) and J.A. González (Valladolid, Spain)	116–129
Solid–liquid equilibrium and mixture properties for the binary systems of Alamine 336 with decane, dodecane, and 1-dodecanol S.-J. Park, R.-H. Kwon and Y.-Y. Choi (Daejeon, Republic of Korea)	130–134
Density prediction of liquid alkali metals and their mixtures using an artificial neural network method over the whole liquid range S. Sabzevari and M. Moosavi (Isfahan, Iran)	135–142
Modeling the phase behavior of cyclic compounds in mixtures of water, alcohols and hydrocarbons T.M. Soria, F.A. Sánchez, S. Pereda and S.B. Bottini (Bahía Blanca, Argentina)	143–154
Solvation-based modeling vapor pressures of (solvent + salt) systems with the application of Cox equation A. Senol (Avcilar, Turkey)	155–170
Experimental study of the solubilities of salts in the systems Na ₂ B ₄ O ₇ –NaBr–H ₂ O and Na ₂ B ₄ O ₇ –Na ₂ SO ₄ –NaBr–H ₂ O at 323 K S.-H. Sang, H. Zhang, S.-Y. Zhong (Chengdu, PR China), J.-W. Hu (Chengdu, PR China and Shijiazhuang, PR China) and M.-L. Sun (Chengdu, PR China)	171–174

(Contents continued on BM I)



(contents continued)

Hydrate phase equilibria data and hydrogen storage capacity measurement of the system H ₂ + tetrabutylammonium hydroxide + H ₂ O A.A. Karimi, O. Dolotko and D. Dalmazzone (Palaiseau, France).....	175–180
Molecular dynamics simulation of liquid–vapor phase diagrams of metals modeled using modified empirical pair potentials A. Sai Venkata Ramana (Mumbai, India).....	181–187
Solid–liquid equilibrium in ternary mixtures of ethyl laurate, ethyl palmitate and ethyl myristate M.D. Robustillo, D.F. Barbosa (São Paulo, Brazil), A.J.d.A. Meirelles (Campinas, Brazil) and P. de Alcântara Pessoa Filho (São Paulo, Brazil).....	188–199
Hydrophilic–hydrophobic copolymer nano-sized particle gels: Swelling behavior and dependence on crosslinker chain length Y.G. Kim, C.H. Lee and Y.C. Bae (Seoul, Republic of Korea).....	200–207
Phase equilibrium and morphology characteristics of hydrates formed by tetra- <i>n</i> -butyl ammonium chloride and tetra- <i>n</i> -butyl phosphonium chloride with and without CO ₂ N. Ye and P. Zhang (Shanghai, China).....	208–214
Measurements of activity coefficients at infinite dilution in vegetable oils and capric acid using the dilutor technique P.C. Belting (Oldenburg, Federal Republic of Germany and Campinas-SP, Brazil), J. Rarey, J. Gmehling (Oldenburg, Federal Republic of Germany), R. Ceriani (Campinas-SP, Brazil), O. Chiavone-Filho (Natal-RN, Brazil) and A.J.A. Meirelles (Campinas-SP, Brazil).....	215–222
Determination and correlation of cefoperazone solubility in different pure solvents and binary mixture G. Wang, Y. Wang, X. Hu, Y. Ma and H. Hao (Tianjin, China).....	223–228
Vapor–liquid equilibrium and interfacial tensions of the system ethanol + hexane + tetrahydro-2 <i>H</i> -Pyran A. Mejía, H. Segura and M. Cartes (Concepción, Chile).....	229–236
Water solubilization, conductivity and structural characteristics of single and mixed surfactant water-in-oil microemulsions in absence and presence of ionic liquids K. Kundu (Kolkata, India), S. Bardhan, S.K. Saha (Darjeeling, India) and B.K. Paul (Kolkata, India).....	237–249
Experiments on the continuous separation of gas mixtures via dissolution and hydrate formation in the presence of THF Q. Sun (Beijing, China), G. Chen (Tianjin, China), X. Guo and A. Liu (Beijing, China).....	250–256
Swelling behavior of chemically cross-linked poly(N-IPAAm-allylglycine) hydrogels: Effects of NaCl and pH L. Ninni, V. Ermatchkov, H. Hasse and G. Maurer (Kaiserslautern, Germany).....	257–265
Correlation of solid solubility of 1,4-bis(alkylamino)-9,10-anthraquinones in supercritical carbon dioxide using solution model approach C.-S. Su (Taipei, Taiwan).....	266–272
(Solid + liquid) and (liquid + liquid) phase equilibria of (IL + water) binary systems. The influence of the ionic liquid structure on mutual solubility M. Królikowska (Warsaw, Poland).....	273–281
The solubility of mercaptosuccinic acid in water + (methanol, ethanol, acetone) mixtures from (278.15 to 333.15 K) Y. Kai, Y. Hu, Y. Liu, M. Liang, W. Yang and Y. Xi (Nanjing, China).....	282–288
Effect of ZrO ₂ nanoparticles on the interfacial behavior of surfactant solutions at air–water and <i>n</i> -heptane–water interfaces P. Esmaeilzadeh, N. Hosseinpour, A. Bahramian, Z. Fakhroueian and S. Arya (Tehran, Iran).....	289–295
Determination and calculation of phase equilibrium for water + sodium sulfate + magnesium sulfate + propane system with tetrahydrofuran as additive at 0 °C G.-E. Li (Tianjin, China and Shijiazhuang, China), J.-L. Cao, P.-P. Chen and L. Li (Tianjin, China).....	296–303
Corrigendum	
Corrigendum to “A practical method for the estimation of oil and water mutual solubilities” [Fluid Phase Equilib. 355 (2013) 12–25] M.A. Satyro, J.M. Shaw and H.W. Yarranton (Alberta, Canada).....	304–304