


711
F75/e


Volume 313, 1 February 2014

ISSN 0378-1127



Forest Ecology and Management





Contents

An objective classification of largewood in streams M.M. Bataineh and L.D. Daniels (Vancouver, Canada)	1
Estimating the impacts of browsers on forest understories using a modified index of community composition A. Filazzola, A.J. Tanentzap and D.R. Bazely (Toronto, Canada)	10
Temporal changes in habitat use by snowshoe hares and red squirrels during post-fire and post-logging forest succession A. Allard-Duchêne, D. Pothier, A. Dupuch and D. Fortin (Québec, Canada)	17
Soil redistribution by terracing alleviates soil organic carbon losses caused by forest conversion to rubber plantation M. de Blécourt (Göttingen, Germany), V.M. Hänsel (Bayreuth, Germany), R. Brumme, M.D. Corre and E. Veldkamp (Göttingen, Germany)	26
Breeding bird response to habitat and landscape factors across a gradient of savanna, woodland, and forest in the Missouri Ozarks J.L. Reidy, F.R. Thompson III and S.W. Kendrick (Columbia, USA)	34
Resin yield in <i>Pinus pinaster</i> is related to tree dendrometry, stand density and tapping-induced systemic changes in xylem anatomy A. Rodríguez-García, R. López, J.A. Martín (Madrid, Spain), F. Pinillos (Soria, Spain) and L. Gil (Madrid, Spain)	47
Diagnosing the demographic balance of two light-demanding tree species populations in central Africa from their diameter distribution N.L. Engone Obiang, A. Ngomanda (Libreville, Gabon), O. Hymas (London, UK), É. Chézeaux (Libreville, Gabon) and N. Picard (Libreville, Gabon), (Montpellier Cedex, France)	55
Experimental reversal of soil acidification in a deciduous forest: Implications for seedling performance and changes in dominance of shade-tolerant species J. Marlow and D.R. Peart (Hanover, USA)	63
3-PG simulations of young ponderosa pine plantations under varied management intensity: Why do they grow so differently? L. Wei (Moscow, USA), J.D. Marshall (Moscow, USA), (Umeå, Sweden), J. Zhang (Redding, USA), H. Zhou (Moscow, USA) and R.F. Powers (Redding, USA)	69
Depth of root placement, root size and carbon reserves determine reproduction success of aspen root fragments J. Wachowski, S.M. Landhäusser and V.J. Lieffers (AB, Canada)	83
Changes in the understorey of mixed coniferous forest plant communities dominated by the American black cherry (<i>Prunus serotina</i> Ehrh.) A. Halarewicz and L. Żolnierz (Wrocław, Poland)	91
Growth releases across a natural canopy gap-forest gradient in old-growth forests A.B. Stan and L.D. Daniels (Vancouver, Canada)	98
Spatial analysis of remnant tree effects in a secondary <i>Abies-Betula</i> forest on the eastern edge of the Qinghai–Tibetan Plateau, China N. Miao (Chengdu, Beijing, China), S. Liu, H. Yu, Z. Shi (Beijing, China), T. Moermond (Sichuan, China) and Y. Liu (Guangzhou, China)	104
Effects of frozen soil on growth and longevity of fine roots of Norway spruce T. Repo, S. Sirkiä, J. Heinonen (Joensuu, Finland), A. Lavigné (France), M. Roitto, E. Koljonen, S. Sutinen and L. Finér (Joensuu, Finland)	112
Effects of timber harvesting on terrestrial survival of pond-breeding amphibians B.D. Todd (Davis, USA), S.M. Blomquist (Oak Harbor, USA), E.B. Harper (Paul Smiths, USA) and M.S. Osbourn (Columbia, USA)	123
Midrotation response of ground vegetation to herbicide and precommercial thinning in the Acadian Forest of Maine, USA M.M. Bataineh, R.G. Wagner (Orono, USA), M.G. Olson and E.K. Olson (West Plains, USA)	132
Soil water availability effects on the distribution of 20 tree species in western North America A. Mathys, N.C. Coops (Vancouver, Canada) and R.H. Waring (Corvallis, United States)	144
Do different landscapes influence the response of native and non-native bee species in the <i>Eucalyptus</i> pollen foraging, in southern Brazil? S.B. Hilgert-Moreira (São Leopoldo, Brazil), M.Z. Fernandes (Porto Alegre, Brazil), C.A. Marchett (Caxias do Sul, Brazil) and B. Blochtein (Porto Alegre, Brazil)	153
Space-use and habitat associations of Black-backed Woodpeckers (<i>Picoides arcticus</i>) occupying recently disturbed forests in the Black Hills, South Dakota C.T. Rota (Columbia, USA), M.A. Rumble (Rapid City, USA), J.J. Millspaugh (Columbia, USA), C.P. Lehman (Custer, USA) and D.C. Kesler (Columbia, USA)	161
Tree community composition as an indicator in biodiversity monitoring of REDD+ N. Imai, A. Tanaka, H. Samejima (Sakyo-ku, Japan), J.B. Sugau, J.T. Pereira, J. Titin (Sandakan, Malaysia), Y. Kurniawan (Kutai Barat, Indonesia) and K. Kitayama (Sakyo-ku, Japan)	169

Contents continued

Effects of repeated whole-tree harvesting on soil properties and tree growth in a Norway spruce (<i>Picea abies</i> (L.) Karst.) stand L. Kaarakka (Helsinki, Finland), P. Tamminen, A. Saarsalmi, M. Kukkola (Vantaa, Finland), H.-S. Helmisaari (Helsinki, Finland) and A.J. Burton (Houghton, United States)	180
Anthropogenic disturbance shapes phylogenetic and functional tree community structure in a subtropical forest G. Feng (Beijing, China), (Aarhus C, Denmark), J.-C. Svenning (Aarhus C, Denmark), X. Mi (Beijing, China), Q. Jia, M. Rao (Jinhua, China), H. Ren (Beijing, China), D.P. Bebber (Exeter, United Kingdom) and K. Ma (Beijing, China).	188
Forest recovery patterns in response to divergent disturbance regimes in the Border Lakes region of Minnesota (USA) and Ontario (Canada) B.R. Sturtevant, B.R. Miranda (Rhineland, USA), P.T. Wolter (IA, USA), P.M.A. James (Montréal, Canada), M.-J. Fortin (Toronto, Canada) and P.A. Townsend (Madison, USA)	199
Exploiting jasmonate-induced responses for field protection of conifer seedlings against a major forest pest, <i>Hylobius abietis</i> R. Zas (Pontevedra, Spain), N. Björklund, G. Nordlander (Uppsala, Sweden), C. Cendán (Pontevedra, Spain), C. Hellqvist (Uppsala, Sweden) and L. Sampedro (Pontevedra, Spain)	212
Insulation capacity of three bark types of temperate <i>Eucalyptus</i> species A. Wesolowski (Hannover, Germany), M.A. Adams (Eveleigh, Australia) and S. Pfautsch (Penrith, Australia)	224
Atlantic forest tree species responses to silvicultural practices in a degraded pasture restoration plantation: From leaf physiology to survival and initial growth O.C. Campoe, C. Iannelli (Piracicaba, Brazil), J.L. Stape (Raleigh, USA), R.L. Cook (Carbondale, USA), J.C.T. Mendes (Piracicaba, Brazil) and R. Vivian (Brasília-DF, Brazil).	233
Recovery rate of vegetation in the tsunami impacted littoral forest of Nicobar Islands, India N. Prabakaran and B. Paramasivam (Coimbatore, India)	243
Soil carbon and nitrogen sequestration over an age sequence of <i>Pinus patula</i> plantations in Zimbabwean Eastern Highlands L. Mujuru (Wageningen, The Netherlands), (Bindura, Zimbabwe), T. Gotora (Harare, Zimbabwe), E.J. Velthorst (Wageningen, The Netherlands), J. Nyamangara (Bulawayo, Zimbabwe) and M.R. Hoosbeek (Wageningen, The Netherlands)	254
Positive effects of afforestation efforts on the health of urban soils E.E. Oldfield, A.J. Felson (New Haven, USA), S.A. Wood (New Haven, USA), (New York, USA), R.A. Hallett (Durham, USA), M.S. Strickland (New Haven, USA), (Blacksburg, USA) and M.A. Bradford (New Haven, USA).	266
More efficient aboveground nitrogen use in more diverse Central European forest canopies M.T. Schwarz (Berne, Switzerland), S. Bischoff (Jena, Germany), S. Blaser, S. Boch, B. Schmitt (Berne, Switzerland), L. Thieme (Bonn, Germany), M. Fischer (Berne, Switzerland), B. Michalzik (Jena, Germany), E.-D. Schulze (Jena, Germany), J. Siemens (Bonn, Germany) and W. Wilcke (Berne, Switzerland)	274
The effects of forest management on wood-inhabiting fungi occupying dead wood of different diameter fractions K. Juutilainen, M. Mönkkönen (Jyväskylä, Finland), H. Kotiranta (Helsinki, Finland) and P. Halme (Jyväskylä, Finland)	283
On volume recovery index and implications for sustainable logging in Congo Basin T.B. Mayaka, R. Eba'a-Atyi (Dschang, Cameroon) and M.-C. Nkie (Yaoundé, Cameroon)	292
Native bark-foraging birds preferentially forage in infected ash (<i>Fraxinus</i> spp.) and prove effective predators of the invasive emerald ash borer (<i>Agrilus planipennis</i> Fairmaire) C.E. Flower (Chicago, USA), (Delaware, USA), L.C. Long (Wooster, USA), K.S. Knight, J. Rebbeck (Delaware, USA), J.S. Brown, M.A. Gonzalez-Meler and C.J. Whelan (Chicago, USA).	300
Modeling wood fiber attributes using forest inventory and environmental data for Newfoundland's boreal forest E. Lessard, R.A. Fournier (Sherbrooke, Canada), J.E. Luther (Corner Brook, Canada), M.J. Mazerolle (Rouyn-Noranda, Canada) and O.R. van Lier (Corner Brook, Canada).	307
Long-term variability and environmental control of the carbon cycle in an oak-dominated temperate forest J. Xie (Beijing, PR China), (Toledo, USA), J. Chen (Nanjing, PR China), (Toledo, USA), G. Sun (Raleigh, USA), H. Chu (Toledo, USA), A. Noormets (Raleigh, USA), Z. Ouyang, R. John (Toledo, USA), S. Wan (Kaifeng, PR China) and W. Guan (Beijing, PR China)	319
Can seed production and restricted dispersal limit recruitment in <i>Pinus pinaster</i> Aiton from the Spanish Northern Plateau? L. Juez (Palencia, Spain), S.C. González-Martínez (Palencia, Madrid, Spain), N. Nanos (Madrid, Spain), A.I. de-Lucas, C. Ordóñez, C. del Peso and F. Bravo (Palencia, Spain)	329
Immediate and short-term response of understory fuels following mechanical mastication in a pine flatwoods site of Florida, USA J.K. Kreye, L.N. Kobziar and J.M. Camp (Gainesville, USA).	340