


774
F75/e


Volume 314, 15 February 2014

ISSN 0378-1127



Forest Ecology and Management





Contents

Estimation of fuel mass and its loss during a forest fire in peat swamp forests of Central Kalimantan, Indonesia J. Toriyama (Tsukuba, Japan), T. Takahashi (Kumamoto, Japan), S. Nishimura, T. Sato, Y. Monda, H. Saito (Tsukuba, Japan), Y. Awaya (Gifu, Japan), S.H. Limin, A.R. Susanto, F. Darma, Krisyoyo (Palangka Raya, Indonesia) and Y. Kiyono (Tsukuba, Japan)	1
Damage to forest plantations by tufted capuchins (<i>Sapajus nigritus</i>): Too many monkeys or not enough fruits? S.B. Mikich (Colombo, Brazil) and D. Liebsch (Paraná, Brazil)	9
Spatial structural characteristics of three hardwood species in Korean pine broad-leaved forest—Validating the bivariate distribution of structural parameters from the point of tree population Y. Li (Nanning, China), G. Hui, Z. Zhao, Y. Hu (Beijing, China) and S. Ye (Nanning, China)	17
Can harvesting for timber in tropical forest enhance timber tree regeneration? A. Duah-Gyamfi (Kumasi, Ghana), E.K. Swaine (Aberdeen, UK), K.A. Adam (Kumasi, Ghana), M.A. Pinard and M.D. Swaine (Aberdeen, UK)	26
Ecophysiological responses and vulnerability to other pathologies in European chestnut coppices, heavily infested by the Asian chestnut gall wasp F. Ugolini, L. Massetti (Firenze, Italy), F. Pedrazzoli (San Michele all'Adige (TN), Italy), R. Tognetti (Pesche (IS), San Michele all'Adige (TN), Italy), A. Vecchione, L. Zulini and G. Maresi (San Michele all'Adige (TN), Italy)	38
Spatial genetic structure in 21 populations of butternut, a temperate forest tree (<i>Juglans cinerea</i> L.), is correlated to spatial arrangement, habitat, and land-use history S.M. Hoban, T.S. McCleary (Notre Dame, USA), S.E. Schlarbaum (Knoxville, USA) and J. Romero-Severson (Notre Dame, USA)	50
Forest biomass recovery after conventional and reduced-impact logging in Amazonian Brazil T.A.P. West (Gainesville, USA), (Piracicaba, Brazil), E. Vidal (Piracicaba, Belem, Brazil) and F.E. Putz (Gainesville, USA), (Bogor, Indonesia)	59
Emulating natural disturbances in boreal Norway spruce forests: Effects on ground beetles (Coleoptera, Carabidae) T. Toivanen (Jyväskylä, Helsinki, Finland), T. Heikkilä (Jyväskylä, Finland) and M.J. Koivula (Joensuu, Finland)	64
Both forest composition and configuration influence landscape-scale habitat selection by fishers (<i>Pekania pennanti</i>) in mixed coniferous forests of the Northern Rocky Mountains J.D. Sauder and J.L. Rachlow (Moscow, USA)	75
Determinants of the occurrence of unburnt forest patches: Potential biotic refuges within a large, intense wildfire in south-eastern Australia S.W.J. Leonard (Bundoora, Australia), A.F. Bennett (Burwood, Australia) and M.F. Clarke (Bundoora, Australia)	85
An evaluation of thinning to improve habitat for capercaillie (<i>Tetrao urogallus</i>) A. Broome (Midlothian, Stirling, UK), T. Connolly and C.P. Quine (Midlothian, UK)	94
Long-term effects of supplementary feeding of moose on browsing impact at a landscape scale K.M. Mathisen, J.M. Milner (Koppang, Norway), F.M. van Beest (Koppang, Norway), (Roskilde, Denmark) and C. Skarpe (Koppang, Norway)	104
Host genotype and health status influence on the composition of the arbuscular mycorrhizal fungi in <i>Salix</i> bioenergy plantations A.H. Corredor, K.V. Rees and V. Vujanovic (Saskatoon, Canada)	112
Floodplain forest vegetation response to hydroengineering and climatic pressure – A five decade comparative analysis in the Bzura River valley (Central Poland) D. Kopeć, N. Ratajczyk, A. Wolańska-Kamińska, M. Walisch and A. Kruk (Lodz, Poland)	120
Forest structure and composition at fire edges of different ages: Evidence of persistent structural features on the landscape K.A. Harper, P. Drapeau, D. Lesieur (Montréal, Canada) and Y. Bergeron (Montréal, Rouyn-Noranda, Canada)	131
Modeling the stipe growth of the <i>Oenocarpus bataua</i> palm in the Central Cordillera of the Andes, Colombia J.R. Guarín and J.I. del Valle (Medellín, Colombia)	141
Modelling runoff and erosion, and their mitigation, in burned Portuguese forest using the revised Morgan–Morgan–Finney model D.C.S. Vieira, S.A. Prats, J.P. Nunes (Aveiro, Portugal), R.A. Shakesby (Swansea, UK), C.O.A. Coelho and J.J. Keizer (Aveiro, Portugal)	150
Parasites and forest chronosequence: Long-term recovery of nematomorph parasites after clear-cut logging T. Sato, K. Watanabe, K. Fukushima and N. Tokuchi (Sakyo-ku, Japan)	166
Commercial spruce plantations support a limited canopy fauna: Evidence from a multi taxa comparison of native and plantation forests S.M. Pedley, R.D. Martin (Cork, Ireland), A. Oxbrough (Lancashire, UK), S. Irwin, T.C. Kelly and J. O'Halloran (Cork, Ireland)	172

Contents continued

Temporal dynamics and causes of postharvest mortality in a selection-managed tolerant hardwood forest A.R. Martin, J.P. Caspersen (Toronto, Canada), M.M. Fuller (Albuquerque, United States), T.A. Jones (Sault Ste. Marie, Canada) and S.C. Thomas (Toronto, Canada)	183
Fire behavior in masticated fuels: A review J.K. Kreye (MS, USA), N.W. Brewer (Moscow, Colville, USA), P. Morgan (Moscow, USA), J.M. Varner (MS, USA), A.M.S. Smith (Moscow, USA), C.M. Hoffman (Fort Collins, USA) and R.D. Ottmar (Seattle, USA)	193