


Volume 318, 15 April 2014

ISSN 0378-1127

Forest Ecology and Management





Contents

Aspen (<i>Populus tremuloides</i>) stand dynamics and understory plant community changes over 46 years near Crested Butte, Colorado, USA J.D. Coop, K.J. Barker, A.D. Knight and J.S. Pecharich (Gunnison, United States)	1
Avian responses to the diversity and configuration of fire age classes and vegetation types across a rainfall gradient H. Sitters, F.J. Christie, J. Di Stefano, M. Swan (Creswick, Australia), T. Penman (Wollongong, Australia), P.C. Collins and A. York (Creswick, Australia)	13
The novel interaction between <i>Phytophthora ramorum</i> and wildfire elicits elevated ambrosia beetle landing rates on tanoak, <i>Notholithocarpus densiflorus</i> M.M. Beh, M.R. Metz, S.J. Seybold and D.M. Rizzo (Davis, United States)	21
Patterns in understory woody diversity and soil nitrogen across native- and non-native-urban tropical forests D.F. Cusack and T.L. McCleery (Los Angeles, USA)	34
Do tree and stand-level attributes determine susceptibility of spruce–fir forests to spruce beetle outbreaks in the early 21st century? S.J. Hart, T.T. Veblen (Boulder, USA) and D. Kulakowski (Worcester, USA)	44
Interspecific competition influences the response of oak transpiration to increasing drought stress in a mixed Mediterranean forest C. Grossiord (Champenoux, France), A. Gessler (Müncheberg, Berlin, Germany), A. Granier (Champenoux, France), M. Pollastrini, F. Bussotti (Florence, Italy) and D. Bonal (Champenoux, France)	54
Positive growth response of <i>Pinus pinaster</i> seedlings in soils previously subjected to fertilization and irrigation M.A. Ali, J. Louche, M. Duchemin and C. Plassard (Cedex, France)	62
Variable patterns of inheritance of ecologically important plant secondary metabolites in an inter-specific eucalypt hybrid J.M. O'Reilly-Wapstra, A. Miller and B.M. Potts (Hobart, Australia)	71
Using ants to monitor changes within and surrounding the endangered Monsoon Vine Thickets of the tropical Dampier Peninsula, north Western Australia J. Fisher (Floreat, Crawley, Australia), L. Beames, B.J. Rangers, N.N. Rangers (Broome, Australia), J. Majer and B. Heterick (Perth, Australia)	78
Digital soil mapping of soil organic carbon stocks under different land use and land cover types in montane ecosystems, Eastern Himalayas T. Dorji, I.O.A. Odeh, D.J. Field (Eveleigh, Australia) and I.C. Baillie (UK)	91
Large trees as key elements of carbon storage and dynamics after selective logging in the Eastern Amazon P. Sist (Montpellier Cedex, France), L. Mazzei (Belém, Brazil), L. Blanc (Montpellier Cedex, France), (Belém, Brazil) and E. Rutishauser (Hermance, Switzerland)	103
Refuges for birds in fire-prone landscapes: The influence of fire severity and fire history on the distribution of forest birds N.M. Robinson, S.W.J. Leonard (Melbourne, Australia), A.F. Bennett (Burwood, Australia) and M.F. Clarke (Melbourne, Australia)	110
Fuel treatment prescriptions alter spatial patterns of fire severity around the wildland–urban interface during the Wallow Fire, Arizona, USA M.C. Kennedy and M.C. Johnson (Seattle, USA)	122
The silent shareholder in deterioration of oak growth: common planting practices affect the long-term response of oaks to periodic drought M. Zadworny (Kórnik, Poland), A.M. Jagodziński (Kórnik, Poznań, Poland), P. Łakomy (Poznań, Poland), K. Ufnalski and J. Oleksyn (Kórnik, Poland)	133
Does coarse woody debris density and volume influence the terrestrial vertebrate community in restored bauxite mines? M.D. Craig (Murdoch, Nedlands, Australia), A.H. Grigg (Pinjarra, Australia), R.J. Hobbs (Nedlands, Australia) and G.E.S.J. Hardy (Murdoch, Australia)	142
Seedbed proportions in and outside skid trails: Temporal variation following selection cutting in northern hardwood forests M. Beaudet (Montréal, Canada), V.-A. Angers (Montréal, Canada) and C. Messier (Montréal, Gatineau, Canada)	151
Large-scale risk mapping of an eruptive bark beetle – Importance of forest susceptibility and beetle pressure S. Kärwemo (Uppsala, Sweden), T.P. Van Boeckel, M. Gilbert (Bruxelles, Brussels, Belgium), J.-C. Grégoire (Bruxelles, Belgium) and M. Schroeder (Uppsala, Sweden)	158
Spatial interactions between storm damage and subsequent infestations by the European spruce bark beetle G. Stadelmann (ETH Zurich, Switzerland), H. Bugmann (ETH Zurich, Switzerland), B. Wermelinger (Switzerland) and C. Bigler (ETH Zurich, Switzerland)	167

The value of information in conservation planning: Selecting retention trees for lichen conservation K. Perhans (Uppsala, Sweden), R.G. Haight (St. Paul, USA) and L. Gustafsson (Uppsala, Sweden)	175
Bird communities of reference and altered mixed-pine forests: Implications for restoring fire-dependent forest ecosystems R.G. Corace III, L.M. Shartell (Seney, USA), P. Charles Goebel (Wooster, USA), D.M. Kashian (Detroit, USA), I. Drobyshev (Rouyn-Noranda, Canada), (Alnarp, Sweden) and D.M. Hix (Columbus, USA)	183
Rates of sustainable forest harvest depend on rotation length and weathering of soil minerals M.A. Vadeboncoeur (Durham, United States), S.P. Hamburg (Boston, United States), R.D. Yanai (Syracuse, United States) and J.D. Blum (Ann Arbor, United States)	194
Do diverse overstoreys induce diverse understoreys? Lessons learnt from an experimental-observational platform in Finland E. Ampoorter (Gontrode, Belgium), L. Baeten (Gontrode, Gent, Belgium), J. Koricheva (Egham, UK), M. Vanhellemont and K. Verheyen (Gontrode, Belgium)	206
Root biomass of carbon plantings in agricultural landscapes of southern Australia: Development and testing of allometrics K.I. Paul, S.H. Roxburgh, J.R. England (Australia), K. Brooksbank (Albany, Australia), J.S. Larmour (Australia), P. Ritson (South Perth, Australia), D. Wildy (Wembley, Australia), R. Sudmeyer (Albany, Australia), R.J. Raison (Australia), T. Hobbs (Adelaide, Australia), S. Murphy (Richmond, Australia), S. Sochacki (Murdoch, Australia), G. McArthur (Nedlands, Australia), C. Barton (Penrith, Australia), J. Jonson (Albany, Australia), S. Theiveyanathan (Australia) and J. Carter (Wembley, Australia)	216
Genetic and environmental control of Douglas-fir stem defects L. Magalska and G.T. Howe (Corvallis, USA)	228
Assemblages of epigeaeic beetles and understory vegetation differ between stands of an introduced pine and its native congener in boreal forest J.-M. Roberge and F. Stenbacka (Umeå, Sweden)	239
Long-term recovery of forest structure and composition after harvesting in the coastal temperate rainforests of northern British Columbia P. LePage and A. Banner (Smithers, Canada)	250
Soil organic carbon and morphology as affected by pine plantation establishment in Minas Gerais, Brazil Y.L. Zinn (Brazil), A.R. Guerra (Piracicaba, Brazil), C.A. Silva, J.A. Faria and T.A.C. Silva (Brazil)	261
Short-term effect of forest liming on eastern red-backed salamander (<i>Plethodon cinereus</i>) J.-D. Moore (Canada)	270
The fate of populations of <i>Euterpe oleracea</i> harvested for palm heart in Colombia M.I. Vallejo, G. Galeano, R. Bernal (Colombia) and P.A. Zuidema (The Netherlands)	274
Invasion of an annual exotic plant into deciduous forests suppresses arbuscular mycorrhiza symbiosis and reduces performance of sycamore maple saplings R. Ruckli, H.-P. Rusterholz and B. Baur (Basel, Switzerland)	285
Growth and root development of black and white spruce planted after deep planting E. Tarroux, A. DesRochers (Amos, Canada) and J.-P. Girard (Jonquière, Canada)	294
Multi-temporal terrestrial laser scanning for modeling tree biomass change S. Srinivasan, S.C. Popescu, M. Eriksson, R.D. Sheridan and N.-W. Ku (College Station, USA)	304
The spatial genetic pattern of <i>Castanopsis chinensis</i> in a large forest plot with complex topography Z.-F. Wang, J.-Y. Lian, W.-H. Ye, H.-L. Cao and Z.-M. Wang (Guangzhou, PR China)	318
Basal area increment is unaffected by thinning intensity in young <i>Eucalyptus dunnii</i> and <i>Corymbia variegata</i> plantations across different quality sites K. Glencross, G. Palmer, M.-C. Pelletier, J. Doland Nichols (Hobart Tasmania, Lismore, Australia) and R.G.B. Smith (Lismore, Armidale, Australia)	326
Architecture of <i>Fagus sylvatica</i> regeneration improves over time in mixed old-growth and managed forests D. Rozenberger and J. Diaci (Ljubljana, Slovenia)	334
The effects of urea fertilization on carbon sequestration in Douglas-fir plantations of the coastal Pacific Northwest B. Shryock, K. Littke, M. Ciol, D. Briggs and R. Harrison (Seattle, United States)	341
Drivers of the bark beetle disturbance regime in Alpine forests in Austria F. Pasztor, C. Matulla, W. Rammer and M.J. Lexer (Vienna, Austria)	349
Light availability and ungulate browsing determine growth, height and mortality of <i>Abies alba</i> saplings A.D. Kupferschmid (ETH Zürich, Birmensdorf, Switzerland), U. Wasem (Birmensdorf, Switzerland) and H. Bugmann (ETH Zürich, Switzerland)	359
Nitrogen budgets of forest ecosystems: A review D.W. Johnson (Reno, USA) and J. Turner (North Ryde, Australia)	370
Corrigendum to "Effects of timber harvest intensity on macronutrient cycling in oak-dominated stands on stands soils of northwest Wisconsin" [Forest Ecol. Manage. 291 (2013) 1–12] K. Wilhelm, B. Rathsack and J. Bockheim (Madison, USA)	380