


Volume 320, 15 May 2014

ISSN 0378-1127

Forest Ecology and Management





Contents

Effects of two types of Ca fertilizer on sugar maple nutrition, vigor and growth after 7 years J.-D. Moore and R. Ouimet (Québec, Canada)	1
Assessing changes in bird communities along gradients of undergrowth deterioration in deer-browsed hardwood forests of western Japan S.-I. Seki (Kyoto, Japan), D. Fujiki (Hyogo, Japan) and S. Sato (Kochi, Japan)	6
Soil amelioration through afforestation and self-repair in a degraded valley-type savanna G. Tang and K. Li (Kunming, China)	13
Summer climate variability over the last 250 years differently affected tree species radial growth in a mesic <i>Fagus–Abies–Picea</i> old-growth forest D. Castagneri (Legnaro, Italy), P. Nola (Pavia, Italy), R. Motta (Grugliasco, Italy) and M. Carrer (Legnaro, Italy)	21
Methods to estimate aboveground wood productivity from long-term forest inventory plots J. Talbot (Leeds, UK), S.L. Lewis (Leeds, London, UK), G. Lopez-Gonzalez, R.J.W. Brienen (Leeds, UK), A. Monteagudo (Pasco, Peru), T.R. Baker (Leeds, UK), T.R. Feldpausch (Exeter, UK), Y. Malhi (Oxford, UK), M. Vanderwel (Cambridge, UK), (Gainesville, USA), A. Araujo Murakami, L.P. Arroyo (Santa Cruz, Bolivia), K.-J. Chao (Leeds, UK, Taiwan), T. Erwin (Washington, USA), G. van der Heijden (Milwaukee, USA), (Panama), H. Keeling (Leeds, UK), T. Killeen (Santa Cruz, Bolivia), D. Neill (Puyo, Ecuador), P. Núñez Vargas (Cusco, Peru), G.A. Parada Gutierrez (Santa Cruz, Bolivia), N. Pitman (Durham, USA), C.A. Quesada (Manaus, Brazil), M. Silveira (Rio Branco, Brazil), J. Stropp (Ispira, Italy) and O.L. Phillips (Leeds, UK)	30
Effects of abundant white-tailed deer on vegetation, animals, mycorrhizal fungi, and soils A.L. Shelton, J.A. Henning, P. Schultz and K. Clay (Bloomington, USA)	39
Reclamation of an abandoned burned forest using ectomycorrhizal inoculated <i>Quercus rubra</i> N.R. Sousa, A.R. Franco, R.S. Oliveira and P.M.L. Castro (Porto, Portugal)	50
A thinning routine for large-scale biogeochemical mechanistic ecosystem models C. Thurnher (Vienna, Austria), C.S. Eastaugh (Lismore, Australia) and H. Hasenauer (Vienna, Austria)	56
Drought induced decline could portend widespread pine mortality at the xeric ecotone in managed mediterranean pine-oak woodlands G. Gea-Izquierdo (Madrid, Spain), (Cedex, France), B. Viguera (Madrid, Spain), M. Cabrera (Madrid, Spain) and I. Cañellas (Madrid, Spain)	70
Linking fire history to successional changes of xeric oak woodlands M.C. Stambaugh, J.M. Marschall and R.P. Guyette (Columbia, USA)	83
Episodic, patchy disturbances characterize an old-growth <i>Picea abies</i> dominated forest landscape in northeastern Europe T. Kuuluvainen, T.H. Wallenius (Helsinki, Finland), H. Kauhanen (Kolari, Finland), T. Aakala (Helsinki, Finland), K. Mikkola (Rovaniemi, Finland), N. Demidova and B. Ogibin (Archangelsk, Russia)	96
Early genetic selection for wood stiffness in juvenile Douglas-fir and western hemlock O.S. Urhan, S.E. Kolpak, K.J.S. Jayawickrama and G.T. Howe (Corvallis, USA)	104
Long-term responses of Scots pine and Norway spruce stands in Sweden to repeated fertilization and thinning J. Bergh, U. Nilsson (Alnarp, Sweden), H.L. Allen (Raleigh, USA), U. Johansson (Simlångsdalen, Sweden) and N. Fahlvik (Alnarp, Sweden)	118
Management legacy in the understory of North American mixed boreal regenerating stands I. Aubin (Ontario, Canada), O. Deshaies (Québec, Canada), F. Cardou (Ontario, Canada) and L. Sirois (Québec, Canada)	129
Stand density and age affect tree-level structural and functional characteristics of young, postfire lodgepole pine in Yellowstone National Park P.E. Copenhaver and D.B. Tinker (Laramie, USA)	138
Effects of overstory retention, herbicides, and fertilization on sub-canopy vegetation structure and functional group composition in loblolly pine forests restored to longleaf pine B.O. Knapp, J.L. Walker, G. G. Wang, H. Hu (Clemson, USA) and R.N. Addington (Fort Benning, USA)	149
Relative importance of local and landscape variables on site occupancy by avian species in a pine forest, urban, and agriculture matrix M.-B. Lee (USA) and J.P. Carroll (Lincoln, USA)	161
Remote-sensing and tree-ring based characterization of forest defoliation and growth loss due to the Mediterranean pine processionary moth G. Sangüesa-Barreda (Zaragoza, Spain), J. J. Camarero (Barcelona, Zaragoza, Spain), A. García-Martín (Zaragoza, Spain, Spain), R. Hernández (Teruel, Spain) and J. de la Riva (Spain, Zaragoza, Spain)	171

Contents continued

Fire damage effects on red oak timber product value J.M. Marschall, R.P. Guyette, M.C. Stambaugh (Columbia, USA) and A.P. Stevenson (West Plains, USA)	182
Allometric relationships in coppice biomass production for two North American willows (<i>Salix</i> spp.) across three different sites A. Mosseler, J.E. Major (Canada), M. Labrecque (Montreal, Canada) and G.R. Larocque (Canada)	190