

174
F75/e

Volume 331, 1 November 2014


ISSN 0378-1127



ELSEVIER

Forest Ecology and Management





Contents

Regular Articles

- Spatial patterning of underrepresented tree species in canopy gaps 9 years after group selection cutting
S.K. Poznanovic, A.J. Poznanovic, C.R. Webster and J.K. Bump (Houghton, USA) 1
- Using a remote sensing-based, percent tree cover map to enhance forest inventory estimation
R.E. McRoberts, G.C. Liknes and G.M. Domke (Saint Paul, USA) 12
- Significance of bedrock as a site factor determining nutritional status and growth of maritime pine
C. Eimil-Fraga, R. Rodríguez-Soalleiro (Lugo, Spain), F. Sánchez-Rodríguez (Santiago de Compostela, Spain), C. Pérez-Cruzado (Göttingen, Germany) and E. Álvarez-Rodríguez (Lugo, Spain) 19
- Growth, recruitment and attrition of *Eucalyptus* tree species in semi-arid temperate woodland
J.E. Taylor (North Sydney, Australia), M.V. Ellis (Hurstville BC, Australia) and L. Rayner (North Sydney, Australia) 25
- Predation and dispersal of acorns by European Jay (*Garrulus glandarius*) differs between a native (Pedunculate Oak *Quercus robur*) and an introduced oak species (Northern Red Oak *Quercus rubra*) in Europe
Ł. Myczko, Ł. Dylewski (Poznań, Poland), P. Zduniak, T.H. Sparks (Poznań, Poland), (Coventry, UK) and P. Tryjanowski (Poznań, Poland) 35
- Shade tolerance plays an important role in biomass production of different poplar genotypes in a high-density plantation
N. Wang, Q. Huang, J. Sun, S. Yan, C. Ding, X. Mei, D. Li, X. Zeng, X. Su and Y. Shen (Beijing, China) 40
- Fertilization regime interacts with fall temperature in the nursery to determine the frost and drought tolerance of the Mediterranean oak *Quercus ilex* subsp. *ballota*
N. Heredia-Guerrero, J.A. Oliet, P. Villar-Salvador (Madrid, Spain), L.F. Benito and J.L. Peñuelas (Guadalajara, Spain) 50
- Influence of gap-scale disturbance on developmental and successional pathways in *Quercus-Pinus* stands
T.A. Weber, J.L. Hart (Tuscaloosa, USA), C.J. Schweitzer (Huntsville, USA) and D.C. Dey (Columbia, USA) 60
- Shifting carbon pools along a plant cover gradient in woody encroached savannas of central Argentina
M. González-Roglich, J.J. Swenson (United States), E.G. Jobbágy (Argentina) and R.B. Jackson (United States) 71
- Effect of various monotypic forest canopies on earthworm biomass and feral pig rooting in Hawaiian wet forests
N.K. Lincoln (Christchurch, New Zealand) 79
- Changes in sporocarp production and vegetation following wildfire in a Mediterranean Forest Ecosystem dominated by *Pinus nigra* in Northern Spain
O. Mediavilla, J.A. Oria-de-Rueda and P. Martín-Pinto (Palencia, Spain) 85
- Influence of residual forest patches on post-fire bird diversity patterns in jack pine-dominated ecosystems of northern Lower Michigan
B.L. Cullinane-Anthony, N.E. Seefelt (Mount Pleasant, USA), R. Gregory Corace III (Seney, USA), D.M. Kashian (Detroit, USA) and T.M. Gehring (Mount Pleasant, USA) 93
- The rise and fall of traditional forest management in southern Moravia: A history of the past 700 years
J. Müllerová (Czech Republic), P. Szabó and R. Hédl (Brno, Czech Republic) 104
- Site factors are more important than salvage logging for tree regeneration after wind disturbance in Central European forests
K. Kramer, P. Brang, H. Bachofen (Birmensdorf, Switzerland), H. Bugmann (Zürich, Switzerland) and T. Wohlgemuth (Birmensdorf, Switzerland) 116
- Exploiting fugitive resources: How long-lived is “fugitive”? Fallen trees are a long-lasting reward for *Ips typographus* (Coleoptera, Curculionidae, Scolytinae)
M. Louis, J.-C. Grégoire (Brussels, Belgium) and P.-F. Pélisson (Brussels, Belgium, France) 129
- Differences between competition kernels and traditional size-ratio based competition indices used in forest ecology
A. Pommerening (Umeå, Sweden) and K. Maleki (Tartu, Estonia) 135
- Are prescribed fire and thinning dominant processes affecting snag occurrence at a landscape scale?
S.J. Zarnoch (Clemson, USA), J.I. Blake (New Ellenton, USA) and B.R. Parresol (Portland, USA) 144
- Does hunting threaten timber regeneration in selectively logged tropical forests?
C. Rosin (Durham, United States) 153
- Disentangling drivers of tree population size distributions
D.A. Peltzer, R.B. Allen, P.J. Bellingham, S.J. Richardson (Lincoln, New Zealand), E.F. Wright (Christchurch, New Zealand), P.I. Knightbridge (Hokitika, New Zealand) and N.W.H. Mason (Hamilton, New Zealand) 165
- Eastern wild turkey reproductive ecology in frequently-burned longleaf pine savannas
A.R. Little, M.M. Streich, M.J. Chamberlain (Athens, USA), L. Mike Conner (Newton, USA) and R.J. Warren (Athens, USA) 180

Clearcutting and high severity wildfire have comparable effects on growth of direct-seeded interior Douglas-fir J.S. Barker, S.W. Simard (Vancouver, Canada) and M.D. Jones (Kelowna, Canada)	188
Host and site factors affecting tree mortality caused by the spruce bark beetle (<i>Ips typographus</i>) in mountainous conditions P. Mezei (Zvolen, Slovak Republic), W. Grodzki (Kraków, Poland), M. Blaženec (Zvolen, Slovak Republic), (Praha, Czech Republic), J. Škvarenina, V. Brandýsová (Zvolen, Slovak Republic) and R. Jakuš (Zvolen, Slovak Republic), (Praha, Czech Republic)	196
Will <i>Acacia</i> secondary forest become rainforest in the Australian Wet Tropics? W.L.J. Yeo (St Lucia, Australia) and R.J. Fensham (St Lucia, Toowong, Australia)	208
Initial effects of forest N, Ca, Mg and B large-scale fertilization on surface water chemistry and leaching from a catchment in central Sweden L. Lundin and T. Nilsson (Uppsala, Sweden)	218
Associations between occupancy and habitat structure can predict avian responses to disturbance: Implications for conservation management H. Sitters, F. Christie, J. Di Stefano, M. Swan, P. Collins and A. York (Creswick, Australia)	227
Relationship between recruitment and mother plant vitality in the alien species <i>Acacia cyclops</i> A. Cunn. ex G. Don E. Badalamenti, L. Gristina, T. La Mantia, A. Novara, S. Pasta (Palermo, Italy), M. Lauteri (Italy), P. Fernandes, O. Correia and C. Máguas (Lisbon, Portugal)	237
Defoliation triggered by climate induced effects in Spanish ICP Forests monitoring plots A.C. de la Cruz, P.M. Gil, Á. Fernández-Cancio, M. Minaya (Madrid, Spain), R.M. Navarro-Cerrillo, R. Sánchez-Salguero (Córdoba, Spain) and J.M. Grau (Madrid, Spain)	245
Regeneration of riparian forests of the Brazilian Pantanal under flood and fire influence M.T.d. Oliveira (Campo Grande, Brazil), G.A. Damasceno-Junior (Campo Grande, Brazil), (Hamburg, Germany), A. Pott, A.C. Paranhos Filho (Campo Grande, Brazil), Y.R. Suarez (Dourados, Brazil) and P. Parolin (Nice, France), (Hamburg, Germany)	256
Landscape restoration of a forest with a historically mixed-severity fire regime: What was the historical landscape pattern of forest and openings? Y. Dickinson (Houghton, United States)	264
Managing for water-use efficient wood production in <i>Eucalyptus globulus</i> plantations D.A. White (Hobart, Midland, Australia), J.F. McGrath (Nedlands, Australia), M.G. Ryan (Fort Collins, USA), M. Battaglia, D.S. Mendham (Hobart, Australia), J. Kinal (Dwellingup, Australia), G.M. Downes (Huonville, Australia), D.S. Crombie (Australia) and M.E. Hunt (Hobart, Australia)	272
Occurrence patterns and niche relationships of sympatric owls in South American temperate forests: A multi-scale approach J.T. Ibarra (Vancouver, Canada), (Boise, USA), K. Martin (Vancouver, Delta, Canada), M.C. Drever (Delta, Canada) and G. Vergara (Macul, Ancud, Chile)	281
Tamm Review	
Contemporary forest restoration: A review emphasizing function J.A. Stanturf (Athens, USA), B.J. Palik (Grand Rapids, USA) and R.K. Dumroese (Moscow, USA)	292