

IEEE ELECTRON DEVICE LETTERS

A PUBLICATION OF THE IEEE ELECTRON DEVICES SOCIETY



APRIL 2016

VOLUME 37

NUMBER 4

EDLEDZ

(ISSN 0741-3106)

LETTERS

Silicon and Column IV Semiconductor Devices

Analysis of Oxide Trap Characteristics by Random Telegraph Signals in nMOSFETs With HfO ₂ -Based Gate Dielectrics	C.-E. Chen, T.-C. Chang, B. You, J.-Y. Tsai, W.-H. Lo, S.-H. Ho, K.-J. Liu, Y.-H. Lu, X.-W. Liu, Y.-J. Hung, T.-Y. Tseng, O. Cheng, C.-T. Huang, and C.-S. Lu	359
Impact of the Effective Work Function Gate Metal on the Low-Frequency Noise of Gate-All-Around Silicon-on-Insulator NWFETs	W. Fang, A. Veloso, E. Simoen, M.-J. Cho, N. Collaert, A. Thean, J. Luo, C. Zhao, T. Ye, and C. Claeys	363
Hot-Carrier Instability of nMOSFETs Under Pseudorandom Bit Sequence Stress	Y. Kim, S. C. Kang, S. K. Lee, U. Jung, S. M. Kim, and B. H. Lee	366
New Observations on the Correlation Between Hole-Trapping Transformation and SILC Generation Under NBTI Stressing	A. A. Boo, Z. Y. Tung, and D. S. Ang	369

Compound Semiconductor Devices

Non-Alloyed Ohmic Contacts on GaAs Using Metal-Interlayer-Semiconductor Structure With SF ₆ Plasma Treatment	S.-H. Kim, G.-S. Kim, S.-W. Kim, J.-K. Kim, C. Choi, J.-H. Park, R. Choi, and H.-Y. Yu	373
A GaN HEMT Structure Allowing Self-Terminated, Plasma-Free Etching for High-Uniformity, High-Mobility Enhancement-Mode Devices	S. Lin, M. Wang, F. Sang, M. Tao, C. P. Wen, B. Xie, M. Yu, J. Wang, Y. Hao, W. Wu, J. Xu, K. Cheng, and B. Shen	377
Record Maximum Transconductance of 3.45 mS/ μ m for III-V FETs	J. Lin, X. Cai, Y. Wu, D. A. Antoniadis, and J. A. del Alamo	381

(Contents Continued on Page 357)

Gate Reliability Investigation in Normally-Off p-Type-GaN Cap/AlGaN/GaN HEMTs Under Forward Bias Stress	<i>M. Čapajna, O. Hilt, E. Bahat-Treidel, J. Würfl, and J. Kuzmík</i>	385
Room Temperature Processed Ultrahigh-Frequency Indium–Gallium–Zinc–Oxide Schottky Diode	<i>J. Zhang, H. Wang, J. Wilson, X. Ma, J. Jin, and A. Song</i>	389
Memory Devices and Technology		
Titanium-Oxide-Based Slot Contact RRAM in Nanoscaled FinFET Logic Technologies	<i>S.-E. Chen, M.-Y. Hsu, C.-F. Liao, C. J. Lin, and Y.-C. King</i>	393
All Inorganic Spin-Coated Nanoparticle-Based Capacitive Memory Devices	<i>S. Mondal and V. Venkataraman</i>	396
Filament-Induced Anisotropic Oxygen Vacancy Diffusion and Charge Trapping Effects in Hafnium Oxide RRAM ..	<i>D. Duncan, B. Magyari-Köpe, and Y. Nishi</i>	400
Very Low-Programming-Current RRAM With Self-Rectifying Characteristics	<i>J. Zhou, F. Cai, Q. Wang, B. Chen, S. Gaba, and W. D. Lu</i>	404
Resistive Switching Mechanism of Oxygen-Rich Indium Tin Oxide Resistance Random Access Memory	<i>T.-M. Tsai, K.-C. Chang, T.-C. Chang, R. Zhang, T. Wang, C.-H. Pan, K.-H. Chen, H.-M. Chen, M.-C. Chen, Y.-T. Tseng, P.-H. Chen, I. Lo, J.-C. Zheng, J.-C. Lou, and S. M. Sze</i>	408
Improved Performance of Novel Vertical Assist Operating Select Gate Lateral Coupling Cell for Logic Nonvolatile Memory	<i>S.-K. Park, K.-I. Choi, and N.-Y. Kim</i>	412
Thin-Film Transistors		
Compact Model of Amorphous InGaZnO Thin-Film Transistors Based on the Symmetric Quadrature of the Accumulation Charge	<i>L. Colalongo</i>	416
InGaZnO Thin-Film-Transistor-Based Four-Quadrant High-Gain Analog Multiplier on Glass	<i>P. G. Bahubalindruni, V. G. Tavares, J. Borme, P. G. de Oliveira, R. Martins, E. Fortunato, and P. Barquinha</i>	419
Threshold Voltage Tuning in a-IGZO TFTs With Ultrathin SnO _x Capping Layer and Application to Depletion-Load Inverter	<i>M. Wang, L. Liang, H. Luo, S. Zhang, H. Zhang, K. Javaid, and H. Cao</i>	422
Low-Power Double-Gate ZnO TFT Active Rectifier	<i>K. G. Sun, K. Choi, and T. N. Jackson</i>	426
Performance Enhancement of Black Phosphorus Field-Effect Transistors by Chemical Doping	<i>Y. Du, L. Yang, H. Zhou, and P. D. Ye</i>	429
Solution-Processed Amorphous In–Zn–Sn Oxide Thin-Film Transistor Performance Improvement by Solution-Processed Y ₂ O ₃ Passivation	<i>R. N. Bükke, C. Avis, and J. Jang</i>	433
Stability of Amorphous Indium–Tungsten Oxide Thin-Film Transistors Under Various Wavelength Light Illumination	<i>Z. Yang, T. Meng, Q. Zhang, and H.-P. D. Shieh</i>	437
1-V Full-Swing Depletion-Load a-In–Ga–Zn–O Inverters for Back-End-of-Line Compatible 3D Integration	<i>L.-J. Chi, M.-J. Yu, Y.-H. Chang, and T.-H. Hou</i>	441
In ₂ O ₃ Thin-Film Transistors via Inkjet Printing for Depletion-Load nMOS Inverters	<i>J. Leppäniemi, K. Eiroma, H. S. Majumdar, and A. Alastalo</i>	445
Black Phosphorous Thin-Film Transistor and RF Circuit Applications	<i>S. F. Chowdhury, M. N. Yogeesh, S. K. Banerjee, and D. Akinwande</i>	449
Optoelectronics, Display, Imaging		
High-Performance Ultraviolet 385-nm GaN-Based LEDs With Embedded Nanoscale Air Voids Produced Through Atomic Layer Deposition and Al ₂ O ₃ Passivation	<i>C.-Y. Liu, C.-Y. Huang, P.-Y. Wu, J.-K. Huang, T. S. Kao, A.-J. Zhou, D.-W. Lin, Y. S. Wu, C.-Y. Chang, and H.-C. Kuo</i>	452
A CMOS-Compatible Hybrid Plasmonic Slot Waveguide With Enhanced Field Confinement	<i>J. Xiao, Q.-Q. Wei, D.-G. Yang, P. Zhang, N. He, G.-Q. Zhang, T.-L. Ren, and X.-P. Chen</i>	456
Innovative Front Grid Design, Four-Streets and Five-Busbars (4S-5BB), for High Efficiency Industrial Al-BSF Silicon Solar Cell	<i>A. Ebong, N. Chen, V. Unsur, A. Chowdhury, and B. Damiani</i>	459
Solid-State Power and High-Voltage Devices		
4H-SiC Trench MOSFET With L-Shaped Gate	<i>Q. Song, S. Yang, G. Tang, C. Han, Y. Zhang, X. Tang, Y. Zhang, and Y. Zhang</i>	463
New Bi-Mode Gate-Commutated Thyristor Design Concept for High-Current Controllability and Low ON-State Voltage Drop	<i>N. Lophitis, M. Antoniou, U. Vemulapati, M. Arnold, I. Nistor, J. Vobecky, M. Rahimo, and F. Udrea</i>	467

A Novel Sloped Field Plate-Enhanced Ultra-Short Edge Termination Structure	W. Yang, H. Feng, X. Fang, Y. Onozawa, H. Tanaka, and J. K. O. Sin	471
Negative Bias-Induced Threshold Voltage Instability in GaN-on-Si Power HEMTs	M. Meneghini, I. Rossetto, D. Bisi, M. Ruzzarin, M. Van Hove, S. Stoffels, T.-L. Wu, D. Marcon, S. Decoutere, G. Meneghesso, and E. Zanoni	474
Materials, Processing, and Packaging		
Capacitance-Enhanced Through-Silicon Via for Power Distribution Networks in 3D ICs	C. Hwang, B. Achkir, and J. Fan	478
Solid-State Device Phenomena		
Low-Resistance Titanium Contacts and Thermally Unstable Nickel Germanide Contacts on p-Type Germanium	H. Yu, M. Schaekers, T. Schram, W. Aderhold, A. J. Mayur, J. Mitard, L. Witters, K. Barla, N. Collaert, N. Horiguchi, A. V.-Y. Thean, and K. De Meyer	482
Molecular and Organic Devices		
Solution-Processed, Low-Voltage Polycrystalline Organic Field-Effect Transistor Fabricated Using Highly Ordered Liquid Crystal With Low- k Gate Dielectric	M. Kunii, H. Iino, and J.-I. Hanna	486
Sensors and Actuators		
A Cascaded Terminating-Type and Capacitive-Type Power Sensor for -10- to 22-dBm Application	Z. Yi and X. Liao	489
Attomolar Sensitivity of FET Biosensor Based on Smooth and Reliable Graphene Nanogrids	J. Basu and C. RoyChaudhuri	492
Biocompatible and Ultra-Flexible Inorganic Strain Sensors Attached to Skin for Long-Term Vital Signs Monitoring	Y. Chen, B. Lu, Y. Chen, and X. Feng	496
Back-Channel Electrolyte-Gated a-IGZO Dual-Gate Thin-Film Transistor for Enhancement of pH Sensitivity Over Nernst Limit	N. Kumar, J. Kumar, and S. Panda	500
Vacuum Electron Devices		
Optimized Growth of Tetra-Needlelike ZnO Whiskers in the Atmosphere for Field-Emission Digital Tube Application	Y. P. Chen and C. H. Zheng	504
Emerging Technologies and Devices		
Interconnect Design and Benchmarking for Charge-Based Beyond-CMOS Device Proposals	C. Pan and A. Naeemi	508
Extremely High-Frequency Flexible Graphene Thin-Film Transistors	S. Park, S. H. Shin, M. N. Yogeesh, A. L. Lee, S. Rahimi, and D. Akinwande	512
Investigation of Traps at MoS ₂ /Al ₂ O ₃ Interface in nMOSFETs by Low-Frequency Noise	H.-W. Yuan, H. Shen, J.-J. Li, J. Shao, D. Huang, Y.-F. Chen, P. F. Wang, S. J. Ding, W. J. Liu, A. Chin, and M.-F. Li	516
IEEE ELECTRON DEVICES SOCIETY MEETINGS CALENDAR	519	
Information for Authors	521	
