

IEEE

SENSORS JOURNAL

A PUBLICATION OF THE IEEE SENSORS COUNCIL

WWW.IEEE.ORG/SENSORS


NOVEMBER 15, 2016

VOLUME 16

NUMBER 22

ISJEAZ

(ISSN 1558-1748)



Batch fabricated mm-scale force sensors, suitable for surgical robots, prior to release and self-assembly into the final 3D shape.

IEEE

SENSORS JOURNAL

A PUBLICATION OF THE IEEE SENSORS COUNCIL

WWW.IEEE.ORG/SENSORS

NOVEMBER 15, 2016

VOLUME 16

NUMBER 22

ISJEAZ

(ISSN 1558-1748)

REVIEW ARTICLES

Applications

Wearable Inertial Sensors for Human Motion Analysis: A Review I. H. López-Nava and A. Muñoz-Meléndez 7821

SENSORS LETTERS

Microwave/Millimeter Wave Sensors

Passive E-Textile UHF RFID-Based Wireless Strain Sensors With Integrated References X. Chen, L. Ukkonen, and T. Björninen 7835

Sensor Phenomena and Characterization

Joint Selection for Cooperative Spectrum Sensing in Wireless Sensor Networks Y. Peng, F. Al-Hazemi, H. Kim, and C.-H. Youn 7837

Sensor Systems

Low-Power and Low-Noise Capacitive Sensing IC Using Opamp Sharing Technique Y. Park, H. Kim, Y. Mun, Y. Ko, D.-I. Cho, and H. Ko 7839

A Battery-Less Sensor Concept Outputting Perceivable Signal Demonstrated With an Accelerometer S. C. Lai, K. Yao, and C. Y. Tan 7841

SENSORS PAPERS

Chemical and Biological Sensors

Pore Geometry Optimization of Nanocrystalline Silicon Oxide Impedance Biosensor H. Ghosh and C. RoyChaudhuri 7843

Mechanical Sensors

An Improved Soft Dielectric for a Highly Sensitive Capacitive Tactile Sensor A. Rana, J.-P. Roberge, and V. Duchaine 7853

Experimental Studies of Temperature Dependence of Transfer Function of Molecular Electronic Transducers at High Frequencies D. L. Zaitsev, P. V. Dudkin, T. V. Krishtop, A. V. Neeshpapa, V. G. Popov, V. V. Uskov, and V. G. Krishtop 7864

Wearable Graphene Sensors With Microfluidic Liquid Metal Wiring for Structural Health Monitoring and Human Body Motion Sensing Y. Jiao, C. W. Young, S. Yang, S. Oren, H. Ceylan, S. Kim, K. Gopalakrishnan, P. C. Taylor, and L. Dong 7870

Magnetic Sensors

A Quantitative Model for the Sensitivity of Untuned Voltage Output Fluxgate Sensors W. Ye, W. Zhu, L. Zhang, and G. Fang 7876

(Contents Continued on Page 7819)



| | |
|---|------|
| <i>Microwave/Millimeter Wave Sensors</i> | |
| Design and Characterization of a Passive Temperature Sensor Based on a Printed MIW Delay Line | 7884 |
| J. J. Martínez-Martínez, F. Javier Herraiz-Martínez, and G. Galindo-Romera | |
| Investigation of a UWB Wind Turbine Blade Deflection Sensing System With a Tip Antenna Inside a Blade | 7892 |
| S. Zhang, T. L. Jensen, O. Franek, P. C. F. Eggers, C. Byskov, and G. F. Pedersen | |
| <i>Optoelectronic/Photonic Sensors</i> | |
| Robust Detection of Non-Regular Interferometric Fringes From a Self-Mixing Displacement Sensor Using Bi-Wavelet Transform | 7903 |
| O. D. Bernal, H. C. Seat, U. Zabit, F. Surre, and T. Bosch | |
| A Memristive Pixel Architecture for Real-Time Tracking | 7911 |
| O. A. Olumodeji, A. P. Bramanti, and M. Gottardi | |
| A ZnO-Based Programmable UV Detection Integrated Circuit Unit | 7919 |
| Z. Pan, X. Zhao, W. Peng, X. Qi, and Y. He | |
| Image-Based Optical Miniaturized Three-Axis Force Sensor for Cardiac Catheterization | 7924 |
| Y. Noh, H. Liu, S. Sareh, D. S. Chathuranga, H. Würdemann, K. Rhode, and K. Althoefer | |
| Spatial Object Tracking System Based on Linear Optical Sensor Arrays | 7933 |
| A. Kumar and P. Ben-Tzvi | |
| <i>Integrated Optics/Fiber Optical Devices</i> | |
| Design of Superstructure Fiber Bragg Grating With Efficient Mode Coupling for Simultaneous Strain and Temperature Measurement With Low Cross-Sensitivity | 7941 |
| S. Sengupta, S. K. Ghorai, and P. Biswas | |
| Intensity-Modulated Fiber Bragg Grating Sensor for Detection of Partial Discharges Inside High-Voltage Apparatus | 7950 |
| B. Sarkar, D. K. Mishra, C. Koley, N. K. Roy, and P. Biswas | |
| <i>Combined Sensors</i> | |
| Load Monitoring of the Pin-Connected Structure Using Time Reversal Technique and Piezoceramic Transducers—A Feasibility Study | 7958 |
| Y. Liang, D. Li, Q. Kong, and G. Song | |
| <i>Packaging and Interconnections</i> | |
| Printed Stretchable Interconnects for Smart Garments: Design, Fabrication, and Characterization | 7967 |
| M. A. Yokus, R. Foote, and J. S. Jur | |
| <i>Sensor Phenomena and Characterization</i> | |
| Analysis of the Effects of Hydrotalcite Inclusion on the Temperature-Sensing Properties of CNT-Epoxy Nanocomposites | 7977 |
| P. Lamberti, B. De Vivo, G. Spinelli, V. Tucci, L. Guadagno, M. Raimondo, and L. Vertuccio | |
| A Novel Ferrofluid Inclinator Exploiting a Hall Element | 7986 |
| J. Yao, S. Liu, Z. Li, and D. Li | |
| Application of Pyrogallol Azo Derivative as a Mediator for Simultaneous Voltammetric Sensing of Ascorbic Acid, Epinephrine, Acetaminophen, and Tryptophan | 7992 |
| F. Hasanpour, M. Nekoeinia, and H. Rashidi | |
| <i>Sensor Signal Processing and Array Sensor Fusion</i> | |
| Quantifying and Improving Laser Range Data When Scanning Industrial Materials | 7999 |
| C. N. MacLeod, R. Summan, G. Dobie, and S. G. Pierce | |
| A New Method Combining KECA-LDA With ELM for Classification of Chinese Liquors Using Electronic Nose | 8010 |
| X.-M. Jia, Q.-H. Meng, Y.-Q. Jing, P.-F. Qi, M. Zeng, and S.-G. Ma | |
| Range Free Localization in Wireless Sensor Networks for Homogeneous and Non-Homogeneous Environment | 8018 |
| Y. Ahmadi, N. Neda, and R. Ghazizadeh | |
| Chaos Time Domain Reflectometry for Online Defect Detection in Noisy Wired Networks | 8027 |
| F. Auzanneau, N. Ravot, and L. Incarbone | |
| Enhancing Microwave Metamaterial Aperture Radar Imaging Performance With Rotation Synthesis | 8035 |
| Z. Wu, L. Zhang, H. Liu, and N. Kou | |
| Dye Concentrations Measurement Using Mach–Zehner Interferometer Sensor and Modeled by ANFIS | 8044 |
| S. S. Chong, A. A. B. Abdul Raman, S. W. Harun, and H. Arof | |
| <i>Sensor Systems</i> | |
| Smartphone-Based Indoor Localization System Using Inertial Sensor and Acoustic Transmitter/Receiver | 8051 |
| H. Yang, R. Zhang, J. Bordoy, F. Höflinger, W. Li, C. Schindelbauer, and L. Reindl | |
| Investigating a Micro Pirani Gauge for Multi-Function Sensing | 8062 |
| M. Zhang and N. Llaser | |
| Fault Self-Detection Technique in Fiber Bragg Grating-Based Passive Sensor Network | 8070 |
| C.-H. Yeh, N. Tsai, Y.-H. Zhuang, C.-W. Chow, and W.-F. Liu | |

(Contents Continued from Page 7819)

| | | |
|--|---|------|
| Induction Motors Vibration Monitoring Using a Biaxial Optical Fiber Accelerometer | <i>R. Pomorski Linessio, K. de M. Sousa, T. da Silva, C. A. Bavastri, P. F. C. Antunes, and J. C. Cardozo da Silva</i> | 8075 |
| Mixed Near-Field and Far-Field Source Localization Based on Uniform Linear Array Partition | <i>K. Wang, L. Wang, J.-R. Shang, and X.-X. Qu</i> | 8083 |
| SLOPE: Shrinkage of Local Overlapping Patches Estimator for Lensless Compressive Imaging | <i>X. Yuan, H. Jiang, G. Huang, and P. A. Wilford</i> | 8091 |
| <i>Applications</i> | | |
| Design and Feasibility Assessment of a Magnetic Resonance-Compatible Smart Textile Based on Fiber Bragg Grating Sensors for Respiratory Monitoring | <i>C. Massaroni, P. Saccomandi, D. Formica, D. Lo Presti, M. A. Caponero, G. Di Tomaso, F. Giurazza, M. Muto, and E. Schena</i> | 8103 |
| Wearable Environmental Sensors and Infrastructure for Mobile Large-Scale Urban Deployment | <i>E. Wilhelm, S. Siby, Y. Zhou, X. J. S. Ashok, M. Jayasuriya, S. Foong, J. Kee, K. L. Wood, and N. O. Tippenhauer</i> | 8111 |
| On-Display Transparent Half-Diamond Pattern Capacitive Fingerprint Sensor Compatible With AMOLED Display | <i>H. Ma, Z. Liu, S. Heo, J. Lee, K. Na, H. B. Jin, S. Jung, K. Park, J. J. Kim, and F. Bien</i> | 8124 |
| Pedestrian Dead Reckoning With Smartglasses and Smartwatch | <i>D. Loh, S. Zihajehzadeh, R. Hoskinson, H. Abdollahi, and E. J. Park</i> | 8132 |
| Access Control Protocol With Node Privacy in Wireless Sensor Networks | <i>P. Kumar, A. Gurtov, J. Inatti, M. Sain, and P. H. Ha</i> | 8142 |
| <i>Sensors System Networks</i> | | |
| Wireless Communication in Feedback-Assisted Active Sensors | <i>M. Abdolrazzagh, M. H. Zarifi, and M. Daneshmand</i> | 8151 |
| Improving Practical Sensitivity of Energy Optimized Wake-Up Receivers: Proof of Concept in 65-nm CMOS | <i>N. Seyed Mazloum, J. Neves Rodrigues, O. Andersson, A. Nejdal, and O. Edfors</i> | 8158 |
| Maximizing Lifetime of Data-Gathering Trees With Different Aggregation Modes in WSNs | <i>F. Zhou, Z. Chen, S. Guo, and J. Li</i> | 8167 |
