


# IEEE TRANSACTIONS ON APPLIED SUPERCONDUCTIVITY

A PUBLICATION OF THE IEEE COUNCIL ON SUPERCONDUCTIVITY



MARCH 2016

VOLUME 26

NUMBER 2

ITASE9

(ISSN 1051-8223)





Figure 11 from “Design Optimization of Round Strands Made by Twisted Stacks of HTS Tapes,” by Bykovsky *et al.*, 4201207.

# IEEE TRANSACTIONS ON APPLIED SUPERCONDUCTIVITY

A PUBLICATION OF THE IEEE COUNCIL ON SUPERCONDUCTIVITY



MARCH 2016

VOLUME 26

NUMBER 2

ITASE9

(ISSN 1051-8223)

SPECIAL ISSUE ON THE HTS4FUSION CONDUCTOR WORKSHOP

## *Editorial*

- Guest Editorial on HTS-Based High Current Conductors for Fusion Applications . . . . . *G. Celentano and L. Chiesa* 0100101

## SPECIAL ISSUE PAPERS

### *Fusion Magnets*

- Design Optimization of Round Strands Made by Twisted Stacks of HTS Tapes . . . . . *N. Bykovsky, D. Uglietti, R. Wesche, and P. Bruzzone* 4201207
- Mechanical and Electrical Characteristics of a Bridge-Type Mechanical Lap Joint of HTS STARS Conductors . . . . . *S. Ito, N. Yusa, N. Yanagi, H. Tamura, A. Sagara, and H. Hashizume* 4201510

### *Bi-Oxide Wires and Tape*

- HTS CroCo: A Stacked HTS Conductor Optimized for High Currents and Long-Length Production . . . . . *M. J. Wolf, W. H. Fietz, C. M. Bayer, S. I. Schlachter, R. Heller, and K.-P. Weiss* 6400106
- Present Status and Recent Developments of the Twisted Stacked-Tape Cable Conductor . . . . . *M. Takayasu, L. Chiesa, N. C. Allen, and J. V. Minervini* 6400210

### *Test Facilities and Instrumentation*

- EDIPO: The Test Facility for High-Current High-Field HTS Superconductors . . . . . *P. Bruzzone, B. Stepanov, D. Uglietti, R. Wesche, and K. Sedlak* 9500106

## REGULAR ISSUE PAPERS

### *Levitation, Transportation, and Propulsion*

- Chaotic Motion of a Magnet Levitated Over a Superconductor . . . . . *P.-J. Zhuo, Z.-X. Zhang, and X.-F. Gou* 3600406

### *Fusion Magnets*

- Coupling Loss Time Constant Calculation of Cable-in-Conduit Conductor Considering Electromagnetic Load Cycle . . . . . *H. W. Jiang and S. T. Wu* 4201005

(Contents Continued on Next Page)

|  |         |
|--|---------|
| <i>HTS Magnets</i>   |         |
| The Development of HTS Solenoid Lens for Electron Microscope . . . . .   |         |
| <i>F. Ning, Z. Zhu, L. Geng, Y. Hu, Z. Liu, K. Zhang, C. Wang, M. Wang, L. Zhao, H. Yang, Z. Hou, Q. Xu, G. Zhang, W. Yao, and W. Zhao</i>                                   | 4600306 |
| <i>Magnet Stability, Magnetization Effects, AC losses and Protection</i>   |         |
| Vertically Layered Heat Exchanger for the Solid Nitrogen Heat Capacitor Cooling High-Temperature Superconducting Magnet . . . . .  |         |
| <i>M. Aoki</i>   | 4700304 |
| Analysis of Maximum Voltage Transient of JT-60SA Toroidal Field Coils in Case of Fast Discharge . . . . .  |         |
| <i>L. Novello, P. Cara, A. Coletti, E. Gaio, A. Maistrello, M. Matsukawa, G. Phillips, V. Tomarchio, and K. Yamauchi</i>   | 4700507 |
| <i>Cables and Current Leads</i>  |         |
| Investigation of Stabilizer Material Properties Used With REBCO Coated Conductor Tapes for the Application in a 20-kA High-Temperature Superconductor Current Lead . . . . . |         |
| <i>S. Drotziger, W. H. Fietz, R. Heller, and A. Jung</i>   | 4801409 |
| <i>Magnet Design and Analysis Techniques</i>   |         |
| Investigation of Adopting Ti–15V–3Cr–3Sn–3Al Tie Rod to Support the Cold Mass of Superconducting Magnet With Strict Alignment Requirements . . . . .                         |         |
| <i>K. Zhang, Z. Zhu, G. Zhang, Z. Dai, Z. Mu, M. Wang, and L. Zhao</i>   | 4900306 |
| A Novel Rotating HTS Flux Pump Incorporating a Ferromagnetic Circuit . . . . .   |         |
| <i>Z. Jiang, C. W. Bumby, R. A. Badcock, H.-J. Sung, and R. A. Slade</i>   | 4900706 |
| <i>Motors, Generators, and Other Rotating Machines</i>   |         |
| Toward an Optimum Design of Large-Scale HTS Synchronous Generator for Wind Turbine Applications . . . . .  |         |
| <i>R. Shafaei, F. Amirkhanloo, and M. Kalantar</i>   | 5201408 |
| Actively Shielded High-Field Air-Core Superconducting Machines . . . . .   |         |
| <i>K. S. Haran, D. Loder, T. O. Deppen, and L. Zheng</i>   | 5202508 |
| <i>Transmission and Distribution</i>   |         |
| Insulation Design of a Stop Joint Box of 80-kV DC HTS Cables Based on DC Electric Field Analysis . . . . .   |         |
| <i>J.-S. Hwang, J.-G. Lee, B.-B. Park, R. Hwang, H.-S. Ryoo, J.-W. Cho, and B.-W. Lee</i>  | 5400112 |
| <i>Transformers</i>  |         |
| A Diversified Multiobjective Simulated Annealing and Genetic Algorithm for Optimizing a Three-Phase HTS Transformer . . . . .  |         |
| <i>S. V. Daneshmand and H. Heydari</i>   | 5500210 |
| <i>Fault-Current Limiters</i>  |         |
| Simulation of a Superconducting Fault Current Limiter: A Case Study in the Brazilian Power System With Possible Recovery Under Load . . . . .                                |         |
| <i>W. T. B. de Sousa, T. M. L. Assis, A. Polasek, A. M. Monteiro, and R. de Andrade, Jr.</i>   | 5600508 |
| <i>Niobium-Based Wires and Tapes</i>   |         |
| Effect of Diffusion Annealing and Design of Internal Tin Wires on the Structure and Morphology of Superconducting Nb <sub>3</sub> Sn Layers . . . . .                        |         |
| <i>I. Deryagina, E. Popova, E. Patrakov, and E. Valova-Zaharevskaya</i>  | 6000706 |
| <i>Magnetization and Time-Dependent Losses</i>   |         |
| Hysteresis Losses and Effective $J_c(B)$ Scaling Law for ITER Nb <sub>3</sub> Sn Strands . . . . .   |         |
| <i>E. Seiler, D. Richter, B. Bordini, L. Bottura, D. Bessette, A. Vostner, and A. Devred</i>   | 8200307 |
| A Novel Method for Numerical Analysis of Microwave Surface Resistance of Type-II Superconductors . . . . .   |         |
| <i>S. Yildiz, F. Inanir, and A. Cicek</i>  | 8200505 |
| <i>Mechanical Properties, Strain Dependence</i>  |         |
| Effects of the Interfacial Transition on the Giant Magnetostriction in a Superconductor–Substrate Structure . . . . .  |         |
| <i>Z. Gao and Z. Zheng</i>   | 8400605 |
| <b>TECHNICAL NOTES</b>   |         |
| <i>SQUID Designs and Applications</i>  |         |
| Operating Point and Flux Jumps of a SQUID in Flux-Locked Loop . . . . .  |         |
| <i>D. Prêle, M. Piat, L. Sipile, and F. Voisin</i>   | 1600105 |

|  |  |         |  |
|--|--|---------|--|
| <i>Magnet Design and Analysis Techniques</i>   |  |         |  |
| Optimization of Support System for FAIR Energy Buncher Dipole Magnet . . . . .   | A. Dutta Gupta, S. Ghosh, P. Bhattacharyya, G. Pal, P. Mukherjee, and S. Sen | 4900505 |  |
| <i>Mechanical Properties, Strain Dependence</i>  |  |         |  |
| The Influence of Strain Rate on the Tensile Properties of a Nb–Ti/Cu Superconducting Composite Wire Under Variable Cryogenic Temperature . . . . . | M. Guan, X. Wang, and Y. Zhou  | 8400205 |  |

---