

IEEE TRANSACTIONS ON ELECTROMAGNETIC COMPATIBILITY

A PUBLICATION OF THE IEEE ELECTROMAGNETIC COMPATIBILITY SOCIETY



FEBRUARY 2016

VOLUME 58

NUMBER 1

IEMCAE

(ISSN 0018-9375)

From the Incoming Editor-in-Chief	<i>A. Orlandi</i>	3
<hr/>		
EMC MANAGEMENT		
Method for Derivation and Synthesis of Conducted Susceptibility Limits for System-Level EMC	<i>L. S. Freeman and T. Wu</i>	4
<i>Reverberation Chambers</i>		
Elliptic Stochastic Fields in Reverberation Chambers	<i>L. R. Arnaut</i>	11
On the Measurable Range of Absorption Cross Section in a Reverberation Chamber	<i>J. D. Flintoft, S. J. Bale, S. L. Parker, A. C. Marvin, J. F. Dawson, and M. P. Robinson</i>	22
<hr/>		
ELECTROMAGNETIC ENVIRONMENT		
<i>Human Exposure and SAR</i>		
Study of Interference Voltage of an Implanted Pacemaker by Mobile Terminals	<i>Y. Endo, K. Saito, S. Watanabe, M. Takahashi, and K. Ito</i>	30
Use of Rod Reflectors for SAR Reduction in Human Head	<i>M. Haridim</i>	40
Absorption Related to Hand-Held Devices in Data Mode	<i>J. B. Andersen, J. Ø. Nielsen, and G. F. Pedersen</i>	47
<i>Complex Environment</i>		
A Study on Characteristics of Electromagnetic Waves Propagating Through the Space Between Overlapped Metal Plates	<i>Y. Watanabe and S. Nitta</i>	54
<hr/>		
ELECTROMAGNETIC INTERFERENCE CONTROL		
<i>Cable Shielding</i>		
Radiated Immunity Test Involving Crosstalk and Enforcing Equivalence With Field-to-Wire Coupling	<i>F. Grassi, H. Abdollahi, G. Spadacini, S. A. Pignari, and P. Pelissou</i>	66
<i>Interference Reduction</i>		
Radio-Frequency Interference Estimation Using Equivalent Dipole-Moment Models and Decomposition Method Based on Reciprocity	<i>J. Pan, H. Wang, X. Gao, C. Hwang, E. Song, H.-B. Park, and J. Fan</i>	75
Modeling EMI Due to Display Signals in a TV	<i>S. Shinde, X. Gao, K. Masuda, V. V. Khilkevich, and D. Pommerenke</i>	85

(Contents Continued on Page 1)



(Contents Continued from Front Cover)

Noise Reduction

Use of Adaptive Kriging Metamodeling in Reliability Analysis of Radiated Susceptibility in Coaxial Shielded Cables *T. Bdour, C. Guiffaut, and A. Reineix* 95

Shielding

An Efficient Approach for Analyzing Shielding Effectiveness of Enclosure With Connected Accessory Based on Equivalent Dipole Modeling *P. Li, F. R. Yang, and W.-Y. Xu* 103

ELECTROMAGNETIC MODELING

Formula for the Field Excited in a Cavity Sealed by a Plate Backed With a Conductive Elastomer *J. R. Solin* 111

Propagation and Aliasing of High Frequencies in the FDTD Grid *J.-P. Bérenger* 117

HIGH POWER ELECTROMAGNETICS

Lightning

Propagation Effects on the Electric Field Time Derivatives Generated by the Stepped Leaders and Return Strokes in CG Flashes *Z.-D. Jiang, B.-H. Zhou, S. Qiu, and L.-H. Shi* 125

Reduction of Transient Magnetic Field Due to Lightning by a Shielded Room in a Building *T. Asada, A. Ametani, H. Uchida, T. Endo, S. Irie, and K. Yonezawa* 135

Investigation of Lightning Electromagnetic Fields on Underground Cables in Wind Farms *M. E. M. Rizk, F. Mahmood, M. Lehtonen, E. A. Badran, and M. H. Abdel-Rahman* 143

Simplified Analytical Representation of Lightning Strike Waveshapes *F. Koehler and J. Swingler* 153

On Lightning Electromagnetic Field Propagation Along an Irregular Terrain *D. Li, M. Azadifar, F. Rachidi, M. Rubinstein, M. Paolone, D. Pavanello, S. Metz, Q. Zhang, and Z. Wang* 161

A Closed Expression for the Lightning Induced Voltage in Short Loops *C. F. Barbosa and J. O. S. Paulino* 172

Intentional Electromagnetic Interferences

System-Level Vulnerability Assessment for EME: From Fault Tree Analysis to Bayesian Networks—Part I: Methodology Framework *C. Mao and F. Canavero* 180

System-Level Vulnerability Assessment for EME: From Fault Tree Analysis to Bayesian Networks—Part II: Illustration to Microcontroller System *C. Mao, F. G. Canavero, Z. Cui, and D. Sun* 188

PRINTED CIRCUIT BOARDS, INTERCONNECTS, AND SIGNAL INTEGRITY

Segmented Physics-Based Modeling of Multilayer Printed Circuit Boards Using Stripline Ports *T. Reuschel, S. Müller, and C. Schuster* 197

A Significance Test for Reverberation-Chamber Measurement Uncertainty in Total Radiated Power of Wireless Devices *K. A. Remley, C.-M. J. Wang, D. F. Williams, J. J. aan den Toorn, and C. L. Holloway* 207

Investigation of the Radiated Emissions From High-Speed/High-Density Connectors *H.-C. Chen, S. Connor, M. S. Halligan, X. Tian, X. Li, B. Archambeault, J. L. Drewniak, and T.-L. Wu* 220

An Integrated LVDS Transmitter-Receiver System With Increased Self-Immunity to EMI in 0.18- μm CMOS *G. A. Matig-a, M. R. Yuze, and J.-M. Redouté* 231

Novel L-EBG Embedded Structure for the Suppression of SSN *L.-F. Shi, K.-J. Li, H.-Q. Hu, and S. Chen* 241

Predicting Statistical Characteristics of Jitter Due to Simultaneous Switching Noise *C. Sui, L. Ren, X. Gao, J. Pan, J. L. Drewniak, and D. G. Beetner* 249

Modeling Magnetic Near-Field Injection at Silicon Die Level *A. Boyer, B. Vrignon, and M. Cavarroc* 257

Quantifying High-Density Connector Radiation in a Lossy Multisignal Environment *M. S. Halligan, X. Tian, X. Li, S. Connor, D. G. Beetner, and J. L. Drewniak* 270

TRANSMISSION LINES

On the Image Model of a Buried Horizontal Wire *V. Arnautovski-Toseva and L. Grcev* 278

Time-Domain Finite Element Method Analysis of Frequency-Dependent Transmission Lines *I. Jurić-Grgić, A. Bernadić, and R. Lucić* 287

WIRELESS TECHNOLOGY

Equivalent-Circuit Expression of Environmental Noise Electric Fields in Intrabody Communication Channels *N. Haga, K. Motojima, M. Shinagawa, and Y. Kado* 294

(Contents Continued from Page 1)

Ambient Power Density and Electric Field From Broadband Wireless Emissions in a Reverberant Space	307
..... <i>G. B. Tait, C. E. Hager IV, T. T. Baseler, and M. B. Slocum</i>	
Provocative Testing for the Assessment of the Electromagnetic Interference of RFID and NFC Readers on Implantable Pacemaker ...	314
..... <i>E. Mattei, E. Lucano, F. Censi, M. Triventi, and G. Calcagnini</i>	

LETTERS

Impact of Frequency-Dependent Soil Parameters in the Numerical Stability of Image Approximation-Based Line Models	323
..... <i>M. M. Y. Tomasevich and A. C. S. Lima</i>	
FDTD Simulation of Lightning Current in a Multilayer CFRP Panel With Triangular Prism Cells	327
..... <i>M. Nakagawa, Y. Baba, H. Tsubata, T. Nishi, and H. Fujisawa</i>	
A Frequency Tunable High Sensitivity H-Field Probe Using Varactor Diodes and Parasitic Inductance	331
..... <i>S. Shinde, S. Marathe, G. Li, R. Zoughi, and D. Pommerenke</i>	

CORRESPONDENCE

Comment on "A New Channel-Base Current Function for Lightning Studies"	335
..... <i>V. Javor</i>	
Reply to "Comments on a New Channel-Base Current Function for Lightning Studies"	337
..... <i>A. Andreotti and L. Verolino</i>	
