

IEEE TRANSACTIONS ON ELECTRON DEVICES

A PUBLICATION OF THE IEEE ELECTRON DEVICES SOCIETY



JULY 2013

VOLUME 60

NUMBER 7

IETDAI

(ISSN 0018-9383)

EDITORIAL

What's in a Page Charge?	S. K. Saha	2095
--------------------------------	------------	------

REGULAR PAPERS

Silicon and Column IV Semiconductors Devices

A Physical and SPICE Mobility Degradation Analysis for NBTI	A. Chaudhary and S. Mahapatra	2096
Simulation of High-Efficiency Crystalline Silicon Solar Cells With Homo-Hetero Junctions	S. Zhong, X. Hua, and W. Shen	2014
Model Order Reduction for Multiband Quantum Transport Simulations and Its Application to p-Type Junctionless Transistors	J. Z. Huang, W. C. Chew, J. Peng, C.-Y. Yam, L. J. Jiang, and G.-H. Chen	2111
Modeling and Design Space of Junctionless Symmetric DG MOSFETs With Long Channel	F. Jazaeri, L. Barbut, and J.-M. Sallese	2120
Quantum Mechanical Performance Predictions of p-n-i-n Versus Pocketed Line Tunnel Field-Effect Transistors	D. Verreck, A. S. Verhulst, K.-H. Kao, W. G. Vandenberghe, K. De Meyer, and G. Groeseneken	2128
Germanium Multiple-Gate Field-Effect Transistor With <i>in situ</i> Boron-Doped Raised Source/Drain	B. Liu, C. Zhan, Y. Yang, R. Cheng, P. Guo, Q. Zhou, E. Y.-J. Kong, N. Daval, C. Veytizou, D. Delprat, B.-Y. Nguyen, and Y.-C. Yeo	2135
Atomistic Study of the Lattice Thermal Conductivity of Rough Graphene Nanoribbons	H. Karamitaheri, M. Pourfath, R. Faez, and H. Kosina	2142
On the Distribution of NBTI Time Constants on a Long, Temperature Accelerated Time Scale	G. Pobegen and T. Grassler	2148
Parameterization of Free Carrier Absorption in Highly Doped Silicon for Solar Cells	M. Rüdiger, J. Greulich, A. Richter, and M. Hermle	2156

(Contents Continued on Page 2093)

Compact Zero-Temperature Coefficient Modeling Approach for MOSFETs Based on Unified Regional Modeling of Surface Potential	S. B. Chiah, X. Zhou, and L. Yuan	2164
Engineering Nanowire n-MOSFETs at $L_g < 8$ nm	S. Mehrotra, S. Kim, T. Kubis, M. Povolotskyi, M. Lundstrom, and G. Klimeck	2171
Atomically-Flat Low-Resistive Germanide Contacts Formed by Laser Thermal Anneal	M. Shayesteh, K. Huet, I. Toqué-Tresonne, R. Negru, C. L. M. Daunt, N. Kelly, D. O'Connell, R. Yu, V. Djara, P. B. Carolan, N. Petkov, and R. Duffy	2178
Evaluation of Digital Circuit-Level Variability in Inversion-Mode and Junctionless FinFET Technologies	S. Wang, G. Leung, A. Pan, C. O. Chui, and P. Gupta	2186
State Dynamics and Modeling of Tantalum Oxide Memristors	J. P. Strachan, A. C. Torrezan, F. Miao, M. D. Pickett, J. J. Yang, W. Yi, G. Medeiros-Ribeiro, and R. S. Williams	2194
A New Erase Constraint for the Junction-Less Charge-Trap Memory Array in Cylindrical Geometry	A. Maconi, C. M. Compagnoni, A. S. Spinelli, and A. L. Lacaita	2203
InP-DHBT-on-BiCMOS Technology With f_T/f_{max} of 400/350 GHz for Heterogeneous Integrated Millimeter-Wave Sources	T. Kraemer, I. Ostermay, T. Jensen, T. K. Johansen, F.-J. Schmueckle, A. Thies, V. Krozer, W. Heinrich, O. Krueger, G. Traenkle, M. Lisker, A. Trusch, P. Kulse, and B. Tillack	2209
Compound Semiconductor Devices		
Silicon Substrate Engineered High Voltage High Temperature GaN-DHFETs	P. Srivastava, J. Das, R. P. Mertens, and G. Borghs	2217
Electrothermal Simulation and Thermal Performance Study of GaN Vertical and Lateral Power Transistors	Y. Zhang, M. Sun, Z. Liu, D. Piedra, H.-S. Lee, F. Gao, T. Fujishima, and T. Palacios	2224
Investigations of AlGaIn/AlN/GaN MOS-HEMTs on Si Substrate by Ozone Water Oxidation Method	H.-Y. Liu, C.-S. Lee, W.-C. Hsu, L.-Y. Tseng, B.-Y. Chou, C.-S. Ho, and C.-L. Wu	2231
Electrical Characterization of GaP-Silicon Interface for Memory and Transistor Applications	A. Pal, A. Nainani, Z. Ye, X. Bao, E. Sanchez, and K. C. Saraswat	2238
A Non-Parabolic, Multi-Valley Quantum Correction Model for InGaAs Double-Gate Structures	O. Penzin, G. Paasch, and L. Smith	2246
Memory Devices and Technology		
High- κ Eu ₂ O ₃ and Y ₂ O ₃ Poly-Si Thin-Film Transistor Nonvolatile Memory Devices	T.-M. Pan, L.-C. Yen, S.-H. Huang, C.-T. Lo, and T.-S. Chao	2251
Doping Process for 3-D N-Type Trench Transistors – 2-D Cross-Sectional Doping Profiling Study	S. Qin, Z. Wang, Y. J. Hu, and A. McTeer	2256
Read and Pass Disturbance in the Programmed States of Floating Gate Flash Memory Cells With High- κ Inter-Poly Gate Dielectric Stacks	B. Tang, C. Robinson, W. D. Zhang, J. F. Zhang, R. Degraeve, P. Blomme, M. Toledano-Luque, G. Van den Bosch, B. Govoreanu, and J. Van Houdt	2261
A Detailed Analysis of the Role of Thin-HfO ₂ Interfacial Layer in Ge ₂ Sb ₂ Te ₅ -Based PCM	Q. Hubert, C. Jahan, A. Toffoli, V. Delaye, D. Lafond, H. Grampeix, and B. de Salvo	2268
Thin Film Transistors		
High-Performance SLS Nanowire TFTs With Dual-Gate Structure	T.-K. Kang	2276
Optoelectronics, Displays, and Imaging		
Effects of the Use of an Aluminum Reflecting and an SiO ₂ Insulating Layers (RIL) on the Performance of a GaN-Based Light-Emitting Diode With the Naturally Textured p-GaN Surface	J.-K. Liou, C.-C. Chen, P.-C. Chou, S.-Y. Cheng, J.-H. Tsai, R.-C. Liu, and W.-C. Liu	2282
Performance Testing of 3-W LED Mounted on ZnO Thin Film Coated Al as Heat Sink Using Dual Interface Method	M. Devarajan, S. Subramani, A. Permal, and Z. Y. Ong	2290
Dual-Carrier High-Gain Low-Noise Superlattice Avalanche Photodiodes	J. Huang, K. Banerjee, S. Ghosh, and M. M. Hayat	2296
Solid-State Power and High Voltage Devices		
High-Performance Split-Gate Enhanced UMOSFET With p-Pillar Structure	Y. Wang, H. Hu, C. Yu, and H. Lan	2302
Cathode-Side Current Filaments in High-Voltage Power Diodes Beyond the SOA Limit	R. Baburske, F.-J. Niedernostheide, J. Lutz, H.-J. Schulze, E. Falck, and J. G. Bauer	2308
A Novel Isolation Method for Half-Bridge Power ICs	M. Kong and X. Chen	2318

Materials, Processing and Packaging

Effect of ZnO Buffer Layer on the Bending Durability of ZnO:Ga Films Grown on Flexible Substrates: Investigation of Surface Energy, Electrical, Optical, and Structural Properties *J.-L. Wu, Y.-C. Chen, H.-Y. Lin, S.-Y. Chu, C.-C. Chang, C.-J. Wu, and Y.-D. Juang* 2324

An Investigation on Cu TSV-Induced KOZ in Silicon Chips: Simulations and Experiments *M. Y. Tsai, P. S. Huang, C. Y. Huang, H. Jao, B. Huang, B. Wu, Y. Y. Lin, W. Liao, J. Huang, L. Huang, S. Shih, and J. P. Lin* 2331

A Novel Strain Relief Design for Multi-Layer Thin Film Stretchable Interconnects *Y.-Y. Hsu, K. Lucas, D. Davis, B. Elolampi, R. Ghaffari, C. Rafferty, and K. Dowling* 2338

Solid State Device Phenomena

Investigation on the Direct Method for the Extraction of Semiconductor Material Parameters Using the EBIC Line Scan: Planar-Collector Configuration *C. C. Tan, V. K. S. Ong, and K. Radhakrishnan* 2346

Under-the-Barrier-Model: An Extension of the Top-of-the-Barrier Model to Efficiently and Accurately Simulate Ultra-Scaled Nanowire Transistors *Á. Szabò and M. Luisier* 2353

Temperature Dependence and Post-Irradiation Annealing Response of the $1/f$ Noise of 4H-SiC MOSFETs *C. X. Zhang, X. Shen, E. X. Zhang, D. M. Fleetwood, R. D. Schrimpf, S. A. Francis, T. Roy, S. Dhar, S.-H. Ryu, and S. T. Pantelides* 2361

Influence of Frequency Dependent Time to Breakdown on High-K/Metal Gate Reliability *S. Knebel, S. Kupke, U. Schroeder, S. Slesazeck, T. Mikolajick, R. Agaiby, and M. Trentzsch* 2368

Molecular and Organic Devices

Polymer Photovoltaic Performance and Degradation on Spray and Spin-Coated Electron Transport Layer and Active Layer *E. Ngo, S. Venkatesan, D. Galipeau, and Q. Qiao* 2372

Investigation of Charge Injection and Relaxation in Multilayer Dielectric Stacks for Capacitive RF MEMS Switch Application *G. Li, W. Zhang, P. Li, S. Sang, J. Hu, and X. Chen* 2379

Vacuum Electron Devices

Design of a W-Band Gyro-TWT Amplifier With a Lossy Ceramic-Loaded Circuit *C. H. Du, T. H. Chang, P. K. Liu, Y. C. Huang, P. X. Jiang, S. X. Xu, Z. H. Geng, B. L. Hao, G. F. Liu, Z. D. Li, and S. H. Shi* 2388

Six-Beam Gun Design for a High Power Multiple-Beam Klystron *R. Zhang and Y. Wang* 2395

Emerging Technologies and Devices

Bio-Inspired Stochastic Computing Using Binary CBRAM Synapses *M. Suri, D. Querlioz, O. Bichler, G. Palma, E. Vianello, D. Vuillaume, C. Gamrat, and B. DeSalvo* 2402

A Quasi-Ballistic Transport Model for Graphene Field-Effect Transistor *G. Hu, S. Hu, R. Liu, L. Wang, X. Zhou, and T.-A. Tang* 2410

BRIEF PAPERS

Poly-Si Nanowire TFT With Raised Source/Drain and Nitride Spacer *T.-K. Kang and Y.-Y. Yang* 2415

Nonquasi-Static Charge Model for Common Double-Gate MOSFETs Adapted to Gate Oxide Thickness Asymmetry *N. Sharan and S. Mahapatra* 2419

Hetero-Tunnel Field-Effect-Transistors With Epitaxially Grown Germanium on Silicon *M. H. Lee, J.-C. Lin, and C.-Y. Kao* 2423

A New Planar Junction Edge Termination Technique Using OPTVLD With a Buried Layer ... *J. Cheng and X. Chen* 2428

High-Performance Transparent AZO TFTs Fabricated on Glass Substrate *J. Cai, D. Han, Y. Geng, W. Wang, L. Wang, S. Zhang, and Y. Wang* 2432