

# IEEE TRANSACTIONS ON ELECTRON DEVICES

A PUBLICATION OF THE IEEE ELECTRON DEVICES SOCIETY



DECEMBER 2013

VOLUME 60

NUMBER 12

IETDAI

(ISSN 0018-9383)

---

## EDITORIAL

|   |                |      |
|---|----------------|------|
| An Anniversary to Celebrate! .....      | J. D. Cressler | 3935 |
| Kudos to Our Reviewers .....            | J. D. Cressler | 3944 |
| Golden List of Reviewers for 2013 ..... |                | 3945 |
| T-ED Retiring Editor .....              | J. D. Cressler | 3972 |

## REGULAR PAPERS

### Silicon and Column IV Semiconductors Devices

|   |  |      |
|---|--|------|
| Electroabsorption Modeling in Hydrogenated Amorphous Silicon .....  | M. Pirc and M. Topic   | 3973 |
| A Phase-Change Via-Reconfigurable CMOS LC VCO .....   | C.-Y. Wen, G. Slovin, J. A. Bain, T. E. Schlesinger, L. T. Pileggi, and J. Paramesh  | 3979 |
| Effect of Damage in Source and Drain on the Endurance of a 65-nm-Node NOR Flash Memory .....  | Z. Sun, M. Zhang, Z. Huo, S. Li, Y. Yang, S. Qiu, H. Wu, and M. Liu  | 3989 |
| Quantitative Extraction of Electric Flux in the Buried-Oxide Layer and Investigation of Its Effects on MOSFET Characteristics ..... | T. Yamada, S. Abe, Y. Nakajima, T. Hanajiri, T. Toyabe, and T. Sugano  | 3996 |
| Channel Hot Carrier Degradation Mechanism in Long/Short Channel <i>n</i> -FinFETs .....   | M. Cho, P. Roussel, B. Kaczer, R. Degraeve, J. Franco, M. Aoulaiche, T. Chiarella, T. Kauerauf, N. Horiguchi, and G. Groeseneken                             | 4002 |
| 3-D Statistical Simulation Comparison of Oxide Reliability of Planar MOSFETs and FinFET .....                                       | L. Gerrer, S. M. Amoroso, S. Markov, F. Adamu-Lema, and A. Asenov  | 4008 |
| A TCAD and Spectroscopy Study of Dark Count Mechanisms in Single-Photon Avalanche Diodes .....                                      | E. A. G. Webster and R. K. Henderson   | 4014 |
| Overcoming Temperature Limitations in Phase Change Memories With Optimized Ge <sub>x</sub> Sb <sub>y</sub> Te <sub>z</sub> .....    | P. Zuliani, E. Varesi, E. Palumbo, M. Borghi, I. Tortorelli, D. Erbetta, G. Dalla Libera, N. Pessina, A. Gandolfo, C. Prelini, L. Ravazzi, and R. Annunziata | 4020 |

(Contents Continued on Page 3933)

|  |   |      |
|--|---|------|
| Realization and Scaling of Ge-Si <sub>1-x</sub> Ge <sub>x</sub> Core-Shell Nanowire <i>n</i> -FETs .....   | E.-S. Liu, D. C. Dillen, J. Nah, B. Fallahazad, K. Kim, and E. Tutuc .....  | 4027 |
| Trans-Capacitance Modeling in Junctionless Symmetric Double-Gate MOSFETs .....   | F. Jazaeri, L. Barbut, and J.-M. Salles .....   | 4034 |
| Cu/Low- <i>k</i> Interconnect Technology Design and Benchmarking for Future Technology Nodes .....   | A. Ceyhan and A. Naeemi .....   | 4041 |
| Germanium-Tin P-Channel Tunneling Field-Effect Transistor: Device Design and Technology Demonstration .....  | Y. Yang, G. Han, P. Guo, W. Wang, X. Gong, L. Wang, K. L. Low, and Y.-C. Yeo .....  | 4048 |
| Part I: Impact of Field-Induced Quantum Confinement on the Subthreshold Swing Behavior of Line TFETs .....   | A. M. Walke, A. S. Verhulst, A. Vandooren, D. Verreck, E. Simoen, V. R. Rao, G. Groeseneken, N. Collaert, and A. V. Y. Thean .....                            | 4057 |
| Part II: Investigation of Subthreshold Swing in Line Tunnel FETs Using Bias Stress Measurements .....  | A. M. Walke, A. Vandooren, B. Kaczer, A. S. Verhulst, R. Rooyackers, E. Simoen, M. M. Heyns, V. R. Rao, G. Groeseneken, N. Collaert, and A. V.-Y. Thean ..... | 4065 |
| Effect of Surface Texture on Al-Y Codoped ZnO/n-Si Heterojunction Solar Cells .....  | N.-F. Wang, Y.-Z. Tsai, and F.-H. Hsu .....   | 4073 |
| Experimental Investigation of the Tunneling Injection Boosters for Enhanced <i>I</i> <sub>ON</sub> ETSOI Tunnel FET .....  | A. Villalon, C. Le L. Royer, M. Cassé, D. Cooper, J.-M. Hartmann, F. Allain, C. Tabone, F. Andrieu, and S. Cristoloveanu .....                                | 4079 |
| Size-Dependent Effects on the Temperature Coefficient of Resistance of Carbon Nanotube Vias .....  | S. Vollebregt, S. Banerjee, K. Beenakker, and R. Ishihara .....   | 4085 |
| A Physics-Based Compact Model of Metal-Oxide-Based RRAM DC and AC Operations .....   | P. Huang, X. Y. Liu, B. Chen, H. T. Li, Y. J. Wang, Y. X. Deng, K. L. Wei, L. Zeng, B. Gao, G. Du, X. Zhang, and J. F. Kang .....                             | 4090 |
| Si <sub>x</sub> Ge <sub>1-x</sub> Epitaxial Tunnel Layer Structure for P-Channel Tunnel FET Improvement .....  | P.-Y. Wang and B.-Y. Tsui .....   | 4098 |
| <b>Compound Semiconductor Devices</b>  |   |      |
| Simple and Accurate Method to Estimate Channel Temperature and Thermal Resistance in AlGaN/GaN HEMTs .....   | S. Martin-Horajo, A. Wang, M.-F. Romero, M. J. Tadjer, and F. Calle .....   | 4105 |
| Material and Device Characteristics of Metamorphic In <sub>0.53</sub> Ga <sub>0.47</sub> As MOSHEMTs Grown on GaAs and Si Substrates by MOCVD .....                            | Q. Li, X. Zhou, C. W. Tang, and K. M. Lau .....   | 4112 |
| Electrical Comparison of HfO <sub>2</sub> and ZrO <sub>2</sub> Gate Dielectrics on GaN .....   | K. M. Bothe, P. A. von Hauff, A. Afshar, A. Foroughi-Abari, K. C. Cadien, and D. W. Barlage .....   | 4119 |
| Impact of Epi-Layer Quality on Reliability of GaN/AlGaN/GaN Heterostructure Field-Effect Transistors on Si Substrate .....   | Y. Ando, K. Ishikura, Y. Murase, K. Asano, I. Takenaka, S. Takahashi, H. Takahashi, and C. Sasaoka .....  | 4125 |
| On Monolayer MoS <sub>2</sub> Field-Effect Transistors at the Scaling Limit .....  | L. Liu, Y. Lu, and J. Guo .....   | 4133 |
| Numerical Investigation of High-Efficiency InGaN-Based Multijunction Solar Cell .....  | J.-Y. Chang, S.-H. Yen, Y.-A. Chang, B.-T. Liou, and Y.-K. Kuo .....  | 4140 |
| A Fully Monolithic 6H-SiC JFET-Based Transimpedance Amplifier for High-Temperature Capacitive Sensing .....  | C.-W. Soong, S. L. Garverick, X.-A. Fu, A. C. Patil, and M. Mehregany .....   | 4146 |
| <b>Memory Devices and Technology</b>   |   |      |
| Modeling and Characterization of Gate Leakage in High-K Metal Gate Technology-Based Embedded DRAM .....  | M. Bajaj, R. K. Pandey, S. De, N. D. Sathaye, B. Jayaraman, R. Krishnan, P. Goyal, S. S. Furkay, E. J. Nowak, S. S. Iyer, and K. V. R. M. Murali .....        | 4152 |
| <b>Thin Film Transistors</b>   |   |      |
| Effect of O <sub>2</sub> Flow Rate During Channel Layer Deposition on Negative Gate Bias Stress-Induced <i>V</i> <sub>th</sub> Shift of a-IGZO TFTs .....                      | X. Xiao, W. Deng, S. Chi, Y. Shao, X. He, L. Wang, and S. Zhang .....   | 4159 |
| Improvement in the Photo-Bias Stability of Zinc Tin Oxide Thin-Film Transistors by Introducing a Thermal Oxidized TiO <sub>2</sub> Film as a Hole Carrier Blocking Layer ..... | C.-K. Lee, A. Y. Hwang, H. Yang, D.-H. Kim, J.-U. Bae, W.-S. Shin, and J. K. Jeong .....  | 4165 |
| <b>Optoelectronics, Displays, and Imaging</b>  |   |      |
| Performance of Deep-Depletion Buried-Channel <i>n</i> -MOSFETs for CMOS Image Sensors .....  | K. D. Stefanov, Z. Zhang, C. Damerell, D. Burt, and A. Kar-Roy .....  | 4173 |

---

|   |  |      |
|---|--|------|
| Reducing a Piezoelectric Field in InGaN Active Layers by Varying Pattern Sapphire Substrates .....  | C.-F. Lin, K.-T. Chen, W.-P. Tseng, B.-C. Shieh, and C.-H. Hsieh   | 4180 |
| <b>Solid-State Power and High Voltage Devices</b>   |  |      |
| Effect of Bandgap Narrowing on Performance of Modern Power Devices .....  | G. Camuso, E. Napoli, V. Pathirana, N. Udugampola, A. P.-S. Hsieh, T. Trajkovic, and F. Udrea  | 4185 |
| Thermal Stability of Silicon Carbide Power JFETs .....  | C. Buttay, R. Ouaida, H. Morel, D. Bergogne, C. Raynaud, and F. Morel  | 4191 |
| <b>Solid State Device Phenomena</b>   |  |      |
| From MFM Capacitors Toward Ferroelectric Transistors: Endurance and Disturb Characteristics of HfO <sub>2</sub> -Based FeFET Devices .....  | S. Mueller, J. Müller, R. Hoffmann, E. Yurchuk, T. Schlösser, R. Boschke, J. Paul, M. Goldbach, T. Herrmann, A. Zaka, U. Schröder, and T. Mikolajick | 4199 |
| Detection of Deep-Levels in Doped Silicon Nanowires Using Low-Frequency Noise Spectroscopy .....  | D. Sharma, A. Motayed, S. Krylyuk, Q. Li, and A. V. Davydov  | 4206 |
| Analysis and Comparison of L-Valley Transport in GaAs, GaSb, and Ge Ultrathin-Body Ballistic nMOSFETs .....   | K. Alam, S. Takagi, and M. Takenaka  | 4213 |
| Study of Synaptic Behavior in Doped Transition Metal Oxide-Based Reconfigurable Devices .....   | S. Mandal, B. Long, and R. Jha   | 4219 |
| Effect of Boundary Conditions on Thermal Noise of Intrinsic Terminal Currents in Bipolar Transistors Pertinent to Quasi-Ballistic Transport .....   | K. Xia and G. Niu  | 4226 |
| <b>Molecular and Organic Devices</b>  |  |      |
| High-Mobility Pentacene-Based Thin-Film Transistors With Synthesized Strontium Zirconate Nickelate Gate Insulators .....  | Y.-C. Chang, C.-Y. Wei, Y.-Y. Chang, T.-Y. Yang, and Y.-H. Wang  | 4234 |
| Universal Resonant and Pull-In Characteristics of Tunable-Gap Electromechanical Actuators .....   | A. Jain and M. A. Alam   | 4240 |
| <b>Vacuum Electron Devices</b>  |  |      |
| Study of a Coaxial Gyrotron Cavity With Improved Mode Selection .....   | D. Liu, W. Wang, S. Qiao, and Y. Yan   | 4248 |
| Dispersion Characteristics of Two-Beam Folded Waveguide for Terahertz Radiation .....   | K. Li, W. Liu, Y. Wang, and M. Cao   | 4252 |
| A New Impregnated Dispenser Cathode .....   | S. Yin, Z. Zhang, Z. Peng, Q. Zheng, and Y. Wang   | 4258 |
| <b>Emerging Technologies and Devices</b>  |  |      |
| Graphene-Base Heterojunction Transistor: An Attractive Device for Terahertz Operation .....   | V. Di Lecce, R. Grassi, A. Gnudi, E. Gnani, S. Reggiani, and G. Baccarani  | 4263 |
| Prospects of Hysteresis-Free Abrupt Switching (0 mV/decade) in Landau Switches .....  | A. Jain and M. A. Alam   | 4269 |
| <b>BRIEF PAPERS</b>   |  |      |
| A Common Core Model for Junctionless Nanowires and Symmetric Double-Gate FETs .....   | J.-M. Sallese, F. Jazaeri, L. Barbut, N. Chevillon, and C. Lallement   | 4277 |
| <b>COMMENTS AND CORRECTIONS</b>   |  |      |
| Corrections to “Suppression of Drain-Induced Barrier Lowering in Silicon-on-Insulator MOSFETs Through Source/Drain Engineering for Low-Operating-Power System-on-Chip Applications” ..... | T. Yamada, Y. Nakajima, T. Hanajiri, and T. Sugano   | 4281 |
| 2013 INDEX .....  |  | 4284 |

---