

711
1-68/4e3

IEEE TRANSACTIONS ON ELECTRON DEVICES

A PUBLICATION OF THE IEEE ELECTRON DEVICES SOCIETY



MARCH 2014

VOLUME 61

NUMBER 3

IETDAI

(ISSN 0018-9383)

REVIEW PAPERS

- Low-Temperature Microwave Annealing Processes for Future IC Fabrication—A Review *Y.-J. Lee, T.-C. Cho, S.-S. Chuang, F.-K. Hsueh, Y.-L. Lu, P.-J. Sung, H.-C. Chen, M. I. Current, T.-Y. Tseng, T.-S. Chao, C. Hu, and F.-L. Yang* 651

REGULAR PAPERS

Silicon and Column IV Semiconductors Devices

- Implications of BTI-Induced Time-Dependent Statistics on Yield Estimation of Digital Circuits *P. Weckx, B. Kaczer, M. Toledano-Luque, P. Raghavan, J. Franco, P. J. Roussel, G. Groeseneken, and F. Catthoor* 666
- Robust Compact Model for Bipolar Oxide-Based Resistive Switching Memories *M. Bocquet, D. Deleruyelle, H. Aziza, C. Muller, J.-M. Portal, T. Cabout, and E. Jalaguier* 674
- Cost-Effective Schottky-Barrier Diode Array With Ni-Silicidation Accessing Low Power Phase-Change Memory *Y. Liu, C. Zhang, Z. Song, B. Liu, G. Wu, J. Xu, L. Wang, L. Wang, Z. Yang, and S. Feng* 682
- Analytical Models for Electric Potential, Threshold Voltage, and Subthreshold Swing of Junctionless Surrounding-Gate Transistors *G. Hu, P. Xiang, Z. Ding, R. Liu, L. Wang, and T.-A. Tang* 688
- CO₂ Laser Annealing for USJ Formation in Silicon: Comparison of Simulation and Experiment *S. Stathopoulos, A. Florakis, G. Tzortzis, T. Laspas, A. Triantafyllopoulos, Y. Spiegel, F. Torregrosa, and D. Tsoukalas* 696
- Variability of the Drain Current in Junctionless Nanotransistors Induced by Random Dopant Fluctuation *G. Giusi and A. Lucibello* 702
- Fabrication and Analysis of a Si/Si_{0.55}Ge_{0.45} Heterojunction Line Tunnel FET *A. M. Walke, A. Vandooren, R. Rooyackers, D. Leonelli, A. Hikavy, R. Loo, A. S. Verhulst, K.-H. Kao, C. Huyghebaert, G. Groeseneken, V. R. Rao, K. K. Bhuvalka, M. M. Heyns, N. Collaert, and A. V.-Y. Thean* 707
- 3-D Properties of the Switching Transient in a High-Speed Avalanche Transistor Require Optimal Chip Design *G. Duan, S. N. Vainshtein, J. T. Kostamovaara, V. E. Zemlyakov, and V. I. Egorkin* 716
- RF Performance of SoI CMOS Technology on Commercial 200-mm Enhanced Signal Integrity High Resistivity SoI Substrate *K. B. Ali, C. R. Neve, A. Gharsallah, and J.-P. Raskin* 722
- Bilayer Graphene Transistors for Analog Electronics *G. Fiori, D. Neumaier, B. N. Szafranek, and G. Iannaccone* 729

(Contents Continued on Page 649)

Compound Semiconductor Devices

Self-Aligned and Non-Self-Aligned Contact Metallization in InGaAs Metal–Oxide–Semiconductor Field-Effect Transistors: A Simulation Study	<i>E. Y.-J. Kong and Y.-C. Yeo</i>	734
Electrical Properties of HfTiON Gate-Dielectric GaAs Metal-Oxide-Semiconductor Capacitor With AlON as Interlayer	<i>L.-S. Wang, L. Liu, J.-P. Xu, S.-Y. Zhu, Y. Huang, and P.-T. Lai</i>	742
Effect of Fringing Capacitances on the RF Performance of GaN HEMTs With T-Gates	<i>B. Song, B. Sensale-Rodriguez, R. Wang, J. Guo, Z. Hu, Y. Yue, F. Faria, M. Schuette, A. Ketterson, E. Beam, P. Saunier, X. Gao, S. Guo, P. Fay, D. Jena, and H. G. Xing</i>	747
Analytical Modeling of Capacitances for GaN HEMTs, Including Parasitic Components	<i>A. Zhang, L. Zhang, Z. Tang, X. Cheng, Y. Wang, K. J. Chen, and M. Chan</i>	755
A High-Voltage Low-Standby-Power Startup Circuit Using Monolithically Integrated E/D-Mode AlGaIn/GaN MIS-HEMTs	<i>Q. Jiang, Z. Tang, C. Liu, Y. Lu, and K. J. Chen</i>	762
Numerical Analysis of Breakdown Voltage Enhancement in AlGaIn/GaN HEMTs With a High- <i>k</i> Passivation Layer	<i>H. Hanawa, H. Onodera, A. Nakajima, and K. Horio</i>	769
Dual-Metal-Gate InAs Tunnel FET With Enhanced Turn-On Steepness and High ON-Current	<i>G. B. Beneventi, E. Gnani, A. Gnudi, S. Reggiani, and G. Baccarani</i>	776
Gate Technology Contributions to Collapse of Drain Current in AlGaIn/GaN Schottky HEMT	<i>T. Kawanago, K. Kakushima, Y. Kataoka, A. Nishiyama, N. Sugii, H. Wakabayashi, K. Tsutsui, K. Natori, and H. Iwai</i>	785

Memory Devices and Technology

Interface Engineering of Ag–GeS ₂ -Based Conductive Bridge RAM for Reconfigurable Logic Applications	<i>G. Palma, E. Vianello, O. Thomas, M. Suri, S. Onkaraiyah, A. Toffoli, C. Carabasse, M. Bernard, A. Roule, O. Pirrotta, G. Molas, and B. D. Salvo</i>	793
Endurance of One Transistor Floating Body RAM on UTBOX SOI	<i>M. Aoulaiche, A. Bravaix, E. Simoen, C. Caillat, M. Cho, L. Witters, P. Blomme, P. Fazan, G. Groeseneken, and M. Jurczak</i>	801

Thin Film Transistors

AC Bias-Temperature Stability of a-InGaZnO Thin-Film Transistors With Metal Source/Drain Recessed Electrodes	<i>E. K.-H. Yu, K. Abe, H. Kumomi, and J. Kanicki</i>	806
Model and Characterization of VO ₂ Thin-Film Switching Devices	<i>T. S. Jordan, S. Scott, D. Leonhardt, J. O. Custer, C. T. Rodenbeck, S. Wolfley, and C. D. Nordquist</i>	813

Optoelectronics, Displays, and Imaging

Fabrication of Double-Sided Field-Emission Light Source Using Urchin-Like α -Fe ₂ O ₃ Microparticles	<i>S.-J. Chen, M.-J. Youh, L.-H. Huang, C.-L. Tseng, C.-Y. Hsu, and Y.-Y. Li</i>	820
Rapid Optical Degradation of GaN-Based Light-Emitting Diodes by a Current-Crowding-Induced Self-Accelerating Thermal Process	<i>E. Jung and H. Kim</i>	825
Implementation of High-Power GaN-Based LEDs With a Textured 3-D Backside Reflector Formed by Inserting a Self-Assembled SiO ₂ Nanosphere Monolayer	<i>J.-K. Liou, P.-C. Chou, C.-C. Chen, Y.-C. Chang, W.-C. Hsu, S.-Y. Cheng, J.-H. Tsai, and W.-C. Liu</i>	831
An InGaAlAs–InGaAs Two-Color Photodetector for Ratio Thermometry	<i>X. Zhou, M. J. Hobbs, B. S. White, J. P. R. David, J. R. Willmott, and C. H. Tan</i>	838
Study of CCD Transport on CMOS Imaging Technology: Comparison Between SCCD and BCCD, and Ramp Effect on the CTI	<i>O. Marcelot, M. Etribeau, V. Goiffon, P. Martin-Gonthier, F. Corbière, R. Molina, S. Rolando, and P. Magnan</i>	844
A Method for Generating High-Current, Ultrashort, and Square-Wave Pulses Based on a Photoconductive Switch Operating in the Quenched High-Gain Mode	<i>X.-M. Wang, M.-M. Zhang, W. Shi, and Y.-H. Yan</i>	850
A Monolithic CMOS Image Sensor With Wire-Grid Polarizer Filter Mosaic in the Focal Plane	<i>M. Zhang, X. Wu, N. Engheta, and J. V. der Spiegel</i>	855
An Analytical Subthreshold Model of Polycrystalline Silicon Thin-Film Transistors Based on Meyer-Neldel Rule	<i>X. Zhou and M. Wang</i>	863
A Time-of-Flight 3-D Image Sensor With Concentric-Photogates Demodulation Pixels	<i>T.-Y. Lee, Y.-J. Lee, D.-K. Min, S.-H. Lee, W.-H. Kim, J.-K. Jung, I. Ovsianikov, Y.-G. Jin, Y. Park, and E. R. Fossum</i>	870

Solid-State Power and High Voltage Devices

Analytical Field Plate Model for Field Effect Transistors	<i>R. Coffie</i>	878
---	------------------	-----

Solid State Device Phenomena

Current and Noise Properties of InAs Nanowire Transistors With Asymmetric Contacts Induced by Gate Overlap	<i>C. J. Delker, Y. Zi, C. Yang, and D. B. Janes</i>	884
--	--	-----

Sensors and Actuators

Design and Fabrication of a Novel MEMS Capacitive Transducer With Multiple Moving Membrane, M³-CMUT *T. A. Emadi and D. A. Buchanan* 890
A 3-D Stackable Maskless Embedded Metal-Gate Thin-Film-Transistor Nanowire for Use in Bioelectronic Probing *M.-C. Chen, C.-H. Lin, C.-Y. Lin, H.-C. Chen, T.-H. Lee, M.-Y. Hua, J.-T. Qiu, C. Ho, and F.-L. Yang* 897

Vacuum Electron Devices

Two-Section Folded-Waveguide Slow-Wave Structure for Terahertz Extended Interaction Oscillator *W. Liu, C. Zhao, K. Li, Y. Wang, and Z. Yang* 902
Design of the RF Circuit for a Coaxial Cavity High-Power Multiple-Beam Klystron *R. Zhang and Y. Wang* 909
Analysis of Alternate Dielectric and Metal Vane Loaded Circular Waveguide for a Wideband Gyro-TWT *V. Kesari* 915
Gyrotron With Dual Electrode Ferroelectric Cathode Operating at High Repetition Rate and Long Pulse *Y. Orbach, R. Ben-Moshe, M. Pilossov, and M. Einat* 921

BRIEF PAPERS

A Novel Scaling Theory for Fully Depleted Omega-Gate MOSFETs Included With Equivalent Number of Gates *T.-K. Chiang* 926
Asymmetric Driving Current Modification of CMOS LTPS-TFTs With HfO₂ Gate Dielectric *W. C.-Y. Ma* 930
