

111
1-63/4e3

IEEE TRANSACTIONS ON ELECTRON DEVICES

A PUBLICATION OF THE IEEE ELECTRON DEVICES SOCIETY



DECEMBER 2014

VOLUME 61

NUMBER 12

IETDAI

(ISSN 0018-9383)

Kudos to Our Reviewers	<i>J. D. Cressler</i>	3919
Golden List of Reviewers for 2014		3920

REGULAR PAPERS

Silicon and Column IV Semiconductors Devices

Variation-Aware Comparative Study of 10-nm GAA Versus FinFET 6-T SRAM Performance and Yield	<i>P. Zheng, Y.-B. Liao, N. Damrongplasit, M.-H. Chiang, and T.-J. K. Liu</i>	3949
Monte Carlo Study of Dopant-Segregated Schottky Barrier SoI MOSFETs: Enhancement of the RF Performance	<i>M. J. Martín-Martinez, C. Couso, E. Pascual, and R. Rengel</i>	3955
Modeling Asymmetric Operation in Double-Gate Junctionless FETs by Means of Symmetric Devices	<i>F. Jazaeri, L. Barbut, and J.-M. Sallese</i>	3962
A Current-Voltage Model for Graphene Electrolyte-Gated Field-Effect Transistors	<i>C. Mackin, L. H. Hess, A. Hsu, Y. Song, J. Kong, J. A. Garrido, and T. Palacios</i>	3971
Room to High Temperature Measurements of Flexible SOI FinFETs With Sub-20-nm Fins	<i>A. Diab, G. A. Torres Sevilla, S. Cristoloveanu, and M. M. Hussain</i>	3978
High-Performance Si _{0.45} Ge _{0.55} Implant-Free Quantum Well pFET With Enhanced Mobility by Low-Temperature Process and Transverse Strain Relaxation	<i>S. Yamaguchi, L. J. Witters, J. Mitard, G. Eneman, G. Hellings, A. Hikavy, R. Loo, and N. Horiguchi</i>	3985
A Complete Characterization and Modeling of the BTI-Induced Dynamic Variability of SRAM Arrays in 28-nm FD-SOI Technology	<i>J. E. Hussein, X. Garros, J. Cluzel, A. Subirats, A. Makosiej, O. Weber, O. Thomas, V. Huard, X. Federspiel, and G. Reimbold</i>	3991
Asymmetric Gate Schottky-Barrier Graphene Nanoribbon FETs for Low-Power Design	<i>M. Gholipour, N. Masoumi, Y.-Y. Chen, D. Chen, and M. Pourfath</i>	4000
Light Absorption Mechanism of c-Si/a-Si Half-Coaxial Nanowire Arrays for Nanostructured Heterojunction Photovoltaics	<i>X. Hua, Y. Zeng, W. Wang, and W. Shen</i>	4007
Inverse Scaling Trends for Charge-Trapping-Induced Degradation of FinFETs Performance	<i>S. M. Amoroso, V. P. Georgiev, L. Gerrer, E. Towie, X. Wang, C. Riddet, A. R. Brown, and A. Asenov</i>	4014
CMOS-Enabled Interdigitated Back-Contact Solar Cells for Biomedical Applications	<i>Y.-J. Hung, T.-Y. Chuang, C.-L. Chun, M.-S. Cai, H.-W. Su, and S.-L. Lee</i>	4019

(Contents Continued on Page 3917)

Device-Circuit Analysis of Double-Gate MOSFETs and Schottky-Barrier FETs: A Comparison Study for Sub-10-nm Technologies	W.-S. Cho, S. K. Gupta, and K. Roy	4025
Ge-Source Vertical Tunnel FETs Using a Novel Replacement-Source Integration Scheme	R. Rooyackers, A. Vandooren, A. S. Verhulst, A. M. Walke, E. Simoen, K. Devriendt, S. Lo-Corotondo, M. Demand, G. Bryce, R. Loo, A. Hikavyy, T. Vandeweyer, C. Huyghebaert, N. Collaert, and A. V. Y. Thean	4032
A Surface-Field-Based Model for Nanowire MOSFETs With Spatial Variations of Doping Profiles	Q. Cheng, C. Hong, J. B. Kuo, and Y. Chen	4040
Optimized Laser Thermal Annealing on Germanium for High Dopant Activation and Low Leakage Current	M. Shayesteh, D. O. Connell, F. Gity, P. Murphy-Armando, R. Yu, K. Huet, I. Toqué-Tresonne, F. Cristiano, S. Boninelli, H. H. Henrichsen, P. F. Nielsen, D. H. Petersen, and R. Duffy	4047
Compound Semiconductor Devices		
A Numerical Study on Comparing the Active and Passive Cooling of AlGaIn/GaN HEMTs	X. Chen, F. N. Donmez, S. Kumar, and S. Graham	4056
Growing Al ₂ O ₃ by Ultrasonic Spray Pyrolysis for Al ₂ O ₃ /AlGaIn/GaN Metal-Insulator-Semiconductor Ultraviolet Photodetectors	H.-Y. Liu, W.-C. Hsu, B.-Y. Chou, Y.-H. Wang, W.-C. Sun, S.-Y. Wei, S.-M. Yu, and M.-H. Chiang	4062
Buffer Traps in Fe-Doped AlGaIn/GaN HEMTs: Investigation of the Physical Properties Based on Pulsed and Transient Measurements	M. Meneghini, I. Rossetto, D. Bisi, A. Stocco, A. Chini, A. Pantellini, C. Lanzieri, A. Nanni, G. Meneghesso, and E. Zanoni	4070
Radio-Frequency Characterization of Selectively Regrown InGaAs Lateral Nanowire MOSFETs	C. B. Zota, G. Roll, L.-E. Wernersson, and E. Lind	4078
AlGaIn/GaN Polarization-Doped Field-Effect Transistors With Graded Heterostructure	Y. Fang, Z. Feng, J. Yin, X. Zhou, Y. Wang, G. Gu, X. Song, Y. Lv, C. Li, and S. Cai	4084
Memory Devices and Technology		
Multilayered Barium Titanate Thin Films by Sol-Gel Method for Nonvolatile Memory Application	Y.-C. Chang, R.-Y. Xue, and Y.-H. Wang	4090
3-D Resistance Model for Phase-Change Memory Cell	Y. Chen, K. C. Kwong, X. Lin, Z. Song, and M. Chan	4098
Thin Film Transistors		
Accurate Analytical Physical Modeling of Amorphous InGaZnO Thin-Film Transistors Accounting for Trapped and Free Charges	M. Ghittorelli, F. Torricelli, L. Colalongo, and Z. M. Kovács-Vajna	4105
Separation of the Geometric Current in Charge Pumping Measurement of Polycrystalline Si Thin-Film Transistors	J. Wang and M. Wang	4113
Modeling of Capacitance Characteristics of Printed p-Type Organic Thin-Film Transistors	A. Valletta, M. Rapisarda, S. Calvi, G. Fortunato, S. Jacob, V. Fischer, M. Benwadih, J. Bablet, I. Chartier, R. Coppard, and L. Mariucci	4120
Optoelectronics, Displays, and Imaging		
Fabrication and Improved Performance of GaN LEDs With Finger-Type Structure	K.-Y. Chen, C.-H. Tien, C.-P. Hsu, C.-Y. Pai, and R.-H. Horng	4128
The Influence of Oxygen High-Pressure Annealing on the Performance and Bias Instability of Amorphous Ge-In-Ga-O Thin-Film Transistors	B. D. Ahn, H.-S. Kim, Y. S. Rim, J.-S. Park, and H. J. Kim	4132
Solid-State Power and High Voltage Devices		
An Easily Implementable Approach to Increase the Energy Capability of DMOS Transistors	T. Zawischka, M. Pfost, and D. Costachescu	4137
Active Guard Ring to Improve Latch-Up Immunity	H.-W. Tsai and M.-D. Ker	4145
Pattern of Near-Uniform Avalanche Breakdown in Off-Oriented 4H SiC	A. Konstantinov and T. Neyer	4153
An Analytical Model With 2-D Effects for 4H-SiC Trenched Junction Barrier Schottky Diodes	N. Ren and K. Sheng	4158
Materials, Processing and Packaging		
Loss Reduction Technique in Ferroelectric Tunable Devices by Laser Microetching. Application to a CPW Stub Resonator in X-Band	Y. Corredores, Q. Simon, R. Benzerga, X. Castel, R. Sauleau, A. L. Febvrier, S. Députier, M. Guilloux-Viry, L. Y. Zhang, and G. Tanné	4166
Graphene-Based Heat Spreader for Flexible Electronic Devices	S.-H. Bae, R. Shabani, J.-B. Lee, S.-J. Baek, H. J. Cho, and J.-H. Ahn	4171

Solid State Device Phenomena

Capacitance and Conductance for an MOS System in Inversion, with Oxide Capacitance and Minority Carrier Lifetime Extractions *S. Monaghan, É. O'Connor, R. Rios, F. Ferdousi, L. Floyd, E. Ryan, K. Cherkaoui, I. M. Povey, K. J. Kuhn, and P. K. Hurley* 4176

A New Slit-Type Vacuum-Channel Transistor *I. J. Park, S.-G. Jeon, and C. Shin* 4186

Enhanced Field Emission Properties of Ga-Doped ZnO Nanosheets by using an Aqueous Solution at Room Temperature *Y.-H. Liu, S.-J. Young, L.-W. Ji, and S.-J. Chang* 4192

Unified Transient and Frequency Domain Noise Simulation for Random Telegraph Noise and Flicker Noise Using a Physics-Based Model *Y. Higashi, N. Momo, H. Sasaki, H. S. Momose, T. Ohguro, Y. Mitani, T. Ishihara, and K. Matsuzawa* 4197

Molecular and Organic Devices

Impact of Contact Placement on Subthreshold Characteristics of Organic Thin-Film Transistors *M. N. Islam and B. Mazhari* 4204

Sensors and Actuators

Characterization of the Digital Micromirror Devices *C. Gong and D. Mehrl* 4210

Geometry Optimization of Planar Hall Devices Under Voltage Biasing *G. Zhang, J. Zhang, Z. Liu, P. Wu, H. Wu, H. Qian, Y. Wang, Z. Zhang, and Z. Yu* 4216

Vacuum Electron Devices

Multipactor Mitigation in Coaxial Lines by Means of Permanent Magnets *D. González-Iglesias, A. M. Pérez, S. Anza, J. V. Cardona, B. Gimeno, V. E. Boria, D. Raboso, C. Vicente, J. Gil, F. Caspers, and L. Conde* 4224

Modeling of Liquid Nuclei Generation for Field-Emission Silicon Nanocathode *V. G. Danilov, R. K. Gaydukov, V. I. Kretov, and V. Y. Rudnev* 4232

Design and Experiments of the 600 kV Coaxial-Type Matched Divider for High-Power Microwave Source Array *J.-H. Choi, J.-W. Shin, J.-H. So, and Y.-H. Kim* 4240

Nonlinear Theory of a Corrugated Coaxial-Gyrotron With Misaligned Inner Rod *M. Qin, Y. Luo, K. Yang, Y. Huang, H. Li, and S. Wang* 4247

Frequency Control of a Klystron-Type Relativistic Cerenkov Generator *R. Xiao, Y. Deng, C. Chen, J. Sun, L. Zhang, Y. Shi, and J. Liu* 4253

Double Corrugated Waveguide for G-Band Traveling Wave Tubes *C. Paoloni and M. Mineo* 4259

Ka-Band Gyrotron Traveling-Wave Tubes With the Highest Continuous-Wave and Average Power *S. V. Samsonov, I. G. Gachev, G. G. Denisov, A. A. Bogdashov, S. V. Mishakin, A. S. Fiks, E. A. Soluyanov, E. M. Tai, Y. V. Dominyuk, B. A. Levitan, and V. N. Murzin* 4264

Ferroelectric Cathode Electron Emission Dependence on Magnetic Field *Y. Orbach, M. Pilosof, and M. Einat* 4268

Emerging Technologies and Devices

Implications of Electrical Crosstalk for High Density Aligned Array of Single-Wall Carbon Nanotubes *M. A. Wahab and M. A. Alam* 4273

A Compact Current-Voltage Model for 2D Semiconductor Based Field-Effect Transistors Considering Interface Traps, Mobility Degradation, and Inefficient Doping Effect *W. Cao, J. Kang W. Liu, and K. Banerjee* 4282

BRIEF PAPERS

Evidence of Fowler-Nordheim Tunneling in Gate Leakage Current of AlGaIn/GaN HEMTs at Room Temperature *S. Turuvekere, D. S. Rawal, A. DasGupta, and N. DasGupta* 4291

Junctionless Impact Ionization MOS: Proposal and Investigation *S. Ramaswamy and M. J. Kumar* 4295

Gate Bias Stress-Induced Threshold Voltage Shift Effect of a-IGZO TFTs with Cu Gate *X. Liu, L. L. Wang, C. Ning, H. Hu, W. Yang, K. Wang S. Y. Yoo, and S. Zhang* 4299

Novel Reduced on-Resistance LDMOS With an Enhanced Breakdown Voltage *X. Luo, J. Wei, X. Shi, K. Zhou, R. Tian, B. Zhang, and Z. Li* 4304

INDEX 4309