

# IEEE TRANSACTIONS ON ELECTRON DEVICES

A PUBLICATION OF THE IEEE ELECTRON DEVICES SOCIETY



FEBRUARY 2016

VOLUME 63

NUMBER 2

IETDAI

(ISSN 0018-9383)

---

REGULAR PAPERS

**Silicon and Column IV Semiconductors Devices**

Area-Efficient and Low-Leakage Diode String for On-Chip ESD Protection ....	<i>C.-Y. Lin, P.-H. Wu, and M.-D. Ker</i>	531
Quantum Transport Analysis of Conductance Variability in Graphene Nanoribbons With Edge Defects .....	<i>M. Poljak and T. Suligoj</i>	537
First Principles Calculations of Bonding and Charges at the Al <sub>2</sub> O <sub>3</sub> Interface in a c-Si/SiO <sub>2</sub> /am-Al <sub>2</sub> O <sub>3</sub> Structure Applicable for the Surface Passivation of Silicon-Based Solar Cells .....	<i>A. Bansal, H. Mishra, S. Bhattacharya, and B. R. Singh</i>	544
Channel Profile Design of E $\delta$ DC MOSFET for High Intrinsic Gain and Low $V_T$ Mismatch .....	<i>S. Sengupta and S. Pandit</i>	551
Impact of Postdeposition Annealing Ambient on the Mobility of Ge nMOSFETs With 1-nm EOT Al <sub>2</sub> O <sub>3</sub> /GeO <sub>x</sub> /Ge Gate-Stacks .....	<i>R. Zhang, X. Yu, M. Takenaka, and S. Takagi</i>	558

**Compound Semiconductor Devices**

Capacitance Modeling in Dual Field-Plate Power GaN HEMT for Accurate Switching Behavior .....	<i>S. Aamir Ahsan, S. Ghosh, K. Sharma, A. Dasgupta, S. Khandelwal, and Y. S. Chauhan</i>	565
Dual-Gate MoS <sub>2</sub> FET With a Coplanar-Gate Engineering .....	<i>J. Jiang, A. C. Ahyi, and S. Dhar</i>	573
Controlling 4H-SiC Schottky Barriers by Molybdenum and Molybdenum Nitride as Contact Materials .....	<i>L. Stöber, J. P. Konrath, F. Patocka, M. Schneider, and U. Schmid</i>	578
RF Characterization of Vertical Wrap-Gated InAs/High- $\kappa$ Nanowire Capacitors .....	<i>J. Wu, K. Jansson, A. S. Babadi, M. Berg, E. Lind, and L.-E. Wernersson</i>	584

---

(Contents Continued on Page 529)

---

Measurement of Temperature in GaN HEMTs by Gate End-to-End Resistance .....	<i>B. M. Paine, T. Rust, III, and E. A. Moore</i>	590
Trapping Effects at the Drain Edge in 600 V GaN-on-Si HEMTs .....	<i>M. Wespel, V. M. Polyakov, M. Dammann, R. Reiner, P. Waltereit, R. Quay, M. Mikulla, and O. Ambacher</i>	598
The III-Nitride Double Heterostructure Revisited: Benefits for Threshold Voltage Engineering of MIS Devices .....	<i>H. Hahn, C. Funck, S. Geipel, H. Kalisch, and A. Vescan</i>	606
Normally OFF GaN-on-Si MIS-HEMTs Fabricated With LPCVD-SiN <sub>x</sub> Passivation and High-Temperature Gate Recess .....	<i>Y. Shi, S. Huang, Q. Bao, X. Wang, K. Wei, H. Jiang, J. Li, C. Zhao, S. Li, Y. Zhou, H. Gao, Q. Sun, H. Yang, J. Zhang, W. Chen, Q. Zhou, B. Zhang, and X. Liu</i>	614
Bonding Pad Over Active Structure for Chip Shrinkage of High-Power AlGaIn/GaN HFETs .....	<i>S. K. Oh, T. Jang, Y. J. Jo, H.-Y. Ko, and J. S. Kwak</i>	620
<b>Memory Devices and Technology</b>		
Evaluation of Monolayer and Bilayer 2-D Transition Metal Dichalcogenide Devices for SRAM Applications .....	<i>C.-H. Yu, M.-L. Fan, K.-C. Yu, V. P.-H. Hu, P. Su, and C.-T. Chuang</i>	625
Circuit Models for Ferroelectrics—Part I: Physics of Polarization Switching .....	<i>K. Auluck and E. C. Kan</i>	631
Circuit Models for Ferroelectrics—Part II: Analysis of FE-Nonvolatile Latches .....	<i>K. Auluck and E. C. Kan</i>	637
A Comprehensive Benchmark and Optimization of 5-nm Lateral and Vertical GAA 6T-SRAMs .....	<i>T. Huynh-Bao, S. Sakhare, D. Yakimets, J. Ryckaert, A. V.-Y. Thean, A. Mercha, D. Verkest, and P. Wambacq</i>	643
Compact Modeling of Magnetic Tunneling Junctions .....	<i>A. S. Roy, A. Sarkar, and S. P. Mudanai</i>	652
Accurate Lifetime Estimation of Sub-20-nm NAND Flash Memory .....	<i>K. Lee, M. Kang, Y. Hwang, and H. Shin</i>	659
Improved Short-Channel Characteristics With Long Data Retention Time in Extreme Short-Channel Flash Memory Devices .....	<i>D. Gupta and S. K. Vishvakarma</i>	668
A Compact Model for Single-Poly Multitime Programmable Memory Cells .....	<i>C. Li, S.-Q. Xu, J.-C. Li, Y.-L. Chen, and H.-Y. Wang</i>	675
<b>Thin Film Transistors</b>		
Noise Margin Modeling for Zero-V <sub>GS</sub> Load TFT Circuits and Yield Estimation .....	<i>Q. Zhao, Y. Liu, J. Zhao, X. Guo, H. Li, and H. Yang</i>	684
<b>Optoelectronics, Displays, and Imaging</b>		
Optical Performance Enhancement of Quantum Dot-Based Light-Emitting Diodes Through an Optimized Remote Structure .....	<i>X. Lei, H. Zheng, X. Guo, J. Chu, S. Liu, and P. Liu</i>	691
Role of Composition and Substrate Temperature on Nonlinear Optical Properties of GeSeTe Thin Films in 0.4–2.4- $\mu$ m Wavelength Range .....	<i>D. C. Sati, S. C. Katyal, and P. Sharma</i>	698
Characterization of Lag Signal in Amorphous Selenium Detectors .....	<i>S. Abbaszadeh, S. Ghaffari, S. Siddiquee, M. Z. Kabir, and K. S. Karim</i>	704
Electron Beam Curing Technology for Very High-Throughput Manufacturing of Flexible Alternating Current Powder Electroluminescent Devices .....	<i>G. Sico, S. Aprano, P. Tassini, M. G. Maglione, E. Santoro, A. Rubino, and C. Minarini</i>	710
Simulation of Alumina Nanopores as High Spatial Resolution Electron Multipliers .....	<i>A. Taheri</i>	717
<b>Solid-State Power and High Voltage Devices</b>		
Reliability of Au-Free AlGaIn/GaN-on-Silicon Schottky Barrier Diodes Under ON-State Stress .....	<i>A. N. Tallarico, S. Stoffels, P. Magnone, J. Hu, S. Lenci, D. Marcon, E. Sangiorgi, C. Fiegna, and S. Decoutere</i>	723
Studies on High-Voltage GaN-on-Si MIS-HEMTs Using LPCVD Si <sub>3</sub> N <sub>4</sub> as Gate Dielectric and Passivation Layer .....	<i>Z. Zhang, G. Yu, X. Zhang, X. Deng, S. Li, Y. Fan, S. Sun, L. Song, S. Tan, D. Wu, W. Li, W. Huang, K. Fu, Y. Cai, Q. Sun, and B. Zhang</i>	731
<b>Materials, Processing and Packaging</b>		
Low-Capacitance Through-Silicon-Vias With Combined Air/SiO <sub>2</sub> Liners .....	<i>C. Huang, K. Wu, and Z. Wang</i>	739
Direct Al-Imprinting Method for Increased Effective Electrode Area in MIM Capacitors .....	<i>E. Hourdakis and A. G. Nassiopoulou</i>	746
Thermal Stability Improvement Induced by Laser Annealing for 50-Å Ni(Pt) Film Silicidation .....	<i>J.-C. Zhang, Y.-L. Jiang, and B.-Z. Li</i>	751

---

---

A Realistic Method for Time-Dependent Dielectric Breakdown Reliability Analysis for Advanced Technology Node .....	<i>K. B. Yeap, F. Chen, H. W. Yao, T. Shen, S. F. Yap, and P. Justison</i>	755
Analytical Modeling of AC Resistance in Thick Coil Integrated Spiral Inductors .....	<i>X. Fang, R. Wu, and J. K. O. Sin</i>	760
<b>Solid State Device Phenomena</b>		
Optical-Phonon-Limited High-Field Transport in Layered Materials .....	<i>H. Chandrasekar, K. L. Ganapathi, S. Bhattacharjee, N. Bhat, and D. N. Nath</i>	767
Ultimate Performance Projection of Ultrathin Body Transistor Based on Group IV, III-V, and 2-D-Materials .....	<i>K. L. Low, Y.-C. Yeo, and G. Liang</i>	773
Parasitic Capacitance Analytical Model for Sub-7-nm Multigate Devices .....	<i>J. Lacord, S. Martinie, O. Rozeau, M.-A. Jaud, S. Barraud, and J. C. Barbé</i>	781
<b>Molecular and Organic Devices</b>		
Organic Single-Crystal Nanowire Transistor Fabricated by Glass Fiber Mask Method .....	<i>L. Deng, Y. Tong, G. Wang, X. Zhao, Q. Tang, and Y. Liu</i>	787
Fully Additive Low-Cost Printed Electronics With Very Low Process Variations .....	<i>J. Zhou, T. Ge, E. Ng, and J. S. Chang</i>	793
<b>Sensors and Actuators</b>		
Spin-Torque Sensors for Energy Efficient High-Speed Long Interconnects .....	<i>Z. A. Azim, A. Sengupta, S. S. Sarwar, and K. Roy</i>	800
<b>Vacuum Electron Devices</b>		
Lateral MEMS-Type Field Emission Electron Source .....	<i>T. Grzebyk, P. Szyszka, A. Górecka-Drzazga, and J. A. Dziuban</i>	809
Design and Microwave Measurement of a Broadband Compact Power Coupler for Sheet Beam Traveling Wave Tubes .....	<i>J. Wang, G. Liu, G. Shu, L. Yang, and Y. Luo</i>	814
A 3-D Large-Signal Model of Folded-Waveguide TWTs .....	<i>W.-Z. Yan, Y.-L. Hu, Y.-X. Tian, J.-Q. Li, and B. Li</i>	819
<b>Emerging Technologies and Devices</b>		
High-Performance Single-Walled Carbon Nanotube-Based Thin-Film Transistors by Reducing Charge Transfer .....	<i>J.-Y. Jeon and T.-J. Ha</i>	827
Organic Microelectromechanical Relays for Ultralow-Power Flexible Transparent Large-Area Electronics .....	<i>Y. Pan, N. Khan, M. Lu, and J. Jeon</i>	832
A Continuous Semianalytic Current Model for DG and NW TFETs .....	<i>J. Wu and Y. Taur</i>	841
Compact Model for Spin-Orbit Magnetic Tunnel Junctions .....	<i>M. Kazemi, G. E. Rowlands, E. Ipek, R. A. Buhrman, and E. G. Friedman</i>	848
Analytical Model for the Dynamic Behavior of Triple-Gate Junctionless Nanowire Transistors .....	<i>R. Trevisoli, R. T. Doria, M. de Souza, S. Barraud, M. Vinet, and M. A. Pavanello</i>	856
<b>BRIEF PAPERS</b>		
Performance Improvement of Poly-Si Tunnel FETs by Trap Density Reduction .....	<i>W. C.-Y. Ma and Y.-H. Chen</i>	864
Examination of Two-Band $E(k)$ Relations for Band-to-Band Tunneling .....	<i>Y. Taur and J. Wu</i>	869
ReRAM Crossbar Array: Reduction of Access Time by Reducing the Parasitic Capacitance of the Selector Device .....	<i>H. Lim, W. Sun, and H. Shin</i>	873
Dimensionality Dependence of TFET Performance Down to 0.1 V Supply Voltage .....	<i>Y. Taur, J. Wu, and J. Min</i>	877
Determination of Surface Donor States Properties and Modeling of InAlN/AlN/GaN Heterostructures .....	<i>N. Goyal and T. A. Fjeldly</i>	881

---