

IEEE TRANSACTIONS ON ELECTRON DEVICES

A PUBLICATION OF THE IEEE ELECTRON DEVICES SOCIETY



MARCH 2016

VOLUME 63

NUMBER 3

IETDAI

(ISSN 0018-9383)

REGULAR PAPERS

Review Papers

- High-Performance Nitride Vertical Light-Emitting Diodes Based on Cu Electroplating Technical Route *L. Wang, E. Guo, Z. Liu, X. Yi, and G. Wang* 892

Silicon and Column IV Semiconductors Devices

- Subthreshold Kink Effect Revisited and Optimized for Si Nanowire MOSFETs *C.-Y. Chen, J.-T. Lin, and M.-H. Chiang* 903
- Self-Curable Gate-All-Around MOSFETs Using Electrical Annealing to Repair Degradation Induced From Hot-Carrier Injection *J.-Y. Park, D.-I. Moon, M.-L. Seol, C.-K. Kim, C.-H. Jeon, H. Bae, T. Bang, and Y.-K. Choi* 910
- Optimum pMOS-to-nMOS Width Ratio for Efficient Subthreshold CMOS Circuits *M. Nabavi, F. Ramezankhani, and M. Shams* 916
- Modeling of Distributed Effects in Modern MOS Transistors for Millimeter Wave Applications *J. Yavand Hasani* 925
- Anisotropic Quantum Corrections for 3-D Finite-Element Monte Carlo Simulations of Nanoscale Multigate Transistors *M. A. Elmessary, D. Nagy, M. Aldegunde, J. Lindberg, W. G. Dettmer, D. Perić, A. J. García-Loureiro, and K. Kalna* 933
- Quasi-Static Terminal-Charge Model for Symmetric Double-Gate Ferroelectric FETs *M. H. Reddy and S. Jandhyala* 940
- A Modeling Framework for NBTI Degradation Under Dynamic Voltage and Frequency Scaling *N. Parihar, N. Goel, A. Chaudhary, and S. Mahapatra* 946
- Surface Passivation in Empirical Tight Binding *Y. He, Y. Tan, Z. Jiang, M. Povolotskyi, G. Klimeck, and T. Kubis* 954

(Contents Continued on Page 889)

Analytical Current Model for Long-Channel Junctionless Double-Gate MOSFETs	959
2-D Analytical Modeling of Threshold Voltage for Graded-Channel Dual-Material Double-Gate MOSFETs	966
Performance and Device Design Based on Geometry and Process Considerations for 14/16-nm Strained FinFETs ...	974
Electrical Characterization of FDSOI by Capacitance Measurements in Gated p-i-n Diodes	982
Compound Semiconductor Devices	
Numerical Analysis of Terahertz Emissions From an Ungated HEMT Using Full-Wave Hydrodynamic Model	990
Performance Optimization of Au-Free Lateral AlGaIn/GaN Schottky Barrier Diode With Gated Edge Termination on 200-mm Silicon Substrate	997
Temperature-Dependent DC and Small-Signal Analysis of AlGaAs/InGaAs pHEMT for High-Frequency Applications	1005
Gate-Voltage Independence of Electron Mobility in Power AlGaIn/GaN HEMTs	1013
InGaAs Quantum-Well MOSFET Arrays for Nanometer-Scale Ohmic Contact Characterization	1020
Gate-All-Around In _{0.53} Ga _{0.47} As Junctionless Nanowire FET With Tapered Source/Drain Structure	1027
Memory Devices and Technology	
Asymmetric Underlapped Sub-10-nm n-FinFETs for High-Speed and Low-Leakage 6T SRAMs	1034
Analysis on Program Disturbance in Channel-Stacked NAND Flash Memory With Layer Selection by Multilevel Operation	1041
Z-Interference and Z-Disturbance in Vertical Gate-Type 3-D NAND	1047
Thin Film Transistors	
Dynamics of Threshold Voltage Instability in IGZO TFTs: Impact of High Pressurized Oxygen Treatment on the Activation Energy Barrier	1054
An Explicit Physics-Based <i>I</i> - <i>V</i> Model for Surrounding-Gate Polysilicon Transistors	1059
Suppressed Instability of a-IGZO Thin-Film Transistors Under Negative Bias Illumination Stress Using the Distributed Bragg Reflectors	1066
Amorphous Indium Tin Oxide Thin-Film Transistors Fabricated by Cosputtering Technique	1072
Stable and High-Performance Indium Oxide Thin-Film Transistor by Ga Doping	1078
Fabrication of High-Performance Bridged-Grain Polycrystalline Silicon TFTs by Laser Interference Lithography	1085
A Simulation Study of Carrier Transport Affected by Local Defects in Amorphous InGaZnO Thin-Film Transistors	1091
Optoelectronics, Displays, and Imaging	
Design Impact on Charge Transfer Inefficiency of Surface CCD on CMOS Devices: TCAD and Characterization Study	1099
Digital Silicon Photomultipliers With OR/XOR Pulse Combining Techniques	1105
Performance of NUV-HD Silicon Photomultiplier Technology	1111

Effect of Reassembled Remote Phosphor Geometry on the Luminous Efficiency and Spectra of White Light-Emitting Diodes With Excellent Color Rendering Property	<i>S.-P. Ying and H.-Y. Chien</i>	1117
GaN-Based UV Light-Emitting Diodes With a Green Indicator Through Selective-Area Photon Recycling	<i>F.-B. Chen, J.-K. Sheu, W.-Y. Yen, Y.-C. Wang, S.-H. Huang, C.-N. Liu, Y.-H. Yeh, C.-C. Chang, and M.-L. Lee</i>	1122
3-D Microlens Phosphor With Curvatures Manufactured by Imprinting for Chip-on-Board Light-Emitting Diodes ...	<i>H. Xiao, T.-M. Shih, Z.-Q. Guo, Y. Lin, Y.-J. Lu, and Z. Chen</i>	1128
A 0.5 V, 14.28-kframes/s, 96.7-dB Smart Image Sensor With Array-Level Image Signal Processing for IoT Applications	<i>C. Yin, C.-F. Chiu, and C.-C. Hsieh</i>	1134
Design of Hole-Blocking and Electron-Blocking Layers in $\text{Al}_x\text{Ga}_{1-x}\text{N}$ -Based UV Light-Emitting Diodes	<i>Y.-H. Shih, J.-Y. Chang, J.-K. Sheu, Y.-K. Kuo, F.-M. Chen, M.-L. Lee, and W.-C. Lai</i>	1141
The Design of Two-Step-Down Aging Test for LED Lamps Under Temperature Stress	<i>J. Hao, Q. Sun, Z. Xu, L. Jing, Y. Wang, and H. L. Ke</i>	1148
Solid-State Power and High Voltage Devices		
Low Reverse Recovery Charge 30 V Power MOSFET With Double Epi Structure for DC–DC Converters	<i>T. Hirao and T. Hashimoto</i>	1154
Further Study of the U-Shaped Channel SOI-LIGBT With Enhanced Current Density for High-Voltage Monolithic ICs	<i>J. Zhu, L. Zhang, W. Sun, Y. Du, K. Huang, M. Chen, L. Shi, Y. Gu, and S. Zhang</i>	1161
Materials, Processing and Packaging		
Wideband Modeling and Characterization of Differential Through-Silicon Vias for 3-D ICs	<i>W.-S. Zhao, J. Zheng, F. Liang, K. Xu, X. Chen, and G. Wang</i>	1168
Analysis of Signal Propagation Through TSVs Within Distilled Water for Liquid-Cooled Microsystems	<i>H. Oh, G. S. May, and M. S. Bakir</i>	1176
An Analytical Capacitance Model for Through-Silicon Vias in Floating Silicon Substrate	<i>R. Weerasekera, G. Katti, R. Dutta, S. Zhang, K. F. Chang, J. Zhou, and S. Bhattacharya</i>	1182
Solid State Device Phenomena		
Thermal Transport in Single-Layer MoS_2 and Black Phosphorus Transistors	<i>L. Liu and J. Guo</i>	1189
A Unified Approach to the Sensitivity and Variability Physics-Based Modeling of Semiconductor Devices Operated in Dynamic Conditions—Part I: Large-Signal Sensitivity	<i>S. Donati Guerrieri, F. Bonani, F. Bertazzi, and G. Ghione</i>	1195
A Unified Approach to the Sensitivity and Variability Physics-Based Modeling of Semiconductor Devices Operated in Dynamic Conditions. Part II—Small-Signal and Conversion Matrix Sensitivity	<i>S. Donati Guerrieri, F. Bonani, F. Bertazzi, and G. Ghione</i>	1202
Comparison of Fin-Edge Roughness and Metal Grain Work Function Variability in InGaAs and Si FinFETs	<i>N. Seoane, G. Indalecio, M. Aldegunde, D. Nagy, M. A. Elmessary, A. J. García-Loureiro, and K. Kalna</i>	1209
Numerical Simulation of Temperature–Voltage Relation in Electrical Contacts and Correction of Classical Kohlrausch's Equation	<i>W. Ren, J. Wei, X. Meng, and H. Zhi</i>	1217
Full-Chip Power Supply Noise Time-Domain Numerical Modeling and Analysis for Single and Stacked ICs	<i>L. Zheng, Y. Zhang, and M. S. Bakir</i>	1225
Molecular and Organic Devices		
First Principle Analysis of (10-Boranyl anthracene-9-yl)borane-Based Molecular Single-Electron Transistor for High-Speed Low-Power Electronics	<i>B. SanthiBhushan, M. S. Khan, A. Srivastava, and M. S. Khan</i>	1232
Correlated Mobility Fluctuations and Contact Effects in p-Type Organic Thin-Film Transistors	<i>G. Giusi, O. Giordano, G. Scandurra, S. Calvi, G. Fortunato, M. Rapisarda, L. Mariucci, and C. Ciofi</i>	1239
Evaluation of Aerosol, Superfine Inkjet, and Photolithography Printing Techniques for Metallization of Application Specific Printed Electronic Circuits	<i>M. Mashayekhi, L. Winchester, L. Evans, T. Pease, M.-M. Laurila, M. Mäntysalo, S. Ogier, L. Terés, and J. Carrabina</i>	1246
Charge Transport in Deep and Shallow States in a High-Mobility Polymer FET	<i>S. Kim, T.-J. Ha, P. Sonar, and A. Dodabalapur</i>	1254
CMOS-SOI-MEMS Thermal Antenna and Sensor for Uncooled THz Imaging	<i>A. Svetlitz, T. Blank, S. Stolyarova, I. Brouk, S. Bar-Lev Shefi, and Y. Nemirovsky</i>	1260
Performance Improvement of Pd/ZnO-NR/Si MIS Gas Sensor Device in Capacitive Mode: Correlation With Equivalent-Circuit Elements	<i>K. Dutta, N. Banerjee, H. Mishra, and P. Bhattacharyya</i>	1266

Preconditioning Procedure for the Better Estimation of the Long-Term Lifetime in Microelectromechanical Switches	<i>M. Barbato, A. Cester, V. Mulloni, B. Margesin, and G. Meneghesso</i>	1274
Distributed Parameter Modeling of Cantilevered- d_{33} -Mode Piezoelectric Energy Harvesters	<i>R. Kashyap, T. R. Lenka, and S. Baishya</i>	1281

Vacuum Electron Devices

Frequency Stabilization of a 0.67-THz Gyrotron by Self-Injection Locking	<i>M. M. Melnikova, A. G. Rozhnev, N. M. Ryskin, A. V. Tyshkun, M. Y. Glyavin, and Y. V. Novozhilova</i>	1288
Characteristics Study of 3π Stopbands of Folded Waveguide Slow-Wave Structures in V-Band Traveling-Wave Tubes	<i>S. Liu, J. Cai, J. Feng, and X. Wu</i>	1294
Selectivity Properties of Coaxial Gyrotron Cavities With Mode Converting Corrugations	<i>Z. C. Ioannidis, K. A. Avramidis, and I. G. Tigelis</i>	1299
Experimental Demonstration of a Tunable Load-Limited Magnetically Insulated Transmission Line Oscillator	<i>Y. Fan, X. Wang, G. Li, H. Yang, H. Zhong, and J. Zhang</i>	1307
Thermal Analysis of Sheet Beam Gun for the Sheet Beam Traveling Wave Tube	<i>W. Jiang, J. Wang, Y. Luo, L. Xu, X. Yao, and S. Wang</i>	1312
Particle-in-Cell Demonstration of the Effect of Voltage Rise Time on Phase Synchronization in Two Parallel Relativistic Backward-Wave Oscillators	<i>R. Xiao, Y. Wang, Y. Deng, X. Bai, and Z. Song</i>	1317
Small Signal Treatment of a 94-GHz Helical Waveguide TWT	<i>H. Henke</i>	1322
CeB ₆ : Emission Performance and Uniformity Compared With LaB ₆ for Thermionic RF Guns	<i>M. Bakr, M. Kawai, T. Kii, and H. Ohgaki</i>	1326
Spaced Bitter Solenoid Design for a Continuous Wave 95-GHz Gyrotron	<i>Y. Bauer and M. Einat</i>	1333

Emerging Technologies and Devices

Electron Back Scattering in CNTFETs	<i>I. Bejenari and M. Claus</i>	1340
3-D Percolative Model-Based Multiscale Simulation of Randomly Aligned Networks of Carbon Nanotubes	<i>S. Colasanti, V. Deep Bhatt, A. Abdelhalim, and P. Lugli</i>	1346
An Analytical Model to Estimate FinFET's V_T Distribution Due to Fin-Edge Roughness	<i>S. Mittal, A. S. Shekhawat, and U. Ganguly</i>	1352
Modeling and Evaluation of Topological Insulator/Ferromagnet Heterostructure-Based Memory	<i>A. K. Reza, X. Fong, Z. A. Azim, and K. Roy</i>	1359
Charge-Based Modeling of Double-Gate and Nanowire Junctionless FETs Including Interface-Trapped Charges	<i>A. Yesayan, F. Jazaeri, and J.-M. Sallese</i>	1368
Optimization of Design Parameters in Dual- κ Spacer-Based Nanoscale Reconfigurable FET for Improved Performance	<i>A. Bhattacharjee and S. Dasgupta</i>	1375

BRIEF PAPERS

InGaZnO Thin-Film Transistors With Coplanar Control Gates for Single-Device Logic Applications	<i>S. G. Hu, P. Liu, H. K. Li, T. P. Chen, Q. Zhang, L. J. Deng, and Y. Liu</i>	1383
Threshold Logic With Electrostatically Formed Nanowires	<i>J. S. Friedman, A. Godkin, A. Henning, Y. Vaknin, Y. Rosenwaks, and A. V. Sahakian</i>	1388
Atypical Voltage Transitions in FinFET Multistage Circuits: Origin and Significance	<i>A. Pandey, H. Kumar, S. K. Manhas, S. Dasgupta, and B. Anand</i>	1392
