

IEEE TRANSACTIONS ON ELECTRON DEVICES

A PUBLICATION OF THE IEEE ELECTRON DEVICES SOCIETY



SEPTEMBER 2016

VOLUME 63

NUMBER 9

IETDAI

(ISSN 0018-9383)

REVIEW PAPER

Wrinkles in Electronics *Y. Cui* 3372

REGULAR PAPERS

Silicon and Column IV Semiconductors Devices

Modeling the Distributive Effects of RC Transmission Line Using Recursive Segmentation and Applications to MOSFETs and BJTs *K. Xia* 3385

Efficient Modeling of Distributed Dynamic Self-Heating and Thermal Coupling in Multifinger SiGe HBTs
..... *S. Balanethiram, R. D'Esposito, A. Chakravorty, S. Fregonese, D. Céli, and T. Zimmer* 3393

Process-Induced Variations of 10-nm Node Bulk nFinFETs Considering Middle-of-Line Parasitics
..... *J.-S. Yoon, C.-K. Baek, and R.-H. Baek* 3399

A High-Level Thermal Model-Based Task Mapping for CMPs in Dark-Silicon Era
..... *J. Wang, Z. Lu, Y. Li, Y. Fu, and J. Guo* 3406

Modeling of Fermi-Level Pinning Alleviation With MIS Contacts: n and pMOSFETs Cointegration
Considerations—Part I
..... *J. Borrel, L. Hutin, O. Rozeau, M.-A. Jaud, S. Martinie, M. Gregoire, E. Dubois, and M. Vinet* 3413

Modeling of Fermi-Level Pinning Alleviation With MIS Contacts: n and pMOSFETs Cointegration
Considerations—Part II
..... *J. Borrel, L. Hutin, O. Rozeau, M.-A. Jaud, S. Martinie, M. Gregoire, E. Dubois, and M. Vinet* 3419

Process Options Impact on ESD Diode Performance in Bulk FinFET Technology
..... *S.-H. Chen, G. Hellings, S. Thijs, D. Linten, and G. Groeseneken* 3424

Stringer Gate FinFET on Bulk Substrate *J.-W. Han, H. Y. Wong, D.-I. Moon, N. Braga, and M. Meyyappan* 3432

(Contents Continued on Page 3369)

Compound Semiconductor Devices

Channel Properties of SiC Trench-Etched Double-Implanted MOS (TED MOS)	<i>N. Tega, D. Hisamoto, A. Shima, and Y. Shimamoto</i>	3439
A 500 °C 8-b Digital-to-Analog Converter in Silicon Carbide Bipolar Technology	<i>R. Hedayati, L. Lanni, B. G. Malm, A. Rusu, and C.-M. Zetterling</i>	3445
Statistical Analysis of the Impact of Anode Recess on the Electrical Characteristics of AlGaIn/GaN Schottky Diodes With Gated Edge Termination	<i>J. Hu, S. Stoffels, S. Lenci, B. De Jaeger, N. Ronchi, A. N. Tallarico, D. Wellekens, S. You, B. Bakeroot, G. Groeseneken, and S. Decoutere</i>	3451
Interface Characterization of HfO ₂ /GaSb MOS Capacitors With Ultrathin Equivalent Oxide Thickness by Using Hydrogen Plasma Treatment	<i>M.-L. Tsai, J.-Y. Ko, S.-Y. Wang, and C.-H. Chien</i>	3459
Electrical Analysis and PBTI Reliability of In _{0.53} Ga _{0.47} As MOSFETs With AlN Passivation Layer and NH ₃ Postremote Plasma Treatment	<i>P.-C. Chang, Q.-H. Luc, Y.-C. Lin, S.-C. Liu, Y.-K. Lin, S. M. Sze, and E. Y. Chang</i>	3466
Experimental and Numerical Analysis of Hole Emission Process From Carbon-Related Traps in GaN Buffer Layers	<i>A. Chini, G. Meneghesso, M. Meneghini, F. Fantini, G. Verzellesi, A. Patti, and F. Iucolano</i>	3473
ON-State Degradation in AlGaIn/GaN-on-Silicon Schottky Barrier Diodes: Investigation of the Geometry Dependence	<i>A. N. Tallarico, P. Magnone, S. Stoffels, S. Lenci, J. Hu, D. Marcon, E. Sangiorgi, S. Decoutere, and C. Fiegna</i>	3479
Electrical Degradation of InAlN/GaN HEMTs Operating Under ON Conditions	<i>Y. Wu and J. A. del Alamo</i>	3487

Memory Devices and Technology

Modeling and Design Space Exploration for Bit-Cells Based on Voltage-Assisted Switching of Magnetic Tunnel Junctions	<i>S. Sharmin, A. Jaiswal, and K. Roy</i>	3493
Charge-Trapping Phenomena in HfO ₂ -Based FeFET-Type Nonvolatile Memories	<i>E. Yurchuk, J. Müller, S. Müller, J. Paul, M. Pešić, R. van Bentum, U. Schroeder, and T. Mikolajick</i>	3501
Metal/ZnO/MgO/Si/Metal Write-Once-Read-Many-Times Memory	<i>B. Zhang, C. Hu, T. Ren, B. Wang, J. Qi, Q. Zhang, J.-G. Zheng, Y. Xin, and J. Liu</i>	3508
Statistical Variability Analysis of SRAM Cell for Emerging Transistor Technologies	<i>S. Kurude, S. Mittal, and U. Ganguly</i>	3514
Novel Program Method of String Select Transistors for Layer Selection in Channel-Stacked NAND Flash Memory	<i>D. W. Kwon, W. Kim, D.-B. Kim, S.-H. Lee, J. Y. Seo, E. Choi, G. S. Cho, S.-K. Park, J.-H. Lee, and B.-G. Park</i>	3521
Modeling of Threshold Voltage Distribution in NAND Flash Memory: A Monte Carlo Method	<i>H. Li</i>	3527

Thin Film Transistors

A Film-Profile-Engineered 3-D InGaZnO Inverter Technology With Systematically Tunable Threshold Voltage	<i>R.-J. Lyu, H.-C. Lin, P.-W. Li, and T.-Y. Huang</i>	3533
Interfacial Contact Effects in Top Gated Zinc Oxide Thin Film Transistors Grown by Atomic Layer Deposition	<i>A. M. Ma, M. Shen, A. Afshar, Y. Y. Tsui, K. C. Cadien, and D. W. Barlage</i>	3540
Annealing Treatment on Amorphous InAlZnO Films for Thin-Film Transistors	<i>Z. Ye, S. Yue, J. Zhang, X. Li, L. Chen, and J. Lu</i>	3547
Suppression in the Negative Bias Illumination Instability of ZnSnO Thin-Film Transistors Using Hafnium Doping by Dual-Target Magnetron Cosputtering System	<i>C.-X. Huang, J. Li, Y.-Z. Fu, J.-H. Zhang, X.-Y. Jiang, and Z.-L. Zhang</i>	3552
Influence of Annealing on Solution-Processed Indium Oxide Thin-Film Transistors Under Ambient Air and Wet Conditions	<i>B. S. Kim and H. J. Kim</i>	3558

Optoelectronics, Displays, and Imaging

A 3-D ZnO-Nanowire Smart Photo Sensor Prepared With Through Silicon via Technology	<i>K.-T. Lam, Y.-H. Chen, T.-J. Hsueh, and S.-J. Chang</i>	3562
Optical Energy Transfer and Loss Mechanisms in Coupled Intracavity Light Emitters	<i>A. Olsson, J. Tiira, M. Partanen, T. Hakkarainen, E. Koivusalo, A. Tukiainen, M. Guina, and J. Oksanen</i>	3567
Large Near-Infrared Lateral Photovoltaic Effect of ITO/Si Structure Observed at Low Temperature	<i>S. Qiao, J. Liu, Y. Liu, G. Yan, S. Wang, and G. Fu</i>	3574
Comparison Study of β -Ga ₂ O ₃ Photodetectors on Bulk Substrate and Sapphire	<i>Q. Feng, L. Huang, G. Han, F. Li, X. Li, L. Fang, X. Xing, J. Zhang, W. Mu, Z. Jia, D. Guo, W. Tang, X. Tao, and Y. Hao</i>	3578
Carrier-Selective NiO/Si and TiO ₂ /Si Contacts for Silicon Heterojunction Solar Cells	<i>H. Imran, T. M. Abdolkader, and N. Z. Butt</i>	3584

The Theoretical Performance of GaInAsSb and GaSb Cells Versus IR Emitter Temperature in Thermophotovoltaic Systems	<i>L. Tang, L. M. Fraas, Z. Liu, C. Xu, and X. Chen</i>	3591
An Area-Efficient and Low-Power 12-b SAR/Single-Slope ADC Without Calibration Method for CMOS Image Sensors	<i>M.-K. Kim, S.-K. Hong, and O.-K. Kwon</i>	3599
Solid-State Power and High Voltage Devices		
Modeling Early Breakdown Failures of Gate Oxide in SiC Power MOSFETs	<i>Z. Chbili, A. Matsuda, J. Chbili, J. T. Ryan, J. P. Campbell, M. Lahbabi, D. E. Ioannou, and K. P. Cheung</i>	3605
Enhanced Electrical Performance and Heat Dissipation in AlGaN/GaN Schottky Barrier Diodes Using Hybrid Tri-anode Structure	<i>J. Ma, G. Santoruvo, P. Tandon, and E. Matioli</i>	3614
Materials, Processing and Packaging		
Viscoelasticity Recovery Mechanism in Radio Frequency Microelectromechanical Switches	<i>M. Barbato, A. Cester, and G. Meneghesso</i>	3620
Solid State Device Phenomena		
Analysis of Dual Gate Structures Using Double-Well and WKB Quantization Rules	<i>A. M. Bayoumi</i>	3627
Effect of Ferroelectric Damping on Dynamic Characteristics of Negative Capacitance Ferroelectric MOSFET	<i>Y. Li, K. Yao, and G. S. Samudra</i>	3636
Insight Into Electron Traps and Their Energy Distribution Under Positive Bias Temperature Stress and Hot Carrier Aging	<i>M. Duan, J. F. Zhang, Z. Ji, W. D. Zhang, D. Vigar, A. Asenov, L. Gerrer, V. Chandra, R. Aitken, and B. Kaczer</i>	3642
Low-Frequency Noise in Advanced SiGe:C HBTs—Part I: Analysis	<i>C. Mukherjee, T. Jacquet, A. Chakravorty, T. Zimmer, J. Böck, K. Aufinger, and C. Maneux</i>	3649
Low-Frequency Noise in Advanced SiGe:C HBTs—Part II: Correlation and Modeling	<i>C. Mukherjee, T. Jacquet, A. Chakravorty, T. Zimmer, J. Böck, K. Aufinger, and C. Maneux</i>	3657
2-D Threshold Voltage Model for the Double-Gate p-n-p-n TFET With Localized Charges	<i>D. B. Abdi and M. J. Kumar</i>	3663
Electrothermal Effects on Hot-Carrier Reliability in SOI MOSFETs—AC Versus Circuit-Speed Random Stress	<i>W. Chen, R. Cheng, D.-W. Wang, H. Song, X. Wang, H. Chen, E. Li, W.-Y. Yin, and Y. Zhao</i>	3669
High Tolerance of BST Thin Film Based Varactor Under Neutron Irradiation	<i>S. S. Barala, J. Singh, M. Kumar, and M. Kumar</i>	3677
A Physics-Based Statistical RTN Model for the Low Frequency Noise in MOSFETs	<i>M. Banaszeski da Silva, H. P. Tuinhout, A. Zegers-van Duijnhoven, G. I. Wirth, and A. J. Scholten</i>	3683
Identifying a Double-Energy-Level Trap Center in a GaN HEMT by Performing Three-Stage Pulse Measurements	<i>S. A. Albahrani, A. E. Parker, and M. Heimlich</i>	3693
Molecular and Organic Devices		
Numerical Simulation of Organic Light-Emitting Diodes With Insulating Cathode Buffer Layer	<i>H. Siemund and H. Göbel</i>	3700
Sensors and Actuators		
Modeling of Bending Characteristics on Micromachined RF MEMS Switch Based on LCP Substrate	<i>L. Han and X. Gao</i>	3707
Vacuum Electron Devices		
3-D Particle-in-Cell Simulations on a Novel High-Power and High-Efficiency Coaxial Triode Vircator	<i>W. Yang, Z. Dong, and Y. Dong</i>	3713
Magnetron Injection Gun Design for Multifrequency Band Operations	<i>K. Dong, Y. Luo, W. Jiang, H. Fu, and S. Wang</i>	3719
Design of a Sheet-Beam Electron-Optical System for a Microfabricated W-Band Traveling-Wave Tube Using a Cold Cathode	<i>S. Wang, S. Aditya, J. Miao, and X. Xia</i>	3725
Design and Measurement of a Nonlinear-Curve Directional Coupler for Sheet Beam Traveling Wave Tube	<i>L. Yang, J. Wang, G. Shu, G. Liu, E. A. Balfour, Y. Yao, K. Dong, H. Fu, and Y. Luo</i>	3733
Direct Voltage Depression Calculation of Arbitrary Electron Beams in Misaligned Coaxial Gyrotron Cavities	<i>J. Franck, K. A. Avramidis, G. Gantenbein, S. Illy, I. G. Pagonakis, M. Thumm, and J. Jelonnek</i>	3740
S-Band High-Efficiency Metamaterial Microwave Sources	<i>Y. Wang, Z. Duan, F. Wang, S. Li, Y. Nie, Y. Gong, and J. Feng</i>	3747

Improved Performance of Field Emission Vacuum Microelectronic Devices for Integrated Circuits	<i>E. J. Radauscher, K. H. Gilchrist, S. T. Di Dona, Z. E. Russell, J. R. Piascik, J. J. Amsden, C. B. Parker, B. R. Stoner, and J. T. Glass</i>	3753
Emerging Technologies and Devices		
Armchair Graphene Nanoribbon Resonant Tunneling Diodes Using Antidote and BN Doping	<i>A. Yazdanpanah Goharrizi, M. Zoghi, and M. Saremi</i>	3761
Locally Defect-Engineered Graphene Nanoribbon Field-Effect Transistor	<i>H. Owlia and P. Keshavarzi</i>	3769
Modeling CNTFET Performance Variation Due to Spatial Distribution of Carbon Nanotubes	<i>Z. Ahmed, L. Zhang, K. Sarfraz, and M. Chan</i>	3776
A New Drain Current Model for a Dual Metal Junctionless Transistor for Enhanced Digital Circuit Performance	<i>J. C. Pravin, D. Nirmal, P. Prajoon, and M. A. Menokey</i>	3782
Controlling L-BTBT and Volume Depletion in Nanowire JLFETs Using Core–Shell Architecture	<i>S. Sahay and M. J. Kumar</i>	3790

BRIEF PAPERS

A Model of Electric Field Distribution in Gate Oxide and JFET-Region of 4H-SiC DMOSFETs	<i>L. Di Benedetto, G. D. Licciardo, T. Erlbacher, A. J. Bauer, R. Liguori, and A. Rubino</i>	3795
One Gate Diode-Connected Dual-Gate a-IGZO TFT Driven Pixel Circuit for Active Matrix Organic Light-Emitting Diode Displays	<i>C. Wang, Z. Hu, X. He, C. Liao, and S. Zhang</i>	3800
Ultralow ON-Resistance SOI LDMOS With Three Separated Gates and High- k Dielectric	<i>X. Luo, M. Lv, C. Yin, J. Wei, K. Zhou, Z. Zhao, T. Sun, B. Zhang, and Z. Li</i>	3804
A Multiregion Approach to Modeling the Base-Collector Junction Capacitance	<i>T. Nardmann, M. Schroter, and P. Sakalas</i>	3808
