

# IEEE TRANSACTIONS ON INDUSTRY APPLICATIONS

A PUBLICATION OF THE IEEE INDUSTRY APPLICATIONS SOCIETY

WWW.IEEE.ORG/IAS



SERVING OUR MEMBERS AND SUBSCRIBERS IN OUR FIFTY-THIRD YEAR OF PUBLICATION

JULY/AUGUST 2016

VOLUME 52

NUMBER 4

ITIACR

(ISSN 0093-9994)

---

INDUSTRIAL & COMMERCIAL POWER SYSTEMS DEPARTMENT

*Codes & Standards Committee*

Electrical Safety Update—OSHA 29 CFR 1910.269 and NFPA 70E-2015 Revisions ..... *D. K. Neitzel* 2753

*Energy Systems Committee*

Dynamic Equivalent Model Development to Improve the Operation Efficiency of Wind Farm .....  
..... *X. Cheng, W.-J. Lee, M. Sahni, Y. Cheng, and L. K. Lee* 2759

A Bi-Level Program for the Planning of an Islanded Microgrid Including CAES .....  
..... *J. Zhang, K.-J. Li, M. Wang, W.-J. Lee, H. Gao, C. Zhang, and K. Li* 2768

Design and Implementation of Voltage Source Converter Excitation System to Improve Power System Stability .....  
..... *Z. Chen, C. Mao, D. Wang, J. Lu, and Y. Zhou* 2778

*Power System Engineering Committee*

Modified Electronic Load Controller for Constant Frequency Operation With Voltage Regulation of Small Hydro-Driven  
Single-Phase SEIG ..... *U. K. Kalla, B. Singh, and S. S. Murthy* 2789

Why Existing Utility Metrics Do Not Work for Industrial Reliability Analysis ..... *R. Schuerger, R. Arno, and N. Dowling* 2801

Analysis and Mitigation of Instabilities Originated From DC-Side Resonances in VSC-HVDC Systems .....  
..... *G. Pinares and M. Bongiorno* 2807

Impact of Shunt Active Harmonic Filter on Harmonic Current Distortion of Voltage Source Inverter-Fed Drives .....  
..... *W.-H. Ko and J.-C. Gu* 2816

---

(Contents Continued on Page 2749)



---

*Power System Protection Committee*

Protection Coordination Analysis Under a Real-Time Architecture for Industrial Distribution Systems Based on the Std IEEE 242-2001..... *J. D. Pico, D. Celeita, and G. Ramos* 2826

A New Protection Scheme for Multi-Bus DC Power Systems Using an Event Classification Approach..... *M. Farhadi and O. A. Mohammed* 2834

---

**INDUSTRIAL POWER CONVERSION SYSTEMS DEPARTMENT**

*Electric Machines Committee*

A Novel Technique for *In Situ* Efficiency Estimation of Three-Phase IM Operating With Unbalanced Voltages..... *M. Al-Badri, P. Pillay, and P. Angers* 2843

Design of Three-Phase Flux-Reversal Machines With Fractional-Slot Windings..... *Y. Gao, R. Qu, D. Li, J. Li, and L. Wu* 2856

PWM Carrier Harmonic Iron Loss Reduction Technique of Permanent-Magnet Motors for Electric Vehicles..... *Y. Miyama, M. Hazeyama, S. Hanioka, N. Watanabe, A. Daikoku, and M. Inoue* 2865

A Novel Variable Reluctance Resolver for HEV/EV Applications..... *X. Ge, Z. Q. Zhu, R. Ren, and J. T. Chen* 2872

Double PM-Rotor Toothed Toroidal-Winding Wind Generator: A Comparison With Conventional Winding Direct-Drive PM Wind Generators Over a Wide Power Range..... *J. H. J. Potgieter and M. J. Kamper* 2881

Electromagnetic and Structural Analysis for a Surface-Mounted PMSM Used for Light-EV..... *D. Fodorean, M. M. Sarrazin, C. S. Martiş, J. Anthonis, and H. Van der Auweraer* 2892

In-Service Monitoring of Stator-Slot Magnetic Wedge Condition for Induction Motors..... *S. Han, J. Jung, K. W. Lee, S. B. Lee, S. Nandi, B. Kim, and B. Kang* 2900

A Fast Mechanical Switch for Medium-Voltage Hybrid DC and AC Circuit Breakers..... *C. Peng, I. Husain, A. Q. Huang, B. Lequesne, and R. Briggs* 2911

A Multiphysics Design Methodology Applied to a High-Force-Density Short-Duty Linear Actuator..... *N. Simpson, R. Wrobel, and P. H. Mellor* 2919

Permanent-Magnet Magnetization State Estimation Using High-Frequency Signal Injection..... *D. Fernandez, D. D. Reigosa, J. M. Guerrero, Z.-Q. Zhu, and F. Briz* 2930

Fast Multi-Objective CMODE-Type Optimization of PM Machines Using Multicore Desktop Computers..... *A. Fatemi, D. M. Ionel, N. A. O. Demerdash, and T. W. Nehl* 2941

The Impact of Thermal Degradation on Properties of Electrical Machine Winding Insulation Material..... *M. Sumislawska, K. N. Gyftakis, D. F. Kavanagh, M. D. McCulloch, K. J. Burnham, and D. A. Howey* 2951

Permanent-Magnet Demagnetization Design and Validation..... *H. Xiong, J. Zhang, M. W. Degner, C. Rong, F. Liang, and W. Li* 2961

Establishing the Relative Merits of Synchronous Reluctance and PM-Assisted Technology Through Systematic Design Optimization..... *Y. Wang, D. M. Ionel, M. Jiang, and S. J. Stretz* 2971

Hybrid Acoustic Model of Electric Vehicles: Force Excitation in Permanent-Magnet Synchronous Machines..... *S. Rick, A. K. Putri, D. Franck, and K. Hameyer* 2979

Space-Vector Models for Torsional Vibration of Cage Induction Motors..... *A. Arkkio and T. P. Holopainen* 2988

Design of a Variable-Flux Permanent-Magnet Synchronous Motor for Adjustable-Speed Operation..... *J. Jang, M. Humza, and B. Kim* 2996

Stator Current Vector Determination Under Consideration of Local Iron Loss Distribution for Partial Load Operation of PMSM..... *A. Ruf, S. Steentjes, A. Thul, and K. Hameyer* 3005

Noise Reduction of Switched Reluctance Motor With High Number of Poles by Novel Simplified Current Waveform at Low Speed and Low Torque Region..... *N. Kurihara, J. Bayless, H. Sugimoto, and A. Chiba* 3013

Design of a Sinusoidally Wound 2-D Rotational Core Loss Setup With the Consideration of Sensor Sizing..... *J. Wanjiku and P. Pillay* 3022

Computationally Efficient Method for Identifying Manufacturing Induced Rotor and Stator Misalignment in Permanent Magnet Brushless Machines..... *M. Thiele and G. Heins* 3033

Optimal Design of IPM Motors With Different Cooling Systems and Winding Configurations..... *A. Fatemi, D. M. Ionel, N. A. O. Demerdash, and T. W. Nehl* 3041

Analytical Model for Predicting Effects of Manufacturing Variations on Cogging Torque in Surface-Mounted Permanent Magnet Motors..... *A. J. Piña Ortega, S. Paul, R. Islam, and L. Xu* 3050

*Industrial Drives Committee*

Self-Learning MTPA Control of Interior Permanent-Magnet Synchronous Machine Drives Based on Virtual Signal Injection..... *T. Sun, J. Wang, M. Koc, and X. Chen* 3062

---

---

Discontinuous Hybrid-PWM-Based DC-Link Voltage Balancing Algorithm for a Three-Level Neutral-Point-Clamped (NPC) Traction Inverter Drive .....	A. Choudhury, P. Pillay, and S. S. Williamson	3071
Stand-Still Self-Identification of Flux Characteristics for Synchronous Reluctance Machines Using Novel Saturation Approximating Function and Multiple Linear Regression .....	N. Bedetti, S. Calligaro, and R. Petrella	3083
Permanent-Magnet Temperature Distribution Estimation in Permanent-Magnet Synchronous Machines Using Back Electromotive Force Harmonics .....	D. D. Reigosa, D. Fernandez, T. Tanimoto, T. Kato, and F. Briz	3093
Real-Time Parameter Identification and Integration on Deadbeat-Direct Torque and Flux Control (DB-DTFC) Without Inducing Additional Torque Ripple .....	Y. Wang, N. Niimura, and R. D. Lorenz	3104
Soft Start and Voltage Control of Induction Motors Using Floating Capacitor H-Bridge Converters .....	S. Leng, A. R. N. M. Reaz Ul Haque, N. Perera, A. Knight, and J. Salmon	3115
A Modular Speed-Drooped System for High Reliability Integrated Modular Motor Drives .....	A. Galassini, A. Costabeber, C. Gerada, G. Buticchi, and D. Barater	3124
State Observer for Grid-Voltage Sensorless Control of a Converter Equipped With an LCL Filter: Direct Discrete-Time Design .....	J. Kukkola and M. Hinkkanen	3133
Linearized Modeling of Switched Reluctance Motor for Closed-Loop Current Control .....	S. S. Ahmad and G. Narayanan	3146
<i>Industrial Power Converter Committee</i>		
A Generalized Cross-Connected Submodule Structure for Hybrid Multilevel Converters .....	E. C. Mathew, M. B. Ghat, and A. Shukla	3159
AC–DC–AC Three-Phase Converter Based on Three Three-Leg Converters Connected in Series .....	N. S. de Moraes Lima Marinus, C. B. Jacobina, N. Rocha, and E. C. dos Santos	3171
Pulse Pattern-Modulated Strategy for Harmonic Current Components Reduction in Three-Phase AC–DC Converters .....	P. Davari, F. Zare, and F. Blaabjerg	3182
Extending the Power Capability With Dynamic Performance of a Power-Hardware-in-the-Loop Application—Power Grid Emulator Using “Inverter Cumulation” .....	G. Si, J. Cordier, and R. M. Kennel	3193
Design of a 93% Energy-Efficient Buck-Type Capacitor Charger IC in 250-nm CMOS .....	M. Lee and J. Kim	3203
Impact of DC-Link Voltage Ripples on the Machine-Side Performance in NPC H-Bridge Topology .....	J. Shen, S. Schröder, J. Gao, and B. Qu	3212
Capacitor Aging Detection in a DC–DC Converter Output Stage .....	J. Hannonen, J. Honkanen, J.-P. Ström, T. Kärkkäinen, S. Räisänen, and P. Silventoinen	3224
Virtual Synchronous Machine-Based Control of a Single-Phase Bi-Directional Battery Charger for Providing Vehicle-to-Grid Services .....	J. A. Suul, S. D’Arco, and G. Guidi	3234
Y-Connected Three-Leg Converters Applied in Three or Four-Wire Shunt Compensator .....	E. L. L. Fabricio, C. B. Jacobina, M. A. Vitorino, and M. B. de Rossiter Corrêa	3245
Minimum Flying Capacitor for $N$ -Level Capacitor DC/DC Boost Converter .....	A. B. Ponniran, K. Orikawa, and J. Itoh	3255
Dual Comparison One Cycle Control for Single Phase AC to DC Converters .....	N. Vamanan and V. John	3267
<i>Power Electronic Devices &amp; Components Committee</i>		
Capacitor Selection for Modular Multilevel Converter .....	Y. Tang, L. Ran, O. Alatise, and P. Mawby	3279
Downsizing Effects of Integrated Magnetic Components in High Power Density DC–DC Converters for EV and HEV Applications .....	S. Kimura, Y. Itoh, W. Martinez, M. Yamamoto, and J. Imaoka	3294
A Temperature-Dependent Thermal Model of IGBT Modules Suitable for Circuit-Level Simulations .....	R. Wu, H. Wang, K. B. Pedersen, K. Ma, P. Ghimire, F. Iannuzzo, and F. Blaabjerg	3306
A 500-MHz, 0.76-W/mm <sup>2</sup> Power Density and 76.2% Power Efficiency, Fully Integrated Digital Buck Converter in 65-nm CMOS .....	M. Lee, Y. Choi, and J. Kim	3315
Design and Analysis of 37.5% Energy-Recycling Flyback-Type Class-D Low-Side Gate Driver IC with 5-to-15-V Level Conversion .....	T. Kang, Y. Lee, and J. Kim	3324
<i>Sustainable Energy Conversion Systems Committee</i>		
Experimental Implementation of Doubly Fed Induction Generator-Based Standalone Wind Energy Conversion System .....	N. K. S. Naidu and B. Singh	3332
Passive Filter Aided by Shunt Compensators Based on the Conservative Power Theory .....	T. D. C. Busarello, J. A. Pomilio, and M. G. Simões	3340
Virtual Admittance Loop for Voltage Harmonic Compensation in Microgrids .....	C. Blanco, D. Reigosa, J. C. Vasquez, J. M. Guerrero, and F. Briz	3348

---



---

*Transportation Systems Committee*

Solar PV-Powered SRM Drive for EVs With Flexible Energy Control Functions . . . . . *Y. Hu, C. Gan, W. Cao, Y. Fang, S. J. Finney, and J. Wu* 3357

Optimal Energy Management and Sizing of a Battery–Supercapacitor–Based Light Rail Vehicle With a Multiobjective Approach . . . . . *V. I. Herrera, H. Gaztañaga, A. Milo, A. Saez-de-Ibarra, I. Etxeberria-Otadui, and T. Nieva* 3367

---

**MANUFACTURING SYSTEMS DEVELOPMENT & APPLICATIONS DEPARTMENT**

*Industrial Automation and Control Committee*

Modeling and Control of a Low-Speed Flywheel Driving System for Pulsed-Load Mitigation in DC Distribution Networks . . . . . *A. T. Elsayed, T. A. Youssef, and O. A. Mohammed* 3378

On Influence of Non Deterministic Modulation Schemes on a Drive Train System With a PMSM Within an Electric Vehicle . . . . . *P. Dost and C. Sourkounis* 3388

Air-Cooled Induction Heater for Efficient Sealing of Containers Using Wide Range Foils . . . . . *A. K. Paul and S. Chinoy* 3398

Performance Evaluation of the ZIP Model-Phaselet Frame Approach for Identifying Appliances in Residential Loads . . . . . *P. Pijenburg, S. A. Saleh, and P. McGaw* 3408

Dynamic Voltage and Current Assignment Strategies of Nine-Switch-Converter-Based DFIG Wind Power System for Low-Voltage Ride-Through (LVRT) Under Symmetrical Grid Voltage Dip . . . . . *G. Wen, Y. Chen, Z. Zhong, and Y. Kang* 3422

Optimal Pulsewidth Modulation of Medium-Voltage Modular Multilevel Converter . . . . . *A. Edpuganti and A. K. Rathore* 3435

Symmetrical Components-Based Modified Technique for Power-Quality Disturbances Detection and Classification . . . . . *R. Kumar, B. Singh, and D. T. Shahani* 3443

Flexible Dimensioning Opportunities of a (Virtual) Flux-Based Hysteresis Controller for a Reduced Switching Frequency . . . . . *P. K.-H. Dost and C. Sourkounis* 3451

Interleaved SEPIC Power Factor Preregulator Using Coupled Inductors In Discontinuous Conduction Mode With Wide Output Voltage . . . . . *C. Shi, A. Khaligh, and H. Wang* 3461

Control and Implementation of a Standalone Solar Photovoltaic Hybrid System . . . . . *J. Philip, C. Jain, K. Kant, B. Singh, S. Mishra, A. Chandra, and K. Al-Haddad* 3472

Self-Sensing Control of Permanent-Magnet Synchronous Machines With Multiple Saliencies Using Pulse-Voltage-Injection . . . . . *L. Chen, G. Götting, S. Dietrich, and I. Hahn* 3480

*Industrial Lighting and Display Committee*

Determination of Radiative Properties for Water-Wall Plasma Arc Lamp Modeling . . . . . *Y. Cressault, F. P. Dawson, D. Camm, M. Lieberer, and H. S. Grover* 3492

---

**PROCESS INDUSTRIES DEPARTMENT**

*Electrical Safety Committee*

Measurements, Observations, and Implications of Moving Electrical-Arc Behavior and Effect of Reclosure Events on Overhead Lines and Worker Protection . . . . . *E. Hoagland, M. Golovkov, C. Maurice, K. Sellars, and S. Klausing* 3501

*Metals Committee*

Correlation Between Multiple Electric Arc Furnace Operations and Unscheduled Power Flows in the Interconnection Lines at the Eastern Cross Border of ENTSO-E . . . . . *E. Altıntaş, O. Salor, Ü. Büyükdaglı, I. Çadırcı, and M. Ermiş* 3508

*Mining Committee*

The Effect of Available Short-Circuit Capacity and Trail Cable Length on Substation Voltage Amplification in Surface Excavation Industry . . . . . *O. J. Abdel-Baqi, M. G. Onsager, and P. J. Miller* 3518

Simulation and Measurement of Medium-Frequency Signals Coupling From a Line to a Loop Antenna . . . . . *N. W. Damiano, J. Li, C. Zhou, D. E. Brocker, Y. Qin, D. H. Werner, and P. L. Werner* 3527

A New Method for Power System Load Modeling Using a Nonlinear System Identification Estimator . . . . . *M. G. Jahromi, S. D. Mitchell, G. Mirzaeva, and D. Gay* 3535

*Petroleum & Chemical Industry Committee*

Use of Duplex Reactor in an Oil Refinery . . . . . *F. A. Evangelista and C. P. Cesar* 3543

Hybrid Arc Flash Protection Within Electrically Classified Areas . . . . . *R. Hasan, R. Mender, and L. Steinbeigle* 3548

Medium-Voltage Autotransformer Failures: Explaining the Unexplained—Continuation of the Story . . . . . *L. B. Farr, D. D. Shipp, A. J. Smith, P. P. Goodman, and S. Johnston* 3557

---

(Contents Continued from Page 2751)

---

Complete Power Management System for an Industrial Refinery . . . . .	3565
..... <i>K. G. Ravikumar, T. Alghamdi, J. Bugshan, S. Manson, and S. K. Raghupathula</i>	
Bus Differential Protection in Industrial Systems With Generators Connected Directly to the Main Distribution Bus . . . . .	3574
..... <i>D. Ristanovic, D. Branch, N. Bhatia, and S. Singh</i>	
Voltage Stability in Large Marine-Integrated Electrical and Electronic Power Systems . . . . .	3584
..... <i>G. Sulligoi, A. Vicenzutti, V. Arcidiacono, and Y. Khersonsky</i>	
Locked-Rotor Test Methods for Induction Motors Investigated . . . . .	3595
..... <i>R. McElveen and M. Melfi</i>	
Comparison of Protection Requirements in IE2-, IE3-, and IE4-Class Motors . . . . .	3603
..... <i>F. J. T. E. Ferreira, B. Leprettre, and A. T. de Almeida</i>	
Load Modeling Assumptions: What is Accurate Enough? . . . . .	3611
..... <i>A. R. Khatib, M. Appannagari, S. Manson, and S. Goodall</i>	

---

This issue of IEEE TRANSACTIONS ON INDUSTRY APPLICATIONS is available on the World Wide Web. Access will be limited to members of the IEEE Industry Applications Society and other subscribers. Members may subscribe to the traditional printed copy of each issue. Contact Member Services Department: +1800 678 IEEE; FAX: +1732 562 6380; e-mail: [member-services@ieee.org](mailto:member-services@ieee.org); for subscription rates and information.

To access IEEE TRANSACTIONS ON INDUSTRY APPLICATIONS, log into the IEEE Home Page, <http://www.ieee.org>, and click on *IEEE Xplore*. If this is your first visit to this site, you must establish an IEEE Web account. Click on "Establish IEEE Web Account" and follow the instructions. You will choose a user name and password to use for future logins, and be given access to those IEEE publications to which you are entitled. To reach IAS publications, click on "Journals and Magazines" and type Industry Applications in the search field. IAS members may access all issues dated 1965 and later. To read, download, or print full papers, you will need Adobe Acrobat Reader, which can be downloaded free if you do not already have it.

For general information about the IEEE Industry Applications Society, refer to the IAS Home Page at <http://www.ieee.org/ias/>.

---