

1111
I-68/4m

IEEE TRANSACTIONS ON MAGNETICS

A PUBLICATION OF THE IEEE MAGNETICS SOCIETY

JUNE 2013

VOLUME 49

NUMBER 6

IEMGAQ

(ISSN 0018-9464)

PART I OF TWO PARTS

SELECTED PAPERS FROM THE ASIA-PACIFIC MAGNETIC RECORDING CONFERENCE (APMRC) 2012

Singapore, October 31–November 2, 2012

IEEE TRANSACTIONS ON MAGNETICS

A PUBLICATION OF THE IEEE MAGNETICS SOCIETY

JUNE 2013

VOLUME 49

NUMBER 6

IEMGAQ

(ISSN 0018-9464)

PART I OF TWO PARTS

SELECTED PAPERS FROM THE ASIA-PACIFIC MAGNETIC RECORDING CONFERENCE (APMRC) 2012
Singapore, October 31–November 2, 2012

2431 **Preface**
W. Lin

2432 **Foreword**
P. S. Alexopoulos

PAPERS

2433 **Motions of Air Bubbles Trapped in Grooved and Plane Journal Bearings of Operating Fluid Dynamic Bearings**
K. M. Jung, Y. H. Jung, J. H. Lee, H. K. Jang, and G. H. Jang

2437 **Experimental Verification of the Optimal FDBs in a HDD Spindle Motor to Minimize Power Loss**
J. H. Lee, M. H. Lee, and G. H. Jang

2441 **Analysis on the Characteristics of Stamped Base for 2.5 in HDD**
K.-S. Park, H.-C. Lee, J.-H. Kim, S. Kim, J. Seo, Y. Rhim, and N.-C. Park

2447 **Numerical Study on the Performance Enhancement of Ultrasonic Motors Using Single Crystalline Piezo-Materials**
X. Y. Hou, H. P. Lee, S. P. Lim, and C. J. Ong

2451 **DifferCloudStor: Differentiated Quality of Service for Cloud Storage**
Y. Zhang, S. Q. Ren, S. B. Chen, B. Tan, E. S. Lim, and K. L. Yong

2459 **A File Assignment Strategy Towards Minimized Response Time for Parallel Storage Systems**
Y. Yu, Y. Zhu, W. Ng, J. Samsudin, and Z. Li

(Contents Continued on Page 2426)

- 2466 **An Investigation Into the Use of Four-Bar Linkage Mechanism as Actuator for Hard-Disk Drive**
D. W. Djamari, C. J. Ong, and F. F. Yap
- 2473 **Air Flow Analyses in an Ultra-Thin Hard Disk Drive**
K. Sundaravadivelu, Q. Zhang, and N. Liu
- 2477 **Touchdown of Flying Recording Head Sliders on Continuous and Patterned Media**
J.-Y. Juang and K.-T. Lin
- 2483 **Influence of Neutral Line to the Optimal Drive Current of PMAC Motors**
C. Bi, N. L. H. Aung, C. S. Soh, Q. Jiang, H. N. Phyu, Y. Yu, and S. Lin
- 2489 **Vibration and Noise in a HDD Spindle Motor Arising from the Axial UMF Ripple**
S. J. Sung, G. H. Jang, J. W. Jang, J. Y. Song, and H. J. Lee
- 2495 **Off-Track Capability Simulation of Shingled Magnetic Recording Under Mechanical Track Misregistration**
K. Aruga
- 2500 **Application and Optimization of Factor Graph-Based Detector on 1D ISI Magnetic Recording Channel**
S. S. Shafi'ee, M. R. Elidrissi, Z. Qin, K. S. Chan, and Y. L. Guan
- 2504 **A Method for Eliminating Metadata Cache Deallocation Latency in Enterprise File Servers**
T. Fukatani, K. Matsuzawa, H. Kamei, M. Agetsuma, and T. Nakamura
- 2510 **Investigation of Heat-Assisted Magnetic Recording Media Films in Four Dimensions**
C. J. Sun, D. B. Xu, D. L. Brewwe, J. S. Chen, S. M. Heald, and G. M. Chow
- 2514 **DRAW: A New Data-gRouping-Aware Data Placement Scheme for Data Intensive Applications With Interest Locality**
J. Wang, Q. Xiao, J. Yin, and P. Shang
- 2521 **Characteristics of Axial and Radial Surface Tension Sealing Structures for HDD FDB Spindles**
M. Feng and C. Li
- 2526 **Saturation Control for an MTA-Based Dual-Stage Actuation System**
C. Du, T. Gao, C. P. Tan, J. Yang, and L. Xie
- 2530 **Novel Methods for Real-Time Observation of Molecularly Thin Lubricant Films by Ellipsometric Microscopy: Application to Dewetting Observation**
K. Fukuzawa, Q. Liu, T. Tarukado, Y. Kajihara, R. Watanabe, S. Itoh, and H. Zhang
- 2535 **Embedded Marker Code for Channels Corrupted by Insertions, Deletions, and AWGN**
G. Han, Y. L. Guan, K. Cai, K. S. Chan, and L. Kong

- 2539 **Study of Piezoelectric ZnO Thin Films for Contact Sensing and Head Actuation**
X. Xia, Y. Yuan, H. Du, K. S. Chow, M. Zhang, S. Yu, and B. Liu
- 2544 **A Spinstand Study in Determining the Optimum Shingling Percentage for Shingled Write Recording**
S. Chandrasekaran and P. Supnithi
- 2548 **SeDas: A Self-Destructing Data System Based on Active Storage Framework**
L. Zeng, S. Chen, Q. Wei, and D. Feng
- 2555 **Two-Dimensional Soft Output Viterbi Algorithm With Dual Equalizers for Bit-Patterned Media**
K. Koo, S.-Y. Kim, J. J. Jeong, and S. W. Kim
- 2559 **HAMR Media Design in Optical and Thermal Aspects**
B. Xu, Z. Cen, J. H. Goh, J. Li, K. Ye, J. Zhang, H. Yang, Y. T. Toh, and C. Quan
- 2565 **HAMR Thermal Modeling Including Media Hot Spot**
L. Huang, B. Stipe, M. Staffaroni, J.-Y. Juang, T. Hirano, E. Schreck, and F.-Y. Huang
- 2569 **Cell-to-Cell Interference Compensation Schemes Using Reduced Symbol Pattern of Interfering Cells for MLC NAND Flash Memory**
T. Kim, G. Kong, X. Weiya, and S. Choi
- 2574 **Design and Analysis of a Slider-Level Piezoelectric Sensor Array for Head-Disk Contact Detection**
Y. Yuan, H. Du, K. S. Chow, M. Zhang, S. Yu, and B. Liu
- 2578 **Frequency Characteristics of BEMF, Cogging Torque and UMF in a HDD Spindle Motor due to Unevenly Magnetized PM**
K. J. Kang, G. H. Jang, and S. J. Sung
- 2582 **A Position-Dependent Binary Symmetric Channel Model for BPMP Write Errors**
S. Zhang, K. Cai, and Z. Qin
- 2586 **TiN and TiC Intermediate Layers for FePt-C-Based Magnetic Recording Media**
K. M. Cher, T. J. Zhou, W. K. Lim, J. F. Hu, and P. W. Lwin
- 2590 **A Numerical Simulation of Particle Trajectory in Thin Hard Disk Drive**
N. Liu, Q. Zhang, and K. Sundaravadivelu
- 2594 **Grain Isolation Control of FePt Thin Film by Using Ag Nucleation Layer**
J. F. Hu, J. S. Chen, W. L. Phyoe, K. Cher, T. J. Zhou, and J. Z. Shi
- 2598 **Iterative Reduced-Complexity Graph-Based Detection for LDPC Coded 2D Recording Channels**
Z. Qin, K. Cai, and K. S. Chan
- 2603 **Optimal Disk Storage Allocation for Multitier Storage System**
H. Shi, R. V. Arumugam, C. H. Foh, and K. K. Khaing

- 2610 **Micromagnetic Dynamics of Single-Domain Grain in Thin-Film Magnetic Recording Media**
M. R. Elidrissi, S. Bastrukov, H. T. Wang, J. Y. Khoo, K. S. Chan, and K. Eason
- 2614 **A Demodulation Technique for Spindle Rotor Position Detection With Resolver**
N. L. H. Aung, C. Bi, A. Al Mamun, C. S. Soh, and Y. YinQuan
- 2620 **Performance of the Contraction Mapping-Based Iterative Two-Dimensional Equalizer for Bit-Patterned Media**
W. Moon and S. Im
- 2624 **External Disturbance Rejection by Use of an Add-On Nonlinear Controller in HDD Servo Systems**
Q. Jia, S. Cao, G. Guo, and J. Yu
- 2628 **Vision-Assisted Vibration Analysis of Inhomogeneous Flexible Cables in Hard Disk Drives**
C.-C. Chen and J.-Y. Chang
- 2634 **Contact Mechanics of Traveling Wave Ultrasonic Motors**
S. Shen, H. P. Lee, S. P. Lim, and C. J. Ong
- 2638 **Adhesion and Friction Behavior of Magnetic Disks With Ultrathin Perfluoropolyether Lubricant Films Having Different End-Groups Measured Using Pin-on-Disk Test**
H. Tani, T. Mitsutome, and N. Tagawa
- 2645 **ALDM: Adaptive Loading Data Migration in Distributed File Systems**
Z. Tan, W. Zhou, D. Feng, and W. Zhang
- 2653 **Active Control on Flow-Induced Vibration of the Head Gimbals Assembly in Hard Disk Drives**
H. Min, X. Huang, and Q. Zhang
- 2657 **Minimizing Residual Vibration With Resonance Filter for Nonminimum-Phase Plants**
S. H. Kim, S.-H. Lee, and C. C. Chung
- 2661 **Bidirectional Pattern-Dependent Noise Prediction With LDPC Codes for HAMR**
Y. Ng, K. Cai, B. V. K. Vijaya Kumar, Z. Qin, and T. C. Chong
- 2665 **Thermally Assisted Magnetic Recording at 4 Tbit/in²**
S. J. Greaves, Y. Kanai, and H. Muraoka
- 2671 **Thermal Deformation of Thermally Assisted Magnetic Recording Head in Binary Gas Mixture at Various Temperatures**
K.-S. Park, J. Choi, Y.-P. Park, and N.-C. Park
- 2677 **Simulation for a Shingled Magnetic Recording Disk**
S. Tan, W. Xi, Z. Y. Ching, C. Jin, and C. T. Lim

- 2682 **Effects of Substrate Bias With Recording Layer on the Magnetic Properties and Microstructure of Perpendicular Magnetic Recording Media**
J. Z. Shi, W. K. Lim, W. L. Phyoe, J. F. Hu, K. M. Cher, T. J. Zhou, and Y. Yang
- 2686 **Effect of Mechanical Parameters for Loading Contact and Instability in HDD**
Y. Lee, E.-J. Hong, and C.-S. Kim
- 2693 **Aliased Narrow-Band Disturbance Rejection Using Phase-Stabilization Above Nyquist Frequency**
Y. Z. Tan, C. K. Pang, F. Hong, and T. H. Lee
- 2697 **Design for Reducing the Off-Track Due to Arm Bending Considering DSA in HDDs**
E.-J. Hong, Y. Lee, Y.-H. Song, and C.-S. Kim
- 2703 **In-Line Sputter System Prepared $L1_0$ Ordered FePt Granular Film for HAMR Application**
J. F. Hu, T. J. Zhou, W. L. Phyoe, K. M. Cher, and J. Z. Shi
- 2709 **Incline Unbalanced Magnetic Pull Induced by Misalignment Rotor in PMSM**
Y. Yu, C. Bi, P. N. Hla, Q. Jiang, S. Lin, N. L. H. Aung, and A. A. Mamun
- 2715 **Pit Detection Using a Contact Sensor**
J. Xu, Y. Shimizu, J. Liu, T. Shiramatsu, M. Furukawa, J. Li, and H. Kohira
- 2719 **Optimal Design of MAMR and HAMR by Applying Response Surface Methodology**
H. T. Wang, M. R. Elidrissi, K. S. Chan, K. Eason, B. X. Xu, S. J. Greaves, Y. Kanai, and H. Muraoka
- 2723 **A Loss-Free Multipathing Solution for Data Center Network Using Software-Defined Networking Approach**
S. Fang, Y. Yu, C. H. Foh, and K. M. M. Aung
- 2731 **Track-Following Control of Four-Bar Structured HDD via Parameter-Dependent Low-Frequency Precompensation**
Y. Guo, T. Gao, L. Xie, C. Du, and C. J. Ong
- 2738 **Triple-Stage-Actuator System of Head-Positioning Control in Hard Disk Drives**
T. Atsumi, S. Nakamura, M. Furukawa, I. Naniwa, and J. Xu
- 2744 **Two-Dimensional Partial Response Maximum Likelihood at Rear for Bit-Patterned Media**
K. Koo, S.-Y. Kim, J. J. Jeong, and S. W. Kim
- 2748 **Improvement of Magnetic Force Microscope Resolution and Application to High-Density Recording Media**
M. Futamoto, T. Hagami, S. Ishihara, K. Soneta, and M. Ohtake
- 2755 **Extraction of Bearing Coefficients of Fluid-Dynamic Bearing Spindle Motors Using a Proof Mass and a Hammer—A Refined Approach**
I. Y. Shen, L. Mengjun, G. Feng, L. C. Wee, L. Wuzhong, and O. E. Hong

- 2762 **Adaptive Prefetching Scheme for Storage System in Multi-Application Environment**
C. Jianxi, W. Qingsong, C. Cheng, and F. Dan
- 2768 **Contact Warning by Monitoring Slider Harmonic Vibration in Head Disk Interface**
M. Zhang, B. Liu, Y. Shengkai, and C. L. Ong
- 2772 **The Investigation of High Temperature Lubricants for HAMR Application**
R. Ji, B. Xu, R. Zheng, H. Xie, and J. W. H. Tsai
- 2776 **Influence of Winding Structure and the Effect of MMF Harmonics to the Spindle Motor Performance for Ultrahigh TPI HDD**
H. N. Phyu, N. L. H. Aung, and C. Bi
- 2782 **Thermal Effect of a Thin Overcoating Layer Subject to Laser Heating**
P. Yu, W. Zhou, S. Yu, and B. Liu
- 2786 **A Popularity-Aware Buffer Management to Improve Buffer Hit Ratio and Write Sequentiality for Solid-State Drive**
Q. Wei, L. Zeng, J. Chen, and C. Chen
- 2794 **Torque Area Method and Its Application in Analysis of HDD Spindle Motors With Sinusoidal Magnetization**
M. Feng and K. Niu
- 2798 **Robust Track-Following Controller Design for Hard Disk Drives With Irregular Sampling**
B. Shahsavari, R. Conway, E. Keikha, F. Zhang, and R. Horowitz
- 2805 **Design and Evaluation of a Provenance-Based Rebuild Framework**
Y. Xie, D. Feng, Z. Tan, and J. Zhou
- 2812 **A System Level Study of Two-Dimensional Magnetic Recording (TDMR)**
K. S. Chan and M. R. Elidrissi
- 2818 **Analysis of Structurally Transmitted Vibration of HDD in Notebook Computer**
J.Q. Mou, F. Lai, I. B. L. See, and W. Z. Lin
- 2823 **EXIT-Chart-Based LDPC Code Design for 2D ISI Channels**
L. Kong, Y. L. Guan, J. Zheng, G. Han, K. Cai, and K.-S. Chan
- 2827 **Thermoreflexion Measurement of Magnetic Thin Films**
H. Z. Yang, S. H. Leong, C. W. An, Y. J. Chen, K. D. Ye, L. T. Ng, J. Zhang, K. K. Ng, and J. F. Hu