

MM  
1-68/4m

# IEEE TRANSACTIONS ON MAGNETICS

A PUBLICATION OF THE IEEE MAGNETICS SOCIETY

JULY 2013

VOLUME 49

NUMBER 7

IEMGAQ

(ISSN 0018-9464)



**Selected Papers from the Twelfth  
Joint MMM-Intermag Conference**

**Chicago, IL, January 14 – 18, 2013**



# IEEE TRANSACTIONS ON MAGNETICS

A PUBLICATION OF THE IEEE MAGNETICS SOCIETY

JULY 2013

VOLUME 49

NUMBER 7

IEMGAQ

(ISSN 0018-9464)

---

**SELECTED PAPERS FROM THE TWELFTH JOINT MMM-INTERMAG CONFERENCE**  
Chicago, IL, USA, January 14–18, 2013


---

- 3073 **Foreword**  
P. Crowell
- 3074 **Chair's Preface**  
O. Gutfleisch
- 3075 **Publications Committee**
- 3076 **Program Committee**
- 3079 **Steering Committee**
- 

## PAPERS

- 3081 **Control and Manipulation of the Dynamic Response of Interacting Spin Vortices**  
S. Jain, V. Novosad, F. Y. Fradin, J. E. Pearson, V. Tiberkevich, A. N. Slavin, and S. D. Bader
- 3089 **Multiplets of Collective Spin-Wave Modes During Magnetization Reversal in a One-Dimensional Magnonic Crystal Consisting of Alternating-Width Nano-Stripes**  
G. Gubbiotti, S. Tacchi, M. Madami, G. Carlotti, A. O. Adeyeye, S. N. Samarin, and M. Kostylev
- 3093 **Spin Wave Dispersion in Permalloy Antidot Array With Alternating Holes Diameter**  
M. Madami, S. Tacchi, G. Gubbiotti, G. Carlotti, J. Ding, A. O. Adeyeye, J. W. Klos, and M. Krawczyk
- 3097 **Ferromagnetic Resonance Study on a Grid of Permalloy Nanowires**  
D. Venkateswarlu, K. G. Padmalekha, S. V. Bhat, and P. S. Anil Kumar
- 

*(Contents Continued on Page 3046)*



- 3101 **Observation of Robust FMR in Permalloy Quasiperiodic Arrays**  
V. Bhat, J. Woods, B. Farmer, L.E. De Long, J. T. Hastings, J. Sklenar, and J.B. Ketterson
- 3105 **Domain Wall Dynamics in Asymmetric Stacks: The Roles of Rashba Field and the Spin Hall Effect**  
E. Martinez and G. Finocchio
- 3109 **Magnon Mediated Domain Wall Heat Conductance in Ferromagnetic Wires**  
P. Yan and G. E. W. Bauer
- 3113 **Assessment of Rashba Field Effects in Ultrathin Pt/Co/GdOx Submicrometer Strips**  
S. Emori and G. S. D. Beach
- 3117 **Multiferroic Domain Structure in Orthorhombic Multiferroics of Cycloidal Spin Order: Three-Dimensional Phase Field Simulations**  
P. Chu, Y. L. Wang, L. Lin, S. Dong, and J.-M. Liu
- 3121 **Geometrical Dependence of Thermally Excited Mag-Noise Spatial Distribution in Magnetic Tunnel Junction Sensors**  
T. Zeng, Y. Zhou, K.W. Lin, P. T. Lai, and P. W. T. Pong
- 3125 **Micromagnetic Studies of the Effects of Crystalline Anisotropy on the Remanent Magnetization of Ferromagnetic Nanorings**  
G. D. Chaves-O'Flynn and C. B. Muratov
- 3129 **Study of Dipolar Neighbor Interaction on Magnetization States of Nano-Magnetic Disks**  
S. Rajaram, D. K. Karunaratne, S. Sarkar, and S. Bhanja
- 3133 **Monte Carlo Simulations of Random Magnetization Dynamics Driven by a Jump-Noise Process on General Purpose Graphics Processing Units (GPUs)**  
Z. Liu, A. Lee, P. McAvoy, G. Bertotti, C. Serpico, and I. Mayergoyz
- 3137 **Effect of Thermal Fluctuations on the Performance of Particulate Media**  
J. E. Martin, M. V. Lubarda, V. Lomakin, and P.-O. Jubert
- 3141 **Exact Enumeration of the Phase Space of an Ising Model of Ni<sub>2</sub>MnGa**  
M. Eisenbach, G. Brown, C. V. McCarty, A. Rusanu, K. Odbadrakh, and D. N. Nicholson
- 3144 **Thermally-Assisted Spin-Transfer Torque Magnetization Reversal of Uniaxial Nanomagnets in Energy Space**  
D. Pinna, A. D. Kent, and D. L. Stein
- 3147 **Spin Pumping in Permalloy/Graphene and Permalloy/Graphite Interfaces**  
S. Singh, A. K. Patra, B. Barin, E. del Barco, and B. Özyilmaz
- 3151 **Spin-Torque Oscillators Using Perpendicular Anisotropy in CoFeB—MgO Magnetic Tunnel Junctions**  
M. Carpentieri and F. Lattarulo

- 3155 **Low-Power Photo-Induced Precession of Magnetization in Ultra-Thin Co/Pd Multilayer Films**  
K. Yamamoto, T. Matsuda, K. Nishibayashi, Y. Kitamoto, and H. Munekata
- 3159 **Correlation Between Ultrafast Demagnetization Process and Gilbert Damping in Amorphous TbFeCo Films**  
Y. Ren, Y. L. Zuo, M. S. Si, Z. Z. Zhang, Q. Y. Jin, and S. M. Zhou
- 3163 **Simulation of Magnetization Errors Using Conformal Mapping Field Computations**  
P. Offermann, M. Hafner, and K. Hameyer
- 3167 **Efficient Numerical Solution of Magnetic Field Problems in Presence of Hysteretic Media for Nondestructive Evaluation**  
M. d'Aquino, G. Rubinacci, A. Tamburrino, and S. Ventre
- 3171 **An Operator Splitting Finite Element Method for Eddy-Current Field Analysis in High-Speed Rotating Solid Conductors**  
Y. Zhao, S. L. Ho, and W.N. Fu
- 3175 **An Efficient Inverted Hysteresis Model with Modified Switch Operator and Differentiable Weight Function**  
S. Bi, A. Sutor, R. Lerch, and Y. Xiao
- 3179 **A Mutual Demagnetizing Tensor for N-Body Magnetic Field Modeling**  
O. Khan, C. Ragusa, F. Khan, and B. Montrucchio
- 3183 **Clockwise Jiles–Atherton Hysteresis Model**  
P. Andrei and M. Dimian
- 3187 **Application of Jiles-Atherton Model to Stress Induced Magnetic Two-Phase Hysteresis**  
A. Raghunathan, P. Klimczyk, and Y. Melikhov
- 3191 **Modeling of the Laser-Heating Induced Ultrafast Demagnetization Dynamics in Ferrimagnetic Thin Films**  
X. Jiao, Y. Ren, Z. Zhang, Q. Jin, and Y. Liu
- 3195 **A-Process-Based Spin Manipulation in Magnetic Endohedral Fullerenes**  
C. Li, S. Zhang, W. Jin, G. Lefkidis, and W. Hübner
- 3199 **Femtosecond Laser Pulse Induced Ultrafast Demagnetization in Fe/GaAs Thin Films**  
Y. Gong, A. R. Kutayiah, Z. Cevher, X. H. Zhang, J. H. Zhao, and Y. H. Ren
- 3203 **Intrinsic and Thermal Linewidths of Spin-Transfer-Driven Vortex Self-Oscillations**  
L. Torres, M. Carpentieri, E. Martínez, L. Lopez-Diaz, A. Hernandez-Lopez, D. Aurelio, and G. Finocchio
- 3207 **A Method for Compensating the Joule-Heating Effects in Current-Induced Domain Wall Motion**  
D.-H. Kim, K.-W. Moon, S.-C. Yoo, B.-C. Min, K.-H. Shin, and S.-B. Choe

- 3211 **The Role of the Oersted Field on the Current-Driven Domain Wall Dynamics Along Wires With Square Cross Section**  
D. Aurélio, A. Giordano, L. Torres, G. Finocchio, and E. Martinez
- 3215 **Predicting the Future of Permanent-Magnet Materials**  
R. Skomski, P. Manchanda, P. Kumar, B. Balamurugan, A. Kashyap, and D. J. Sellmyer
- 3221 **Effects of Solution Treated Temperature on the Structural and Magnetic Properties of Iron-Rich  $\text{Sm}(\text{CoFeCuZr})_2$  Sintered Magnet**  
Y. Horiuchi, M. Hagiwara, K. Okamoto, T. Kobayashi, M. Endo, T. Kobayashi, T. Nakamura, and S. Sakurada
- 3225 **Mechanochemical Synthesis of  $(\text{Sm},\text{Pr})_2(\text{Co},\text{Fe})_{17}$  Anisotropic Hard Magnetic Powders**  
A. M. Gabay, W. Li, and G. C. Hadjipanayis
- 3229 **Finite-Temperature Micromagnetism**  
R. Skomski, P. Kumar, G. C. Hadjipanayis, and D. J. Sellmyer
- 3233 **Dysprosium Diffusion Behavior and Microstructure Modification in Sintered Nd-Fe-B Magnets via Dual-Alloy Method**  
C. Lin, S. Guo, W. Fu, R. Chen, D. Lee, and A. Yan
- 3237 **Mechanism Analysis of Coercivity Enhancement of Hot Deformed Nd-Fe-B Magnets by  $\text{DyF}_3$  Diffusion**  
X. Tang, R. Chen, W. Yin, M. Lin, D. Lee, and A. Yan
- 3240 **Computer Simulations of the Magnetic Properties of  $\text{Sm} - \text{Co}/\alpha - \text{Fe}$  Nanocomposite Magnets With a Core-Shell Structure**  
H. Fukunaga, R. Horikawa, M. Nakano, T. Yanai, T. Fukuzaki, and K. Abe
- 3244 **Effect of Soft Phase on Magnetic Properties of Bulk  $\text{Sm}-\text{Co}/\alpha-\text{Fe}$  Nanocomposite Magnets**  
Y. Shen, S. O. Leontsev, Z. Turgut, M. S. Lucas, A. O. Sheets, and J. C. Horwath
- 3248 **Preparation of Anisotropic  $\text{Sm}_2\text{Fe}_{17}\text{N}_x$  Magnetic Materials by Strip Casting Technique**  
M. Xing, J. Han, F. Wan, S. Liu, C. Wang, J. Yang, and Y. Yang
- 3251 **Magnetic and Microstructural Characteristics of a  $\text{DyF}_3$  Dip-Coated Nd-Fe-B Sintered Magnet**  
K.-H. Bae, T.-H. Kim, S.-R. Lee, S. NamKung, and T.-S. Jang
- 3255 **Anisotropic  $\text{MnBi}/\text{Sm}_2\text{Fe}_{17}\text{N}_x$  Hybrid Magnets Fabricated by Hot Compaction**  
N.V. Rama Rao, A.M. Gabay, and G. C. Hadjipanayis
- 3258 **Effect of Rare-Earth Content on Coercivity and Temperature Stability of Sintered Nd-Fe-B Magnets Prepared by Dual-Alloy Method**  
W. Fu, S. Guo, C. Lin, R. Chen, X. Liu, D. Lee, and A. Yan

- 3262 **Analysis of Magnetization Reversal Process of Nd-Fe-B Sintered Magnets by Magnetic Domain Observation Using Kerr Microscope**  
M. Takezawa, Y. Kimura, Y. Morimoto, and J. Yamasaki
- 3265 **Magnetic Properties and Microstructure of Perpendicular FePt(B<sub>4</sub>C - Ag) Granular Films**  
J. L. Tsai, W. C. Tsai, Y. C. Lin, and S. C. Wu
- 3269 **Study of Perpendicular Magnetic Anisotropy and Magneto-Elastic Coupling in the First Principles and Phenomenology**  
J. Inoue, H. Itoh, M. A. Tanaka, K. Mibu, T. Niizeki, H. Yanagihara, and E. Kita
- 3273 **Effect of RuCl<sub>3</sub> on Morphology and Magnetic Properties of CoNi Nanowires**  
K. Gandha, N. Poudyal, Q. Zhang, and J. P. Liu
- 3277 **Magnetic and Structural Properties of Rapidly Quenched Tetragonal Mn<sub>3-x</sub>Ga Nanostructures**  
Y. Huh, P. Kharel, V. R. Shah, E. Krage, R. Skomski, J. E. Shield, and D. J. Sellmyer
- 3281 **Atomic Structure and Magnetic Properties of HfCo<sub>7</sub> Alloy**  
M. C. Nguyen, L. Ke, X. Zhao, V. Antropov, C.-Z. Wang, and K.-M. Ho
- 3284 **L1<sub>0</sub> FePt: Ordering, Anisotropy Constant and Their Relation to Film Composition**  
K. Barmak, B. Wang, A. T. Jesanis, D. C. Berry, and J. M. Rickman
- 3292 **Magnetism of L1<sub>0</sub>Fe<sub>50-x</sub>Co<sub>x</sub>Pt<sub>50</sub> Films**  
Y. Liu and D. J. Sellmyer
- 3295 **L1<sub>0</sub> Ordered FePd, FePt, and CoPt Thin Films With Flat Surfaces Prepared on MgO(110) Single-Crystal Substrates**  
M. Ohtake, A. Itabashi, F. Kirino, and M. Futamoto
- 3299 **Control of the Microstructure of FePt-SiN<sub>x</sub>-C (001) Film by a Nucleation Layer Grown on TiN Intermediate Layer**  
H. H. Li, K. F. Dong, G. M. Chow, and J. S. Chen
- 3303 **Disorder-Order Transformation and Local Structure Changes of FePt Nanoparticles Synthesized by Polyol Process**  
S. Fujieda, K. Shinoda, S. Suzuki, and B. Jeyadevan
- 3307 **Effect of H<sub>2</sub> on the Formation Mechanism and Magnetic Properties of FePt Nanocrystals**  
B. R. Bian, W. X. Xia, J. Du, J. Zhang, J. P. Liu, Z. H. Guo, and A. R. Yan
- 3310 **Effect of Oxygen Stoichiometry on Microstructural and Magnetic Properties of FePt/TaO<sub>x</sub> Bilayer Fabricated by Ion-Beam-Bombardment Deposition**  
G. J. Li, C. W. Leung, Y. C. Chen, J. H. Hsu, A. C. Sun, K. W. Lin, and P. W. T. Pong

- 3314 **Phase and Elemental Distributions in Alnico Magnetic Materials**  
Q. Xing, M. K. Miller, L. Zhou, H. M. Dillon, R. W. McCallum, I. E. Anderson, S. Constantinides, and M. J. Kramer
- 3318 **Magnetism of MnBi-Based Nanomaterials**  
P. Kharel, V. R. Shah, R. Skomski, J. E. Shield, and D. J. Sellmyer
- 3322 **Ferromagnetic Tetragonal L1<sub>0</sub>-Type MnGa Isotropic Nanocrystalline Microparticles**  
B. Z. Cui, M. Marinescu, and J. F. Liu
- 3326 **Fe-Co and Fe-Ni Nanocluster Wires by Hydrogen Reduction in Nanoporous Alumina Templates**  
B. Z. Cui, B. Gonzales, M. Marinescu, and J. F. Liu
- 3330 **HfCo<sub>7</sub>-Based Rare-Earth-Free Permanent-Magnet Alloys**  
B. Das, B. Balamurugan, P. Kumar, R. Skomski, V. R. Shah, J. E. Shield, A. Kashyap, and D. J. Sellmyer
- 3334 **Torque Density Elevation in Concentrated Winding Interior PM Synchronous Motor With Minimized Magnet Volume**  
M.-J. Kim, S.-Y. Cho, K.-D. Lee, J.-J. Lee, J.-H. Han, T.-C. Jeong, W.-H. Kim, D.-H. Koo, and J. Lee
- 3338 **Formation of Disordered Th<sub>2</sub>Zn<sub>17</sub>-Type Sm<sub>2</sub>Fe<sub>17</sub> With Ti and B Additions and Hard Magnetic Properties of Their Nitrides**  
R. Wu, S. Q. Liu, J. Z. Wei, Y. H. Xia, J. Z. Han, C. S. Wang, H. L. Du, Y. C. Yang, and J. B. Yang
- 3341 **Surfactant Removal Study for Nano-Scale SmCo<sub>5</sub> Powder Prepared by High Energy Ball Milling**  
S. Leontsev, M. Lucas, Y. Shen, A. Sheets, J. Horwath, E. Karapetrova, and C. Crouse
- 3345 **Magnetic Properties of Sm-Zr-Fe Melt-Spun Ribbons**  
T. Saito and D. Nishio-Hamane
- 3349 **Preparation and Magnetic Properties of Sub-Micrometer Sized Sm-Co Powders Prepared From Nanostructured Precursor Oxides**  
B. G. Kelly and K. M. Unruh
- 3353 **Magnetism of Rapidly Quenched Sm<sub>1-x</sub>Zr<sub>x</sub>Co<sub>5</sub> Nanocrystalline Materials**  
W. Y. Zhang, S. Valloppilly, X. Z. Li, Y. Liu, S. Michalski, T. A. George, R. Skomski, J. E. Shield, and D. J. Sellmyer
- 3356 **Giant Barkhausen Jumps in Exchange Biased Bulk Nanocomposites Sintered from Core-Shell Fe<sub>3</sub>O<sub>4</sub>-CoO Nanoparticles**  
T. Gaudisson, S. Ammar, M. LoBue, and F. Mazaleyrat

- 3360 **Magnetic Domain Structure of  $\text{Sm}(\text{Co}, \text{Cu}, \text{Fe}, \text{Zr})_x$  Thick Permanent Magnetic Films**  
Y. Zhang, Y. Zhang, J.-Z. Song, X.-Y. Qi, J. Du, W.-X. Xia, J. Zhang, A.-R. Yan, and J. P. Liu
- 3364 **A Study on the Phase Evolution and Magnetic Properties of Nd<sub>9.5-1.5x</sub>Fe<sub>bal.</sub>Ti<sub>2.5</sub>Zr<sub>0.5</sub>B<sub>15+2x</sub> ( $x = 0-4$ ) Bulk Magnets**  
H. W. Chang, T. H. Hsiao, C. C. Hsieh, C. W. Shih, W. C. Chang, and C. C. Shaw
- 3368 **Microstructure and Properties of Die-Upset Nd-Fe-B/Dy<sub>2</sub>O<sub>3</sub> Composite Magnets**  
L. Zheng, K. Zhang, Y. Li, X. Wang, M. Zhu, and W. Li
- 3372 **Effect of Ambient Aging on Heat-Treated Mechanically Alloyed Mn-Al-C Powders**  
O. Obi, L. Burns, Y. Chen, S. Bennett, M. Sawicki, D. Kaplan, A. M. Arango, L. H. Lewis, and V. G. Harris
- 3375 **Ferromagnetic Order in Rapidly Cooled Nd-Fe-Co-Al Alloy Ribbons**  
T. L. Phan, Y. D. Zhang, N. H. Dan, D. D. Thang, T. D. Thanh, P. Zhang, and S. C. Yu
- 3379 **A Novel Concept and Proof of Magnetostrictive Motor**  
J.S. Park, O.K. Oh, Y.W. Park, and N.M. Wereley
- 3383 **Sensorless Control Strategy of Electrical Variable Transmission Machines for Wind Energy Conversion Systems**  
Y. Zhu, M. Cheng, W. Hua, and B. Zhang
- 3387 **Unexpected Magnetic Domain Behavior in LTP-MnBi**  
P.-K. Nguyen, S. Jin, and A. E. Berkowitz
- 3391 **Investigation of Magnetic Properties of MnBi/ $\alpha$ -Fe Nanocomposite Permanent Magnets by Micro-Magnetic Simulation**  
Y. Q. Li, M. Yue, J. H. Zuo, D. T. Zhang, W. Q. Liu, J. X. Zhang, Z. H. Guo, and W. Li
- 3394 **Hf Doping Effect on Hard Magnetism of Nanocrystalline Zr<sub>18-x</sub>Hf<sub>x</sub>Co<sub>82</sub> Ribbons**  
I. A. Al-Omari, W. Y. Zhang, L. Yue, R. Skomski, J. E. Shield, X. Z. Li, and D. J. Sellmyer
- 3398 **Residual Hydrogen in Nd-Fe-B HDDR Powder and Its Effect on Coercivity of Hot-Pressed Compact**  
M. A. Matin, H.-W. Kwon, J.-G. Lee, J.-H. Yu, T. H. Kim, and C.-W. Yang
- 3402 **Microfluidic Platform for Magnetic Nanoparticle Trapping and Detection**  
C. A. E. Little, J. Pellegrino, and S. E. Russek
- 3406 **Submicron Magnetic Particles of Mn<sub>0.25</sub>Fe<sub>2.75</sub>O<sub>4</sub> and Their Magnetorheological Characteristics**  
Y. D. Liu, Y. H. Li, C. S. Kim, and H. J. Choi
- 3410 **Nanoporous Fe-MCM-22 Additive Effect on Magnetorheological Response of Magnetic Carbonyl Iron Suspension**  
X. M. Quan, Y. D. Liu, W.-S. Ahn, and H. J. Choi



- 3414 **Interaction of Domain Walls and Magnetic Nanoparticles in Giant Magnetoresistive Nanostrips for Biological Applications**  
T. Klein, J. Lee, W. Wang, T. Rahman, R. Isaksson Vogel, and J.-W. Wang
- 3418 **Selective Manipulation of Superparamagnetic Beads by a Magnetic Microchip**  
C. P. Gooneratne, O. Yassine, I. Giouroudi, and J. Kosel
- 3422 **Magnetorheological Damper Utilizing an Inner Bypass for Ground Vehicle Suspensions**  
X.-X. Bai, W. Hu, and N. M. Wereley
- 3426 **Realistically Modeled Transcranial Magnetic Stimulation Coils for Lorentz Force and Stress Calculations During MRI**  
L. J. Crowther, K. Porzig, R. L. Hadimani, H. Brauer, and D. C. Jiles
- 3430 **Effect of Particle Size Distribution on Chain Structures in Magnetorheological Fluids**  
S. G. Sherman and N. M. Wereley
- 3434 **Rapid Characterization of Magnetic Moment of Cells for Magnetic Separation**  
C. Ooi, C. M. Earhart, R. J. Wilson, and S. X. Wang
- 3438 **Processing of China Clays Using a Commercial-Scale, Conduction-Cooled Superconducting Magnetic Separation System**  
D. D. Jackson
- 3441 **Size-Dependent Relaxation Properties of Monodisperse Magnetite Nanoparticles Measured Over Seven Decades of Frequency by AC Susceptometry**  
R. M. Ferguson, A. P. Khandhar, C. Jonasson, J. Blomgren, C. Johansson, and K. M. Krishnan
- 3445 **3-D Mapping of Sensitivity of Graphene Hall Devices to Local Magnetic and Electrical Fields**  
R. K. Rajkumar, A. Manzin, D. C. Cox, S. R. P. Silva, A. Tzalenchuk, and O. Kazakova
- 3449 **Inverted Linear Halbach Array for Separation of Magnetic Nanoparticles**  
Y. Ijiri, C. Poudel, P. S. Williams, L. R. Moore, T. Orita, and M. Zborowski
- 3453 **Cell Culture Arrangement Using Ferromagnetic Diamond-Shaped Thin Films**  
T.-R. Ger, C.-Y. Huang, and M.-F. Lai
- 3456 **Characterization of Magnetic Markers for Liquid-Phase Detection of Biological Targets**  
Y. Higuchi, S. Uchida, A. K. Bhuiya, T. Yoshida, and K. Enpuku
- 3460 **New  $T_c$ -Tuned Manganese Ferrite-Based Magnetic Implant for Hyperthermia Therapy Application**  
M. R. Barati, K. Suzuki, C. Selomulya, and J. S. Garitaonandia

- 3464 **Dynamic Microcontainers as Microvacuums for Collecting Nanomaterials After Clinical Treatments**  
D. S. Choi, J. Park, K. Xu, R. Kringel, J. J. Choi, I. T. Jeon, and Y. K. Kim
- 3468 **Drag Reduction of Laminar Airflow in Circular Pipe With Magnetic Field**  
H. Tani, S. Koganezawa, and N. Tagawa
- 3472 **Three-Dimensional Identification of Crack Location in Conducting Slabs Using Wavelets**  
S. K. Abd-El-Hafiz and A. A. Adly
- 3476 **A New Low Radiation Wireless Transmission System in Mobile Phone Application Based on Magnetic Resonant Coupling**  
Q. Chen, S. L. Ho, and W. N. Fu
- 3480 **Electromagnetic Viability Control of Aquatics by the Combination of Weak Electric Currents and 10 T Magnetic Fields**  
Y. Mizukawa and M. Iwasaka
- 3484 **Magnetic Cell Patterning on Hexagonally Packed Cell Culture Substrates**  
C. P. Lee, Y. H. Chen, and Z. H. Wei
- 3488 **A Pushing Force Mechanism of Magnetic Spiral-type Machine for Wireless Medical-Robots in Therapy and Diagnosis**  
S. H. Kim, K. S. Shin, S. Hashi, and K. Ishiyama
- 3492 **A Magnetic Biosensor System for Detection of E. coli**  
F. Li and J. Kosel
- 3496 **Cell Patterning Using Magnetic Concentric Rectangular Thin Films for Biochip Application**  
T.-R. Ger, C.-Y. Huang, C.-W. Chiang, P.-W. Fu, K.-S. Hu, Y.-H. Peng, and Z.-H. Wei
- 3500 **Highly Stable Amine Functionalized Iron Oxide Nanoparticles Designed for Magnetic Particle Imaging (MPI)**  
H. Arami and K. M. Krishnan
- 3504 **Study of Magnetothermal Properties of Strontium Doped Lanthanum Manganite Nanoparticles for Hyperthermia Applications**  
S. Manzoor, A. Ahmed, A. Rashid, S. N. Ahmad, and S. A. Shaheen
- 3508 **Control of Bacterial Cells Growths by Magnetic Hyperthermia**  
M. Bañobre-López, D. Rodrigues, B. Espiña, J. Azeredo, and J. Rivas
- 3512 **Integration of TMR Sensors in Silicon Microneedles for Magnetic Measurements of Neurons**  
J. Amaral, V. Pinto, T. Costa, J. Gaspar, R. Ferreira, E. Paz, S. Cardoso, and P.P. Freitas

- 3516 **The Observed Linearity and Detection Response of Magnetic Fluid Concentration Magnetometry—A Theoretical and Experimental Description**  
T. Mercer and P. R. Bissell
- 3520 **Magnetic Scanning Probe Calibration Using Graphene Hall Sensor**  
V. Panchal, O. Iglesias-Freire, A. Lartsev, R. Yakimova, A. Asenjo, and O. Kazakova
- 3524 **Real-Time Pose Detection for Magnetic Medical Devices**  
C. Di Natali, M. Beccani, and P. Valdastri
- 3528 **Magnetic Resonance Force Microscopy Detected Long-Lived Spin Magnetization**  
L. Chen, J. G. Longenecker, E. W. Moore, and J. A. Marohn
- 3533 **Data Base of Extraterrestrial Magnetic Minerals, Test and Magnetic Simulation**  
A.B. Fernández, M. E. McHenry, M. Díaz-Michelena, C. Aroca, and M. Maicas
- 3537 **Spectroscopic Detection of Magneto-Optical Hysteresis in a Single Magnetic Field Sweep by Faraday Cell Modulation**  
S. Saito, T. Sasaki, S. Meguro, G.-X. Du, and M. Takahashi
- 3541 **Versatile SQUID Susceptometer With Multiple Measurement Modes**  
D. Hurt, S. Li, and A. Amann
- 3545 **Magnetic State Estimator to Characterize the Magnetic States of Nano-Magnetic Disks**  
R. Panchumarthy, D.K. Karunaratne, S. Sarkar, and S. Bhanja
- 3549 **Switching Behavior of Sharply Pointed Nanomagnets for Logic Applications**  
H. Dey, G. Csaba, X. S. Hu, M. Niemier, G. H. Bernstein, and W. Porod
- 3553 **Studies on Domain Structure of FeCoZr Films From MFM Image by Calculating the Surface Stray Field**  
G. Yin, Y. Lou, F. Zheng, Z. Li, D. Wu, J. Bai, F. Wei, and D. Wei
- 3557 **Light-Propagation-Efficiency Evaluation Method by Using a Pinhole for Heat-Assisted Magnetic Recording**  
H. Takei, Y. Iwanabe, A. Ando, M. Mukoh, and H. Miyamoto
- 3560 **Modeling of Polarization Effects in Au Nanodots Excited With InAs Quantum Dot Emitters for Use as a HAMR Heat Source**  
K. Kuriyama, M. J. Chabalko, Y. Kong, Y. Luo, T. E. Schlesinger, and J. A. Bain
- 3564 **A Process for Transferring and Patterning InAs Quantum Dot Optical Gain Media for HAMR Near Field Optical Sources**  
E. B. Quirk, A. Gamble, R. Hussin, G. Slovin, Y. Kong, T. E. Schlesinger, J. A. Bain, K. Kuriyama, and Y. Luo
- 3568 **The Role of Media Property Distribution in HAMR SNR**  
H. Li and J.-G. Zhu

- 3572 **Measurement of Magnetic Properties Relevant to Heat-Assisted-Magnetic-Recording**  
A. Chernyshov, D. Treves, T. Le, C. Papusoi, H. Yuan, A. Ajan, and R. Acharya
- 3576 **A New AFM-Based Technique to Detect the NFT Protrusion on HAMR Head**  
D. Li, M. Staffaroni, E. Schreck, and B. Stipe
- 3580 **Efficiency Analysis of Near Field Optical Transducer Used in Heat-Assisted Magnetic Recording**  
B. Xu, Z. Cen, Y. T. Toh, J. Li, K. Ye, and J. Zhang
- 3584 **Micromagnetic Study on Influence of the Magnetic Field Direction on the Domain Structure in Stacked Media**  
Y. Yamaguchi, S. Sato, S. Kumagai, T. Komine, and R. Sugita
- 3588 **Magnetic Reptation and the Exchange-Spring Effect in Composite Perpendicular Recording Media**  
K. Srinivasan and E. Roddick
- 3592 **Media Design and Orientation in Perpendicular Media**  
J. Chureemart, P. Chureemart, J. Pressesky, T. Nolan, and K. O'Grady
- 3596 **Effect of Co Replacement with Fe on Uniaxial Magnetocrystalline Anisotropy in Disordered hcp CoPtRh Alloy Films**  
N. Nozawa, S. Saito, S. Hinata, and M. Takahashi
- 3600 **Deposition of Inclined Co-Pt Film With Inclined Anisotropy**  
A. Honda, N. Honda, and J. Ariake
- 3604 **Ferromagnetic-Paramagnetic Patterning of FePtRh Films by Fe Ion Implantation**  
T. Hasegawa, Y. Kondo, H. Yamane, S. Nagamachi, and S. Ishio
- 3608 **Control of Magnetic Properties of MnGa films by Kr<sup>+</sup> Ion Irradiation for Application to Bit Patterned Media**  
D. Oshima, T. Kato, S. Iwata, and S. Tsunashima
- 3612 **8-Tb/in<sup>2</sup>-Class Bit-Patterned Medium for Thermally Assisted Magnetic Recording**  
J. Ushiyama, F. Akagi, A. Ando, and H. Miyamoto
- 3616 **Microstructure and Magnetic Properties of FePt-MO<sub>x</sub> Granular Films**  
T. Shiroyama, T. Abe, Y. Takahashi, and K. Hono
- 3620 **Influence of Magnetostatic Interaction on the Magnetization Reversal of Patterned Co/Pd Multilayers Nanorings**  
Y. Ren, X. M. Liu, N. Singh, and A. O. Adeyeye
- 3624 **Optimization of Bit-Patterned Media Recording (BPMR) System via Tolerance Design**  
M. Y. Lin, M. R. Elidrissi, K. S. Chan, K. Eason, H. Wang, J. K. W. Yang, M. Asbahi, N. Thiyagarajah, V. Ng, and Y. L. Guan

- 3628 **Oscillation Stability of a Small Size Spin Torque Oscillator for MAMR**  
K. Watanabe, K. Sugiura, Y. Sato, M. Igarashi, and Y. Shiroishi
- 3632 **Thin Spin-torque Oscillator With High AC-Field for High Density Microwave-Assisted Magnetic Recording**  
Y. Sato, K. Sugiura, M. Igarashi, K. Watanabe, and Y. Shiroishi
- 3636 **Effect of Effective Field Distribution on Recording Performance in Microwave Assisted Magnetic Recording**  
M. Shiimoto, M. Igarashi, M. Sugiyama, Y. Nishida, and I. Tagawa
- 3640 **Performance Limitation of Microwave Assisted Magnetic Recording Combined With Exchange Coupled Composite Media Explored by Genetic Algorithm**  
H. Fukuda and Y. Shiroishi
- 3644 **Shingled Magnetic Recording on Bit Patterned Media at 10 Tb/in<sup>2</sup>**  
S. Wang, Wang, and R.H. Victora
- 3648 **Nonlinear Transition Shift in Heat Assisted Magnetic Recording**  
B. F. Valcu and M. Alex
- 3652 **Switching Phase Diagram of Two Frequencies MAMR for ECC Media**  
L. Wang, K. Zhang, D. Wei, and K.-K. Gao
- 3656 **Beneficial Effects of Si<sub>3</sub>N<sub>4</sub> Buffer/Spacer Layers on the Magnetic Properties of Exchange-Coupled PtFe/Fe Composite Films**  
W. B. Cui, W. J. Gong, X. G. Zhao, C. W. Shih, W. Liu, and Z. D. Zhang
- 3660 **Current-Induced Fast-Ordering of L1<sub>0</sub>-FePt Films With Small Grain Size**  
M. Yang, C. Feng, K. Gong, H. Wang, L. Wang, Q. Zhan, B. Li, J.-P. Wang, and G.-H. Yu
- 3663 **Effect of RuAl and TiN Underlayers on Grain Morphology, Ordering, and Magnetic Properties of FePt-SiO<sub>x</sub> Thin Films**  
H. Ho, D.E. Laughlin, and J.-G. Zhu
- 3667 **Head and Granular Media for Thermally Assisted Magnetic Recording for Recording Density of 6 Tb/in<sup>2</sup>**  
F. Akagi, J. Ushiyama, A. Ando, and H. Miyamoto
- 3671 **Power Absorption and Thermal Analysis of Head and Media for Heat-Assisted Magnetic Recording**  
J. Li, B. Xu, Z. Cen, J. Zhang, and K. Ye
- 3675 **Experimental Characterization of Transition Noise in HAMR**  
K. Kim and J. Moon
- 3679 **Microstructure and Magnetic Performance of Perpendicularly Magnetic Anisotropic Fe<sub>3</sub>Pt/Fe<sub>2</sub>Pt/L1<sub>0</sub>-FePt(001)/MgO(002) Graded Films**  
Y.-H. Lin, J.-H. Hsu, F.-T. Yuan, P. C. Kuo, and J. K. Mei

- 3683 **Thermal Stability of FePt-Based Exchange Coupled Composite Films**  
H. H. Guo, H. G. Chu, J. L. Liao, B. Ma, Z. Z. Zhang, and Q. Y. Jin
- 3687 **Integrating Magnetic Heads With Plasmonic Nanostructures in Multilayer Configurations**  
E. Ogut, M. P. Menguc, and K. Sendur
- 3691 **Improved Maximum Likelihood Syncmark Detection for Magnetic Recording Channels**  
S. Yang and D. Qin
- 3695 **A Study of Linear Density Dependence of Media Noise Power in Perpendicular Magnetic Recording**  
Y. Nishida, H. Katada, M. Hashimoto, I. Tagawa, and R. Wood
- 3699 **Generalized Belief Propagation Detector for TDMR Microcell Model**  
S. M. Khatami and B. Vasić
- 3703 **Transition Parameter “a” Variation of Individual Writing Process**  
C. L. Ong, S. Budi, S.-M. Ang, and Z.-M. Yuan
- 3706 **Side-Reading Effects in High-Track-Density Tape Recording**  
S. Furrer, H. E. Rothuizen, J. B. C. Engelen, and M. A. Lantz
- 3710 **Study of Trailing Edge Shield Magnetic Properties for Writer Performance Improvement for Perpendicular Magnetic Recording**  
S. Basu, M. A. Gubbins, E. Meloche, M. A. Bashir, V. A. Venugopal, and R. W. Lamberton
- 3714 **Gap Layer Effect on Performances of Differential Dual Spin Valve**  
G. C. Han, J. J. Qiu, Q. J. Yap, P. Luo, M. C. Sekhar, B. Y. Zong, and C. W. Koong
- 3718 **Writer Field Gradient Measurement on Spinstand**  
Z.-M. Yuan, C. L. Ong, S. Ang, Z. Liu, and B. Santoso
- 3721 **Carbon Overcoat Oxidation in Heat-Assisted Magnetic Recording**  
B.K. Pathem, X.-C. Guo, F. Rose, N. Wang, K. Komvopoulos, E. Schreck, and B. Marchon
- 3725 **Write Field Dynamics in the Presence of Antiferromagnetic Coupling of Writer Pole**  
Z. Li, D.Z. Bai, T. Pan, D. Han, F. Liu, S. Li, and S. Yuan
- 3729 **Shield Design for Enhanced Reader Resolution**  
A. Tuggle, S. Gider, D. Mauri, and M. Ho
- 3733 **Effect of the Dimensions of a Stepped-Pole Writer on Side Erasure and Recording Performance**  
P.-O. Jubert, H. E. Rothuizen, and M. A. Lantz
- 3737 **Microstructure Control of  $L1_0$  Ordered FePt Granular Film for HAMR Application**  
J. F. Hu, T. J. Zhou, W. L. Phyoe, K. Cher, and J. Z. Shi

- 3741 **Effect of Coil Position on Magnetization Dynamics of Multilayered Hard Disk Writer Yokes**  
W. Yu, P. S. Keatley, R. J. Hicken, M. A. Gubbins, P. J. Czoschke, and R. Lopusnik
- 3745 **Influence of Stripe Height on Critical Current Density of Spin-Torque Noise in Tunneling Magnetoresistive Read Heads**  
Y. Endo, A. Hotta, and M. Yamaguchi
- 3748 **An Atomistic Study of Perfluoropolyether Lubricant Thermal Stability in Heat Assisted Magnetic Recording**  
R.L. Smith, Y. I. Jhon, L.T. Biegler, and M. S. Jhon
- 3752 **Relationship of Adhesion/Friction Forces and Slider Vibration in Surfing-Recording HDI System**  
H. Tani, T. Mitsutome, D. Kamei, and N. Tagawa
- 3756 **Novel Ionic Lubricants for Magnetic Thin Film Media**  
H. Kondo, M. Ito, K. Hatsuda, K. Yun, and M. Watanabe
- 3760 **Effect of Thermal Conditions on Bit Error Rate for Barium-Ferrite Particulate Media**  
Y. Kurihashi, O. Shimizu, Y. Murata, M. Asai, and H. Noguchi
- 3763 **Enhanced Coercivity in  $L1_1$  CoPt Thin Film on Glass Substrate by Fine-Tuning Pt Underlayer**  
A.-C. Sun, S. H. Huang, C.F. Huang, J.-H. Hsu, F.-T. Yuan, H. C. Lu, S. F. Wang, S. N. Hsiao, and H.Y. Lee
- 3767 **Distribution of Thermal Stability Factor for Barium Ferrite Particles**  
O. Shimizu, Y. Kurihashi, I. Watanabe, and T. Harasawa
- 3771 **A Novel Active-Head Slider With a Shear-Mode PZT Actuator and Dual Thermal Actuator**  
H. Li and N. Sagawa
- 3775 **Error Event Corrections Using List-NPML Decoding and Error Detection Codes**  
S. S. Arslan, J. Lee, and T. Goker
- 3779 **Joint and Separate Detection-Decoding on BPMR Channels**  
T. Wu and M. A. Armand
- 3783 **Analysis of RF Signal Interference Invasion Into Hard Disk Drive System and Coupled to Read Front-End System**  
N. Nishiyama, Y. Soga, J. T. Contreras, A. Wallash, and S. Nakamura
- 3787 **Detection and Analysis of the Shortest Bit Missing at High Data Rate Recording**  
H. Tanabe, S. Das, and J. Ohno

- 3791 **Nonbinary LDPC Coding System With Symbol-By-Symbol Turbo Equalizer for Shingled Magnetic Recording**  
Y. Nakamura, J. Ueda, Y. Okamoto, H. Osawa, and H. Muraoka
- 3795 **Erase Band Noise and Generation Mechanism Due to an Adjacent Track**  
K. Miura, H. Katada, M. Oguma, Y. Nishida, and H. Muraoka
- 3799 **Micro Magnetic Exchange Interaction Tensor and Magnetization Reversal of L1<sub>0</sub> FePt Based Alloy Thin Film Nano-Structures**  
A. Singh, O. Mryasov, S. Gupta, S. Okatov, K. Gao, and E. Girt
- 3802 **Probabilities of Transition Jitter at Different Off-Track Positions**  
S. Ang, C. L. Ong, Z. Yuan, and C. K. Pang
- 3806 **High Frequency Recording With Shielded Planar Type Heads**  
S. J. Greaves, Y. Kanai, and H. Muraoka
- 3810 **Performance Evaluation of Neuro ITI Canceller for Two-Dimensional Magnetic Recording by Shingled Magnetic Recording**  
M. Yamashita, Y. Okamoto, Y. Nakamura, H. Osawa, and H. Muraoka
- 3814 **Influence of Writing ITI Effects in Shingled Magnetic Recording**  
H. Nobuhara, Y. Okamoto, Y. Nakamura, K. Takada, M. Yamashita, H. Osawa, and H. Muraoka
- 3818 **Readback Spatial Sensitivity Function by Reciprocity Principle and Media Readback Flux**  
K. Takano
- 3822 **Reduction of On-Load Torque Ripples in Permanent Magnet Synchronous Machines by Improved Skewing**  
W. Q. Chu and Z. Q. Zhu
- 3826 **Quantitative Comparison for Fractional-Slot Concentrated-Winding Configurations of Permanent-Magnet Vernier Machines**  
J. Yang, G. Liu, W. Zhao, Q. Chen, Y. Jiang, L. Sun, and X. Zhu
- 3830 **Analytical Modeling of Claw-Pole Stator SPM Brushless Machine Having SMC Stator Core**  
Y. Shen, Z. Q. Zhu, J. T. Chen, R.P. Deodhar, and A. Pride
- 3834 **Torque Density and Magnet Usage Efficiency Enhancement of Sandwiched Switched Flux Permanent Magnet Machines Using V-Shaped Magnets**  
Y. J. Zhou and Z. Q. Zhu
- 3838 **Comparative Study of Novel Variable Flux Reluctance Machines With Doubly Fed Doubly Salient Machines**  
X. Liu and Z. Q. Zhu



- 3842 **Force Characteristics of the H-Module Linear Actuator With Varying Tooth-Shift-Distance**  
X. Liu, Z. Chen, K. Lu, and Y. Ye
- 3846 **Comparative Investigation on Integrated System of Permanent Magnet Synchronous Generator and Power Converter Based on Machine Topology for Small-Scale Wind Power Application**  
Y.-S. Park, S.-M. Jang, M.-M. Koo, J.-Y. Choi, and S.-Y. Sung
- 3850 **Influence of Various Non-Oriented Electrical Steels on Motor Efficiency and Iron Loss in Switched Reluctance Motor**  
H. Toda, K. Senda, S. Morimoto, and T. Hiratani
- 3854 **Characterization of Tunable Magnetic Sensor Using Bias Magnetic Field of a Hard Magnetic Film Magnetized by Pulsed-Magnetic Field**  
M. Sonehara, H. Kamada, S. Iida, and T. Sato
- 3858 **Analysis on the Characteristics of Variable Reluctance Resolver Considering Uneven Magnetic Fields**  
K.-C. Kim
- 3862 **Effect of Magnetostriction on the Core Loss, Noise, and Vibration of Fluxgate Sensor Composed of Amorphous Materials**  
C.-H. Hsu, C.-Y. Lee, Y.-H. Chang, F.-J. Lin, C.-M. Fu, and J.-G. Lin
- 3866 **MgO Magnetic Tunnel Junction Electrical Current Sensor With Integrated Ru Thermal Sensor**  
A. Lopes, S. Cardoso, R. Ferreira, E. Paz, F. L. Deepak, J. Sánchez, D. Ramírez, S. I. Ravelo, and P. P. Freitas
- 3870 **Thermal Stability of the Ferromagnetic In-Plane Uniaxial Anisotropy of Fe-Co-Hf-N/Ti-N Multilayer Films for High-Frequency Sensor Applications**  
K. Krüger, C. Thede, K. Seemann, H. Leiste, M. Stüber, and E. Quandt
- 3874 **Giant Magneto-Impedance Thin Film Magnetic Sensor**  
S. NazariNejad, A. Akhavan Fomani, and R. Mansour
- 3878 **MgO Based Magnetic Tunnel Junctions With  $\text{Co}_{20}\text{Fe}_{60}\text{B}_{20}$  Sensing Layer for Magnetic Field Sensors**  
T. Takenaga, C. Yoshida, Y. Yamazaki, A. Hatada, M. Nakabayashi, Y. Iba, A. Takahashi, H. Noshiro, K. Tsunoda, M. Aoki, T. Furukawa, H. Ohji, and T. Sugii
- 3882 **Compact and Low Loss Phase Shifter With Low Bias Field Using Partially Magnetized Ferrite**  
X. Yang, J. Wu, Y. Gao, T. Nan, Z. Zhou, S. Beguhn, Liu, and N. X. Sun
- 3886 **3-D Magnetic-Near-Field Scanner for IC Chip-Level Noise Coupling Measurements**  
S. Muroga, K. Arai, S. Dhungana, R. Okuta, Y. Endo, and M. Yamaguchi

- 3890     **MEMS Torsion Oscillator Magnetic Field Sensor**  
X. Yin, Q. Jiao, L. Yuan, and S.-H. Liou
- 3893     **A New Method for Obtaining Stress-Depth Calibration Profiles for Non-Destructive Evaluation Using a Frequency-Dependent Model of Barkhausen Emissions**  
O. Kypris, I. C. Nlebedim, and D. C. Jiles
- 3897     **Contact-Less Speed Probe Based on Eddy Currents**  
E. Cardelli, A. Faba, and F. Tissi
- 3901     **Minimization of Cogging Force in a Novel Linear Permanent-Magnet Motor for Artificial Hearts**  
J. Ji, S. Yan, W. Zhao, G. Liu, and X. Zhu
- 3905     **New Type of Magnetic Actuator System for Inspection in a Complex Pipe**  
H. Yaguchi and K. Sasaki
- 3909     **A Novel Double-Stator Double-Rotor Brushless Electrical Continuously Variable Transmission System**  
S. Niu, S. L. Ho, and W. N. Fu
- 3913     **Proximity Losses in the Windings of High Speed Brushless Permanent Magnet AC Motors With Single Tooth Windings and Parallel Paths**  
M. Popescu and D. G. Dorrell
- 3917     **Characteristic Analysis of Direct-Drive Wind Power Generator considering Permanent Magnet Shape and Skew Effects to Reduce Torque Ripple Based on Analytical Approach**  
M.-M. Koo, S.-M. Jang, Y.-S. Park, H.-I. Park, and J.-Y. Choi
- 3921     **Torque Analysis and Measurements of Cylindrical Air-Gap Synchronous Permanent Magnet Couplings Based on Analytical Magnetic Field Calculations**  
J.-Y. Choi, H.-J. Shin, S.-M. Jang, and S.-H. Lee
- 3925     **Design Considerations for Spindle SPM Motors With Minimized Usage of Rare-Earth Magnets**  
C.-C. Hwang, C.-M. Chang, and C.-T. Liu
- 3929     **Magnetically Induced Vibrations in an IPM Motor Due to Distorted Magnetic Forces Arising From Flux Weakening Control**  
D.Y. Kim, G.H. Jang, and J. K. Nam
- 3933     **Saturation and Ducting Effects in a Brushless Doubly-Fed Reluctance Machine**  
D. G. Dorrell, A. M. Knight, W. K. Song, and R. E. Betz
- 3937     **A Method of Producing Z-Pulse Output From Thin Axial Resolver**  
K. Tanaka and I. Sasada

- 3941 **Design of Five-Phase Modular Flux-Switching Permanent-Magnet Machines for High Reliability Applications**  
X. Xue, W. Zhao, J. Zhu, G. Liu, X. Zhu, and M. Cheng
- 3945 **Iron-Loss Model With Consideration of Minor Loops Applied to FE-Simulations of Electrical Machines**  
S. Steentjes, G. von Pfingsten, M. Hombitzer, and K. Hameyer
- 3949 **Analysis of Tooth-Tip Flux Leakage in Surface-Mounted Permanent Magnet Linear Vernier Machines**  
W. Li, K. T. Chau, C. Liu, S. Gao, and D. Wu
- 3953 **Robust Design Optimization of PM-SMC Motors for Six Sigma Quality Manufacturing**  
G. Lei, J. G. Zhu, Y. G. Guo, J. F. Hu, W. Xu, and K. R. Shao
- 3957 **Eddy Current Damping Suppression of Air-Core Monopole Linear Motor for Nanopositioning System**  
P. Donghua, L. Liyi, C. Qiming, W. Tiecheng, and E. Peng
- 3961 **A Novel Rotor Position Detection Method for Sensorless Control of Magnetic-Geared Permanent-Magnet Brushless Motor**  
Y. Wang, S. L. Ho, W. N. Fu, and J. X. Shen
- 3965 **Development of a Novel Magnetic Circuit Model for Design of Premium Efficiency Three-Phase Line Start Permanent Magnet Machines With Improved Starting Performance**  
X. Lu, K. L. V. Iyer, K. Mukherjee, and N. C. Kar
- 3969 **Quantitative Comparison and Analysis of Magnetless Machines With Reluctance Topologies**  
C. H. T. Lee, K. T. Chau, C. Liu, D. Wu, and S. Gao
- 3973 **Reduction of Rotor Eddy Current Loss in High Speed PM Brushless Machines by Grooving Retaining Sleeve**  
J.-X. Shen, H. Hao, M.-J. Jin, and C. Yuan
- 3977 **Analysis and Modeling of Air-Core Monopole Linear Motor for Nanopositioning System**  
L. Li, D. Pan, J. Liu, M. Wang, Q. Guo, and P. E
- 3981 **Analysis on the Magnetic Force Characteristics of Segmented Magnet Used in Large Permanent-Magnet Wind Power Generator**  
S.-M. Jang, H.-J. Park, J.-H. Choi, C. Han, and M.-S. Choi
- 3985 **Design and Analysis of Axial Permanent Magnet Couplings Based on 3D FEM**  
H.-J. Shin, J.-Y. Choi, S.-M. Jang, and K.-Y. Lim

- 3989 **3-D Analytical Linear Force and Rotary Torque Analysis of Linear and Rotary Permanent Magnet Actuator**  
P. Jin, H. Lin, S. Fang, Y. Yuan, Y. Guo, and Z. Jia
- 3993 **Analysis of the Coupling Effect in Different Meander-Type Winding Planar Transformers**  
S. Djuric, G. Stojanovic, M. Damnjanovic, and E. Laboure
- 3997 **Magnetic-Circuit-Based Iron Loss Estimation Under Square Wave Excitation With Various Duty Ratios**  
K. Nakamura, K. Fujita, and O. Ichinokura
- 4001 **Acoustic and Soft Magnetic Properties in Amorphous Alloy-Based Distribution Transformer Cores**  
K. Takahashi, D. Azuma, and R. Hasegawa
- 4005 **Shielding Analysis of High-Frequency Coaxial Transformers Used for Electric Vehicle On-Board Charging Systems**  
W. Water and J. Lu
- 4009 **Coupled Inductors With Crossed Anisotropy CoZrTa/SiO<sub>2</sub> Multilayer Cores**  
R. P. Davies, C. Cheng, N. Sturcken, W. E. Bailey, and K. L. Shepard
- 4013 **Design Control of Performance in Nested and Interleaved Winding Printed Circuit Board Transformers for Ethernet Applications**  
D. Bowen, A. Lee, C. Krafft, and I. D. Mayergoyz
- 4017 **Kerr-Imaged Edge-Curling Wall Effects of Narrow Magnetic Cores**  
A. El-Ghazaly, J. M. Mullenix, R. M. White, and S. X. Wang
- 4021 **Integrated Transformers With Sputtered Laminated Magnetic Core**  
J. Mullenix, A. El-Ghazaly, and S. X. Wang
- 4028 **Cogging Torque Reduction by Slot-Opening Shift for Permanent Magnet Machines**  
T. Liu, S. Huang, J. Gao, and K. Lu
- 4032 **Study of FMR Frequency Shift Through Electromagnetic Simulation and Its Application to Analyze Integrated Ferromagnetic Noise Suppressor**  
S. Muroga, Y. Asazuma, and M. Yamaguchi
- 4036 **Impedance Measuring to Detect Fractures in Steel Frames Using Resonance Circuit on Fire Resistive Covering**  
T. Tsuruta, K. Yamazaki, K. Ishikawa, and A. Haga
- 4040 **Nanostructured Biosensor of Cobalt Line Array on Permalloy Film**  
T.-W. Kuo, H.-T. Huang, C.-W. Chiang, K.-T. Liao, and Z.-H. Wei

- 4044 **Effects of the Edge Shape of the Elements on the Properties of Stepped Giant Magnetoimpedance**  
H. Kikuchi, J. Kumano, T. Nakai, Y. Onodera, S. Hashi, and K. Ishiyama
- 4048 **Transient Sensitivity of Sectorial Split-Drain Magnetic Field-Effect Transistor**  
Z. Yang, S.-L. Siu, W.-S. Tam, C.-W. Kok, C.-W. Leung, P. T. Lai, H. Wong, and P. W. T. Pong
- 4052 **Rectangular CMOS Differential MAGFET Biosensor for Magnetic Particle Detection**  
B. Zhang, Z. Li, C. E. Korman, and M. E. Zaghoul
- 4056 **Detection of 10-nm Superparamagnetic Iron Oxide Nanoparticles Using Exchange-Biased GMR Sensors in Wheatstone Bridge**  
L. Li, K. Y. Mak, C. W. Leung, S. M. Ng, Z. Q. Lei, and P. W. T. Pong
- 4060 **Magneto-Impedance Biosensor With Enhanced Sensitivity for Highly Sensitive Detection of Nanomag-D Beads**  
J. Devkota, A. Ruiz, P. Mukherjee, H. Srikanth, and M.-H. Phan
- 4064 **Temperature Influence of NiFe Steel Laminations on the Characteristics of Small Slotless Permanent Magnet Machines**  
A. Krings, S. A. Mousavi, O. Wallmark, and J. Soulard
- 4068 **Investigation and Countermeasures for Demagnetization in Line Start Permanent Magnet Synchronous Motors**  
J.-X. Shen, P. Li, M.-J. Jin, and G. Yang
- 4072 **Investigations on a Super High Speed Motor-Generator for Microturbine Applications Using Amorphous Core**  
D.-K. Hong, D. Joo, B.-C. Woo, Y.-H. Jeong, and D.-H. Koo
- 4076 **Operating Range Evaluation of Double-Side Permanent Magnet Synchronous Motor/Generator for Flywheel Energy Storage System**  
J.-H. Choi, S.-M. Jang, S.-Y. Sung, J.-M. Kim, Y.-S. Park, Y.-J. Kim, and D.-H. Oh
- 4080 **Design Considerations of Linear Electromagnetic Actuator for Hybrid-Type Active Mount Damper**  
Y.-H. Shin, S.-J. Moon, J.-M. Kim, H.-Y. Cho, J.-Y. Choi, and H.-W. Cho
- 4084 **Evaluation of Permanent Magnet Generator Manufactured Using Postassembly Magnetization**  
M.-F. Hsieh, Y.-C. Hsu, D. G. Dorrell, and P.-T. Chen
- 4088 **Development of a High Speed Induction Motor for Spindle Systems**  
D.-K. Hong, J.-H. Choi, D.-J. Kim, Y.-D. Chun, B.-C. Woo, and D.-H. Koo

- 4092     **A Flux Focusing Axial Magnetic Gear**  
V. M. Acharya, J. Z. Bird, and M. Calvin
- 4096     **Fundamental Design of a Consequent-Pole Transverse-Flux Motor for Direct-Drive Systems**  
Y. Ueda, H. Takahashi, T. Akiba, and M. Yoshida
- 4100     **Uni- and Bidirectional Flux Variation Loci Method for Analytical Prediction of Iron Losses in Doubly-Salient Field-Excited Switched-Flux Machines**  
B. Gaussens, E. Hoang, O. de la Barrière, J. Saint-Michel, P. Manfe, M. Lécivain, and M. Gabsi
- 4104     **Proposal of Double-Sided Transverse Flux Linear Synchronous Motor and a Simplified Design for Maximum Thrust in Nonsaturation Region**  
J.-S. Shin, T. Koseki, and H.-J. Kim
- 4109     **Modeling of Spherical Magnet Arrays Using the Magnetic Charge Model**  
B. vanNinhuijs, T.E. Motoasca, B. L. J. Gysen, and E.A. Lomonova
- 4113     **Design and Performance of a High Temperature Superconducting Axial Flux Generator**  
M. Trapanese, V. Franzitta, and A. Viola
- 4116     **Batch Patterning of Submillimeter Features in Hard Magnetic Films Using Pulsed Magnetic Fields and Soft Magnetizing Heads**  
O. D. Oniku, R. Regojo, A. Kaufman, W.C. Patterson, and D.P. Arnold
- 4120     **Steering of Magnetic Micro-Swimmers**  
Y.-H. Li, H.-C. Lin, and C.-Y. Chen
- 4124     **Desktop Shielding System**  
A. Mahgoub, I. Sasada, T. Takeda, and M. Shimada
- 4128     **Fast Magnetic Field Modeling for Shielding Systems**  
L. Giaccone, C. Ragusa, O. Khan, and M. Manca
- 4132     **Increasing Energy Efficiency of Saturated-Core Fault Current Limiters With Permanent Magnets**  
J. C. Knott and J.W. Moscrop
- 4137     **Limits to On-Chip Power Conversion With Thin Film Inductors**  
P. Herget, N. Wang, E. J. O'Sullivan, B. C. Webb, L. T. Romankiw, R. Fontana, G. Decad, and W. J. Gallagher
- 4144     **Three-Axis Magnetic Field Induction Sensor Realized on Buckled Cantilever Plate**  
A. Alfadhel, A. A. Carreno, I.G. Foulds, and J. Kosel

- 4148     **Experimental Verification of the Linear Relationship Between Stress and the Reciprocal of the Peak Barkhausen Voltage in ASTM A36 Steel**  
O. Kypris, I.C. Nlebedim, and D. C. Jiles
- 4152     **Analytical Torque Calculations and Experimental Testing of Permanent Magnet Axial Eddy Current Brake**  
H.-J. Shin, J.-Y. Choi, H.-W. Cho, and S.-M. Jang
- 4156     **Dynamic Performance Evaluation of 5-DOF Magnetic Levitation and Guidance Device by Using Equivalent Magnetic Circuit Model**  
C.-H. Kim, K.-J. Kim, J.-S. Yu, and H.-W. Cho
- 4160     **Fourier Modeling of Magnetic Shields With Linear Permeable Material and Finite Dimensions**  
K. J. W. Pluk, G. De Gersem, J. W. Jansen, and E. A. Lomonova
- 4164     **Parameter Design for High-Efficiency Contactless Power Transmission Under Low-Impedance Load**  
T. Misawa, T. Takura, F. Sato, T. Sato, and H. Matsuki
- 4168     **Experimental Investigation of DC-Bias Related Core Losses in a Boost Inductor**  
H. Kosai, Z. Turgut, and J. Scofield
- 4172     **Carbonyl-Iron/Epoxy Composite Magnetic Core for Planar Power Inductor Used in Package-Level Power Grid**  
Y. Sugawa, K. Ishidate, M. Sonehara, and T. Sato
- 4176     **Improved High Frequency Response and Quality Factor of On-Chip Ferromagnetic Thin Film Inductors by Laminating and Patterning Co-Zr-Ta-B Films**  
H. Wu, S. Zhao, D. S. Gardner, and H. Yu
- 4180     **The Effects of Size and Shape of Iron Particles on the Microwave Absorbing Properties of Composite Absorbers**  
R.-B. Yang, W.-F. Liang, S.-T. Choi, and C.-K. Lin
- 4184     **Patterned Permalloy and Barium Strontium Titanate Thin Film Enabled Tunable Slow Wave Elements for Compact Multi-Band RF Applications**  
G. Wang, F. Rahman, T. Xia, and H. Zhang
- 4188     **Improved Magnetic Softness for NiCuZn Ferrite by Two-Step Sintering Method**  
N. Cheng, Z. Wang, and T. Liu
- 4192     **Investigation of Magnetic Properties of Zn Doped Y-Type Barium Ferrite**  
J. T. Lim and C. S. Kim

- 4196 **Effect of VC Nano-Inhibitors and Dynamic Continuous Annealing on the Magnetic Properties of GO Steels**  
F. Kovac, I. Petryshynets, J. Marcin, and I. Skorvanek
- 4200 **Magnetic and FMR Study on CoFe<sub>2</sub>O<sub>4</sub>/ZnFe<sub>2</sub>O<sub>4</sub> Bilayers**  
B. N. Sahu, S. C. Sahoo, N. Venkataramani, S. Prasad, R. Krishnan, M. Kostylev, and R. L. Stamps
- 4204 **Microstructure and Electromagnetic Properties of Microwave Sintered NiCuZn+CCTO Composites Materials for Application in LTCC Devices**  
Q. Yang, H. Zhang, Q. Wen, and Y. Liu
- 4207 **In-Situ Deposition of C-Axis Oriented Barium Ferrite Films for Microwave Applications**  
M. Mohebbi, K. Ebnabbasi, and C. Vittoria
- 4210 **Structural and Magnetic Properties of Mn<sup>3+</sup> Substituted Ordered and Disordered Li<sub>0.5</sub>Cr<sub>0.5</sub>Fe<sub>2</sub>O<sub>4</sub> Nanoparticles**  
S. E. Shirsath, M. L. Mane, A. Ghasemi, Y. Yasukawa, X. Liu, and A. Morisako
- 4214 **Low Loss NiZn/Co<sub>2</sub>Z Composite Ferrite With Almost Equal Values of Permeability and Permittivity for Antenna Applications**  
Z. Zheng, H. Zhang, J. Q. Xiao, and F. Bai
- 4218 **Magnetic and Reflection Loss Characteristics of SrFe<sub>12-x</sub>(Sm<sub>0.5</sub>Dy<sub>0.5</sub>)<sub>x</sub>O<sub>19</sub>/Multi-walled Carbon Nanotube Nanocomposite**  
A. Ghasemi, X. Liu, A. Morisako, and S. Shirsath
- 4222 **Effects of Nb<sub>2</sub>O<sub>5</sub> on DC-Bias-Superposition Characteristic of the Low-Temperature-Fired NiCuZn Ferrites**  
H. Su, X. Tang, H. Zhang, Y. Jing, and Z. Zhong
- 4226 **Effects of BaM Interfacial Layer on the c-Axis Orientation of BaM Thin Films Deposited on SiO<sub>2</sub>/Si Substrates**  
Z. Xu, Z. Lan, K. Sun, Z. Yu, R. Guo, and F. Bai
- 4230 **Complex Permittivity and Permeability of Low-Temperature Sintered M-Type Barium Hexaferrite in Ka-Band Frequency Range**  
Z. Zheng and H. Zhang
- 4234 **Magnetocrystalline Anisotropy and FMR Linewidth of Zr and Zn-Doped Ba-Hexaferrite Films Grown on MgO (111)**  
B. Hu, Y. Chen, Z. Su, S. Bennett, L. Burns, G. Uddin, K. Ziemer, and V. G. Harris
- 4238 **Enhanced Microwave Magnetic Properties of Ni Ferrite Doped ZnO**  
C. Dong, X. Zheng, J. Li, D. Guo, L. Wu, X. Jiang, C. Jiang, and D. Xue
- 4242 **Magnetic Field Generator Design for Magneto-Optic Switching Applications**  
J. W. Pritchard, M. Mina, and R. J. Weber



- 4245 **Microwave Absorption of Structural Polymer Composites Containing Glass-Coated Amorphous Microwires**  
F. Qin, H.-X. Peng, Z. Chen, and G. Hilton
- 4249 **Low Temperature Magnetization Studies of Nanocrystalline Zn-Ferrite Thin Films**  
M. Bohra, S. Prasad, N. Venkataramani, S.C. Sahoo, N. Kumar, and R. Krishnan
- 4253 **Sublattice Magnetic Relaxation in Rare Earth Iron Garnets**  
J.S. McCloy and B. Walsh
- 4257 **Equivalent Electrical Model of a Ferrite Core Inductor Excited by a Square Waveform Including Saturation and Power Losses for Circuit Simulation**  
R. A. Salas and J. Pleite
- 4261 **Control of Microwave Circulation Using Unbiased Ferromagnetic Nanowires Arrays**  
G. Hamoir, L. Piraux, and I. Huynen
- 4265 **Miniature Hexaferrite Axial-Mode Helical Antenna for Unmanned Aerial Vehicle Applications**  
N. Neveu, Y.-K. Hong, J. Lee, J. Park, G. Abo, W. Lee, and D. Gillespie
- 4269 **Magnetic and Thermoelectric Properties of Cobalt Ferrite**  
I. C. Nlebedim, E. M. Levin, R. Prozorov, K. W. Dennis, R. W. McCallum, and D. C. Jiles
- 4273 **The Role of Atmosphere on Phase Transformations and Magnetic Properties of Ulvospinel**  
C. Groschner, S. Lan, A. Wise, A. Leary, M. S. Lucas, C. Park, D. E. Laughlin, M. Diaz-Michelena, and M. E. McHenry
- 4277 **Magnetic and Mössbauer Studies of  $\text{Mn}_{0.679-x}\text{Zn}_{0.256}\text{Ti}_x\text{Fe}_{2.068}\text{O}_4$  Spinel Ferrites: Effect of Cation Distribution**  
H. Ji, Z. Lan, Z. Xu, H. Zhang, and G. J. Salamo
- 4281 **Synthesis and Magnetic Properties of Non-Stoichiometric  $\text{Co}_2\text{Z}$  Hexaferrite**  
L. Jia, H. Zhang, L. Xu, F. Bai, and B. Liu
- 4284 **Influences of Calcination Temperature on Densification and Magnetic Properties of Bi-Modified NiCuZn Ferrites**  
S. Zhang, L. Jia, H. Zhang, F. Bai, and B. Liu
- 4287 **Study of Site Occupancy in  $\text{Zn}_x\text{Fe}_{3-x}\text{O}_4$  Microspheres Based on Mössbauer Analysis**  
Y. H. Li, S. Y. An, and C. S. Kim
- 4291 **Magnetic Properties of Sr Substituted Y-Type Hexaferrite**  
K. L. Cho and C. S. Kim
- 4295 **Dispersion Spectra of Permeability and Permittivity for LiZnMn Ferrite Doped With  $\text{Bi}_2\text{O}_3$**   
R. Guo, Z. Yu, X. Jiang, K. Sun, Z. Lan, Z. Xu, and F. Bai

- 4299 **Dramatic Reduction of FMR Linewidth in Epitaxial Pb(ZrTi)O<sub>3</sub>-NiFe<sub>2</sub>O<sub>4</sub> Nanocomposite Films**  
F. Bai, G. Yu, Y. Wang, L. Jin, Z. Zhong, H. Zhang, and F. Ye
- 4303 **Magnetic Properties of Temper Rolled NO FeSi Steels With Enhanced Rotation Texture**  
I. Petryshynets, F. Kovac, J. Marcin, and I. Skorvanek
- 4307 **The Effects of Sintering Temperature on the Dielectric Behavior and Magnetic Property of Ferrimagnetic Tb<sub>3</sub>Fe<sub>5</sub>O<sub>12</sub>**  
P. Tsai, X. Qi, and Y.-J. Siao
- 4311 **Ferromagnetic Resonance Study of Fe<sub>3</sub>O<sub>4</sub> Thin Film**  
J. G. Lin, M. Y. Song, J. W. Lin, M. G. Samant, and S. S. P. Parkin
- 4314 **Phase Identification and Temperature-Dependent Magnetization of Ti-Rich Titanomagnetite ( $0.5 \leq x \leq 1$ ) in Different Atmospheres**  
S. Lan, C. Groschner, J. Runco, A. Wise, M. Díaz-Michelena, D. Laughlin, and M. E. McHenry
- 4319 **Characterization of Micro-Structured Ferrite Materials: Coarse and Fine Barium, and Photoresist Composites**  
L. Chao, O. Sholiyi, M. N. Afsar, and J. D. Williams
- 4323 **CMOS-Compatible and Scalable Deposition of Nanocrystalline Zinc Ferrite Thin Film to Improve Inductance Density of Integrated RF Inductor**  
R. Sai, K. J. Vinoy, N. Bhat, and S.A. Shivashankar
- 4327 **Non-Local and Local Spin Signals in a Lateral Spin Transport Device With Co<sub>2</sub>FeAl<sub>0.5</sub>Si<sub>0.5</sub>/n-GaAs Schottky Tunnel Junctions**  
T. Saito, N. Tezuka, M. Matsuura, and S. Sugimoto
- 4331 **Microwave Signal Generation in Single-Layer Nano-Contact Spin Torque Oscillators**  
S. R. Sani, P. Dürrenfeld, S. M. Mohseni, S. Chung, and J. Åkerman
- 4335 **Spin Torque Switching of Perpendicularly Magnetized CoFeB-Based Tunnel Junctions With High Thermal Tolerance**  
K. Yamane, Y. Higo, H. Uchida, Y. Nanba, S. Sasaki, H. Ohmori, K. Bessho, and M. Hosomi
- 4339 **Magnetoresistance Enhancement in Mn<sub>x</sub>Ga<sub>100-x</sub>/MgO/CoFeB Perpendicular Magnetic Tunnel Junctions by Using CoFeB Interlayer**  
Q. L. Ma, T. Kubota, S. Mizukami, X. M. Zhang, M. Oogane, H. Naganuma, Y. Ando, and T. Miyazaki
- 4343 **Graphene-Based Magnetic Tunnel Junctions**  
E. Cobas, A. L. Friedman, O. M. J. van 't Erve, J. T. Robinson, and B. T. Jonker

- 4347 **Shot Noise in Epitaxial Double-Barrier Magnetic Tunnel Junctions**  
J.P. Cascales, L. Martin, A. Dulluard, M. Hehn, C. Tiusan, T. Szczepański, V. Dugaev,  
J. Barnaś, and F.G. Aliev
- 4351 **Naturally Oxidized FeCo as a Magnetic Coupling Layer for Electrically Isolated  
Read/Write Paths in mLogic**  
V. Sokalski, D. M. Bromberg, D. Morris, M. T. Moneck, E. Yang, L. Pileggi, and J.-G. Zhu
- 4355 **Radiation Hardened MRAM-Based FPGA**  
O. Gonçalves, G. Prenat, and B. Dieny
- 4359 **Temperature Dependence of Critical Current Density of Spin Transfer Torque  
Switching Amorphous GdFeCo for Thermally Assisted MRAM**  
B. Dai, T. Kato, S. Iwata, and S. Tsunashima
- 4363 **Enhanced Thermal Stability in Perpendicular Top-Pinned Magnetic Tunnel Junction  
With Synthetic Antiferromagnetic Free Layers**  
C. Yoshida, T. Takenaga, Y. Iba, Y. Yamazaki, H. Noshiro, K. Tsunoda, A. Hatada, M.  
Nakabayashi, A. Takahashi, M. Aoki, and T. Sugii
- 4367 **Multiple Extraction Spin Valves for Spintronic Circuits**  
Y. Manzke, R. Farshchi, P. Bruski, J. Herfort, and M. Ramsteiner
- 4371 **Thickness Dependent Spin Pumping Effects in  $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$ /Platinum Bilayer  
Film**  
G. Y. Luo, C. R. Chang, and J. G. Lin
- 4375 **Electrical Modeling of Stochastic Spin Transfer Torque Writing in Magnetic Tunnel  
Junctions for Memory and Logic Applications**  
Y. Zhang, W. Zhao, G. Prenat, T. Devolder, J.-O. Klein, C. Chappert, B. Dieny, and  
D. Ravelosona
- 4379 **Use of Half Metallic Heusler Alloys in CoFeB/MgO/Heusler Alloy Tunnel Junctions**  
P. J. Chen, G. Feng, and R. D. Shull
- 4383 **Increased Perpendicular TMR in FeCoB/MgO/FeCoB Magnetic Tunnel Junctions by  
Seedlayer Modifications**  
V. Sokalski, D. M. Bromberg, M. T. Moneck, E. Yang, and J.-G. Zhu
- 4386 **High TMR Ratio in  $\text{Co}_2\text{FeSi}$  and  $\text{Fe}_2\text{CoSi}$  Based Magnetic Tunnel Junctions**  
C. Sterwerf, M. Meinert, J.-M. Schmalhorst, and G. Reiss
- 4390 **Reversal of Domain Wall Motion in Perpendicular Magnetized Tb-Fe-Co Nanowires**  
B. Do and H. Awano
- 4394 **All-Magnetic, Nonvolatile, Addressable Chainlink Memory**  
D. M. Bromberg, D.H. Morris, L. Pileggi, and J.-G. Zhu

- 4398 **Decoherence, Mode Hopping, and Mode Coupling in Spin Torque Oscillators**  
O. G. Heinonen, P. K. Muduli, E. Iacocca, and J. Åkerman
- 4405 **Switching Field Variation in MgO Magnetic Tunnel Junction Nanopillars: Experimental Results and Micromagnetic Simulations**  
A. V. Silva, D. C. Leitao, Z. Huo, R. J. Macedo, R. Ferreira, E. Paz, F. L. Deepak, S. Cardoso, and P. P. Freitas
- 4409 **Effect of Annealing Temperature on Structure and Magnetic Properties of  $L1_0$ -FePd/CoFeB Bilayer**  
M. N. I. Khan, H. Naganuma, N. Inami, M. Oogane, and Y. Ando
- 4413 **Current-Perpendicular-to-Plane Giant Magnetoresistance in Pseudo Spin Valves With  $Co_2Fe(Ge_{0.5}Ga_{0.5})$  Heusler Alloy Ferromagnetic Layers and Cu/Ag Spacer**  
S. Li, H. S. Goripati, Y. K. Takahashi, T. Furubayashi, and K. Hono
- 4417 **Fabrication of Fe/MgO/Gd Magnetic Tunnel Junctions**  
Y. T. Takahashi, Y. Shiota, S. Miwa, F. Bonell, N. Mizuochi, T. Shinjo, and Y. Suzuki
- 4421 **Micromagnetic Studies of Lateral TMR Memory Cell Driven by Spin Polarized Current or by Magnetic Field**  
L. Xu, Y. Wang, D. Wei, and Z. Ma
- 4425 **Interlayer Exchange Coupling and Perpendicular Magnetic Anisotropy in  $Co_{40}Fe_{40}B_{20}/MgO/Co_{20}Fe_{80}B_{20}$  Tunnel Junction Structures**  
Y.-C. Weng, C.-W. Cheng, and G. Chern
- 4429 **The Effects of Deposition Rate and Annealing on CoFeB/MgO/CoFeB Perpendicular Magnetic Tunnel Junctions**  
C.-M. Lee, L.-X. Ye, H.-K. Chen, and T.-H. Wu
- 4433 **Synthetic Antiferromagnetic MgO/CoFeB/Ta(x)/CoFeB/MgO Structures With Perpendicular Magnetic Anisotropy**  
C.-W. Cheng, T. Cheng, C.H. Shiue, C.-L. Weng, Y.-C. Tsai, and G. Chern
- 4437 **MgO/CoFeB/Ta/CoFeB/MgO Recording Structure in Magnetic Tunnel Junctions With Perpendicular Easy Axis**  
H. Sato, M. Yamanouchi, S. Ikeda, S. Fukami, F. Matsukura, and H. Ohno
- 4441 **A Fully Functional 64 Mb DDR3 ST-MRAM Built on 90 nm CMOS Technology**  
N.D. Rizzo, D. Houssameddine, J. Janesky, R. Whig, F. B. Mancoff, M. L. Schneider, M. DeHerrera, J. J. Sun, K. Nagel, S. Deshpande, H.-J. Chia, S. M. Alam, T. Andre, S. Aggarwal, and J. M. Slaughter
- 4447 **Computational Study of Spin-Torque Oscillator Interactions for Non-Boolean Computing Applications**  
G. Csaba and W. Porod

- 4452     **Experimental Realization of a Nanomagnet Full Adder Using Slanted-Edge Magnets**  
E. Varga, M. T. Niemier, G. Csaba, G. H. Bernstein, and W. Porod
- 4456     **Novel Nonvolatile L1/L2/L3 Cache Memory Hierarchy Using Nonvolatile-SRAM With Voltage-Induced Magnetization Switching and Ultra Low-Write-Energy MTJ**  
S. Fujita, H. Noguchi, K. Nomura, K. Abe, E. Kitagawa, N. Shimomura, and J. Ito
- 4460     **Demonstration of Field-Coupled Input Scheme on Line of Nanomagnets**  
M. A. Siddiq, M. T. Niemier, G. Csaba, X. S. Hu, W. Porod, and G. H. Bernstein
- 4464     **Experimental Demonstration of a 1-Bit Full Adder in Perpendicular Nanomagnetic Logic**  
S. Breitzkreutz, J. Kiermaier, I. Eichwald, C. Hildbrand, G. Csaba, D. Schmitt-Landsiedel, and M. Becherer
- 4468     **Towards a Signal Crossing in Double-Layer Nanomagnetic Logic**  
I. Eichwald, J. Kiermaier, S. Breitzkreutz, J. Wu, G. Csaba, D. Schmitt-Landsiedel, and M. Becherer
- 

4472     **CONFERENCE AUTHOR INDEX**

---