

711
1-68/4m

IEEE TRANSACTIONS ON MAGNETICS

A PUBLICATION OF THE IEEE MAGNETICS SOCIETY


OCTOBER 2013

VOLUME 49

NUMBER 10

IEMGAQ

(ISSN 0018-9464)



Electric field (E_z) distributions in the vicinity of (a) a bare dielectric circular object with permittivity $\epsilon_{in} = 3 + j0.001$ and unit permeability, (b) the dielectric circular object covered by 2-D shrinking device, (c) the virtual object which is smaller circular object inside a diamond-shaped dielectric region. From the paper "A Novel Method for Designing Electromagnetic Shrinking Device With Homogeneous Material Parameters," by T. Li, M. Huang, J. Yang, W. Zhu, and J. Zeng, on p. 5280.

IEEE TRANSACTIONS ON MAGNETICS

A PUBLICATION OF THE IEEE MAGNETICS SOCIETY

OCTOBER 2013

VOLUME 49

NUMBER 10

IEMGAQ

(ISSN 0018-9464)

ADVANCES IN MAGNETICS

5172 **Spin Hall Effects in Metals**
A. Hoffmann

PAPERS

- 5194 **Intrinsic Properties of Fe-Substituted $L1_0$ Magnets**
P. Manchanda, P. Kumar, A. Kashyap, M. J. Lucis, J. E. Shield, A. Mubarak, J. I. Goldstein, S. Constantinides, K. Barnak, L. H. Lewis, D. J. Sellmyer, and R. Skomski
- 5199 **Asymmetric Spin Accumulation Induced by the Rashba Spin-Orbit Effect in a Domain Wall Inside a Magnetic Nanowire**
N. Taji elyato, V. Fallahi, and M. Ghanaatshoar
- 5204 **MgO-Based Double Barrier Magnetic Tunnel Junctions With Synthetic Antiferromagnetic Free Layer**
D. L. Li, J. F. Feng, G. Q. Yu, H. X. Wei, X. F. Han, and J. M. D. Coey
- 5208 **Reader Design for Bit Patterned Media Recording at 10 Tb/in² Density**
Y. Wang and R. H. Victora
- 5215 **Asymmetric Iterative Multi-Track Detection for 2-D Non-Binary LDPC-Coded Magnetic Recording**
G. Han, Y. L. Guan, K. Cai, and K. S. Chan
- 5222 **Flying Height Modulation for a Dual Thermal Protrusion Slider in Heat Assisted Magnetic Recording (HAMR)**
X. Shaomin and D. B. Bogy
- 5227 **Atomistic Molecular Dynamics Study of Structural and Thermomechanical Properties of Zdol Lubricants on Hydrogenated Diamond-Like Carbon**
V. Sorkin, Z. D. Sha, P. S. Branicio, Q. X. Pei, and Y. W. Zhang
- 5236 **Planar Microcoil Array Based Temperature-Controllable Lab-on-Chip Platform**
Y. Zheng and M. Sawan

(Contents Continued on Page 5170)

- 5243 **Improvised Open Boundary Conditions for Magnetic Finite Elements**
D. Meeker
- 5248 **Full PEEC Modeling of EMI Filter Inductors in the Frequency Domain**
I. F. Kovačević, T. Friedli, A. M. Müsing, and J. W. Kolar
- 5257 **Electromagnetic Fields Induced by the Motion of Di-Hull Bodies in a Conducting Fluid**
M. A. Fallah and H. Abiri
- 5264 **Precise Calculation of Current Densities Via Four Spinning Spacecraft in a Tetrahedron Configuration**
H. K. Leinweber, C. T. Russell, and K. Torkar
- 5270 **Reluctance Network Method for Calculating the Series Impedance Matrix of Multi-Conductor Transmission Lines**
D. Bormann and H. Tavakoli
- 5280 **A Novel Method for Designing Electromagnetic Shrinking Device With Homogeneous Material Parameters**
T. Li, M. Huang, J. Yang, W. Zhu, and J. Zeng
- 5287 **Two-Dimensional Versus Three-Dimensional Finite-Element Method Simulations of Cantilever Magnetoelectric Sensors**
J. L. Gugat, M. C. Krantz, and M. Gerken
- 5294 **An Optimization Method for Induction Magnetometer of 0.1 mHz to 1 kHz**
B. Yan, W. Zhu, L. Liu, K. Liu, and G. Fang
- 5301 **Designs of Slope Magnetic Flux Guides for 3-Axis Magnetic Sensor**
J. Zhao, W. Tian, Q. Zhang, M. Pan, J. Hu, D. Chen, and F. Luo
- 5304 **Reducing Cogging Torque in Flux Switching Motors With Segmented Rotor**
S. E. Abdollahi and S. Vaez-Zadeh
- 5310 **General Subdomain Model for Predicting Magnetic Field in Internal and External Rotor Multiphase Flux-Switching Machines Topologies**
K. Boughrara, T. Lubin, and R. Ibtouen
- 5326 **Estimation of Eddy Current Loss in Semi-Closed Slot Vertical Conductor Permanent Magnet Synchronous Machines Considering Eddy Current Reaction Effect**
P. Arumugam, T. Hamiti, and C. Gerada
- 5336 **Predator–Prey Brain Storm Optimization for DC Brushless Motor**
H. Duan, S. Li, and Y. Shi
- 5341 **Analysis of Electromagnetic Force Distribution on End Winding of Electrical Submersible Motor During Starting Transient Operation**
Y. Fang, X. Bao, Q. lv, X. Cheng, and Y. He

- 5346 **Application of the LU Recombination Method to the FETI-DP Method for Solving Low-Frequency Multiscale Electromagnetic Problems**
W. Yao, J.-M. Jin, and P. T. Krein
- 5356 **Modeling and Analysis of Coupling Performance Between Passive Magnetic Bearing and Hybrid Magnetic Radial Bearing for Magnetically Suspended Flywheel**
B. Han, S. Zheng, Y. Le, and S. Xu
- 5371 **The Effect of the Electrical Steel Properties on the Temperature Distribution in Direct-Drive PM Synchronous Generators for 5 MW Wind Turbines**
D. Kowal, P. Sergeant, L. Dupré, and L. Vandenbossche

COMMUNICATION

- 5378 **Direct Measurement of the Thermal Gradient in Heat Assisted Magnetic Recording**
H. J. Richter, C. C. Poon, G. Parker, M. Staffaroni, O. Mosendz, R. Zakai, and B. C. Stipe
-