

IEEE TRANSACTIONS ON POWER ELECTRONICS

A PUBLICATION OF THE IEEE POWER ELECTRONICS SOCIETY



MARCH 2016

VOLUME 31

NUMBER 3

ITPEE8

(ISSN 0885-8993)

LETTERS

Research on Linear Output Voltage Transfer Ratio for Ultrasparse Matrix Converter	<i>C. Xia, S. Li, Y. Yan, and T. Shi</i>	1811
Failure Analysis of 1200-V/150-A SiC MOSFET Under Repetitive Pulsed Overcurrent Conditions	<i>J. A. Schrock, B. N. Pushpakaran, A. V. Bilbao, W. B. Ray II, E. A. Hirsch, M. D. Kelley, S. L. Holt, and S. B. Bayne</i>	1816
High-Performance Constant Power Generation in Grid-Connected PV Systems	<i>A. Sangwongwanich, Y. Yang, and F. Blaabjerg</i>	1822
Stabilization of a Cascaded DC Converter System via Adding a Virtual Adaptive Parallel Impedance to the Input of the Load Converter	<i>X. Zhang, Q.-C. Zhong, and W.-L. Ming</i>	1826
A Family of Bridgeless Quasi-Resonant LED Drivers	<i>D. Shmilovitz, A. Abramovitz, and I. Reichman</i>	1833
A DC-Link Modulation Scheme With Phase-Shifted Current Control for Harmonic Cancellations in Multidrive Applications	<i>Y. Yang, P. Davari, F. Zare, and F. Blaabjerg</i>	1837
Leakage Current Elimination of Four-Leg Inverter for Transformerless Three-Phase PV Systems	<i>X. Guo, R. He, J. Jian, Z. Lu, X. Sun, and J. M. Guerrero</i>	1841
A Fast Orthogonal Signal-Generation Algorithm Characterized by Noise Immunity and High Accuracy for Single-Phase Grid	<i>L. Xiong, F. Zhuo, F. Wang, X. Liu, and M. Zhu</i>	1847
A Measurement Method to Solve a Problem of Using DG Interfacing Converters for Selective Load Harmonic Filtering	<i>J. He, Y. W. Li, R. Wang, and C. Wang</i>	1852
A Scalable Hybrid Regulator For Down Conversion of High Input Voltage Using Low-Voltage Devices	<i>M. Kar, K. Z. Ahmed, and S. Mukhopadhyay</i>	1857

PAPERS

High Power Converters

Steady-State Analysis of a ZVS Bidirectional Isolated Three-Phase DC-DC Converter Using Dual Phase-Shift Control With Variable Duty Cycle	<i>H. M. d. Oliveira Filho, D. d. S. Oliveira Jr, and P. P. Praça</i>	1863
A Simplified Space Vector Modulation Scheme for Multilevel Converters	<i>Y. Deng, Y. Wang, K. H. Teo, and R. G. Harley</i>	1873
A Bidirectional Three-Phase Push-Pull Converter With Dual Asymmetrical PWM Method	<i>M. Kwon, J. Park, and S. Choi</i>	1887

(Contents Continued on Page 1809)

Grouping-Sorting-Optimized Model Predictive Control for Modular Multilevel Converter With Reduced Computational Load	P. Liu, Y. Wang, W. Cong, and W. Lei	1896
Flying-Capacitor-Based Hybrid LLC Converters With Input Voltage Autobalance Ability for High Voltage Applications	W. Li, Q. Luo, Y. Mei, S. Zong, X. He, and C. Xia	1908
An Active Voltage-Balancing Method Based on Phase-Shifted PWM for Stacked Multicell Converters	A. M. Y. M. Ghias, J. Pou, and V. G. Agelidis	1921
Time-Offset Injection Method for Neutral-Point AC Ripple Voltage Reduction in a Three-Level Inverter	J.-S. Lee and K.-B. Lee	1931
Dynamics and Robust Control of a Grid-Connected VSC in Multiterminal DC Grids Considering the Instantaneous Power of DC- and AC-Side Filters and DC Grid Uncertainty	M. Davari and Y. A.-R. I. Mohamed	1942
A Novel Five-Level Voltage Source Inverter With Sinusoidal Pulse Width Modulator for Medium-Voltage Applications	M. Narimani, B. Wu, and N. R. Zargari	1959
Integrated Reconfigurable Converter Topology for High-Voltage Battery Systems	M. Momayyezan, B. Hredzak, and V. G. Agelidis	1968
Theoretical Comparison in Energy-Balancing Capability Between Star- and Delta-Configured Modular Multilevel Cascade Inverters for Utility-Scale Photovoltaic Systems	P. Sochor and H. Akagi	1980
LCL Grid Filter Design of a Multimegawatt Medium-Voltage Converter for Offshore Wind Turbine Using SHEPWM Modulation	M. Zabala, E. Burguete, D. Madariaga, I. Zubimendi, M. Zubiaga, and I. Larrazabal	1993
<i>Power Quality & Utilities</i>		
Control and Experimentation of an H-Bridge-Based Three-Phase Three-Stage Modular Power Electronic Transformer	X. Wang, J. Liu, S. Ouyang, T. Xu, F. Meng, and S. Song	2002
Design of AC-DC PFC High-Order Converters With Regulated Output Current for Low-Power Applications	M. Bodetto, A. E. Aroudi, A. Cid-Pastor, J. Calvente, and L. Martínez-Salamero	2012
Line Current Distortion Compensation for DCM/CRM Boost PFC Converters	Y.-L. Chen and Y.-M. Chen	2026
Control of Single-Phase Power Converters Connected to Low-Voltage Distorted Power Systems With Variable Compensation Objectives	J. P. Bonaldo, H. K. Morales Paredes, and J. A. Pomilio	2039
Power Semiconductor Filter: Use of Series-Pass Device in Switching Converters for Filtering Input Current Harmonics	W.-T. Fan, K. K.-F. Yuen, and H. S.-H. Chung	2053
High-Efficiency DAB Converter Using Switching Sequences and Burst Mode	G. G. Oggier and M. Ordóñez	2069
Optimal Design of High-Order Passive-Damped Filters for Grid-Connected Applications	R. N. Beres, X. Wang, F. Blaabjerg, M. Liserre, and C. Leth Bak	2083
Individual Phase Current Control Based on Optimal Zero-Sequence Current Separation for a Star-Connected Cascade STATCOM Under Unbalanced Conditions	Y. Shi, B. Liu, Y. Shi, and S. Duan	2099
<i>EMI/EMC</i>		
Fundamental Study of Influence of Ripple Noise From DC-DC Converter on Spurious Noise of Wireless Portable Equipment	S. Sugahara and S. Matsunaga	2111
<i>Renewable Energy</i>		
A Function-Based Maximum Power Point Tracking Method for Photovoltaic Systems	S. M. Reza Tousi, M. H. Moradi, N. S. Basir, and M. Nemati	2120
Magnetic Integration of Discrete-Coupled Inductors in Single-Phase Direct PWM AC-AC Converters	A. A. Khan, H. Cha, and H.-G. Kim	2129
A Synchronization Method for Single-Phase Grid-Tied Inverters	L. Hadjidemetriou, E. Kyriakides, Y. Yang, and F. Blaabjerg	2139
Scaled Current Tracking Control for Doubly Fed Induction Generator to Ride-Through Serious Grid Faults	Q. Huang, X. Zou, D. Zhu, and Y. Kang	2150
A Single-Phase PV Quasi-Z-Source Inverter With Reduced Capacitance Using Modified Modulation and Double-Frequency Ripple Suppression Control	Y. Zhou, H. Li, and H. Li	2166
Three-Port DC/DC Converter With All Ports Current Ripple Cancellation Using Integrated Magnetic Technique	H. Zhu, D. Zhang, Q. Liu, and Z. Zhou	2174
Output-Impedance Shaping of Bidirectional DAB DC-DC Converter Using Double-Proportional-Integral Feedback for Near-Ripple-Free DC Bus Voltage Regulation in Renewable Energy Systems	L. Cao, K. H. Loo, and Y. M. Lai	2187
A Soft-Switched Asymmetric Flying-Capacitor Boost Converter With Synchronous Rectification	G. Lefevre and S. V. Mollov	2200

A Bidirectional Three-Level <i>LLC</i> Resonant Converter With PWAM Control	T. Jiang, J. Zhang, X. Wu, K. Sheng, and Y. Wang	2213
Lithium Polymer Battery State-of-Charge Estimation Based on Adaptive Unscented Kalman Filter and Support Vector Machine	J. Meng, G. Luo, and F. Gao	2226
Dual-Loop Control Strategy for DFIG-Based Wind Turbines Under Grid Voltage Disturbances	R. Zhu, Z. Chen, Y. Tang, F. Deng, and X. Wu	2239
<i>Low Power Converters</i>		
A Multiinput Bridgeless Resonant AC–DC Converter for Electromagnetic Energy Harvesting	Y. Tang and A. Khaligh	2254
An Interleaved PFM <i>LLC</i> Resonant Converter With Phase-Shift Compensation	K. Murata and F. Kurokawa	2264
A 300-mV Low-Power Management System for Energy Harvesting Applications	E. Dallago, A. L. Barnabei, A. Liberale, G. Torelli, and G. Venchi	2273
Analysis and Design of Modified Half-Bridge Series-Resonant Inverter With DC-Link Neutral-Point-Clamped Cell	S.-H. Ryu, D.-G. Woo, M.-K. Kim, and B.-K. Lee	2282
A Single-Inductor Multiple-Output Auto-Buck-Boost DC–DC Converter With Autophase Allocation	Y. Zheng, M. Ho, J. Guo, K.-L. Mak, and K. N. Leung	2296
Analysis and Design of a Single-Switch Forward-Flyback Two-Channel LED Driver With Resonant-Blocking Capacitor	J.-W. Kim, J.-P. Moon, and G.-W. Moon	2314
Design and Analysis of an Adaptively Biased Low-Dropout Regulator Using Enhanced Current Mirror Buffer	A. Maity and A. Patra	2324
Active Damping of <i>LLCL</i> -Filter Resonance Based on <i>LC</i> -Trap Voltage or Current Feedback	M. Huang, X. Wang, P. C. Loh, and F. Blaabjerg	2337
High-Order Resonant Converter Topology With Extremely Low-Coupling Contactless Transformers	D. Thenathayalan, C.-g. Lee, and J.-H. Park	2347
An Integrated High-Power-Factor Converter With ZVS Transition	C.-H. Chang, C.-A. Cheng, E.-C. Chang, H.-L. Cheng, and B.-E. Yang	2362
Phase-Shift-Controlled Isolated Buck-Boost Converter With Active-Clamped Three-Level Rectifier (AC-TLR) Featuring Soft-Switching Within Wide Operation Range	H. Wu, Y. Lu, K. Sun, and Y. Xing	2372
<i>Integrated Packaging</i>		
DBC Switch Module for Management of Temperature and Noise in 220-W/in ³ Power Assembly	J.-W. Shin, W. Kim, and K. D. T. Ngo	2387
<i>Power Electronic Drives</i>		
Reliability Assessment of the Switched Reluctance Motor Drive Under Single Switch Chopping Strategy	H. Chen, H. Yang, Y. Chen, and H. H.-C. Iu	2395
A Novel Quasi-Z-Source Inverter Topology With Special Coupled Inductors for Input Current Ripples Cancellation	A. Battiston, E.-H. Miliani, S. Pierfederici, and F. Meibody-Tabar	2409
Field-Oriented Control and Direct Torque Control for Paralleled VSIs Fed PMSM Drives With Variable Switching Frequencies	Z. Wang, J. Chen, M. Cheng, and K. T. Chau	2417
Simplified Three-Level Five-Phase SVPWM	B. Sakthisudhursun, J. K. Pandit, and M. V. Aware	2429
<i>Passive Components & Materials</i>		
Transformation and Load Parameters of the Disk Piezoelectric Transformer	J. Erhart	2437
Design Tools for Rapid Multidomain Virtual Prototyping of Power Electronic Systems	P. L. Evans, A. Castellazzi, and C. M. Johnson	2443
A Novel Method to Predict the Real Operation of Ferrite Inductors With Moderate Saturation in Switching Power Supply Applications	G. D. Capua and N. Femia	2456
<i>Lighting Applications</i>		
An Alternative Approach to LED Driver Design Based on High-Voltage Driving	C. S. Wong, K. H. Loo, Y. M. Lai, M. H. L. Chow, and C. K. Tse	2465
A Double-Loop Primary-Side Control Structure for HB-LED Power Regulation	A. Shagerdmoataab and M. Moallem	2476
<i>Discrete & Integrated Semiconductors</i>		
Analytical Switching Loss Model for Superjunction MOSFET With Capacitive Nonlinearities and Displacement Currents for DC–DC Power Converters	I. Castro, J. Roig, R. Gelagaev, B. Vlachakis, F. Bauwens, D. G. Lamar, and J. Driesen	2485

<i>Diagnostics in Power Electronics</i>		
Modeling and Analysis of Interturn Short Fault in Permanent Magnet Synchronous Motors With Multistrands Windings	<i>H. Qian, H. Guo, and X. Ding</i>	2496
<i>Control in Power Electronics</i>		
Front-End Monitoring of Multiple Loads in Wireless Power Transfer Systems Without Wireless Communication Systems	<i>J. Yin, D. Lin, C. K. Lee, T. Parisini, and S. Y. Hui</i>	2510
Distributed Auxiliary Inverter of Urban Rail Train—Load Sharing Control Strategy Under Complicated Operation Condition	<i>J. Chen, L. Wang, L. Diao, H. Du, and Z. Liu</i>	2518
Adaptive-Linear-Neuron-Based Dead-Time Effects Compensation Scheme for PMSM Drives	<i>T. Qiu, X. Wen, and F. Zhao</i>	2530
Second-Order Sliding-Mode Controlled Synchronous Buck DC–DC Converter ... <i>R. Ling, D. Maksimovic, and R. Leyva</i>	2539	
A Novel Type-1 Frequency-Locked Loop for Fast Detection of Frequency and Phase With Improved Stability Margins	<i>P. Kanjiya, V. Khadkikar, and M. S. E. Moursi</i>	2550
High Dynamic Performance Nonlinear Source Emulator	<i>K. Nguyen-Duy, A. Knott, and M. A. E. Andersen</i>	2562
A Capacitor Voltage-Balancing Method for Nested Neutral Point Clamped (NNPC) Inverter	<i>K. Tian, B. Wu, M. Narimani, D. Xu, Z. Cheng, and N. R. Zargari</i>	2575
Robust Stability Analysis of Active Voltage Control for High-power IGBT Switching by Kharitonov's Theorem	<i>X. Yang, Y. Yuan, Z. Long, J. Goncalves, and P. R. Palmer</i>	2584
On-the-Fly Topology-Morphing Control—Efficiency Optimization Method for LLC Resonant Converters Operating in Wide Input- and/or Output-Voltage Range	<i>M. M. Jovanović and B. T. Irving</i>	2596
Design Method of Adaptive Full Order Observer With or Without Estimated Flux Error in Speed Estimation Algorithm	<i>W. Sun, Y. Yu, G. Wang, B. Li, and D. Xu</i>	2609
A New SVPWM for the Phase Current Reconstruction of Three-Phase Three-level T-type Converters	<i>X. Li, S. Dusmez, B. Akin, and K. Rajashekara</i>	2627
Use of Boundary Control With Second-Order Switching Surface to Reduce the System Order for Deadbeat Controller in Grid-Connected Inverter	<i>Y. He, H. S.-H. Chung, C. N.-M. Ho, and W. Wu</i>	2638
Modulation Scheme for Three-Phase Differential-Mode Ćuk Inverter	<i>S. Mehrnami, S. K. Mazumder, and H. Soni</i>	2654
High-Performance Grid Simulator Using Parallel Structure Fractional Repetitive Control	<i>T. Liu, D. Wang, and K. Zhou</i>	2669
Configurable Multimode Digital Control for Light Load DC–DC Converters With Improved Spectrum and Smooth Transition	<i>S. Kapat</i>	2680
