

# IEEE TRANSACTIONS ON VEHICULAR TECHNOLOGY

A PUBLICATION OF THE IEEE VEHICULAR TECHNOLOGY SOCIETY

JUNE 2016

VOLUME 65

NUMBER 6

ITVTAB

(ISSN 0018-9545)

## SPECIAL SECTION ON CONNECTED VEHICLES FOR INTELLIGENT TRANSPORTATION SYSTEMS

### GUEST EDITORIAL

Connected Vehicles for Intelligent Transportation Systems . . . . . *F. R. Yu* 3843

### SPECIAL SECTION PAPERS

Robust Energy-Efficient MIMO Transmission for Cognitive Vehicular Networks . . . . .	<i>D. Tian, J. Zhou, Z. Sheng, and V. C. M. Leung</i>	3845
Vehicular Fog Computing: A Viewpoint of Vehicles as the Infrastructures . . . . .	<i>X. Hou, Y. Li, M. Chen, D. Wu, D. Jin, and S. Chen</i>	3860
Dynamic Traffic Signal Timing Optimization Strategy Incorporating Various Vehicle Fuel Consumption Characteristics . . . . .	<i>J. Zhao, W. Li, J. Wang, and X. Ban</i>	3874
Fair Congestion Control in Vehicular Networks With Beaconing Rate Adaptation at Multiple Transmit Powers. . . . .	<i>E. Egea-Lopez and P. Pavon-Mariño</i>	3888
Exploring the Practical Limits of Cooperative Awareness in Vehicular Communications . . . . .	<i>M. Boban and P. M. d'Orey</i>	3904
An 802.11p Cross-Layered Pilot Scheme for Time- and Frequency-Varying Channels and Its Hardware Implementation . . . . .	<i>K. K. Nagalapur, F. Brännström, E. G. Ström, F. Undi, and K. Mahler</i>	3917
Frequency-Domain In-Vehicle UWB Channel Modeling . . . . .	<i>A. Chandra, A. Prokeš, T. Mikulášek, J. Blumenstein, P. Kukolev, T. Zemen, and C. F. Mecklenbräuker</i>	3929
DaVe: Offloading Delay-Tolerant Data Traffic to Connected Vehicle Networks . . . . .	<i>P. Si, Y. He, H. Yao, R. Yang, and Y. Zhang</i>	3941
CODIE: Controlled Data and Interest Evaluation in Vehicular Named Data Networks. . . . .	<i>S. H. Ahmed, S. H. Bouk, M. A. Yaqub, D. Kim, H. Song, and J. Lloret</i>	3954

### REGULAR SECTION PAPERS

#### *Transportation Systems*

Characterizing BEV Powertrain Energy Consumption, Efficiency, and Range During Official and Drive Cycles From Gothenburg, Sweden . . . . .	<i>E. Arfa Grunditz and T. Thiringer</i>	3964
A Game-Theoretic Approach to Replanning-Aware Interactive Scene Prediction and Planning . . . . .	<i>M. Bahram, A. Lawitzky, J. Friedrichs, M. Aeberhard, and D. Wollherr</i>	3981
Improving the Efficiency of Stochastic Vehicle Routing: A Partial Lagrange Multiplier Method . . . . .	<i>Z. Cao, H. Guo, J. Zhang, D. Niyato, and U. Fastenrath</i>	3993
Accurate and Efficient Traffic Sign Detection Using Discriminative AdaBoost and Support Vector Regression . . . . .	<i>T. Chen and S. Lu</i>	4006
Winter Happens: The Effect of Ambient Temperature on the Travel Range of Electric Vehicles . . . . .	<i>J. R. M. Delos Reyes, R. V. Parsons, and R. Hoemsen</i>	4016

(Contents Continued on Page 3841)

---

Nighttime Vehicle Lamp Detection and Tracking With Adaptive Mask Training . . . . .	4023
Output Constraint Control on Path Following of Four-Wheel Independently Actuated Autonomous Ground Vehicles. . . . .	4033
Switched Control for Reducing Impact of Vertical Forces on Road and Heavy-Vehicle Rollover Avoidance . . . . .	4044
SAINT: Self-Adaptive Interactive Navigation Tool for Cloud-Based Vehicular Traffic Optimization. . . . .	4053
A Game-Theoretic Approach to Optimal Scheduling of Parking-Lot Electric Vehicle Charging . . . . .	4068
Longitudinal Collision Avoidance Control of Electric Vehicles Based on a New Safety Distance Model and Constrained-Regenerative-Braking-Strength-Continuity Braking Force Distribution Strategy . . . . .	4079
Using Real-World Driving Databases to Generate Driving Cycles With Equivalence Properties . . . . .	4095
Complexity Analysis of Optimal Recharge Scheduling for Electric Vehicles . . . . .	4106
Synthesis of Realistic Driving Cycles With High Accuracy and Computational Speed, Including Slope Information . . . . .	4118
Vehicular-Communications-Based Speed Advisory System for Electric Bicycles. . . . .	4129
A Multi-view Learning Approach to Foreground Detection for Traffic Surveillance Applications . . . . .	4144
Two-Stage Mechanism for Massive Electric Vehicle Charging Involving Renewable Energy . . . . .	4159
Stackelberg-Game-Based Demand Response for At-Home Electric Vehicle Charging . . . . .	4172
<i>Vehicular Electronics</i>	
A Voltage-Based Controller for an Electric-Vehicle Charger . . . . .	4185
A New Predictive Model for the State-of-Charge of a High-Power Lithium-Ion Cell Based on a PSO-Optimized Multivariate Adaptive Regression Spline Approach . . . . .	4197
PHEV Battery Aging Study Using Voltage Recovery and Internal Resistance From Onboard Data . . . . .	4209
Robust Multitarget Tracking Scheme Based on Gaussian Mixture Probability Hypothesis Density Filter . . . . .	4217
Field-Oriented Control for an Induction-Machine-Based Electrical Variable Transmission . . . . .	4230
Online Supercapacitor Diagnosis for Electric Vehicle Applications . . . . .	4241
Prediction Aging Model for Supercapacitor's Calendar Life in Vehicular Applications . . . . .	4253
Modeling and Integration of Electric Vehicle Regenerative and Friction Braking for Motor/Dynamometer Test Bench Emulation . . . . .	4264
GNSS/Onboard Inertial Sensor Integration With the Aid of 3-D Building Map for Lane-Level Vehicle Self-Localization in Urban Canyon . . . . .	4274
An Integrated Control of Differential Braking, Front/Rear Traction, and Active Roll Moment for Limit Handling Performance . . . . .	4288
A Bidirectional Boost Converter With Application to a Regenerative Suspension System . . . . .	4301
An Online Rolling Optimal Control Strategy for Commuter Hybrid Electric Vehicles Based on Driving Condition Learning and Prediction . . . . .	4312
Lithium-Ion Battery Aging Experiments at Subzero Temperatures and Model Development for Capacity Fade Estimation. . . . .	4328

---

---

Modeling and Control of a Hybrid Electric Vehicle With an Electrically Assisted Turbocharger . . . . .	4344
. . . . . <i>A. Jain, T. Nueesch, C. Naegele, P. M. Lassus, and C. H. Onder</i>	
Field Testing of a Cyclist Collision Avoidance System for Heavy Goods Vehicles . . . . .	4359
. . . . . <i>Y. Jia and D. Cebon</i>	
An Optimal Torque Vectoring Control for Vehicle Applications via Real-Time Constraints . . . . .	4368
. . . . . <i>D. Kasinathan, A. Kasaiezadeh, A. Wong, A. Khajepour, S.-K. Chen, and B. Litkouhi</i>	
Torque-Overlay-Based Robust Steering Wheel Angle Control of Electrical Power Steering for a Lane-Keeping System of Automated Vehicles . . . . .	4379
. . . . . <i>W. Kim, Y. S. Son, and C. C. Chung</i>	
Parameter Estimation for a Lithium-Ion Battery From Chassis Dynamometer Tests . . . . .	4393
. . . . . <i>N. Kim, A. Rousseau, and E. Rask</i>	
Integrated Speed and Steering Control Driver Model for Vehicle–Driver Closed-Loop Simulation . . . . .	4401
. . . . . <i>Y. Koh, H. Her, K. Yi, and K. Kim</i>	
Enhanced Iron-Tunnel Recognition for Automotive Radars . . . . .	4412
. . . . . <i>J.-E. Lee, H.-S. Lim, S.-H. Jeong, S.-C. Kim, and H.-C. Shin</i>	
Full-Bridge+SRT Hybrid DC/DC Converter for a 6.6-kW EV On-Board Charger . . . . .	4419
. . . . . <i>Y.-J. Kim and J.-Y. Lee</i>	
Comparison Study on SS and Double-Sided LCC Compensation Topologies for EV/PHEV Wireless Chargers . . . . .	4429
. . . . . <i>W. Li, H. Zhao, J. Deng, S. Li, and C. C. Mi</i>	
A Reliable Fusion Methodology for Simultaneous Estimation of Vehicle Sideslip and Yaw Angles . . . . .	4440
. . . . . <i>X. Li, C.-Y. Chan, and Y. Wang</i>	
Application-Oriented Stochastic Energy Management for Plug-in Hybrid Electric Bus With AMT . . . . .	4459
. . . . . <i>L. Li, B. Yan, C. Yang, Y. Zhang, Z. Chen, and G. Jiang</i>	
An Integrated Topology of Charger and Drive for Electric Buses . . . . .	4471
. . . . . <i>C. Li, W. Huang, R. Cao, F. Bu, and C. Fan</i>	
Multiple-Model Switching Control of Vehicle Longitudinal Dynamics for Platoon-Level Automation . . . . .	4480
. . . . . <i>S. E. Li, F. Gao, D. Cao, and K. Li</i>	
An Electric-Vehicle IPMSM Drive With Interleaved Front-End DC/DC Converter . . . . .	4493
. . . . . <i>Y.-S. Lin, K.-W. Hu, T.-H. Yeh, and C.-M. Liaw</i>	
Practical Online Estimation of Lithium-Ion Battery Apparent Series Resistance for Mild Hybrid Vehicles . . . . .	4505
. . . . . <i>A. Lievre, A. Sari, P. Venet, A. Hijazi, M. Ouattara-Brigaudet, and S. Pelissier</i>	
Battery State-of-Power Peak Current Calculation and Verification Using an Asymmetric Parameter Equivalent Circuit Model . . . . .	4512
. . . . . <i>P. Malysz, J. Ye, R. Gu, H. Yang, and A. Emadi</i>	
Convex Modeling and Sizing of Electrically Supercharged Internal Combustion Engine Powertrain . . . . .	4523
. . . . . <i>S. Marinkov, N. Murgovski, and B. de Jager</i>	
A Flexible Infrastructure for Dynamic Power Control of Electric Vehicle Battery Chargers . . . . .	4535
. . . . . <i>V. Monteiro, J. P. Carmo, J. G. Pinto, and J. L. Afonso</i>	
A Nonlinear Model Predictive Controller With Multiagent Online Optimizer for Automotive Cold-Start Hydrocarbon Emission Reduction . . . . .	4548
. . . . . <i>A. Mozaffari, N. L. Azad, and J. K. Hedrick</i>	
Passenger Exposure to Magnetic Fields due to the Batteries of an Electric Vehicle . . . . .	4564
. . . . . <i>P. Moreno-Torres Concha, P. Velez, M. Lafoz, and J. R. Arribas</i>	
An On-Demand Compensation Function for an EV as a Reactive Power Service Provider . . . . .	4572
. . . . . <i>M. Nikkhal Mojdehi and P. Ghosh</i>	
Intelligent Energy Management and Optimization in a Hybridized All-Terrain Vehicle With Simple On–Off Control of the Internal Combustion Engine . . . . .	4584
. . . . . <i>J. Park, Y. L. Murphey, and M. Abul Masrur</i>	
A Combined High-Efficiency Region Controller to Improve Fuel Consumption of Power-Split HEVs . . . . .	4597
. . . . . <i>S. Overington and S. Rajakaruna</i>	
Enhancement in Li-Ion Battery Cell State-of-Charge Estimation Under Uncertain Model Statistics . . . . .	4608
. . . . . <i>M. Shehab El Din, M. F. Abdel-Hafez, and A. A. Hussein</i>	
Filter-Based Adaptive Vibration Control for Active Vehicle Suspensions With Electrohydraulic Actuators . . . . .	4619
. . . . . <i>W. Sun, H. Pan, and H. Gao</i>	
Unscented Kalman Filters for Estimating the Position of an Automotive Electronic Throttle Valve . . . . .	4627
. . . . . <i>A. N. Vargas, H. M. T. Menegaz, J. Y. Ishihara, and L. Acho</i>	
A Multiobjective Approach to Find Optimal Electric-Vehicle Acceleration: Simultaneous Minimization of Acceleration Duration and Energy Consumption . . . . .	4633
. . . . . <i>W. S. Vaz, A. K. Nandi, and U. O. Koylu</i>	
Model-Based Fault Detection and Fault-Tolerant Control of SCR Urea Injection Systems . . . . .	4645
. . . . . <i>Y.-Y. Wang, Y. Sun, C.-F. Chang, and Y. Hu</i>	
The Influence of the Magnetic Force Generated by the In-Wheel Motor on the Vertical and Lateral Coupling Dynamics of Electric Vehicles . . . . .	4655
. . . . . <i>D. Tan and C. Lu</i>	

---

---

A Novel Point-to-Point Energy Transmission Voltage Equalizer for Series-Connected Supercapacitors . . . . .	4669
. . . . . <i>H. Xiong, Y. Fu, and K. Dong</i>	
Fuel-Saving Cruising Strategies for Parallel HEVs. . . . .	4676
. . . . . <i>S. Xu, S. E. Li, H. Peng, B. Cheng, X. Zhang, and Z. Pan</i>	
Integrated Electromechanical Double-Rotor Compound Hybrid Transmissions for Hybrid Electric Vehicles. . . . .	4687
. . . . . <i>Y. Yang, N. Schofield, and A. Emadi</i>	
Stochastic Predictive Boundary Management for a Hybrid Powertrain . . . . .	4700
. . . . . <i>J. Yang and G. Zhu</i>	
Deploying Energy Routers in an Energy Internet Based on Electric Vehicles . . . . .	4714
. . . . . <i>P. Yi, T. Zhu, B. Jiang, R. Jin, and B. Wang</i>	
Electronic Stability Control Based on Motor Driving and Braking Torque Distribution for a Four In-Wheel Motor Drive Electric Vehicle . . . . .	4726
. . . . . <i>L. Zhai, T. Sun, and J. Wang</i>	
Optimal Dosing and Sizing Optimization for a Ground-Vehicle Diesel-Engine Two-Cell Selective Catalytic Reduction System . . . . .	4740
. . . . . <i>H. Zhang, J. Wang, and Y.-Y. Wang</i>	
All-Wheel Braking Force Allocation During a Braking-in-Turn Maneuver for Vehicles With the Brake-by-Wire System Considering Braking Efficiency and Stability . . . . .	4752
. . . . . <i>L. Zhang, L. Yu, Z. Wang, L. Zuo, and J. Song</i>	
Compensation Topologies of High-Power Wireless Power Transfer Systems . . . . .	4768
. . . . . <i>W. Zhang and C. C. Mi</i>	
Loosely Coupled Transformer Coil Design to Minimize EMF Radiation in Concerned Areas. . . . .	4779
. . . . . <i>W. Zhang, J. C. White, R. K. Malhan, and C. C. Mi</i>	
Design of Multimode Power-Split Hybrid Vehicles—A Case Study on the Voltec Powertrain System. . . . .	4790
. . . . . <i>X. Zhang, S. E. Li, H. Peng, and J. Sun</i>	
Design of Multiple-Target Tracking System on Heterogeneous System-on-Chip Devices . . . . .	4802
. . . . . <i>G. Zhong, S. Niar, A. Prakash, and T. Mitra</i>	
A Pseudospectral Strategy for Optimal Power Management in Series Hybrid Electric Powertrains . . . . .	4813
. . . . . <i>W. Zhou, C. Zhang, J. Li, and H. K. Fathy</i>	
Fuel Cell-Based Auxiliary Power Unit: EMS, Sizing, and Current Estimator-Based Controller . . . . .	4826
. . . . . <i>S. Ziaeeinejad, Y. Sangsefidi, and A. Mehrizi-Sani</i>	

---