



ELSEVIER

International Journal of  
**HEAT and MASS  
TRANSFER**

*Editor-in-Chief*

W. J. MINKOWYCZ

*Editors*

A. R. BALAKRISHNAN, P. CHENG, R. GREIF, C. P. GRIGOROPOULOS,  
B. WEIGAND, A. I. LEONTIEV, J. W. ROSE, J. TAINE, H. YOSHIDA

# INTERNATIONAL JOURNAL OF HEAT AND MASS TRANSFER

ABSTRACTED/INDEXED IN: *Applied Mechanics Reviews, Applied Science & Technology Abstracts, Applied Science and Technology Index, Cambridge Scientific Abstracts, Chemical Abstracts, Chemical Engineering Abstracts, Current Contents/Engineering, Computing & Technology, Current Contents/SciSearch Database, Current Contents/Social & Behavioral Sciences, Current Technology Index, Engineering Index, INSPEC, MSCI, Mechanics, PASCAL/CNRS, Petroleum Abstracts, Research Alert, TCEA, Zentralblatt MATH.* Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®

Volume 73

June 2014

## CONTENTS

### Review

- M. A. RAHMAN and M. Z. SAGHIR 693 Thermodiffusion or Soret effect: Historical review

### Original Research

- G. LORENZINI, C. BISERNI and L. A. O. ROCHA 1 Geometric optimization of X-shaped cavities and pathways according to Bejan's theory: Comparative analysis
- H. CHUNG, J. S. PARK, H.-S. SOHN, D.-H. RHEE and H. H. CHO 9 Trailing edge cooling of a gas turbine blade with perforated blockages with inclined holes
- S. SONG, W. SHEN, J. WANG, S. WANG and J. XU 21 Experimental study on laminar convective heat transfer of microencapsulated phase change material slurry using liquid metal with low melting point as carrying fluid
- A. BEJAN, S. LORENTE, Y. KIM and J. LEE 29 Power from a hot gas stream with superheater and reheater in parallel
- S. HOYAS, P. FAJARDO, A. GIL and M. J. PEREZ-QUILES 33 Analysis of bifurcations in a Bénard–Marangoni problem: Gravitational effects
- L. BEGUM and M. HASAN 42 3-D CFD simulation of a vertical direct chill slab caster with a submerged nozzle and a porous filter delivery system
- B. J. ZHANG, B. X. WANG and C. Y. ZHAO 59 Microstructural effect on the radiative properties of YSZ thermal barrier coatings (TBCs)
- Y. J. P. LIN and C. L. LIN 67 A study on flow stratification in a space using displacement ventilation
- F. L. CHANG and Y. M. HUNG 76 The coupled effects of working fluid and solid wall on thermal performance of micro heat pipes
- C. J. HO, C.-R. SIAO and W.-M. YAN 88 Thermal energy storage characteristics in an enclosure packed with MEPCM particles: An experimental and numerical study
- Y. ASAKUMA, Y. KANAZAWA and T. YAMAMOTO 97 Thermal radiation analysis of packed bed by a homogenization method
- C. BI, G. H. TANG and Z. J. HU 103 Heat conduction modeling in 3-D ordered structures for prediction of aerogel thermal conductivity
- T. ORZECZOWSKI and S. WCISLIK 110 Instantaneous heat transfer for large drops levitating over a hot surface
- I. M. MAHBUBUL, S. S. KHALEDUZZAMAN, R. SAIDUR and M. A. AMALINA 118 Rheological behavior of Al<sub>2</sub>O<sub>3</sub>/R141b nanorefrigerant
- H. JIA, Z. C. LIU, W. LIU and A. NAKAYAMA 124 Convective heat transfer optimization based on minimum entransy dissipation in the circular tube
- J. L. XIE, Z. W. GAN, T. N. WONG, F. DUAN, S. C. M. YU and Y. H. WU 130 Thermal effects on a pressure swirl nozzle in spray cooling

(Continued on back matter pages I–IV)



(Continued from outside back cover)

|  |     |  |
|--|-----|--|
| T. MEYER and F. ZIEGLER  | 141 | Analytical solution for combined heat and mass transfer in laminar falling film absorption using first type boundary conditions at the interface                 |
| J. F. LU, X. F. PENG, D. J. LEE and J. DING  | 152 | Multiplicity and stability of boiling on a thin cylinder with heat generation  |
| C. G. FAN, J. JI, W. WANG and J. H. SUN  | 158 | Effects of vertical shaft arrangement on natural ventilation performance during tunnel fires   |
| J. LU, J. DING, J. YANG and X. YANG  | 170 | Steady dynamical behaviors of novel viscous pump with groove under the rotor   |
| A. M. THIELE, A. KUMAR, G. SANT and L. PILON   | 177 | Effective thermal conductivity of three-component composites containing spherical capsules   |
| M. HEMMAT ESFE, S. SAEDODIN, O. MAHIAN and S. WONGWISES                                  | 186 | Heat transfer characteristics and pressure drop of COOH-functionalized DWCNTs/water nanofluid in turbulent flow at low concentrations                            |
| G. IBÁÑEZ, A. LÓPEZ, J. PANTOJA and J. MOREIRA   | 201 | Combined effects of uniform heat flux boundary conditions and hydrodynamic slip on entropy generation in a microchannel  |
| C. ZOU, L. CAI and C. ZHENG  | 207 | Numerical research on the homogeneous/heterogeneous ignition process of pulverized coal in oxy-fuel combustion   |
| S. W. CHANG and J. Y. GAO  | 217 | Heat transfer enhancement by skewed wavy sidewall for two-pass ribbed channels with different aspect ratios  |
| S. Z. HERIS, M. B. POUR, O. MAHIAN and S. WONGWISES                                      | 231 | A comparative experimental study on the natural convection heat transfer of different metal oxide nanopowders suspended in turbine oil inside an inclined cavity |
| N. PADOIN, A. T. O. DAL'TOÉ, L. P. RANGEL, K. ROPELATO and C. SOARES                     | 239 | Heat and mass transfer modeling for multicomponent multiphase flow with CFD  |
| K. K. BODLA, S. V. GARIMELLA and J. Y. MURTHY  | 250 | 3D reconstruction and design of porous media from thin sections  |
| V. V. YAGOV  | 265 | Is a crisis in pool boiling actually a hydrodynamic phenomenon?  |
| H. ZAHLAN, D. C. GROENEVELD and S. TAVOULARIS  | 274 | Fluid-to-fluid scaling for convective heat transfer in tubes at supercritical and high subcritical pressures   |
| M. TONG and D. J. BROWNE   | 284 | An incompressible multi-phase smoothed particle hydrodynamics (SPH) method for modelling thermocapillary flow  |
| E. N. PIS'MENNYI, A. M. TEREKH, G. P. POLUPAN, I. CARVAJAL-MARISCAL and F. SANCHEZ-SILVA | 293 | Universal relations for calculation of the drag of transversely finned tube bundles  |
| A. LOTFI, J. VRABEC and J. FISCHER   | 303 | Evaporation from a free liquid surface   |
| J. S. LEE, J. SEO, H. Y. KIM, J. CHUNG and S. S. YOON                                    | 318 | Effects of geometry and operating conditions on hydrogen productivity of a fuel cell reformer  |
| T. T. LAM  | 330 | A generalized heat conduction solution for ultrafast laser heating in metallic films   |
| S. G. MARTYUSHEV and M. A. SHEREMET  | 340 | Conjugate natural convection combined with surface thermal radiation in a three-dimensional enclosure with a heat source   |
| M. A. DOS SANTOS BERNARDES   | 354 | Experimental evidence of the working principle of thermal diodes based on thermal stress and thermal contact conductance – Thermal semiconductors                |
| C.-Y. YANG   | 358 | Estimation of the heat source of laser pulses by a dual-phase-lag model  |

(Continued on next page)

(Continued)

|   |     |   |
|---|-----|---|
| S. JUNG and H. KIM  | 365 | An experimental method to simultaneously measure the dynamics and heat transfer associated with a single bubble during nucleate boiling on a horizontal surface |
| G. J. McGRANAGHAN and A. J. ROBINSON  | 376 | The mechanisms of heat transfer during convective boiling under the influence of AC electric fields   |
| X. L. LIU, R. Z. ZHANG and Z. M. ZHANG  | 389 | Near-field radiative heat transfer with doped-silicon nanostructured metamaterials  |
| S. YOON, J. T. CHUNG and Y. T. KANG   | 399 | The particle hydrodynamic effect on the mass transfer in a buoyant CO <sub>2</sub> -bubble through the experimental and computational studies                   |
| G. ZHANG, Z. LIU and C. WANG  | 415 | A visualization study of the influences of liquid levels on boiling and condensation co-existing phase change heat transfer phenomenon in small confined spaces |
| Y. ZHANG, Z. SHEN and X. NI   | 429 | Modeling and simulation on long pulse laser drilling processing   |
| S. RYU, W. LEE and Y. NAM   | 438 | Heat transfer and capillary performance of dual-height superhydrophilic micropost wicks   |
| I. I. EL-SHARKAWY, K. UDDIN, T. MIYAZAKI, B. B. SAHA, S. KOYAMA, J. MIYAWAKI and S.-H. YOON | 445 | Adsorption of ethanol onto parent and surface treated activated carbon powders  |
| P. LI, D. ZHANG and Y. XIE  | 456 | Heat transfer and flow analysis of Al <sub>2</sub> O <sub>3</sub> -water nanofluids in microchannel with dimple and protrusion                                  |
| M. R. H. NOBARI, B. SHINIYAN and M. MIRZAEI   | 468 | Mixed convection in a vertical helical annular pipe   |
| T. W. TING, Y. M. HUNG and N. GUO   | 483 | Field-synergy analysis of viscous dissipative nanofluid flow in microchannels   |
| C. ZHU, C. LI, X. GAO, Y. MA and D. LIU   | 492 | Taylor flow and mass transfer of CO <sub>2</sub> chemical absorption into MEA aqueous solutions in a T-junction microchannel                                    |
| H. GRZYBOWSKI and R. MOSDORF  | 500 | Dynamics of pressure oscillations in flow boiling and condensation in the minichannel   |
| H. PARK   | 511 | Numerical assessment of liquid cooling system for power electronics in fuel cell electric vehicles  |
| A. KHAN, N. U. HAQ, I. R. CHUGHTAI, A. SHAH and K. SANALLAH                                 | 521 | Experimental investigations of the interface between steam and water two phase flows  |
| B.-B. WANG, X.-D. WANG, Y.-Y. DUAN and M. CHEN  | 533 | Molecular dynamics simulation on evaporation of water and aqueous droplets in the presence of electric field  |
| F. SHAN, A. FUJISHIRO, T. TSUNEYOSHI and Y. TSUJI   | 542 | Effects of flow field on the wall mass transfer rate behind a circular orifice in a round pipe  |
| B. J. ZHANG and K. J. KIM   | 551 | Nucleate pool boiling heat transfer augmentation on hydrophobic self-assembly mono-layered alumina nano-porous surfaces   |
| E. S. OZTEKIN   | 562 | Heat and mass transfer due to a small-fire in an aircraft cargo compartment   |
| C. M. AUGUSTO, J. J. COSTA, A. R. GASPAR and J. B. RIBEIRO                                  | 574 | Development, calibration and validation of a mathematical model for the low-pressure-vaporization of the water in porous media                                  |
| H. DING, C. WANG and Y. ZHAO  | 586 | An analytical method for Wilson point in nozzle flow with homogeneous nucleating  |
| S. C. STACY, X. ZHANG, M. PANTOYA and B. WEEKS  | 595 | The effects of density on thermal conductivity and absorption coefficient for consolidated aluminum nanoparticles   |

(Continued on next page)

(Continued)

|  |     |  |
|--|-----|--|
| H. M. PARK   | 600 | Reduced-order modeling of carbon dioxide absorption and desorption with potassium carbonate promoted by piperazine   |
| B. SAMAREH, J. MOSTAGHIMI and C. MOREAU  | 616 | Thermocapillary migration of a deformable droplet  |
| K. NAWAZ, S. J. SCHMIDT and A. M. JACOBI   | 634 | Effect of catalyst and substrate on the moisture diffusivity of silica-aerogel-coated metal foams  |
| S. W. CHANG and B. J. HUANG  | 645 | Thermal performances of tubular flows enhanced by ribbed spiky twist tapes with and without edge notches   |
| J. R. VANDERVEER and Y. JALURIA  | 664 | Optimization of an inverse convection solution strategy  |
| S. A. PATEL and R. P. CHHABRA  | 671 | Heat transfer in Bingham plastic fluids from a heated elliptical cylinder  |
| L. XIE, Y. XIE, H. WU and J. YU  | 706 | High gravity influence on boiling heat transfer in helical coils   |
| N. MASCARENHAS and I. MUDAWAR  | 716 | Statistical analysis of measured and computed thickness and interfacial temperature of free-falling turbulent liquid films                                 |
| S.-M. KIM and I. MUDAWAR   | 731 | Theoretical model for local heat transfer coefficient for annular flow boiling in circular mini/micro-channels   |
| R. RAVINDRAN, M. GANAPATHIRAO and I. POP   | 743 | Effects of chemical reaction and heat generation/absorption on unsteady mixed convection MHD flow over a vertical cone with non-uniform slot mass transfer |
| R. KAISER and R. DU PUIS   | 752 | Local wall heat flux in confined thermal convection  |
| Q. LIU, Y.-L. HE, Q. LI and W.-Q. TAO  | 761 | A multiple-relaxation-time lattice Boltzmann model for convection heat transfer in porous media  |
| C. S. GRECO, A. IANIRO and G. CARDONE  | 776 | Time and phase average heat transfer in single and twin circular synthetic impinging air jets  |
| T. H. ROOS and T. M. HARMS   | 789 | A new radiative transfer scattering phase function discretisation approach with inherent energy conservation   |
| T. J. MOORE and M. R. JONES  | 804 | Analysis of the conduction–radiation problem in absorbing, emitting, non-gray planar media using an exact method   |
| Y. YONEMOTO and T. KUNUGI  | 810 | Experimental investigation on variations in geometric variables of a droplet on a low-surface-energy solid   |
| T. FIEDLER, M. A. SULONG, M. VESENJAK, Y. HIGA, I. V. BELOVA, A. ÖCHSNER and G. E. MURCH | 826 | Determination of the thermal conductivity of periodic APM foam models  |
| S. H. M. SALEH, N. M. ARIFIN, R. NAZAR, F. M. ALI and I. POP                             | 839 | Mixed convection stagnation flow towards a vertical shrinking sheet  |
| E. LIM and Y. M. HUNG  | 849 | Thermocapillary flow in evaporating thin liquid films with long-wave evolution model   |
| W. T. SHA  | 859 | Recent improvements of novel porous media formulation for multiphase flow conservation equation  |
| <i>Technical Notes</i>   |     |  |
| X. LIU, P. CHENG and X. QUAN   | 195 | Lattice Boltzmann simulations for self-propelled jumping of droplets after coalescence on a superhydrophobic surface                                       |
| L. ZHANG, L. FAN, Z. YU and K. CEN   | 410 | An experimental investigation of transient pool boiling of aqueous nanofluids with graphene oxide nanosheets as characterized by the quenching method      |

(Continued on next page)

*(Continued)*

|  |     |   |
|--|-----|---|
| V. MANOJ SIVA, A. PATTAMATTA and S. K. DAS | 424 | Effect of flow maldistribution on the thermal performance of parallel microchannel cooling systems                          |
| C.-H. HUANG and Y.-H. CHEN                 | 627 | An impingement heat sink module design problem in determining simultaneously the optimal non-uniform fin widths and heights |
| M. YAZDANI and J. S. YAGOOBI               | 819 | Heat transfer enhancement of backstep flow by means of EHD conduction pumping   |
| Q. T. LE, S. J. ORMISTON and H. M. SOLIMAN | 834 | A closed-form solution for laminar film condensation from quiescent pure vapours on curved vertical walls                   |