


NU
1-09/13h

Volume 75, August 2014

ISSN 0017-9310



International Journal of **HEAT and MASS TRANSFER**

Editor-in-Chief

W. J. MINKOWYCZ

Editors

A. R. BALAKRISHNAN, P. CHENG, R. GREIF, C. P. GRIGOROPOULOS,
B. WEIGAND, A. I. LEONTIEV, J. W. ROSE, J. TAINE, H. YOSHIDA

Available online at www.sciencedirect.com

ScienceDirect

INTERNATIONAL JOURNAL OF HEAT AND MASS TRANSFER

ABSTRACTED/INDEXED IN: *Applied Mechanics Reviews, Applied Science & Technology Abstracts, Applied Science and Technology Index, Cambridge Scientific Abstracts, Chemical Abstracts, Chemical Engineering Abstracts, Current Contents/Engineering, Computing & Technology, Current Contents/SciSearch Database, Current Contents/Social & Behavioral Sciences, Current Technology Index, Engineering Index, INSPEC, MSCl, Mechanics, PASCAL/CNRS, Petroleum Abstracts, Research Alert, TCEA, Zentralblatt MATH.* Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®

Volume 75

August 2014

CONTENTS

Original Research

- | | | |
|---|-----|---|
| T. LI, J.-H. LEE, R. WANG and Y. T. KANG | 1 | Heat transfer characteristics of phase change nanocomposite materials for thermal energy storage application |
| C. ZOU, Y. SONG, G. LI, S. CAO, Y. HE and C. ZHENG | 12 | The chemical mechanism of steam's effect on the temperature in methane oxy-steam combustion |
| L. Th. BENOS, S. C. KAKARANTZAS, I. E. SARRIS, A. P. GRECOS and N. S. VLACHOS | 19 | Analytical and numerical study of MHD natural convection in a horizontal shallow cavity with heat generation |
| K. SAKAMATAPAN and S. WONGWISES | 31 | Pressure drop during condensation of R134a flowing inside a multiport minichannel |
| P. KUNDU, V. KUMAR and I. M. MISHRA | 40 | Numerical modeling of turbulent flow through isotropic porous media |
| L. VENTOLA, F. ROBOTTI, M. DIALAMEH, F. CALIGNANO, D. MANFREDI, E. CHIAVAZZO and P. ASINARI | 58 | Rough surfaces with enhanced heat transfer for electronics cooling by direct metal laser sintering |
| S. ANISIMOV and D. PANDELIDIS | 75 | Numerical study of the Maisotsenko cycle heat and mass exchanger |
| M. R. HAJMOHAMMADI and S. S. NOURAZAR | 97 | On the insertion of a thin gas layer in micro cylindrical Couette flows involving power-law liquids |
| B. MASLOVARIC, V. D. STEVANOVIC and S. MILIVOJEVIC | 109 | Numerical simulation of two-dimensional kettle reboiler shell side thermal-hydraulics with swell level and liquid mass inventory prediction |
| L. H. HU, K. H. LU, F. TANG, M. DELICHATSIOS and L. H. HE | 122 | A global non-dimensional factor characterizing side wall constraint effect on facade flame entrainment and flame height from opening of compartment fires |
| A. K. NAYAK | 135 | Analysis of mixing for electroosmotic flow in micro/nano channels with heterogeneous surface potential |
| W.-L. CHEN, K.-L. WONG and Y.-F. CHANG | 145 | A computational fluid dynamics study on the heat transfer characteristics of the working cycle of a low-temperature-differential γ -type Stirling engine |
| H. HU, X. DU, L. YANG, Y. YANG and T. CHENG | 156 | Cross scale simulation on transport phenomena of direct air-cooling system of power generating units based on reduced order modeling |
| G. A. QUADIR, I. A. BADRUDDIN and N. J. SALMAN AHMED | 165 | Numerical investigation of the performance of a triple concentric pipe heat exchanger |
| G. CAFIERO, S. DISCETTI and T. ASTARITA | 173 | Heat transfer enhancement of impinging jets with fractal-generated turbulence |
| G. H. KWON and S. J. KIM | 184 | Operational characteristics of pulsating heat pipes with a dual-diameter tube |
| M. S. HANCHAK, M. D. VANGSNESS, L. W. BYRD and J. S. ERVIN | 196 | Thin film evaporation of <i>n</i> -octane on silicon: Experiments and theory |
| Q. ZHANG and R. A. HANDLER | 207 | Active suppression of buoyancy driven turbulence |

(Continued on back matter pages IV-VI)



0017-9310(201408)75:C;1-T

(Continued from outside back cover)

| | | |
|--|-----|--|
| X. LUO and R. HU | 213 | Calculation of the phosphor heat generation in phosphor-converted light-emitting diodes |
| E. V. VOTYAKOV and A. M. BONANOS | 218 | A perturbation model for stratified thermal energy storage tanks |
| Y. CORMIER, P. DUPUIS, A. FARJAM, A. CORBEIL and B. JODOIN | 235 | Additive manufacturing of pyramidal pin fins: Height and fin density effects under forced convection |
| L. ZHANG, J. LI, Y. LI and J. WU | 245 | Field synergy analysis for helical ducts with rectangular cross section |
| Z. LUO, C. WANG, W. WEI, G. XIAO and M. NI | 262 | Performance improvement of a nanofluid solar collector based on direct absorption collection (DAC) concepts |
| L. ROSATI and F. MARMO | 272 | Closed-form expressions of the thermo-mechanical fields induced by a uniform heat source acting over an isotropic half-space |
| T. QIN, Z. TUKOVIĆ and R. O. GRIGORIEV | 284 | Buoyancy-thermocapillary convection of volatile fluids under atmospheric conditions |
| J. XIA, K. LUO and J. FAN | 302 | A ghost-cell based high-order immersed boundary method for inter-phase heat transfer simulation |
| T. FANG, T. MING, C. P. TSO, X. HUANG and W. LIU | 313 | Analysis of non-uniform heat loads on evaporators with loop heat pipes |
| M. R. ERRERA, S. LORENTE and A. BEJAN | 327 | Assemblies of heat pumps served by a single underground heat exchanger |
| J. VON RICKENBACH, F. LUCCI, C. NARAYANAN, P. DIMOPOULOS EGGENSCHWILER and D. POULIKAKOS | 337 | Multi-scale modelling of mass transfer limited heterogeneous reactions in open cell foams |
| Z. MALINOWSKI, T. TELEJKO, B. HADALA, A. CEBO-RUDNICKA and A. SZAJDING | 347 | Dedicated three dimensional numerical models for the inverse determination of the heat flux and heat transfer coefficient distributions over the metal plate surface cooled by water |
| Y. WANG, G. HUANG, A. ZHANG, L. HAN and J. GE | 362 | Estimating thermal balance during composting of swine manure and wheat straw: A simulation method |
| X. DU, L. FENG, L. LI, L. YANG and Y. YANG | 368 | Heat transfer enhancement of wavy finned flat tube by punched longitudinal vortex generators |
| M. T. KIVISALU, P. GORGITRATTANAGUL and A. NARAIN | 381 | Results for high heat-flux flow realizations in innovative operations of milli-meter scale condensers and boilers |
| F. C. BURONI, R. J. MARCZAK, M. DENDA and A. SÁEZ | 399 | A formalism for anisotropic heat transfer phenomena: Foundations and Green's functions |
| Z. LI, H. LI, J. ZHANG, J. LI, H. JIANG, X. FU, Y. HAN, Y. XIA, Y. HUANG, J. YIN, L. ZHANG and S. HU | 410 | A susceptor with partial-torus groove in vertical MOCVD reactor by induction heating |
| X. WU, W. ZHANG, Q. GOU, Z. LUO and Y. LU | 414 | Numerical simulation of heat transfer and fluid flow characteristics of composite fin |
| Y. ZHANG, Y. LIU, Y. SHEN, Z. LI, R. JI and B. CAI | 425 | A novel method of determining energy distribution and plasma diameter of EDM |
| Q. LIU, Z. ZHAO and K. FUKUDA | 433 | Transient heat transfer for forced flow of helium gas along a horizontal plate with different widths |
| J. WANG, L. ZHAO, X. WANG, J. MA and J. LIN | 442 | An experimental investigation on transpiration cooling of wedge shaped nose cone with liquid coolant |
| X. ZHOU, Y. XU, S. YUAN, R. CHEN and B. SONG | 450 | Pressure and power potential of sloped-collector solar updraft tower power plant |
| Q. SHEN, D. SUN, Y. XU, T. JIN and X. ZHAO | 462 | Orientation effects on natural convection heat dissipation of rectangular fin heat sinks mounted on LEDs |

(Continued on next page)

(Continued)

| | | |
|---|-----|--|
| M. DUPONCHEEL, L. BRICTEUX, M. MANCONI, G. WINCKELMANS and Y. BARTOSIEWICZ | 470 | Assessment of RANS and improved near-wall modeling for forced convection at low Prandtl numbers based on LES up to $Re_{\tau} = 2000$ |
| L. CHEN, Q. KANG, B. CAREY and W.-Q. TAO | 483 | Pore-scale study of diffusion–reaction processes involving dissolution and precipitation using the lattice Boltzmann method |
| J. HUANG, J. XU, X. SANG, H. WANG and H. WANG | 497 | Quantifying the synergy of bubble swarm patterns and heat transfer performance using computational homology |
| W. G. WENG, X. F. HAN and M. FU | 504 | An extended multi-segmented human bioheat model for high temperature environments |
| L. YAN, H. LI, L. LI and C. WU | 514 | Bubble behavior of flow boiling in horizontal rectangular channels with inclined ribs |
| A. B. SOLOMON, K. RAMACHANDRAN, L. G. ASIRVATHAM and B. C. PILLAI | 523 | Numerical analysis of a screen mesh wick heat pipe with Cu/water nanofluid |
| J. LEE, Z. REN, P. LIGRANI, D. H. LEE, M. D. FOX and H.-K. MOON | 534 | Cross-flow effects on impingement array heat transfer with varying jet-to-target plate distance and hole spacing |
| H. M. PARK | 545 | A multiscale modeling of carbon dioxide absorber and stripper using the Karhunen–Loève Galerkin method |
| S. EBRAHIMI, A. HASANZADEH-BARFOROUSHI, A. NEJAT and F. KOWSARY | 565 | Numerical study of mixing and heat transfer in mixed electroosmotic/pressure driven flow through T-shaped microchannels |
| A. LÓPEZ-BELCHÍ, F. ILLÁN-GÓMEZ, F. VERA-GARCÍA and J. R. GARCÍA-CASCALES | 581 | Experimental condensing two-phase frictional pressure drop inside mini-channels. Comparisons and new model development |
| A. K. GUPTA, C. SASMAL, M. SAIRAMU and R. P. CHHABRA | 592 | Laminar and steady free convection in power-law fluids from a heated spheroidal particle: A numerical study |
| H. XU and I. POP | 610 | Mixed convection flow of a nanofluid over a stretching surface with uniform free stream in the presence of both nanoparticles and gyrotactic microorganisms |
| S. K. PANDIT and A. CHATTOPADHYAY | 624 | Higher order compact computations of transient natural convection in a deep cavity with porous medium |
| A. D'ENTREMONT and L. PILON | 637 | Scaling laws for heat generation and temperature oscillations in EDLCs under galvanostatic cycling |
| N. TANG, S. P. WU, M. Y. CHEN, P. PAN and C. J. SUN | 650 | Effect mechanism of mixing on improving conductivity of asphalt solar collector |
| A. H. AKBARZADEH and D. PASINI | 656 | Phase-lag heat conduction in multilayered cellular media with imperfect bonds |
| R. WU, Y.-M. LI, R. CHEN and X. ZHU | 668 | Emergence of droplets from a bundle of tubes into a micro-channel gas stream: Application to the two-phase dynamics in the cathode of proton exchange membrane fuel cell |
| S. CALISKAN, S. BASKAYA and T. CALISIR | 685 | Experimental and numerical investigation of geometry effects on multiple impinging air jets |
| Z.-B. WU | 704 | Thermocapillary migration of a droplet with a thermal source at large Reynolds and Marangoni numbers |
| R. S. HALE, R. RANJAN and C. H. HIDROVO | 710 | Capillary flow through rectangular micropillar arrays |
| H. BOSTANCI, D. P. RINI, J. P. KIZITO, V. SINGH, S. SEAL and L. C. CHOW | 718 | High heat flux spray cooling with ammonia: Investigation of enhanced surfaces for HTC |
| W. DEVESE, D. DE BAERE and P. GUILLAUME | 726 | The isotherm migration method in spherical coordinates with a moving heat source |

(Continued on next page)

(Continued)

- S. C. P. CHEUNG, S. VAHAJI, G. H. YEOH and J. Y. TU 736 Modeling subcooled flow boiling in vertical channels at low pressures – Part 1: Assessment of empirical correlations
- G. H. YEOH, S. VAHAJI, S. C. P. CHEUNG and J. Y. TU 754 Modeling subcooled flow boiling in vertical channels at low pressures – Part 2: Evaluation of mechanistic approach
- Y. XU, X. FANG, G. LI and D. LI 769 An experimental investigation of flow boiling heat transfer and pressure drop of R134a in a horizontal 2.168 mm tube under hypergravity. Part I: Frictional pressure drop

Technical Notes

- F. TANG, L. H. HU, L. Z. YANG, Z. W. QIU and X. C. ZHANG 130 Longitudinal distributions of CO concentration and temperature in buoyant tunnel fire smoke flow in a reduced pressure atmosphere with lower air entrainment at high altitude
- M. A. A. MENDES, S. RAY and D. TRIMIS 224 An improved model for the effective thermal conductivity of open-cell porous foams
- Z. WAN, J. SHEN, H. ZHANG, Z. TU and W. LIU 231 In situ temperature measurement in a 5 kW-class Proton Exchange Membrane Fuel Cell stack with pure oxygen as the oxidant