


Volume 78, November 2014

ISSN 0017-9310



**International Journal of**  
**HEAT and MASS**  
**TRANSFER**

*Editor-in-Chief*

W. J. MINKOWYCZ

*Editors*

A. R. BALAKRISHNAN, P. CHENG, R. GREIF, C. P. GRIGOROPOULOS,  
B. WEIGAND, A. I. LEONTIEV, J. W. ROSE, J. TAINE, H. YOSHIDA

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**ScienceDirect**

# INTERNATIONAL JOURNAL OF HEAT AND MASS TRANSFER

ABSTRACTED/INDEXED IN: Applied Mechanics Reviews, Applied Science & Technology Abstracts, Applied Science and Technology Index, Cambridge Scientific Abstracts, Chemical Abstracts, Chemical Engineering Abstracts, Current Contents/Engineering, Computing & Technology, Current Contents/SciSearch Database, Current Contents/Social & Behavioral Sciences, Current Technology Index, Engineering Index, INSPEC, MSCI, Mechanics, PASCAL/CNRS, Petroleum Abstracts, Research Alert, TCEA, Zentralblatt MATH. Also covered in the abstract and citation database Scopus®. Full text available on ScienceDirect®

Volume 78

November 2014

## CONTENTS

### Original Research

- |   |     |  |
|---|-----|--|
| X. Y. SHEN and J. P. HUANG  | 1   | Thermally hiding an object inside a cloak with feeling   |
| F. WANG, J. TAN, S. YONG, H. TAN and S. CHU   | 7   | Thermal performance analyses of porous media solar receiver with different irradiative transfer models   |
| K. H. LU, L. H. HU, F. TANG, L. H. HE, X. C. ZHANG and Z. W. QIU                          | 17  | Experimental investigation on window ejected facade flame heights with different constraint side wall lengths and global correlation   |
| M. H. SADAFI, I. JAHN, A. B. STILGOE and K. HOOMAN  | 25  | Theoretical and experimental studies on a solid containing water droplet   |
| S. G. MUSONG and Z.-G. FENG   | 34  | Mixed convective heat transfer from a heated sphere at an arbitrary incident flow angle in laminar flows   |
| P. YANG, H. FAN, L. ZHANG and Y. TANG   | 45  | Computation of thermal properties of a copper-copper nano interface structure using a MD-ISE-FE method   |
| J. M. GORMAN, E. M. SPARROW and J. P. ABRAHAM   | 50  | Slot jet impingement heat transfer in the presence of jet-axis switching   |
| S. A. RUKOLAINEN  | 58  | Unphysical effects of the dual-phase-lag model of heat conduction  |
| O. MAHIAN, A. KIANIFAR, A. Z. SAHIN and S. WONGWISES                                      | 64  | Entropy generation during Al <sub>2</sub> O <sub>3</sub> /water nanofluid flow in a solar collector: Effects of tube roughness, nanoparticle size, and different thermophysical models |
| K. H. M. ABDALRAHMAN, SABARIMAN and E. SPECHT   | 76  | Influence of salt mixture on the heat transfer during spray cooling of hot metals  |
| J. A. NARVAEZ, H. THORNBURG, M. P. RUMPFKEIL and R. J. WILKENS                            | 90  | Computational modeling of a microchannel cold plate: Pressure, velocity, and temperature profiles  |
| G. WANG, G. ZHAO and X. WANG  | 99  | Development and evaluation of a new rapid mold heating and cooling method for rapid heat cycle molding   |
| M. A. A. MENDES, V. SKIBINA, P. TALUKDAR, R. WULF, U. GROSS, D. TRIMIS and S. RAY         | 112 | Experimental validation of simplified conduction-radiation models for evaluation of Effective Thermal Conductivity of open-cell metal foams at high temperatures                       |
| C. T. M. ANFLOR, E. L. ALBUQUERQUE and L. C. WROBEL                                       | 121 | A topological optimization procedure applied to multiple region problems with embedded sources   |
| R. PEŠIĆ, T. KALUDEROVIĆ RADOIČIĆ, N. BOŠKOVIĆ-VRAGOLOVIĆ, Z. ARSENIJEVIĆ and Ž. GRBAVČIĆ | 130 | Heat transfer between a packed bed and a larger immersed spherical particle  |
| H. YI, J. TIPTON, K. D. KIHM, D. M. PRATT, A. D. SWANSON and S. RAWAL                     | 137 | Effect of disjoining pressure ( $\Pi$ ) on multi-scale modeling for evaporative liquid metal (Na) capillary  |
| M. TURKYLMAZOGLU  | 150 | Three dimensional MHD flow and heat transfer over a stretching/shrinking surface in a viscoelastic fluid with various physical effects   |

(Continued on back matter pages II-VI)



0017-9310(201411)78:C;1-9

(Continued from outside back cover)

|  |     |  |
|--|-----|--|
| Z. LIANG and P. KEBLINSKI  | 161 | Parametric studies of the thermal and momentum accommodation of monoatomic and diatomic gases on solid surfaces                                  |
| F. HASSANINEJADFARAHANI, M. K. GUYOT and S. J. ORMISTON                            | 170 | Numerical analysis of mixed-convection laminar film condensation from high air mass fraction steam-air mixtures in vertical tubes                |
| M. R. ERRERA, A. L. FRIGO and E. H. V. SEGUNDO                                     | 181 | The emergence of the constructal element in tree-shaped flow organization  |
| S. GIORDANO and F. MANCA   | 189 | Analysis of heterogeneous structures described by the two-temperature model  |
| Q. TANG, S. PANG, B. CHEN, H. SUO and J. ZHOU                                      | 203 | A three dimensional transient model for heat transfer and fluid flow of weld pool during electron beam freeform fabrication of Ti-6-Al-4-V alloy |
| N. RAJA KUPPUSAMY, R. SAIDUR, N. N. N. GHAZALI and H. A. MOHAMMED                  | 216 | Numerical study of thermal enhancement in micro channel heat sink with secondary flow  |
| C.-Y. YANG   | 232 | Boundary prediction of bio-heat conduction in a two-dimensional multilayer tissue  |
| E.-H. LEE, D.-Y. YANG and W.-H. YANG   | 240 | Numerical modeling and experimental validation of focused surface heating using near-infrared rays with an elliptical reflector                  |
| M. K. AWASTHI, R. ASTHANA and G. S. AGRAWAL  | 251 | Viscous correction for the viscous potential flow analysis of Kelvin–Helmholtz instability of cylindrical flow with heat and mass transfer       |
| P. KALITA, P. MAHANTA and U. K. SAHA   | 260 | Study of bed-to-wall heat transfer with twisted tape at the upper splash region of a pressurized circulating fluidized bed unit                  |
| J. XU, L. QIAO, J. GAO and J. CHEN   | 267 | Droplet breakup of micro- and nano-dispersed carbon-in-water colloidal suspensions under intense radiation                                       |
| J.-C. YANG, F.-C. LI, W.-H. CAI, H.-N. ZHANG and B. YU                             | 277 | On the mechanism of convective heat transfer enhancement in a turbulent flow of nanofluid investigated by DNS and analyses of POD and FSP        |
| A. S. OVCHAROVA  | 294 | Rupture of liquid film, placed over deep fluid, under action of thermal load   |
| N. NATARAJAN, C. XU, P. A. DOWD and M. HAND  | 302 | Numerical modelling of thermal transport and quartz precipitation/dissolution in a coupled fracture–skin–matrix system                           |
| X. LUO, G. HAN, H. WU, L. WANG and G. XU   | 311 | Experimental investigation of pressure loss and heat transfer in a rotor-stator cavity with two outlets  |
| Z. LIPNICKI, D. SASSE and B. WEIGAND   | 321 | Experimental and analytical investigation of the solidification around cooled cylinders subjected to free convection                             |
| P. HE, B. ZHANG, C. ZHU, Z. JI and C.-H. LIN                                       | 330 | Dynamic process modeling on depressurization by cooling-controlled condensation in a closed chamber  |
| S. K. JENA, V. K. R. YETTELLA, C. P. R. SANDEEP, S. K. MAHAPATRA and A. J. CHAMKHA | 341 | Three-dimensional Rayleigh–Bénard convection of molten gallium in a rotating cuboid under the influence of a vertical magnetic field             |
| S. K. MODI, B. DURGA PRASAD and M. BASAVARAJ                                       | 354 | Effect of moisture content and temperature on thermal conductivity of <i>Psidium guajava</i> L. by line heat source method (transient analysis)  |
| H. R. THAKARE and A. D. PAREKH   | 360 | CFD analysis of energy separation of vortex tube employing different gases, turbulence models and discretisation schemes                         |
| Y. H. DIAO, L. GUO, Y. LIU, Y. H. ZHAO and S. WANG                                 | 371 | Electric field effect on the bubble behavior and enhanced heat-transfer characteristic of a surface with rectangular microgrooves                |
| Y. HU, Y. HE, C. QI, B. JIANG and H. INAKI SCHLABERG                               | 380 | Experimental and numerical study of natural convection in a square enclosure filled with nanofluid   |
| P. ZHANG and K. MOHSENI  | 393 | A unified model for Digitized Heat Transfer in a microchannel  |

(Continued on next page)

(Continued)

|   |     |  |
|---|-----|--|
| R. V. BEJARANO and C. PARK  | 408 | Active flow control for cold-start performance enhancement of a pump-assisted, capillary-driven, two-phase cooling loop                    |
| J. VLČEK, L. LAPČÍK, J. ČECH and B. LAPČÍKOVÁ   | 416 | Impinging jet study of the deposition of colloidal particles on synthetic polymer (Zeonor)   |
| A. GUNAWAN, H. LI, C.-H. LIN, D. A. BUTTRY, V. MUJICA, R. A. TAYLOR, R. S. PRASHER and P. E. PHELAN | 423 | The amplifying effect of natural convection on power generation of thermogalvanic cells  |
| W. ROHLFS, C. EHRENPREIS, H. D. HAUSTEIN and R. KNEER   | 435 | Influence of viscous flow relaxation time on self-similarity in free-surface jet impingement   |
| B. M. SHANKAR, J. KUMAR and I. S. SHIVAKUMARA   | 447 | Stability of natural convection in a vertical couple stress fluid layer  |
| L. YANG, X. QUAN, P. CHENG and Z. CHENG   | 460 | A free energy model and availability analysis for onset of condensation on rigid and liquid surfaces in moist air                          |
| M. ZARE, M. DANESHI, E. SHIRANI and M. R. SALIMPOUR   | 468 | A novel approach for prediction of 3-D skin structure burning with embedded branched vasculature   |
| A. BAĪRI and H. F. ÖZTOP  | 481 | Free convection in inclined hemispherical cavities with dome faced downwards. Nu–Ra relationships for disk submitted to constant heat flux |
| J. H. RANDRIANALISOA, L. A. DOMBROVSKY, W. LIPÍŃSKI and V. TIMCHENKO                                | 488 | Effects of short-pulsed laser radiation on transient heating of superficial human tissues  |
| Y. WANG, B. ZHOU, Z. LIU, Z. TU and W. LIU  | 498 | Numerical study and performance analyses of the mini-channel with discrete double-inclined ribs  |
| S. D. PARK, S. B. MOON and I. C. BANG   | 506 | Effects of thickness of boiling-induced nanoparticle deposition on the saturation of critical heat flux enhancement                        |
| P. SADOOGHI and R. RAUCH  | 515 | Experimental and modeling study of catalytic steam reforming of methane mixture with propylene in a packed bed reactor                     |
| S. H. YOON, N. SANEIE and Y. J. KIM   | 527 | Two-phase flow maldistribution in minichannel heat-sinks under non-uniform heating   |
| C.-S. LIU   | 538 | Lie-group differential algebraic equations method to recover heat source in a Cauchy problem with analytic continuation data               |
| S. N. KAZI, G. G. DUFFY and X. D. CHEN  | 548 | Study of the effect of entrance length on heat transfer to fibre suspensions in annular flow heat exchangers                               |
| M. NIEDERER, S. STROMMER, A. STEINBOECK and A. KUGI   | 557 | A simple control-oriented model of an indirect-fired strip annealing furnace   |
| E. ZIENIUK, D. SAWICKI and A. BOLTUC  | 571 | Parametric integral equations systems in 2D transient heat conduction analysis   |
| X. L. WANG, J. H. LEE, T. J. LU, S. J. SONG and T. KIM  | 588 | A comparative study of single-/two-jet crossflow heat transfer on a circular cylinder  |
| S. P. FISENKO, YU. A. KHODYKO, O. G. PENYAZKOV and V. I. SAVERCHENKO                                | 599 | Droplet evaporation on a substrate at the final stage of Low Pressure Spray Pyrolysis and the final morphology of nanoparticles            |
| S. CALISKAN   | 604 | <i>Experimental investigation of heat transfer in a channel with new winglet-type vortex generators</i>                                    |
| A. MĪNAŘÍK, M. RAFAJOVÁ, E. RAJNOHOVÁ, P. SMOLKA and A. MRÁČEK                                      | 615 | Self-organised patterns in polymeric films solidified from diluted solutions – The effect of the substrate surface properties              |
| Y. CHEN and C. ZHANG  | 624 | Role of surface roughness on thermal conductance at liquid–solid interfaces  |
| G. KIKUGAWA, T. OHARA, T. KAWAGUCHI, I. KINEFUCHI and Y. MATSUMOTO                                  | 630 | A molecular dynamics study on heat conduction characteristics inside the alkanethiolate SAM and alkane liquid                              |

(Continued on next page)

(Continued)

|  |     |   |
|--|-----|---|
| I. HAGIWARA, A. TOKUHIRO and P. G. ODUOR             | 636 | Natural convection heat transfer of hydrophilic particle suspension: Implications on nuclear waste remediation                            |
| H. LIU and K. NAGANO                                 | 648 | Numerical simulation of an open sorption thermal energy storage system using composite sorbents built into a honeycomb structure          |
| B. DELAČ, A. TRP and K. LENIĆ                        | 662 | Numerical investigation of heat transfer enhancement in a fin and tube heat exchanger using vortex generators                             |
| S. GANESAN, S. RAJASEKARAN and L. TOBISKA            | 670 | Numerical modeling of the non-isothermal liquid droplet impact on a hot solid substrate   |
| S. SUTER, A. STEINFELD and S. HAUSSENER              | 688 | Pore-level engineering of macroporous media for increased performance of solar-driven thermochemical fuel processing                      |
| J. LEE and K.-S. LEE                                 | 699 | Flow characteristics and thermal performance in chevron type plate heat exchangers  |
| N. SAITO and D. I. PULLIN                            | 707 | Large eddy simulation of smooth-rough-smooth transitions in turbulent channel flows   |
| N. GAO, C. Y. CHING, D. EWING and J. W. NAUGHTON     | 721 | Flow and heat transfer measurements in a planar offset attaching jet with a co-flowing wall jet   |
| Y. YANG, C. HONG, G. L. MORINI and Y. ASAKO          | 732 | Experimental and numerical investigation of forced convection of subsonic gas flows in microtubes   |
| F. SELIMEFENDIGIL and H. F. ÖZTOP                    | 741 | Numerical study of MHD mixed convection in a nanofluid filled lid driven square enclosure with a rotating cylinder                        |
| D. DEL COL, M. BORTOLATO, M. AZZOLIN and S. BORTOLIN | 760 | Effect of inclination during condensation inside a square cross section minichannel   |
| H.-S. ROH  | 778 | Internal energy transfer theory for thermodynamic non-equilibrium, quasi-equilibrium, and equilibrium                                     |
| S. GOKALTUN and G. S. DULIKRAVICH                    | 796 | Lattice Boltzmann method for rarefied channel flows with heat transfer  |
| Y. LAI, W. PEI, M. ZHANG and J. ZHOU                 | 805 | Study on theory model of hydro-thermal-mechanical interaction process in saturated freezing silty soil                                    |
| Q. YANG, B. Q. LI, J. SHAO and Y. DING               | 820 | A phase field numerical study of 3D bubble rising in viscous fluids under an electric field   |
| B. LIU, J. CAI and X. HUAJ                           | 830 | Heat transfer with the growth and collapse of cavitation bubble between two parallel heated walls   |
| B. KAMKARI and H. SHOKOUHMAND                        | 839 | Experimental investigation of phase change material melting in rectangular enclosures with horizontal partial fins                        |
| A. CECERE, C. BUFFONE and R. SAVINO                  | 852 | Self-induced Marangoni flow in evaporating alcoholic solutions  |
| Y. YANG and Y. LI                                    | 860 | General prediction of the thermal hydraulic performance for plate-fin heat exchanger with offset strip fins                               |
| Y. CHEN, Y. T. CHEW and B. C. KHOO                   | 871 | Heat transfer and flow structure on periodically dimple-protrusion patterned walls in turbulent channel flow                              |
| W. YAO, B. YU, X. GAO and Q. GAO                     | 883 | A precise integration boundary element method for solving transient heat conduction problems  |
| L. DURDINA, J. JEDELSKY and M. JICHA                 | 892 | Investigation and comparison of spray characteristics of pressure-swirl atomizers for a small-sized aircraft turbine engine               |
| B. WEIGAND and R. BOGENFELD                          | 901 | A solution to the turbulent Graetz problem by matched asymptotic expansions for an axially rotating pipe subjected to external convection |

(Continued on next page)

(Continued)

- E. LEE, J. JEON, H. KANG and Y. KIM 908 Thermal resistance in corrugated plate heat exchangers under crystallization fouling of calcium sulfate ( $\text{CaSO}_4$ )
- S. BAHERI ISLAMI, B. DASTVAREH and R. GHARRAEI 917 An investigation on the hydrodynamic and heat transfer of nanofluid flow, with non-Newtonian base fluid, in micromixers
- N. SHARIFI, T. L. BERGMAN, M. J. ALLEN and A. FAGHRI 930 Melting and solidification enhancement using a combined heat pipe, foil approach
- Y. ZHOU, L. ZHU, J. YU and Y. LI 942 Optimization of plate-fin heat exchangers by minimizing specific entropy generation rate
- H. ZHANG, W. GU, M. J. LI, Z. Y. LI, Z. J. HU and W. Q. TAO 947 Experimental study on the kinetics of water vapor sorption on the inner surface of silica nano-porous materials
- M. JIANG, X. LI, J. WU and G. WANG 967 A precision on-line model for the prediction of thermal crown in hot rolling processes
- A. REESER, A. BAR-COHEN and G. HETSRONI 974 High quality flow boiling heat transfer and pressure drop in microgap pin fin arrays
- H. EMAMI-MEYBODI, H. K. SARIPALLI and H. HASSANZADEH 986 Formation heating by steam circulation in a horizontal wellbore
- Y.-J. CHEN, Y.-Y. LI and Z.-H. LIU 993 Numerical simulations of forced convection heat transfer and flow characteristics of nanofluids in small tubes using two-phase models
- C.-N. LIN and J.-S. LEU 1008 Study of thermal and flow characteristics of a heated cylinder under dual piezoelectric fans actuation
- J. WANG, M. YANG and Y. ZHANG 1023 Onset of double-diffusive convection in horizontal cavity with Soret and Dufour effects
- K. KHANAFER 1032 Comparison of flow and heat transfer characteristics in a lid-driven cavity between flexible and modified geometry of a heated bottom wall
- H. MADDAH, M. ALIZADEH, N. GHASEMI and S. R. WAN ALWI 1042 Experimental study of  $\text{Al}_2\text{O}_3$ /water nanofluid turbulent heat transfer enhancement in the horizontal double pipes fitted with modified twisted tapes
- C. LI, C. ZHU, Y. MA, D. LIU and X. GAO 1055 Experimental study on volumetric mass transfer coefficient of  $\text{CO}_2$  absorption into MEA aqueous solution in a rectangular microchannel reactor
- B. MESSMER, T. LEMEE, K. IKEBUKURO, I. UENO and R. NARAYANAN 1060 Confined thermo-capillary flows in a double free-surface film with small Marangoni Numbers
- UDAYRAJ, P. TALUKDAR, R. ALAGIRUSAMY and A. DAS 1068 Heat transfer analysis and second degree burn prediction in human skin exposed to flame and radiant heat using dual phase lag phenomenon
- P. BERA, S. PIPPAL and A. K. SHARMA 1080 A thermal non-equilibrium approach on double-diffusive natural convection in a square porous-medium cavity
- R. QIN and G. HE 1095 Mass transfer of the nickel-base alloy covered electrode with neutral flux coating during shielded metal arc welding
- A. KUNDAN, J. L. PLAWSKY and P. C. WAYNER JR. 1105 Thermophysical characteristics of a wickless heat pipe in microgravity – Constrained vapor bubble experiment
- W. ABOELSOUF, W. WU, L. C. CHOW, B. A. SAARLOOS and D. P. RINI 1114 Analysis of thermal and hydraulic performance of V-shape corrugated carbon foam
- J. M. TOIVANEN, T. TARVAINEN, J. M. J. HUTTUNEN, T. SAVOLAINEN, H. R. B. ORLANDE, J. P. KAIPIO and V. KOLEHMAINEN 1126 3D thermal tomography with experimental measurement data
- A. F. ELMOZUGHI, L. SOLOMON, A. OZTEKIN and S. NETI 1135 Encapsulated phase change material for high temperature thermal energy storage – Heat transfer analysis

(Continued on next page)

(Continued)

|   |      |   |
|---|------|---|
| A. ZABALEGUI, D. LOKAPUR and H. LEE   | 1145 | Nanofluid PCMs for thermal energy storage: Latent heat reduction mechanisms and a numerical study of effective thermal storage performance                |
| Y. MEHMANI and M. T. BALHOFF  | 1155 | Generalized semi-analytical solution of advection–diffusion–reaction in finite and semi-infinite cylindrical ducts  |
| O. MAHIAN, A. KIANIFAR, S. ZEINALI HERIS and S. WONGWISES                                   | 1166 | First and second laws analysis of a minichannel-based solar collector using boehmite alumina nanofluids: Effects of nanoparticle shape and tube materials |
| J. L. XIE, Y. B. TAN, T. N. WONG, F. DUAN, K. C. TOH, K. F. CHOO, P. K. CHAN and Y. S. CHUA | 1177 | Multi-nozzle array spray cooling for large area high power devices in a closed loop system  |
| M. FAKOOR-PAKDAMAN, M. AHMADI, M. ANDISHEH-TADBIR and M. BAHRAMI                            | 1187 | Optimal unsteady convection over a duty cycle for arbitrary unsteady flow under dynamic thermal load  |
| P. T. MCCARTHY, K. R. SAVIERS, S. L. HODSON and T. S. FISHER                                | 1199 | Thermally driven squeezed-film cooling with carbon nanotube-coated gadolinium shuttles  |
| C. BALTIS and C. VAN DER GELD   | 1208 | Experimental investigation of the thermal interactions of nucleation sites in flow boiling  |
| E. LI, Z. ZHANG, Z. C. HE, X. XU, G. R. LIU and Q. LI                                       | 1219 | Smoothed finite element method with exact solutions in heat transfer problems   |
| W. M. LEWANDOWSKI, M. RYMS, H. DENDA and E. KLUGMANN-RADZIEMSKA                             | 1232 | Possibility of thermal imaging use in studies of natural convection heat transfer on the example of an isothermal vertical plate                          |
| M. R. SHAERI, T.-C. JEN and C. Y. YUAN  | 1243 | Improving atomic layer deposition process through reactor scale simulation  |
| S. N. GAIKWAD and S. KOUSER   | 1254 | Double diffusive convection in a couple stress fluid saturated porous layer with internal heat source   |
| A. KUMAR, J. B. JOSHI, A. K. NAYAK and P. K. VIJAYAN  | 1265 | 3D CFD simulation of air cooled condenser-I: Natural convection over a circular cylinder  |
| T. SCHERR, S. PURSLEY, W. TODD MONROE and K. NANDAKUMAR                                     | 1284 | A numerical study on the loading of cryoprotectant cocktails-on-a-chip. Part I: Interacting miscible viscous fluids                                       |
| T. SCHERR, S. PURSLEY, W. TODD MONROE and K. NANDAKUMAR                                     | 1292 | A numerical study on the loading of cryoprotectant cocktails-on-a-chip. Part II: The cellular experience  |
| <i>Technical Notes</i>  |      |   |
| R. AREVALO, D. ANTÚNEZ, L. REBOLLO and A. ABÁNADES  | 84   | Estimation of radiation coupling factors in film boiling around spheres by mean of Computational Fluid Dynamics (CFD) tools                               |
| W. CHEN and X. FANG   | 156  | A new heat transfer correlation for supercritical water flowing in vertical tubes   |
| H. S. AHN, J. M. KIM, M. KAVIANY and M. H. KIM  | 224  | Pool boiling experiments in reduced graphene oxide colloids part II – Behavior after the CHF, and boiling hysteresis                                      |
| C. SHEN, A. AFACAN, J.-L. LUO, A. SIDDIQUI and S. J. KLIMAS                                 | 289  | Mass transfer on nucleate boiling surfaces using the electrochemical method   |
| K. T. PARK, J. W. LEE, M. G. LEE, H. J. KIM and D.-K. KIM                                   | 522  | Nusselt number correlation for vibration-assisted convection from vertically oriented plate fins  |
| Y.-C. HUA and B.-Y. CAO   | 755  | Phonon ballistic-diffusive heat conduction in silicon nanofilms by Monte Carlo simulations  |
| M. TORABI and K. ZHANG  | 960  | Multi-dimensional dual-phase-lag heat conduction in cylindrical coordinates: Analytical and numerical solutions   |
| J. QU, Q. WANG, C. LI, X. HAN and Z. HE   | 1004 | A simple model for Taylor flow induced contact angle hysteresis and capillary pressure inside mini/micro-scale capillary tubes                            |