

NH  
T-69/he



Volume 38

Issue 1

11 January 2013


ISSN 0360-3199

# International Journal of **HYDROGEN ENERGY**

Editor-in-Chief: **Emre A. Veziroğlu**

Associate Editors: **A. Basile, M.B. Gorensen,  
E.C. Kumbur, M.M. Mench,  
N.Z. Muradov and J.W. Sheffield**

Assistant Editors: **J. Gong, M.D. Mat and D.P. Mishra**



includes SPECIAL SECTION

## **European Fuel Cell 2011**

Guest Editors: Angelo Basile, Bin Zhu, Adolfo Iulianelli and Viviana Cigolotti



Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**




ELSEVIER

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

SciVerse ScienceDirect

International Journal of Hydrogen Energy 38 (2013) v–ix



[www.elsevier.com/locate/ijhydene](http://www.elsevier.com/locate/ijhydene)

## Contents

### Regular Articles

#### Hydrogen Economy

M. STYGAR and T. BRYLEWSKI

1 Towards a hydrogen economy in Poland

#### Electrolysis/Electrolyzers

A. LOKKILUOTO and M.M. GASIK

10 Modeling and experimental assessment of Nafion membrane properties used in SO<sub>2</sub> depolarized water electrolysis for hydrogen production

X. ZHANG, J.E. O'BRIEN, R.C. O'BRIEN, J.J. HARTVIGSEN, G. TAO and G.K. HOUSLEY

20 Improved durability of SOEC stacks for high temperature electrolysis

#### Thermochemical Hydrogen

S. BAI, L. WANG, Q. HAN, P. ZHANG, S. CHEN, X. MENG and J. XU

29 Experimental study on the purification of Hlx phase in the iodine–sulfur thermochemical hydrogen production process

#### Solar Hydrogen

A. PAREEK, R. DOM and P.H. BORSE

36 Fabrication of large area nanorod like structured CdS photoanode for solar H<sub>2</sub> generation using spray pyrolysis technique

#### Bio Hydrogen

K.-S. WANG, J.-H. CHEN, Y.-H. HUANG and S.-L. HUANG

45 Integrated Taguchi method and response surface methodology to confirm hydrogen production by anaerobic fermentation of cow manure

V. PERNA, E. CASTELLÓ, J. WENZEL, C. ZAMPOL, D.M. FONTES LIMA, L. BORZACCONI, M.B. VARESCHE, M. ZAIAT and C. ETCHEBEHERE

54 Hydrogen production in an upflow anaerobic packed bed reactor used to treat cheese whey

G. KUMAR and C.-Y. LIN

63 Bioconversion of de-oiled Jatropha Waste (DJW) to hydrogen and methane gas by anaerobic fermentation: Influence of substrate concentration, temperature and pH

#### Methanol/Ethanol Hydrogen

A.T. PHAM, T. BABA, T. SUGIYAMA and T. SHUDO

73 Efficient hydrogen production from aqueous methanol in a PEM electrolyzer with porous metal flow field: Influence of PTFE treatment of the anode gas diffusion layer

G. GARBARINO, P. RIANI, M.A. LUCCHINI, F. CANEPA, S. KAWALE and G. BUSCA

82 Cobalt-based nanoparticles as catalysts for low temperature hydrogen production by ethanol steam reforming

#### Catalysts/Electrocatalysts

R. OJANI, J.B. RAOOF and E. HASHEMINEJAD

92 One-step electroless deposition of Pd/Pt bimetallic microstructures by galvanic replacement on copper substrate and investigation of its performance for the hydrogen evolution reaction

K.-H. CHUANG, K. SHIH, C.-Y. LU and M.-Y. WEY

100 Copper catalysts prepared via microwave-heated polyol process for preferential oxidation of CO in H<sub>2</sub>-rich streams

L. WANG, Q. HAN, D. LI, Z. WANG, J. CHEN, S. CHEN, P. ZHANG, B. LIU, M. WEN and J. XU

## Methane Hydrogen

J. ZHU, X. PENG, L. YAO, X. DENG, H. DONG, D. TONG and C. HU

A. ALBARAZI, P. BEAUNIER and P. DA COSTA

## Storage

A.S. SHALABI, S. ABDEL AAL, M.M. ASSEM and W.S. ABDEL HALIM

X. LUO, D.M. GRANT and G.S. WALKER

L. GUO, L. JIAO, L. LI, Q. WANG, G. LIU, H. DU, Q. WU, J. DU, J. YANG, C. YAN, Y. WANG and H. YUAN

## Portable Hydrogen

A. AL-KUKHUN, H.T. HWANG and A. VARMA  
S. DUMAN and S. ÖZKAR

S.M.M. EHTESHAMI, W.J. ZHOU and S.H. CHAN

J. LUO, H. WU, W. ZHOU, X. KANG and P. WANG

## Fuel Cells

M. LEI, T.Z. YANG, W.J. WANG, K. HUANG, R. ZHANG, X.L. FU, H.J. YANG, Y.G. WANG and W.H. TANG

W. CAI, L. LIANG, Y. ZHANG, W. XING and C. LIU

L. ZHANG and N. WANG

## Membranes/Separation

T. YANG and T.-S. CHUNG

## MH Batteries

F.C. RUIZ, P.S. MARTÍNEZ, E.B. CASTRO, R. HÜMANA, H.A. PERETTI and A. VISINTIN

## Transportation

W.K. BISWAS, B.C. THOMPSON and M.N. ISLAM

## I.C. Engines/Combustion

K.J. LEE, Y.R. KIM, C.H. BYUN and J.T. LEE

J. JEON and C. BAE

Z. ZHOU, Z.Q. TAO, B.Y. LIN and W.J. KONG

- 109 Comparisons of Pt catalysts supported on active carbon, carbon molecular sieve, carbon nanotubes and graphite for HI decomposition at different temperature
- 117 Synthesis gas production from CO<sub>2</sub> reforming of methane over Ni–Ce/SiO<sub>2</sub> catalyst: The effect of calcination ambience
- 127 Hydrogen and syngas production by methane dry reforming on SBA-15 supported nickel catalysts: On the effect of promotion by Ce<sub>0.75</sub>Zr<sub>0.25</sub>O<sub>2</sub> mixed oxide
- 140 Ab initio characterization of Ti decorated SWCNT for hydrogen storage
- 153 Hydrogen storage properties of nano-structured 0.65MgH<sub>2</sub>/0.35ScH<sub>2</sub>
- 162 Enhanced desorption properties of LiBH<sub>4</sub> incorporated into mesoporous TiO<sub>2</sub>
- 169 Mechanistic studies of ammonia borane dehydrogenation
- 180 Hydrogen generation from the dehydrogenation of ammonia–borane in the presence of ruthenium(III) acetylacetone forming a homogeneous catalyst
- 188 Energy analysis of an electrolytic-based selective CO oxidation system for on-board pure hydrogen production
- 197 Li<sub>2</sub>(NH<sub>2</sub>BH<sub>3</sub>)<sub>2</sub>(BH<sub>4</sub>)/LiNH<sub>2</sub>BH<sub>3</sub>: The first metal amidoborane borohydride complex with inseparable amidoborane precursor for hydrogen storage
- 205 Self-assembled mesoporous carbon sensitized with ceria nanoparticles as durable catalyst support for PEM fuel cell
- 212 Real contribution of formic acid in direct formic acid fuel cell: Investigation of origin and guiding for micro structure design
- 219 An adaptive RNA genetic algorithm for modeling of proton exchange membrane fuel cells
- 229 High performance ZIF-8/PBI nano-composite membranes for high temperature hydrogen separation consisting of carbon monoxide and water vapor
- 240 Effect of electrolyte concentration on the electrochemical properties of an AB<sub>5</sub>-type alloy for Ni/MH batteries
- 246 Environmental life cycle feasibility assessment of hydrogen as an automotive fuel in Western Australia
- 255 Feasibility of compression ignition for hydrogen fueled engine with neat hydrogen-air pre-mixture by using high compression
- 265 The effects of hydrogen addition on engine power and emission in DME premixed charge compression ignition engine
- 274 Numerical investigation on effects of high initial temperatures and pressures on flame behavior of CO/H<sub>2</sub>/Air mixtures near the dilution limit

## H/D Diffusion

G. MAZZOLAI

- 282 Long- and short-range motions of H and D in a NbMo alloy as studied by anelastic relaxations

## Safety/Sensors

J.W. PRATT, J.G. CORDARO, G.B. SARTOR,  
C.L. REEDER and D.E. DEDRICK

M. YAMAGUCHI, S.A. ANGGRANI, Y. FUJIO,  
T. SATO, M. BREEDON and N. MIURA

C. LO, S.-W. TAN, C.-Y. WEI, J.-H. TSAI and  
W.-S. LOUR

- 290 Composite materials for hazard mitigation of reactive metal hydrides

- 305 Stabilized zirconia-based sensor utilizing  $\text{SnO}_2$ -based sensing electrode with an integrated  $\text{Cr}_2\text{O}_3$  catalyst layer for sensitive and selective detection of hydrogen

- 313 Sensing properties of resistive-type hydrogen sensors with a Pd– $\text{SiO}_2$  thin-film mixture

## Special Section Papers

A. BASILE, B. ZHU, A. IULIANELLI and  
V. CIGOLOTTI

G. CAMPITELLI, S. CORDINER, M. GAUTAM,  
A. MARIANI and V. MULONE

D. BARBA, V. PALMA and P. CIAMBELLI

F. ARPINO, M. DELL'ISOLA, D. MAUGERI,  
N. MASSAROTTI and A. MAURO

E. GUERRINI, P. CRISTIANI and  
S.P. MARCELLO TRASATTI

L. BARELLI, G. BIDINI, F. GALLORINI and  
P.A. OTTAVIANO

W. TAN, L. FAN, R. RAZA, M. AJMAL KHAN  
and B. ZHU

F. ELIZALDE-BLANCAS, I.B. CELIK,  
V. RANGEL-HERNANDEZ,  
A. HERNANDEZ-GUERRERO and  
J.M. RIESCO-AVILA

B. BELVEDERE, M. BIANCHI, A. BORGHETTI,  
A. DE PASCALE, M. PAOLONE and R. VECCI

D. SÁNCHEZ, B. MONJE, R. CHACARTEGUI  
and S. CAMPANARI

V. PALMA, A. RICCA and P. CIAMBELLI

D. BEZMALINOVIC, F. BARBIR and I. TOLJ

A.A. FEDOTOV, S.A. GRIGORIEV,  
E.K. LYUTIKOVA, P. MILLET and V.N. FATEEV

T. PFEIFER, L. NOUSCH, D. LIEFTINK and  
S. MODENA

M. WEILAND, S. WAGNER, R. HAHN and  
H. REICHL

L. MICOLI, G. BAGNASCO and M. TURCO

A. ZUCARO, G. FIORENTINO, A. ZAMAGNI,  
S. BARGIGLI, P. MASONI, A. MORENO and  
S. ULGIATI

- 319 Editorial

- 320 Biomass fueling of a SOFC by integrated gasifier: Study of the effect of operating conditions on system performance

- 328 Screening of catalysts for  $\text{H}_2\text{S}$  abatement from biogas to feed molten carbonate fuel cells

- 336 A new model for the analysis of operating conditions of micro-cogenerative SOFC units

- 345 Relation of anodic and cathodic performance to pH variations in membraneless microbial fuel cells

- 354 Design optimization of a SOFC-based CHP system through dynamic analysis

- 370 Studies of modified lithiated NiO cathode for low temperature solid oxide fuel cell with ceria-carbonate composite electrolyte

- 377 Numerical modeling of SOFCs operating on biogas from biodigesters

- 385 Experimental analysis of a PEM fuel cell performance at variable load with anodic exhaust management optimization

- 394 Potential of molten carbonate fuel cells to enhance the performance of CHP plants in sewage treatment facilities

- 406 Fuel cell feed system based on  $\text{H}_2$  production by a compact multi-fuel catalytic ATR reactor

- 417 Techno-economic analysis of PEM fuel cells role in photovoltaic-based systems for the remote base stations

- 426 Characterization of carbon-supported platinum nano-particles synthesized using magnetron sputtering for application in PEM electrochemical systems

- 431 System design and process layout for a SOFC micro-CHP unit with reduced operating temperatures

- 440 Design and evaluation of a passive self-breathing micro fuel cell for autonomous portable applications

- 447 HCl removal from biogas for feeding MCFCs: Adsorption on microporous materials

- 453 How can life cycle assessment foster environmentally sound fuel cell production and use?

- G. ROMEO, F. BORELLO, G. CORREA and E. CESTINO
- R. PELOSATO, C. CRISTIANI, G. DOTElli, M. MARIANI, A. DONAZZI and I. NATALI SORA
- I.A. IEROPoulos, J. GREENMAN and C. MELHUISH
- K. KORTSDOTTIR, R.W. LINDSTRÖM and G. LINDBERGH
- L. FAN, E. DIMITRIOU, M.J.B.M. POURQUIE, M. LIU, A.H.M. VERKOOIJEN and P.V. ARAVIND
- D. PENCHINI, G. CINTI, G. DISCEPOLI, E. SISANI and U. DESIDERI
- A. DI CARLO, E. BOCCI and V. NASO
- B.T. HUANG, Y. CHATILLON, C. BONNET, F. LAPICQUE, S. LECLERC, M. HINAJE and S. RAËL
- A. JULIANELLI, I. GATTO, F. TROTTA, M. BIASIZZO, E. PASSALACQUA, A. CARBONE, A. BEVILACQUA, G. CLARIZIA, A. GUGLIUZZA and A. BASILE
- V. MULONE and K. KARAN
- J.M. MUÑOZ DE ESCALONA, D. SÁNCHEZ, R. CHACARTEGUI and T. SÁNCHEZ
- D.W. SEO, Y.D. LIM, M.A. HOSSAIN, S.H. LEE, H.C. LEE, H.H. JANG, S.Y. CHOI and W.G. KIM
- F. SMEACETTO, M. SALVO, M. SANTARELLI, P. LEONE, G.A. ORTIGOZA-VILLALBA, A. LANZINI, L.C. AJITDOSS and M. FERRARIS
- Y. MA, X. WANG, B. ZHU and M. MUHAMMED
- N. ALHAZMI, D.B. INGHAM, M.S. ISMAIL, K.J. HUGHES, L. MA and M. POURKASHANIAN
- K.G. NISHANTH, P. SRIDHAR and S. PITCHUMANI
- J.J. LINARES, T.A. ROCHA, S. ZIGNANI, V.A. PAGANIN and E.R. GONZALEZ
- Y.-D. LIM, D.-W. SEO, S.-H. LEE, M.D.A. HOSSAIN, K. KANG, H. JU and W.-G. KIM
- I. CERRI, T. NAGAMI, J. DAVIES, C. MORMICHE, A. VECOVEN and B. HAYDEN
- F. WANG, D. YAN, W. ZHANG, B. CHI, J. PU and L. JIAN
- J. KO, W.-G. KIM, Y.-D. LIM and H. JU
- 469 ENFICA-FC: Design of transport aircraft powered by fuel cell & flight test of zero emission 2-seater aircraft powered by fuel cells fueled by hydrogen
- 480 Co-precipitation synthesis of SOFC electrode materials
- 492 Miniature microbial fuel cells and stacks for urine utilisation
- 497 The influence of ethene impurities in the gas feed of a PEM fuel cell
- 510 Prediction of the performance of a solid oxide fuel cell fuelled with biosyngas: Influence of different steam-reforming reaction kinetic parameters
- 525 Characterization of a 100 W SOFC stack fed by carbon monoxide rich fuels
- 532 Process simulation of a SOFC and double bubbling fluidized bed gasifier power plant
- 543 Experimental investigation of pinhole effect on MEA/cell aging in PEMFC
- 551 Electrochemical characterization of sulfonated PEEK-WC membranes for PEM fuel cells
- 558 Analysis of capillary flow driven model for water transport in PEFC cathode catalyst layer: Consideration of mixed wettability and pore size distribution
- 570 Performance analysis of hybrid systems incorporating high temperature fuel cells and closed cycle heat engines at part-load operation
- 579 Anion conductive poly(tetraphenyl phthalazine ether sulfone) containing tetra quaternary ammonium hydroxide for alkaline fuel cell application
- 588 Performance of a glass-ceramic sealant in a SOFC short stack
- 597 Microwave synthesis of mesoporous Cu-Ce<sub>0.8</sub>Sm<sub>0.2</sub>O<sub>2-δ</sub> composite anode for low-temperature ceramic fuel cells
- 603 Effect of the anisotropic thermal conductivity of GDL on the performance of PEM fuel cells
- 612 Carbon-supported Pt encapsulated Pd nanostructure as methanol-tolerant oxygen reduction electro-catalyst
- 620 Different anode catalyst for high temperature polybenzimidazole-based direct ethanol fuel cells
- 631 Synthesis and characterization of sulfonated poly (arylene ether ketone sulfone) block copolymers containing multi-phenyl for PEMFC
- 640 Innovative catalyst supports to address fuel cell stack durability
- 646 LaCo<sub>0.6</sub>Ni<sub>0.4</sub>O<sub>3-δ</sub> as cathode contact material for intermediate temperature solid oxide fuel cells
- 652 Improving the cold-start capability of polymer electrolyte fuel cells (PEFCs) by using a dual-function micro-porous layer (MPL): Numerical simulations

- D. YAN, Z. BIN, D. FANG, J. LUO, X. WANG,  
J. PU, B. CHI, L. JIAN and Y. ZHANG
- D.W. SEO, Y.D. LIM, M.A. HOSSAIN,  
S.H. LEE, H.C. LEE, H.H. JANG,  
MD.M. ISLAM and W.G. KIM
- I. GATTO, A. STASSI, E. PASSALACQUA and  
A.S. ARICÒ
- J. Ko and H. Ju
- C. SANTORO, B. LI, P. CRISTIANI and  
G. SQUADRITO
- S. TOSTI, M. ZERBO, A. BASILE, V. CALABRÒ,  
F. BORGOGNONI and A. SANTUCCI
- 660 Feasibility study of an external manifold for planar intermediate-temperature solid oxide fuel cells stack
- 667 Phosphoric acid doped sulfonated poly(tetra phenyl isoquinoline ether sulfone) copolymers for high temperature proton exchange membrane potential application
- 675 An electro-kinetic study of oxygen reduction in polymer electrolyte fuel cells at intermediate temperatures
- 682 Effects of cathode catalyst layer design parameters on cold start behavior of polymer electrolyte fuel cells (PEFCs)
- 692 Power generation of microbial fuel cells (MFCs) with low cathodic platinum loading
- 701 Pd-based membrane reactors for producing ultra pure hydrogen: Oxidative reforming of bio-ethanol