

Volume 38

Issue 11

15 April 2013

ISSN 0360-3199

ПН  
I-69/he



ELSEVIER

# International Journal of **HYDROGEN ENERGY**

Editor-in-Chief:

**Emre A. Veziroğlu**

Senior Associate Editor:

**J.W. Sheffield**

Associate Editors:

**A. Basile, M.B. Gorensek,  
E.C. Kumbur, M.M. Mench,  
and N.Z. Muradov**

Assistant Editors:

**J. Gong, M.D. Mat,  
D.P. Mishra and F. Chen**

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**SciVerse ScienceDirect**



**Regular Articles****Hydrogen Economy Implementation**

- E. ROTHUIZEN, W. MÉRIDA,  
M. ROKNI and M. WISTOFT-IBSEN 4221 Optimization of hydrogen vehicle refueling via dynamic simulation
- J.-Y. HEO and S.-H. YOO 4232 The public's value of hydrogen fuel cell buses: A contingent valuation study
- E. HOSSEINZADEH, M. ROKNI,  
S.G. ADVANI and A.K. PRASAD 4241 Performance simulation and analysis of a fuel cell/battery hybrid forklift truck
- C. YANG and J.M. OGDEN 4250 Renewable and low carbon hydrogen for California – Modeling the long term evolution of fuel infrastructure using a quasi-spatial TIMES model

**Thermonuclear Fusion**

- Q. LI, J. LIU, W.-L. LV, L.-B. MO,  
D.-W. DUAN, H.-W. GU, F.-Z. DING,  
T. TANG, D.-L. LUO and J.-L. CAO 4266 Stability of  $Y_2O_3$  hydrogen isotope permeation barriers in hydrogen at high temperatures

**Electrolysis/Electrolyzers**

- L. SHAO, S. WANG, J. QIAN,  
X. YE and T. WEN 4272 Optimization of the electrode-supported tubular solid oxide cells for application on fuel cell and steam electrolysis
- V.N. NGUYEN, Q. FANG,  
U. PACKBIER and L. BLUM 4281 Long-term tests of a Jülich planar short stack with reversible solid oxide cells in both fuel cell and electrolysis modes
- G.S. TASIĆ, U. LAČNJEVAC, M.M. TASIĆ,  
M.M. KANINSKI, V.M. NIKOLIĆ,  
D.L. ŽUGIĆ and V.D. JOVIĆ 4291 Influence of electrodeposition parameters of Ni–W on Ni cathode for alkaline water electrolyser
- H. ZHANG, S. SU, X. CHEN,  
G. LIN and J. CHEN 4298 Configuration design and performance optimum analysis of a solar-driven high temperature steam electrolysis system for hydrogen production

**Thermochemical Hydrogen**

- Y. ZHANG, J. LIU, X. LIN, Z. WANG,  
J. ZHOU and K. CEN 4308 Detailed kinetic modeling of homogeneous HI decomposition for hydrogen production—Part II: Effect of  $I_2$  on HI decomposition

**Solar Hydrogen**

- A.A. TAHIR, H.A. BURCH,  
K.G.U. WIJAYANTHA and B.G. POLLET 4315 A new route to control texture of materials: Nanostructured  $ZnFe_2O_4$  photoelectrodes

*Contents continued on inside back cover*

Indexed/Abstracted in: *Chemical Abstracts (Online), Chemical Engineering and Biotechnology Abstracts (Online), Chimica, Compendex, Currents Abstracts, Current Contents, EnCompassLit, Energy & Power Source, Engineering Index, Environment Complete, Environment Index, International Building Services Abstracts, Inspec, PubMed, Referativnyi Zhurnal, Russian Academy of Sciences Bibliographies, Science Citation Index Expanded, TEMA-Technology and Management, Web of Science, Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.*

**ISSN 0360-3199****ELSEVIER**

0360-3199(20130415)38:11;1-6



- J.B. VELURU, K.K. MANIPPADY, 4324 Photocatalytic hydrogen generation by splitting of water from electrospun  
M. RAJENDIREN, K. MYA MYA, hybrid nanostructures  
P.R. RAYAVARAPU, S.N. APPUKUTTAN  
and R. SEERAM
- F. ZHANG, K. THANAPALAN, A. PROCTER, 4334 Power management control for off-grid solar hydrogen production and  
S. CARR, J. MADDY and G. PREMIER utilisation system
- Y.-H. PAI and C.-T. TSAI 4342 Synthesis and characterization of bifunctional  $\beta$ -MnO<sub>2</sub>-based Pt/C  
photoelectrochemical cell for hydrogen production

### Bio Hydrogen

- G. CHINELLATO, C. CAVINATO, 4351 Biohydrogen production from food waste in batch and semi-continuous  
D. BOLZONELLA, S. HEAVEN and conditions: Evaluation of a two-phase approach with digestate recirculation  
C.J. BANKS for pH control
- B. WANG, Y. LI and N. REN 4361 Biohydrogen from molasses with ethanol-type fermentation: Effect of  
hydraulic retention time
- T. PAIROJPIRIYAKUL, E. CROISSET, 4368 Hydrogen production from catalytic supercritical water reforming of  
W. KIATKITTIPONG, K. KIATKITTIPONG, glycerol with cobalt-based catalysts  
A. ARPORNWICHANOP and  
S. ASSABUMRUNGRAT
- E. KRALEVA, S. SOKOLOV, M. SCHNEIDER 4380 Support effects on the properties of Co and Ni catalysts for the hydrogen  
and H. EHRICH production from bio-ethanol partial oxidation
- F. KARGI and S. ARIKAN 4389 Improved hydrogen gas production in electrohydrolysis of vinegar  
fermentation wastewater by scrap aluminum and salt addition

### Methanol/Ethanol Hydrogen

- L. ZHANG, L. PAN, C. NI, T. SUN, S. ZHAO, 4397 CeO<sub>2</sub>-ZrO<sub>2</sub>-promoted CuO/ZnO catalyst for methanol steam reforming  
S. WANG, A. WANG and Y. HU
- K.F.M. ELIAS, A.F. LUCRÉDIO and 4407 Effect of CaO addition on acid properties of Ni-Ca/Al<sub>2</sub>O<sub>3</sub> catalysts applied  
E.M. ASSAF to ethanol steam reforming
- E. LÓPEZ, N.J. DIVINS, A. ANZOLA, 4418 Ethanol steam reforming for hydrogen generation over structured catalysts  
S. SCHBIB, D. BORIO and J. LLORCA

### Catalysts/Electrocatalysts

- D.H. KIM, D.R. PARK and J. LEE 4429 Preferential CO oxidation over CuO-CeO<sub>2</sub> in excess hydrogen:  
Effectiveness factors of catalyst particles and temperature window for CO  
removal
- Z. GRUBAČ, M. METIKOŠ-HUKOVIĆ and 4437 Nanocrystalline and coarse grained polycrystalline nickel catalysts for the  
R. BABIĆ hydrogen evolution reaction
- Z. LIU, Y. YANG, J. MI, X. TAN and C. LV 4445 Dual-templating fabrication of three-dimensionally ordered macroporous  
ceria with hierarchical pores and its use as a support for enhanced catalytic  
performance of preferential CO oxidation
- J. KUGAI, T. MORIYA, S. SEINO, 4456 Comparison of structure and catalytic performance of Pt-Co and Pt-Cu  
T. NAKAGAWA, Y. OHKUBO, bimetallic catalysts supported on Al<sub>2</sub>O<sub>3</sub> and CeO<sub>2</sub> synthesized by electron  
H. NITANI and T.A. YAMAMOTO beam irradiation method for preferential CO oxidation
- A.O. YÜCE, A. DÖNER and G. KARDAŞ 4466 NiMn composite electrodes as cathode material for hydrogen evolution  
reaction in alkaline solution
- P.-C. SU, H.-S. CHEN, T.-Y. CHEN, 4474 Enhancement of electrochemical properties of Pd/C catalysts toward  
C.-W. LIU, C.-H. LEE, J.-F. LEE, ethanol oxidation reaction in alkaline solution through Ni and Au alloying  
T.-S. CHAN and K.-W. WANG

*Contents continued from inside back cover*

## Methane Hydrogen

- N.-T. YANG, Y. KATHIRASER and S. KAWI 4483  $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.8}\text{Ni}_{0.2}\text{O}_{3-\delta}$  hollow fiber membrane reactor: Integrated oxygen separation –  $\text{CO}_2$  reforming of methane reaction for hydrogen production
- X. ZHU, Y. WEI, H. WANG and K. LI 4492 Ce–Fe oxygen carriers for chemical-looping steam methane reforming
- D.-W. JEONG, H.S. POTDAR, J.-O. SHIM, W.-J. JANG and H.-S. ROH 4502  $\text{H}_2$  production from a single stage water–gas shift reaction over Pt/CeO<sub>2</sub>, Pt/ZrO<sub>2</sub>, and Pt/Ce<sub>(1-x)</sub>Zr<sub>(x)</sub>O<sub>2</sub> catalysts
- W.-J. JANG, D.-W. JEONG, J.-O. SHIM, H.-S. ROH, I.H. SON and S.J. LEE 4508  $\text{H}_2$  and CO production over a stable Ni–MgO–Ce<sub>0.8</sub>Zr<sub>0.2</sub>O<sub>2</sub> catalyst from  $\text{CO}_2$  reforming of  $\text{CH}_4$

## Syngas

- L. YAN, B. HE, X. PEI, X. LI, C. WANG and H. LIANG 4513 Kinetic model and prediction for coal hydrogasification
- J.M. GARCÍA-VARGAS, J.L. VALVERDE, A. DE LUCAS-CONSUEGRA, B. GÓMEZ-MONEDERO, F. DORADO and P. SÁNCHEZ 4524 Methane tri-reforming over a Ni/ $\beta$ -SiC-based catalyst: Optimizing the feedstock composition

## Storage

- L.E. KLEBANOFF and J.O. KELLER 4533 5 Years of hydrogen storage research in the U.S. DOE Metal Hydride Center of Excellence (MHCoe)
- T.D. HUMPHRIES, K.T. MUNROE, T.M. DEWINTER, C.M. JENSEN and G.S. MCGRADY 4577 NMR spectroscopic and thermodynamic studies of the etherate and the  $\alpha$ ,  $\alpha'$ , and  $\gamma$  phases of  $\text{AlH}_3$
- H.P. VELUSWAMY and P. LINGA 4587 Macroscopic kinetics of hydrate formation of mixed hydrates of hydrogen/tetrahydrofuran for hydrogen storage
- H. BEN MÂAD, F. ASKRI and S. BEN NASRALLAH 4597 Numerical investigation of heat and mass transfer during the desorption process of an  $\text{Mg}_2\text{Ni-H}_2$  reactor
- S. LEE, M. LEE, H. CHOI, D.S. YOO and Y.-C. CHUNG 4611 Effect of nitrogen induced defects in Li dispersed graphene on hydrogen storage
- B. KHOSHNEVISAN, M. YAZDANI KACHOEI and M. MOHAMMADI 4618 Diameter and chirality effects of narrow SWCNTs on molecular hydrogenation
- K. EDALATI, J. MATSUDA, H. IWAOKA, S. TOH, E. AKIBA and Z. HORITA 4622 High-pressure torsion of TiFe intermetallics for activation of hydrogen storage at room temperature with heterogeneous nanostructure

## Portable Hydrogen

- S. NAJIBA, J. CHEN, V. DROZD, A. DURYGIN and Y. SUN 4628 Ammonia borane at low temperature down to 90 K and high pressure up to 15 GPa
- S.-W. LAI, H.-L. LIN, Y.-P. LIN and T.L. YU 4636 Hydrolysis of ammonia–borane catalyzed by an iron–nickel alloy on an SBA-15 support
- J. LUO, X. KANG and P. WANG 4648 Superior low-temperature hydrogen release from the ball-milled  $\text{NH}_3\text{BH}_3\text{-LiNH}_2\text{-LiBH}_4$  composite

## Absorption/Desorption

- S.K. GUPTA and P.K. JHA 4654 Dynamical stability of the lanthanum dihydride under high pressure: A density functional lattice dynamics approach
- M. ABDELLATIEF, R. CAMPOSTRINI, M. LEONI and P. SCARDI 4664 Effects of  $\text{SnO}_2$  on hydrogen desorption of  $\text{MgH}_2$
- Y. DU, L. XU, Y. SHEN, W. ZHUANG, S. ZHANG and G. CHEN 4670 Hydrogen absorption/desorption behavior of  $\text{Mg}_{50}\text{La}_{20}\text{Ni}_{30}$  bulk metallic glass

## PE Fuel Cells

- C. ROBIN, M. GERARD, A.A. FRANCO and P. SCHOTT 4675 Multi-scale coupling between two dynamical models for PEMFC aging prediction
- S. GIURGEA, R. TIRNOVAN, D. HISSEL and R. OUTBIB 4689 An analysis of fluidic voltage statistical correlation for a diagnosis of PEM fuel cell flooding
- J. MALIŠ, P. MAZÚR, J. SCHAUER, M. PAIDAR and K. BOUZEK 4697 Polymer-supported 1-butyl-3-methylimidazolium trifluoromethanesulfonate and 1-ethylimidazolium trifluoromethanesulfonate as electrolytes for the high temperature PEM-type fuel cell
- H. JANŇEN, J. SUPRA, L. LÜKE, W. LEHNERT and D. STOLTEN 4705 Development of HT-PEFC stacks in the kW range
- A.J.L. VERHAGE, J.F. COOLEGEM, M.J.J. MULDER, M.H. YILDIRIM and F.A. DE BRUIJN 4714 30,000 h operation of a 70 kW stationary PEM fuel cell system using hydrogen from a chlorine factory
- Z. WANG, H. TANG, J. LI, A. JIN, Z. WANG, H. ZHANG and M. PAN 4725 Balancing dimensional stability and performance of proton exchange membrane using hydrophilic nanofibers as the supports
- M.P. BRADY, M.A. ELHAMID, G. DADHEECH, J. BRADLEY, T.J. TOOPS, H.M. MEYER III and P.F. TORTORELLI 4734 Manufacturing and performance assessment of stamped, laser welded, and nitrided FeCrV stainless steel bipolar plates for proton exchange membrane fuel cells

## SO Fuel Cells

- B. DELHOMME, A. LANZINI, G.A. ORTIGOZA-VILLALBA, S. NACHEV, P. DE RANGO, M. SANTARELLI, P. MARTY and P. LEONE 4740 Coupling and thermal integration of a solid oxide fuel cell with a magnesium hydride tank
- D. SAEBEA, Y. PATCHARAVORACHOT, S. ASSABUMRUNGRAT and A. ARPORNWICHANOP 4748 Analysis of a pressurized solid oxide fuel cell–gas turbine hybrid power system with cathode gas recirculation
- M. DE ANGELIS KORB, I.D. SAVARIS, E.E. FEISTAUER, L.S. BARRETO, N.C. HECK, I.L. MÜLLER and C. DE FRAGA MALFATTI 4760 Modification of the  $\text{La}_{0.6}\text{Sr}_{0.4}\text{CoO}_3$  coating deposited on ferritic stainless steel by spray pyrolysis after oxidation in air at high temperature
- K. LEE, J. YUN, K. AHN, S. LEE, S. KANG and S. YU 4767 Operational characteristics of a planar steam reformer thermally coupled with a catalytic burner
- B. MA, B. CHI, J. PU and L. JIAN 4776  $\text{LaNbO}_4$  toughened  $\text{NiO}-\text{Y}_2\text{O}_3$  stabilized  $\text{ZrO}_2$  composite for the anode support of planar solid oxide fuel cells

## MC Fuel Cells

- H. KIM, J. BAE and D. CHOI 4782 An analysis for a molten carbonate fuel cell of complex geometry using three-dimensional transport equations with electrochemical reactions

## Regenerative Fuel Cells

- X. ZHUO, S. SUI and J. ZHANG 4792 Electrode structure optimization combined with water feeding modes for Bi-Functional Unitized Regenerative Fuel Cells

## Lithium Ion Batteries

- W. ZAÏDI, J.-P. BONNET, J. ZHANG, F. CUEVAS, M. LATROCHE, S. COULLAUD, J.-L. BOBET, M.T. SOUGRATI, J.-C. JUMAS and L. AYMARD 4798 Reactivity of complex hydrides  $\text{Mg}_2\text{FeH}_6$ ,  $\text{Mg}_2\text{CoH}_5$  and  $\text{Mg}_2\text{NiH}_4$  with lithium ion: Far from equilibrium electrochemically driven conversion reactions

## I.C. Engines

- C. PARK, S. LEE, G. LIM, Y. CHOI and C. KIM 4809 Effect of mixer type on cylinder-to-cylinder variation and performance in hydrogen-natural gas blend fuel engine

- M.M. RAHMAN, K.I. HAMADA and A.RASHID A. AZIZ 4816 Characterization of the time-averaged overall heat transfer in a direct-injection hydrogen-fueled engine
- G. LIM, S. LEE, C. PARK, Y. CHOI and C. KIM 4831 Effects of compression ratio on performance and emission characteristics of heavy-duty SI engine fuelled with HCNG
- Combustion**
- H.W. HUANG and Y. ZHANG 4839 Imaging based chemiluminescence characterisation of partially premixed syngas flames through DFCD technique
- K.K.J. RANGA DINESH, X. JIANG, J.A. VAN OIJEN, R.J.M. BASTIAANS and L.P.H. DE GOEY 4848 Hydrogen-enriched nonpremixed jet flames: Effects of preferential diffusion
- Embrittlement/Properties**
- C.M. YOUNES, A.M. STEELE, J.A. NICHOLSON and C.J. BARNETT 4864 Influence of hydrogen content on the tensile properties and fracture of austenitic stainless steel welds
- Corrigendum**
- C.-W. CHIU, Y.-C. DONG and S.S. SHY 4877 Corrigendum to “High-pressure hydrogen/carbon monoxide syngas turbulent burning velocities measured at constant turbulent Reynolds numbers” [Int J Hydrogen Energy 37 (2012) 10935–10946]
- H. CHEN, H. WANG, Z. XUE, L. YANG, Y. XIAO, M. ZHENG, B. LEI, Y. LIU and L. SUN 4879 Corrigendum to “High hydrogen storage capacity of rice hull based porous carbon” [Int J Hydrogen Energy 37 (2012) 1888–18894]