

Volume 38

Issue 26

30 August 2013

ISSN 0360-3199

# International Journal of **HYDROGEN ENERGY**

Editor-in-Chief:

**Emre A. Veziroğlu**

Senior Associate Editor:

**J.W. Sheffield**

Associate Editors:

**A. Basile, M.B. Gorensek,  
E.C. Kumbur and N.Z. Muradov  
F. Chen, S.L. Garrison, J. Gong,  
M.D. Mat and D.P. Mishra**

Assistant Editors:

includes SPECIAL SECTION

**EmHyTeC 2012**

Guest Editors: Angelo Basile, Bruno Auvity and Gaetano Squadrito



Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

**ScienceDirect**




ELSEVIER

Available online at [www.sciencedirect.com](http://www.sciencedirect.com)

ScienceDirect

International Journal of Hydrogen Energy 38 (2013) v–viii

[www.elsevier.com/locate/ijhydene](http://www.elsevier.com/locate/ijhydene)

## Contents

### Regular Articles

#### Hydrogen Infrastructure

P. AGNOLUCCI, O. AKGUL, W. McDOWALL and L.G. PAPAGEORGIOU

- 11189 The importance of economies of scale, transport costs and demand patterns in optimising hydrogen fuelling infrastructure: An exploration with SHIPMod (Spatial hydrogen infrastructure planning model)

#### Electrolysis/Electrolyzers

C. YANG, Z. YANG, C. JIN, M. LIU and F. CHEN

- 11202 High performance solid oxide electrolysis cells using  $\text{Pr}_{0.8}\text{Sr}_{1.2}(\text{Co},\text{Fe})_{0.8}\text{Nb}_{0.2}\text{O}_{4+\delta}$ –Co–Fe alloy hydrogen electrodes

#### Chemical Hydrogen

P. SETIANI, N. WATANABE, A. KISHITA and N. TSUCHIYA

- 11209 A predictive model and mechanisms associated with hydrogen production via hydrothermal reactions of sulfide

H. NIE, S. ZHANG, M. SCHOENITZ and E.L. DREIZIN

- 11222 Reaction interface between aluminum and water

#### Bio Hydrogen

M. ABO-HASHESH, G. SABOURIN-PROVOST and P.C. HALLENBECK

- 11233 *RrHydA* is inactive when overexpressed in *Rhodospirillum rubrum* but can be matured in *Escherichia coli*

N. SHEN, F. ZHANG, X.-N. SONG, Y.-S. WANG and R.J. ZENG

- 11241 Why is the ratio of  $\text{H}_2/\text{acetate}$  over 2 in glucose fermentation by *Caldicellulosiruptor saccharolyticus*?

#### Catalysts/Electrocatalysts/Photocatalysts

R.C. SEKOL, M. CARMO, G. KUMAR, F. GITTLESON, G. DOUBEK, K. SUN, J. SCHROERS and A.D. TAYLOR

- 11248 Pd–Ni–Cu–P metallic glass nanowires for methanol and ethanol oxidation in alkaline media

G. ZENG, R. GU and Y. LI

- 11256 The preparation and catalytic behavior of a shell–core Ni/Mg–Al catalyst for ethanol steam reforming

N. LI, B. ZHOU, P. GUO, J. ZHOU and D. JING

- 11268 Fabrication of noble-metal-free  $\text{Cd}_{0.5}\text{Zn}_{0.5}\text{S}/\text{NiS}$  hybrid photocatalyst for efficient solar hydrogen evolution

Y. SHIRATORI, T. QUANG-TUYEN, Y. UMEMURA, T. KITAOKA and K. SASAKI

- 11278 Paper-structured catalyst for the steam reforming of biodiesel fuel

#### Steam Reformer

J. JIANG, X. LI, Z. DENG, J. YANG, Y. ZHANG and J. LI

- 11288 Control-oriented dynamic model optimization of steam reformer with an improved optimization algorithm

#### Storage

L. CHENG, B. XU, X. GONG, X. LI, Y. ZENG and L. MENG

- 11303 First-principles study of hydrogen vacancies in lithium amide doped with titanium and niobium

P.-F. YUAN, F. WANG, Q. SUN, Y. JIA and Z.X. GUO

- 11313 Dehydrogenation mechanisms of  $\text{Ca}(\text{NH}_2\text{BH}_3)_2$ : The less the charge transfer, the lower the barrier

## PE Fuel Cells

- B.-K. CHEN, T.-Y. WU, C.-W. KUO, Y.-C. PENG, I.-C. SHIH, L. HAO and I.-W. SUN
- L.-D. TSAI, H.-C. CHIEN, C.-H. WANG, C.-M. LAI, J.-N. LIN, C.-Y. ZHU and F.-C. CHANG
- V.M. NIKOLIC, D.L. ZUGIC, I.M. PEROVIC, A.B. SAPONJIC, B.M. BABIC, I.A. PASTI and M.P. MARCETA KANINSKI
- T. MATSUURA, J. CHEN, J.B. SIEGEL and A.G. STEFANOPOULOU
- S.I. KIM, N.W. LEE, Y.S. KIM and M.S. KIM
- H. SU, S. PASUPATHI, B. BLADERGROEN, V. LINKOV and B.G. POLLET
- D. ZHANG, Z. WANG and K. HUANG
- 11321 4,4'-Oxydianiline (ODA) containing sulfonated polyimide/protic ionic liquid composite membranes for anhydrous proton conduction
- 11331 Poly(ethylene glycol) modified activated carbon for high performance proton exchange membrane fuel cells
- 11340 Investigation of tungsten carbide supported Pd or Pt as anode catalysts for PEM fuel cells
- 11346 Degradation phenomena in PEM fuel cell with dead-ended anode
- 11357 Effective purge method with addition of hydrogen on the cathode side for cold start in PEM fuel cell
- 11370 Optimization of gas diffusion electrode for polybenzimidazole-based high temperature proton exchange membrane fuel cell: Evaluation of polymer binders in catalyst layer
- 11379 Composite coatings with in situ formation for Fe–Ni–Cr alloy as bipolar plate of PEMFC

## SO Fuel Cells

- B. LI, S. LIU, X. LIU, G. HAO, H. WANG and W. SU
- 11392 Study on GDC-LSGM composite electrolytes for intermediate-temperature solid oxide fuel cells

## Fuel Cells - General

- L. FAN, H. ZHANG, M. CHEN, C. WANG, H. WANG, M. SINGH and B. ZHU
- A.-C. JOHANSSON, R.B. YANG, K.B. HAUGSHØJ, J.V. LARSEN, L. H. CHRISTENSEN and E.V. THOMSEN
- 11398 Electrochemical study of lithiated transition metal oxide composite as symmetrical electrode for low temperature ceramic fuel cells
- 11406 Ru-decorated Pt nanoparticles on N-doped multi-walled carbon nanotubes by atomic layer deposition for direct methanol fuel cells

## MH Heat Pumps

- P. MUTHUKUMAR and A. SATHEESH
- 11415 Analysis of crossed van't Hoff metal hydride based heat pump

## Combustion

- M. ZHANG, J. WANG, Y. XIE, W. JIN, Z. WEI, Z. HUANG and H. KOBAYASHI
- H. GUO and W.S. NEILL
- A. FAN, J. WAN, Y. LIU, B. PI, H. YAO, K. MARUTA and W. LIU
- M.-c. GWAK and J.J. YOH
- Z. AL-HAMAMRE
- 11421 Flame front structure and burning velocity of turbulent premixed CH<sub>4</sub>/H<sub>2</sub>/air flames
- 11429 The effect of hydrogen addition on combustion and emission characteristics of an n-heptane fuelled HCCI engine
- 11438 The effect of the blockage ratio on the blow-off limit of a hydrogen/air flame in a planar micro-combustor with a bluff body
- 11446 Effect of multi-bend geometry on deflagration to detonation transition of a hydrocarbon-air mixture in tubes
- 11458 Thermodynamic and kinetic analysis of the thermal partial oxidation of *n*-heptane for the production of hydrogen rich gas mixtures

## News & Views

- P.H. BORSE and D. DAS
- 11470 Advance Workshop Report on Evaluation of Hydrogen Producing Technologies for Industry Relevant Application ARCI, Hyderabad, India 8–9 February 2013

## Special Section Papers: EmHyTeC 2012

**Guest Editors: Angelo Basile, Bruno Auvity and Gaetano Squadrito**

A. BASILE, B. AUVITY and G. SQUADRITO 11472 Preface

### H2 Production

- M. JASIŃSKI, D. CZYLKOWSKI, B. HRYCAK, 11473 Atmospheric pressure microwave plasma source for hydrogen production  
M. DORS and J. MIZERACZYK
- S. MARINI, P. SALVI, P. NELLI, R. PESENTI, 11484 Stable and inexpensive electrodes for the hydrogen evolution reaction  
M. VILLA and Y. KIROS
- S. MARINI, P. SALVI, P. NELLI, R. PESENTI, 11496 Oxygen evolution in alkali with gas diffusion electrodes  
M. VILLA and Y. KIROS
- R. BOUDRIES 11507 Analysis of solar hydrogen production in Algeria: Case of an electrolyzer-concentrating photovoltaic system
- N. BRIGUGLIO, G. BRUNACCINI, 11519 Design and testing of a compact PEM electrolyzer system  
S. SIRACUSANO, N. RANDAZZO,  
G. DISPENZA, M. FERRARO, R. ORNELAS,  
A.S. ARICÒ and V. ANTONUCCI

### H2 Storage

- S.S. MAKRIDIS, E.I. GKNAS, 11530 Polymer-stable magnesium nanocomposites prepared by laser ablation for  
G. PANAGAKOS, E.S. KIKKINIDES,  
A.K. STUBOS, P. WAGENER and  
S. BARCIKOWSKI efficient hydrogen storage
- M. BEN YAHIA, S. KNANI, H. DHAOU, 11536 Modeling and interpretations by the statistical physics formalism of  
M.A. HACHICHA, A. JEMNI and  
A. BEN LAMINE hydrogen adsorption isotherm on  $\text{LaNi}_{4.75}\text{Fe}_{0.25}$

### H2 Conversion in Fuel Cells

#### *Microbio Fuel Cells*

- C. SANTORO, I. IEROPoulos, J. GREENMAN, 11543 Power generation and contaminant removal in single chamber microbial  
P. CRISTIANI, T. VADAS, A. MACKAY and  
B. LI fuel cells (SCMFCs) treating human urine
- G. PAPAHARALABOS, J. GREENMAN, 11552 Increased power output from micro porous layer (MPL) cathode microbial  
C. MELHUISH, C. SANTORO, P. CRISTIANI,  
B. LI and I. IEROPoulos fuel cells (MFC)
- I. GAJDA, J. GREENMAN, C. MELHUISH and 11559 Photosynthetic cathodes for Microbial Fuel Cells  
I. IEROPoulos

#### *MCFC*

- J. MILEWSKI, M. WoŁOWICZ, A. MILLER and 11565 A reduced order model of Molten Carbonate Fuel Cell: A proposal  
R. BERNAT

#### *PEFC*

- S.C. ZIGNANI, V. BAGLIO, J.J. LINARES, 11576 Endurance study of a solid polymer electrolyte direct ethanol fuel cell based  
G. MONFORTE, E.R. GONZALEZ and  
A.S. ARICÒ on a Pt–Sn anode catalyst
- R. HAMMAMI, Z. AHAMED, K. CHARRADI, 11583 Elaboration and characterization of hybrid polymer electrolytes Nafion–  
Z. BEJI, I. BEN ASSAKER, J. BEN NACEUR,  
B. AUVITY, G. SQUADRITO and  
R. CHTOUROU  $\text{TiO}_2$  for PEMFCs

H.-M. JUNG and S. UM	11591	Electrical and thermal transport properties of vanadium oxide thin films on metallic bipolar plates for fuel cell applications
S. SIRACUSANO, A. STASSI, E. MODICA, V. BAGLIO and A.S. ARICÒ	11600	Preparation and characterisation of Ti oxide based catalyst supports for low temperature fuel cells
S. CHEVALIER, D. TRICHET, B. AUVITY, J.C. OLIVIER, C. JOSSET and M. MACHMOUM	11609	Multiphysics DC and AC models of a PEMFC for the detection of degraded cell parameters
G. GIACOPPO, O. BARBERA, A. CARBONE, I. GATTO, A. SACCÀ, R. PEDICINI and E. PASSALACQUA	11619	1.5 kWe HT-PEFC stack with composite MEA for CHP application
<b>Applications</b>		
G. NAPOLI, M. FERRARO, F. SERGI, G. BRUNACCINI and V. ANTONUCCI	11628	Data driven models for a PEM fuel cell stack performance prediction
M. SUHA YAZICI, H.A. YAVASOGLU and M. EROGLU	11639	A mobile off-grid platform powered with photovoltaic/wind/battery/fuel cell hybrid power systems
G. TZAMALIS, E.I. ZOULIAS, E. STAMATAKIS, O.-S. PARISSIS, A. STUBOS and E. LOIS	11646	Techno-economic analysis of RES & hydrogen technologies integration in remote island power system