

International Journal of HYDROGEN ENDERGY

Editor-in-Chief:

Senior Associate Editor:

Associate Editors:

Assistant Editors:

Emre A. Veziroğlu

J.W. Sheffield

A. Basile, M.B. Gorensek,

E.C. Kumbur and N.Z. Muradov

F. Chen, S.L. Garrison, J. Gong,

M.D. Mat and D.P. Mishra



includes SPECIAL SECTION

The 2012 Asian Biohydrogen and Bioproducts Symposium

Guest Editors: Chiu-Yue Lin, Qiang Liao and Jun Miyake



Available online at www.sciencedirect.com


ScienceDirect



MOHD.S. KALIL

Available online at www.sciencedirect.com

ScienceDirect



International Journal of Hydrogen Energy 38 (2013) v-x

www.elsevier.com/locate/ijhydene

Contents

| Regular Articles | | * | |
|---|-------|--|--|
| Electrolysis/Electrolyzers | | | |
| M. Schalenbach, M. Carmo, D.L. Fritz, J. Mergel and D. Stolten | 14921 | Pressurized PEM water electrolysis: Efficiency and gas crossover | |
| S. Seetharaman, R. Balaji, K. Ramya, K.S. Dhathathreyan and M. Velan | 14934 | Graphene oxide modified non-noble metal electrode for alkaline anion exchange membrane water electrolyzers | |
| S. Li, R. Yan, G. Wu, K. Xie and J. Cheng | 14943 | Composite oxygen electrode LSM-BCZYZ impregnated with Co ₃ O ₄ nanoparticles for steam electrolysis in a proton-conducting solid oxide electrolyzer | |
| A. Ursúa, I. San Martín, E.L. Barrios and P. Sanchis | 14952 | Stand-alone operation of an alkaline water electrolyser fed by wind and photovoltaic systems | |
| Chemical/Thermochemical Hydrog | gen | | |
| S. CHIUTA, R.C. EVERSON, H.W.J.P. NEOMAGUS, P. VAN DER GRYP and D.G. BESSARABOV | 14968 | Reactor technology options for distributed hydrogen generation via ammonia decomposition: A review | |
| Y. Yavor, S. Goroshin, J.M. Bergthorson, D.L. Frost, R. Stowe and S. Ringuette | 14992 | Enhanced hydrogen generation from aluminum-water reactions | |
| X. Lin, Y. Zhang, R. Wang, Z. Wang, J. Zhou and K. Cen | 15003 | Influence of the structural and surface characteristics of activated carbon on the catalytic decomposition of hydrogen iodide in the sulfur-iodine cycle for hydrogen production | |
| Solar Hydrogen | | | |
| S.V. Kahane, R. Sasikala, B. Vishwanadh, V. Sudarsan and S. Mahamuni | 15012 | CdO-CdS nanocomposites with enhanced photocatalytic activity for hydrogen generation from water | |
| YZ. Su, K. Xiao, ZJ. Liao, YH. Zhong, N. Li, YB. Chen and ZQ. Liu | 15019 | Directed electrochemical synthesis of ZnO/PDMcT core/shell nanorod arrays with enhanced photoelectrochemical properties | |
| T.J. Jacobsson, C. Platzer-Björkman, M. Edoff and T. Edvinsson | 15027 | $CuIn_xGa_{1-x}Se_2$ as an efficient photocathode for solar hydrogen generation | |
| WT. Chen, V. Jovic, D. Sun-Waterhouse, H. Idriss and G.I.N. Waterhouse | 15036 | The role of CuO in promoting photocatalytic hydrogen production over TiO_2 | |
| M. Uno, S. Nishimoto, Y. Kameshima and M. Miyake | 15049 | Hydrogen production by mechano-chemical reaction of Ti ₂ O ₃ in water | |
| Bio Hydrogen | | | |
| Y. LIN, S. Wu and D. WANG | 15055 | Hydrogen-methane production from pulp & paper sludge and food waste by mesophilic-thermophilic anaerobic co-digestion | |
| O. Dada, W.M.W. Yusoff and | 15063 | Biohydrogen production from ricebran using Clostridium | |

saccharoperbutylacetonicum N1-4

| D.M. FONTES LIMA, W.K. MOREIRA and M. ZAIAT | 15074 | Comparison of the use of sucrose and glucose as a substrate for hydrogen production in an upflow anaerobic fixed-bed reactor |
|---|-------|--|
| S. DE LLOBET, J.L. PINILLA, R. MOLINER, I. SUELVES, J. ARROYO, F. MORENO, M. MUÑOZ, C. MONNÉ, I. CAMEÁN, A. RAMOS, N. CUESTA and A.B. GARCIA | 15084 | Catalytic decomposition of biogas to produce hydrogen rich fuels for SI engines and valuable nanocarbons |
| P. Bakonyi, G. Kumar, N. Nemestóthy, C.Y. Lin and K. Bélafi-Bakó | 15092 | Biohydrogen purification using a commercial polyimide membrane module: Studying the effects of some process variables |
| L. Zhao, GL. Cao, AJ. Wang, HY. Ren and NQ. Ren | 15100 | Evaluation of continuous biohydrogen production from enzymatically treated cornstalk hydrolysate |
| Ethanol Hydrogen | | |
| R. Trane-Restrup, S. Dahl and A.D. Jensen | 15105 | Steam reforming of ethanol: Effects of support and additives on Ni-based catalysts |
| S.J. Han, Y. Bang, J. Yoo, K.H. Kang, J.H. Song, J.G. Seo and I.K. Song | 15119 | Hydrogen production by steam reforming of ethanol over mesoporous Ni–Al $_2$ O $_3$ –ZrO $_2$ aerogel catalyst |
| Catalysts/Electrocatalysts | | |
| A. Ballarini, P. Benito, G. Fornasari, O. Scelza and A. Vaccari | 15128 | Role of the composition and preparation method in the activity of hydrotalcite-derived Ru catalysts in the catalytic partial oxidation of methane |
| YG. Jung, Y. Kim, D.H. Lee, SC. Jang, S.W. Nam, J.H. Han, SA. Hong, DK. Choi and C.W. Yoon | 15140 | Autothermal reforming of iso-octane and gasoline over Rh-based catalysts: Influence of $\text{CeO}_2/\gamma\text{-Al}_2\text{O}_3$ -based mixed oxides on hydrogen production |
| P. KOLLA and A. SMIRNOVA | 15152 | Methanol oxidation on hybrid catalysts: PtRu/C nanostructures promoted with cerium and titanium oxides |
| F. Cheng and V. Dupont | 15160 | Nickel catalyst auto-reduction during steam reforming of bio-oil model compound acetic acid |
| Methane Hydrogen | | |
| M. SKATARIC and Z. GAJIC | 15173 | Slow and fast dynamics of a natural gas hydrogen reformer |
| I. Martínez, M.C. Romano, P. Chiesa, G. Grasa and R. Murillo | 15180 | Hydrogen production through sorption enhanced steam reforming of natural gas: Thermodynamic plant assessment |
| H. LIU, Y. LI, H. WU, T. MIYAKE and D. HE | 15200 | CO_2 reforming of methane over Ni/SBA-15 prepared with β -cyclodextrin – Role of β -cyclodextrin in Ni dispersion and performance |
| B. Ogungbesan, R. Kumar, L. Su and M. Sassi | 15210 | Experimental validation of local thermal equilibrium in a MW plasma torch for hydrogen production |
| Storage | | |
| B. Guinot, Y. Bultel, F. Montignac, D. Riu, E. Pinton and I. Noirot-Le Borgne | 15219 | Economic impact of performances degradation on the competitiveness of energy storage technologies – Part 1: Introduction to the simulation-optimization platform ODYSSEY and elements of validation on a PV-hydrogen hybrid system |
| S.P. Patil, J.V. Pande and R.B. Biniwale | 15233 | Non-noble Ni-Cu/ACC bimetallic catalyst for dehydrogenation of liquid organic hydrides for hydrogen storage |
| Metal Hydrides | | |
| X. Meng, Z. Wu, Z. Bao, F. Yang and Z. Zhang | 15242 | Performance simulation and experimental confirmation of a mini-channel metal hydrides reactor |
| S. GIUSEPPONI and M. CELINO | 15254 | DFT model of hydrogen desorption from MgH ₂ : The role of iron catalyst |

| B. Torres, M.J. Martínez-Lope, J.A. Alonso, D. Serafini, M.T. Fernández-Díaz and R. Martínez-Coronado | 15264 | Short communication: High-pressure synthesis and crystal structure of a novel Mg_3CuH_x ternary hydride |
|--|-------|--|
| Portable Hydrogen | | |
| T. Ou, A. Giuliano, M. Panizza, A. Barbucci and G. Cerisola | 15269 | Thermochemical recycling of hydrolyzed NaBH ₄ . Part I: In-situ and ex-situ evaluations |
| F. Seven and N. Sahiner | 15275 | Metal ion-imprinted hydrogel with magnetic properties and enhanced catalytic performances in hydrolysis of NaBH ₄ and NH ₃ BH ₃ |
| M. Tong, Z. Yin, Y. Wang and G. Chen | 15285 | Dehydrogenation mechanisms of ammonia borane catalyzed by Pd atoms adsorbed on an MgO(100) surface |
| A. EKINCI, Ö. ŞAHIN, C. SAKA and T. AVCI | 15295 | The effects of plasma treatment on electrochemical activity of Co–W–B catalyst for hydrogen production by hydrolysis of NaBH ₄ |
| Membranes Reactor | | |
| G. Li, T. Niimi, M. Kanezashi, T. Yoshioka and T. Tsuru | 15302 | Equilibrium shift of methylcyclohexane dehydrogenation in a thermally stable organosilica membrane reactor for high-purity hydrogen production |
| PE Fuel Cells | | |
| M. Jouin, R. Gouriveau, D. Hissel, MC. Péra and N. Zerhouni | 15307 | Prognostics and Health Management of PEMFC – State of the art and remaining challenges |
| N. Zamel, R. Hanke-Rauschenbach, S. Kirsch, A. Bhattarai and D. Gerteisen | 15318 | Relating the N-shaped polarization curve of a PEM fuel cell to local oxygen starvation and hydrogen evolution |
| SO Fuel Cells | | |
| R. Sachitanand, M. Sattari, JE. Svensson and J. Froitzheim | 15328 | Evaluation of the oxidation and Cr evaporation properties of selected FeCr alloys used as SOFC interconnects |
| L. da Conceição, L. Dessemond, E. Djurado and M.M.V.M. Souza | 15335 | Thin films of $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_{3-\delta}$ dip-coated on Fe–Cr alloys for SOFC metallic interconnect |
| C. YANG, C. REN, L. Yu and C. JIN | 15348 | High performance intermediate temperature micro-tubular SOFCs with $Ba_{0.9}Co_{0.7}Fe_{0.2}Nb_{0.1}O_{3-\delta}$ as cathode |
| H. Sumi, Y. Nakano, Y. Fujishiro and T. Kasuga | 15354 | Proton conductivities and structures of BaO-ZnO-P ₂ O ₅ glasses in the ultraphosphate region for intermediate temperature fuel cells |
| Z. Zhao, L. Liu, X. Zhang, W. Wu, B. Tu, D. Cui, D. Ou and M. Cheng | 15361 | High- and low- temperature behaviors of $La_{0.6}Sr_{0.4}Co_{0.2}Fe_{0.8}O_{3-\delta}$ cathode operating under CO_2/H_2O -containing atmosphere |
| W. Zhang, D. Yan, J. Duan, J. Pu, B. Chi and J. Li | 15371 | Development of Al ₂ O ₃ /glass-based multi-layer composite seals for planar intermediate-temperature solid oxide fuel cells |
| H. WANG, Y. SHI and N. CAI | 15379 | Effects of interface roughness on a liquid-Sb-anode solid oxide fuel cell |
| DM Fuel Cells | | |
| C.S. SHARMA, R. AWASTHI and R.N. SINGH | 15388 | Use of Pd-MnMoO ₄ -graphene hybrids as efficient and CO poisoning tolerant electrocatalysts for methanol oxidation |
| B. Hasa, E. Kalamaras, E.I. Papaioannou, L. Sygellou and A. Katsaounis | 15395 | Electrochemical oxidation of alcohols on Pt-TiO ₂ binary electrodes |
| Fuel Cells - General | | |
| A. Askarzadeh | 15405 | Parameter estimation of fuel cell polarization curve using BMO algorithm |
| T. Hellstern, E. Gauthier, M.J. Cheah and J.B. Benziger | 15414 | The role of the gas diffusion layer on slug formation in gas flow channels of fuel cells |

| MH Heat Exchanger | | |
|---|--------|--|
| B. Satya Sekhar and P. Muthukumar | 15428 | Performance tests on a double-stage metal hydride based heat transformer |
| Transportation | | |
| S. Hardman, R. Steinberger-Wilckens and D. van der Horst | 15438 | Disruptive innovations: The case for hydrogen fuel cells and battery electric vehicles |
| I.C. Engines | | |
| B. Ihracska, D. Wen, S. Imran, D.R. Emberson, L.M. Ruiz, R.J. Crookes and T. Korakianitis | 15452 | Assessment of elliptic flame front propagation characteristics of hydrogen in an optically accessible spark ignition engine |
| O.H. GHAZAL | 15469 | Performance and combustion characteristic of CI engine fueled with hydrogen enriched diesel |
| M. Reyes, A. Melgar, A. Pérez and B. Giménez | 15477 | Study of the cycle-to-cycle variations of an internal combustion engine fuelled with natural gas/hydrogen blends from the diagnosis of combustion pressure |
| Hydrogen Flow | | |
| D. Mei, L. Liang, M. Qian and X. Lou | 15488 | Modeling and analysis of flow distribution in an A-type microchannel reactor |
| Combustion | | |
| X. LIU, C. JI, B. GAO, S. WANG, C. LIANG and J. YANG | 15500 | A laminar flame speed correlation of hydrogen-methanol blends valid at engine-like conditions |
| F. Yang, H. Zhang, Z. Chen and W. Kong | 15510 | Interaction of pressure wave and propagating flame during knock |
| Embrittlement/Properties | | |
| M. Asgari, R. Johnsen and A. Barnoush | 15520 | Nanomechanical characterization of the hydrogen effect on pulsed plasma nitrided super duplex stainless steel |
| C. Hsu, C. Huang, Y. Hao and F. Liu | 15532 | Electro-oxidation of formate-based solutions on Au/Pd core-shell nanoparticles – Experiment and simulation |
| K. Sharma, G.P. Kothiyal, L. Montagne, F.O. Méar and B. Revel | 15542 | Synergic effect of V_2O_5 and P_2O_5 on the sealing properties of barium-strontium-alumino-silicate glass/glass-ceramics |
| Safety/Sensors | | |
| M.F. EL-AMIN, Y.A. JAHA and M.A. EL-AMEEN | 15553 | Planar momentum-dominated regime of small-scale hydrogen leakage |
| M. Zhao, J. Huang and CW. Ong | 15559 | Feasibility of H ₂ sensors composed of tungsten oxide nanocluster films |
| Special Section Papers: 2012 A | ABBS | |
| Guest Editors: Chiu-Yue Lin, Qian | g Liao | and Jun Miyake |
| CY. LIN, Q. LIAO and J. MIYAKE | 15567 | The 2012 Asian Biohydrogen and Bioproducts Symposium 2012 ABBS: Preface |
| D. Wu, D. Xing, X. Mei, B. Liu, C. Guo and N. Ren | 15568 | Electricity generation by Shewanella sp. HN-41 in microbial fuel cells |
| L. Liu, O. Tsyganova, DJ. Lee, JS. Chang, A. Wang and N. Ren | 15574 | Double-chamber microbial fuel cells started up under room and low temperatures |
| T.Y. CHOU, C.G. WHITELEY, DJ. LEE and Q. LIAO | 15580 | Control of dual-chambered microbial fuel cell by anodic potential: Implications with sulfate reducing bacteria |
| F. Fang, Y. Mu, GP. Sheng, HQ. Yu, YY. Li, K. Kubota and H. Harada | 15590 | Kinetic analysis on gaseous and aqueous product formation by mixed anaerobic hydrogen-producing cultures |

| BY. Chen, CC. Hsueh, SQ. Liu, J.Y. Hung, Y. Qiao, PL. Yueh and YM. Wang | 15598 | Unveiling characteristics of dye-bearing microbial fuel cells for energy and materials recycling: Redox mediators |
|---|-------|--|
| A.E. Mäkinen, CH. Lay, M.E. Nissilä and J.A. Puhakka | 15606 | Bioelectricity production on xylose with a compost enrichment culture |
| J. Li, W. Zou, Z. Xu, D. Ye, X. Zhu and Q. Liao | 15613 | Improved hydrogen production of the downstream bioreactor by coupling single chamber microbial fuel cells between series-connected photosynthetic biohydrogen reactors |
| DH. Lee | 15620 | Identifying global competition and devising a biohydrogen roadmap on a continental level |
| A. Reungsang, C. Sreela-or and P. Plangklang | 15630 | Non-sterile bio-hydrogen fermentation from food waste in a continuous stirred tank reactor (CSTR): Performance and population analysis |
| Q. Fu, H. Kobayashi, Y. Kuramochi, J. Xu, T. Wakayama, H. Maeda and K. Sato | 15638 | Bioelectrochemical analyses of a thermophilic biocathode catalyzing sustainable hydrogen production |
| C. Liu, J. Li, X. Zhu, L. Zhang, D. Ye, R.K. Brown and Q. Liao | 15646 | Effects of brush lengths and fiber loadings on the performance of microbial fuel cells using graphite fiber brush anodes |
| GL. Cao, XF. Xia, L. Zhao, ZY. Wang, X. Li and Q. Yang | 15653 | Development of AFEX-based consolidated bioprocessing on wheat straw for biohydrogen production using anaerobic microflora |
| PL. Chang, CW. Hsu, CM. Hsiung and CY. Lin | 15660 | Constructing an innovative Bio-Hydrogen Integrated Renewable Energy System |
| R. Chen, YK. Pu, Q. Liao, X. Zhu and YZ. Wang | 15670 | A simulation on PSB biofilm formation with considering cell inactivation |
| C. Zhang, R. Chen, Q. Liao and X. Zhu | 15680 | Simulation of bacterial locomotion and attachment in the interspaces of packed bed reactors |
| C.C. Hu, A. Giannis, CL. Chen, W. Qi and JY. Wang | 15686 | Comparative study of biohydrogen production by four dark fermentative bacteria |
| P.M. ABDUL, J. Md. Jahim, S. Harun, M. Markom, O. Hassan, A.W. Mohammad and A.J. Asis | 15693 | Biohydrogen production from pentose-rich oil palm empty fruit bunch molasses: A first trial |
| Q. LIAO, Y.X. YANG, X. ZHU and R. CHEN | 15700 | Lattice Boltzmann simulation of substrate solution through a porous granule immobilized PSB-cell for biohydrogen production |
| D. YE, Y. YANG, J. LI, X. ZHU, Q. LIAO, B. DENG and R. CHEN | 15710 | Performance of a microfluidic microbial fuel cell based on graphite electrodes |
| X. Zhu, L. Zhang, J. Li, Q. Liao and Dd. Ye | 15716 | Performance of liter-scale microbial fuel cells with electrode arrays: Effect of array pattern |
| J. Li, C. Liu, Q. Liao, X. Zhu and D. Ye | 15723 | Improved performance of a tubular microbial fuel cell with a composite anode of graphite fiber brush and graphite granules |
| Q. Liao, NB. Zhong, X. Zhu, R. Chen, YZ. Wang and DJ. Lee | 15730 | Enhancement of hydrogen production by adsorption of <i>Rhodoseudomonas</i> palustris CQK 01 on a new support material |
| A.K. Monnappa, J.H. Lee and R.J. Mitchell | 15738 | Detection of furfural and 5-hydroxymethylfurfural with a <i>yhcN::luxCDABE</i> bioreporter strain |
| Y. YAN, J. ZHANG and L. ZHANG | 15744 | Properties of thermodynamic equilibrium-based methane autothermal reforming to generate hydrogen |
| DH. Kim, MK. Lee, KW. Jung and MS. Kim | 15751 | Alkali-treated sewage sludge as a seeding source for hydrogen fermentation of food waste leachate |
| G. Pu, Hp. Zhou and Gt. Hao | 15757 | Study on pine biomass air and oxygen/steam gasification in the fixed bed gasifier |

| C. Nathao, U. Sirisukpoka and N. Pisutpaisal | 15764 | Production of hydrogen and methane by one and two stage fermentation of food waste |
|---|-------|--|
| JY. Ye, T. Liu, Y. Chen, Q. Liao, ZK. Wang and GC. Chen | 15770 | Effect of AI crude extract on PHB accumulation and hydrogen photoproduction in <i>Rhodobacter sphaeroides</i> |
| O. Boonsayompoo and A. Reungsang | 15777 | Thermophilic biohydrogen production from the enzymatic hydrolysate of cellulose fraction of sweet sorghum bagasse by <i>Thermoanaerobacterium thermosaccharolyticum</i> KKU19: Optimization of media composition |
| KY. CHIANG, CH. Lu and KL. CHIEN | 15787 | The aluminum silicate catalyst effect on efficiency of energy yield in gasification of paper-reject sludge |
| KH. Lin, MH. Huang and A.CC. Chang | 15794 | Liquid phase reforming of rice straw for furfural production |
| X. Linji, L. Wenzong, W. Yining, W. Aijie, L. Shuai and J. Wei | 15801 | Optimizing external voltage for enhanced energy recovery from sludge fermentation liquid in microbial electrolysis cell |
| CH. Liu, CY. Chang, Q. Liao, X. Zhu, CF. Liao and JS. Chang | 15807 | Biohydrogen production by a novel integration of dark fermentation and mixotrophic microalgae cultivation |
| YC. Lo, XJ. Chen, CY. Huang, YJ. Yuan and JS. Chang | 15815 | Dark fermentative hydrogen production with crude glycerol from biodiesel industry using indigenous hydrogen-producing bacteria |
| CM. Liu, CY. Chu, WY. Lee, YC. Li, SY. Wu and YP. Chou | 15823 | Biohydrogen production evaluation from rice straw hydrolysate by concentrated acid pre-treatment in both batch and continuous systems |
| YC. Li, CY. Chu, WC. Chien, PL. Chang, CW. Hsu and SY. Wu | 15830 | Determination of developing trend for a novelty microbial electrolysis cell by a modified inventive problem solving approach |
| CW. Hsu | 15836 | Constructing an evaluation model for hydrogen application pathways |
| ST. Huang and A.CC. Chang | 15843 | Multivariate statistics to evaluate factors affecting hydrogen production in a pilot-scale operation system |
| CY. Chu, L. Tung and CY. Lin | 15849 | Effect of substrate concentration and pH on biohydrogen production kinetics from food industry wastewater by mixed culture |