



Volume 39

Issue 7

25 February 2014

ISSN 0360-3199

International Journal of **HYDROGEN ENERGY**

Editor-in-Chief:

Emre A. Veziroğlu

Senior Associate Editor:

J.W. Sheffield

Associate Editors:

**S.I. Allakhverdiev, A. Basile,
M.B. Gorenssek,**

E.C. Kumbur and N.Z. Muradov

Assistant Editors:

**F. Chen, S.L. Garrison, J. Gong,
M.D. Mat and D.P. Mishra**



Available online at www.sciencedirect.com

ScienceDirect

**Regular Articles****Electrolysis/Electrolyzers**

- C. GAUDILLERE, L. NAVARRETE and J.M. SERRA 3047 Syngas production at intermediate temperature through H₂O and CO₂ electrolysis with a Cu-based solid oxide electrolyzer cell
- X. TANG, L. XIAO, C. YANG, J. LU and L. ZHUANG 3055 Noble fabrication of Ni–Mo cathode for alkaline water electrolysis and alkaline polymer electrolyte water electrolysis
- M.S. HERDEM, S. FARHAD, I. DINCER and F. HAMDULLAHPUR 3061 Thermodynamic modeling and assessment of a combined coal gasification and alkaline water electrolysis system for hydrogen production
- J. POLONSKÝ, P. MAZÚR, M. PAIDAR, E. CHRISTENSEN and K. BOUZEK 3072 Performance of a PEM water electrolyser using a TaC-supported iridium oxide electrocatalyst
- R.C. TICE and Y. KIM 3079 Methanogenesis control by electrolytic oxygen production in microbial electrolysis cells

Electrodes

- H. YANG, B. CHEN, H. LIU, Z. GUO, Y. ZHANG, X. LI and R. XU 3087 Effects of manganese nitrate concentration on the performance of an aluminum substrate β -PbO₂-MnO₂-WC-ZrO₂ composite electrode material
- S. ZHANG, Y. ZHENG, L. YUAN, X. WANG and L. ZHAO 3100 In situ synthesis of nickel–boron amorphous alloy nanoparticles electrode on nanoporous copper film/brass plate for ethanol electro-oxidation

Hydrolysis

- T. TAYEH, A.S. AWAD, M. NAKHL, M. ZAKHOUR, J.-F. SILVAIN and J.-L. BOBET 3109 Production of hydrogen from magnesium hydrides hydrolysis

Solar Hydrogen

- H.-Y. LIN and Y.-S. CHANG 3118 Photocatalytic water splitting on Au/HTiNbO₅ nanosheets

Bio Hydrogen

- A. ADESSI and R. DE PHILIPPIS 3127 Photobioreactor design and illumination systems for H₂ production with anoxygenic photosynthetic bacteria: A review
- H. TERRAZAS-HOYOS, E. PORTUGAL-MARÍN, E. SÁNCHEZ-SALINAS and M.L. ORTIZ-HERNÁNDEZ 3142 Evaluation of the potential hydrogen production by diazotrophic *Burkholderia* species

Contents continued on inside back cover

Indexed/Abstracted in: *Chemical Abstracts (Online), Chemical Engineering and Biotechnology Abstracts (Online), Chimica, Compendex, Currents Abstracts, Current Contents, EnCompassLit, Energy & Power Source, Engineering Index, Environment Complete, Environment Index, International Building Services Abstracts, Inspec, PubMed, Referativnyi Zhurnal, Russian Academy of Sciences Bibliographies, Science Citation Index Expanded, TEMA-Technology and Management, Web of Science, Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.*

ISSN 0360-3199



ELSEVIER



0360-3199(20140225)39:7:1-0

J. CHOI and Y. AHN	3152	Characteristics of biohydrogen fermentation from various substrates
S.S. VEERAVALLI, S.R. CHAGANTI, J.A. LALMAN and D.D. HEATH	3160	Optimizing hydrogen production from a switchgrass steam exploded liquor using a mixed anaerobic culture in an upflow anaerobic sludge blanket reactor
X. WANG, H. YANG, C. MA and L. GUO	3176	Enhanced photosynthetic hydrogen production performance of <i>Rhodobacter capsulatus</i> by deactivating CBB cycle and cytochrome c oxidase
M.M.K. BAGY, M.H. ABD-ALLA, F.M. MORSY and E.A. HASSAN	3185	Two stage biodiesel and hydrogen production from molasses by oleaginous fungi and <i>Clostridium acetobutylicum</i> ATCC 824
Catalysts/Electrocatalysts		
H. LI, H.-J. ZHANG, X. LI, S. ZHENG, B. ZHAO and J. YANG	3198	Influence of pre-treatment on the catalytic activity of carbon and its Co-based catalyst for oxygen reduction reaction
J.-J. LV, S.-S. LI, J.-N. ZHENG, A.-J. WANG, J.-R. CHEN and J.-J. FENG	3211	Facile synthesis of reduced graphene oxide supported PtAg nanoflowers and their enhanced electrocatalytic activity
K. SU, X. YAO, S. SUI, Z. WEI, J. ZHANG and S. DU	3219	Ionomer content effects on the electrocatalyst layer with <i>in-situ</i> grown Pt nanowires in PEMFCs
W. HONG, J. WANG and E. WANG	3226	Bromide ion mediated synthesis of carbon supported ultrathin palladium nanowires with enhanced catalytic activity toward formic acid/ethanol electrooxidation
Methanation		
X. YANG, WENDURIMA, G. GAO, Q. SHI, X. WANG, J. ZHANG, C. HAN, J. WANG, H. LU, J. LIU and M. TONG	3231	Impact of mesoporous structure of acid-treated clay on nickel dispersion and carbon deposition for CO methanation
Reforming		
K. ZHAO, F. HE, Z. HUANG, A. ZHENG, H. LI and Z. ZHAO	3243	Three-dimensionally ordered macroporous LaFeO ₃ perovskites for chemical-looping steam reforming of methane
L. XU, Z. MIAO, H. SONG and L. CHOU	3253	CO ₂ reforming of CH ₄ over rare earth elements functionalized mesoporous Ni–Ln (Ln = Ce, La, Sm, Pr)–Al–O composite oxides
A. SARI and A. ZOHRABIAN	3269	Simulation study of the effect of feed moisture on autothermal reforming in short contact time catalytic micro channels
Gasification		
Z. KHAN, S. YUSUP, M.M. AHMAD and N.A. RASHIDI	3286	Integrated catalytic adsorption (ICA) steam gasification system for enhanced hydrogen production using palm kernel shell
J. HUANG and I. DINCER	3294	Parametric analysis and assessment of a coal gasification plant for hydrogen production
Storage		
S. DALAI, S. VIJAYALAKSHMI, P. SHRIVASTAVA, S.P. SIVAM and P. SHARMA	3304	Effect of Co loading on the hydrogen storage characteristics of hollow glass microspheres (HGMs)
J. LIN, F. LIANG, Y. WU, W. LIU and L. WANG	3313	Hydrogen storage properties of Ti _{1.4} V _{0.6} Ni + x Mg (x = 1–3, wt.%) alloys
H.C. ZHONG, H. WANG and L.Z. OUYANG	3320	Improving the hydrogen storage properties of MgH ₂ by reversibly forming Mg–Al solid solution alloys
M. OZAKI, S. TOMURA, R. OHMURA and Y.H. MORI	3327	Comparative study of large-scale hydrogen storage technologies: Is hydrate-based storage at advantage over existing technologies?

Contents continued from inside back cover

- S. ANBARASU, P. MUTHUKUMAR and S.C. MISHRA 3342 Tests on $\text{La}_{0.9}\text{Ni}_{4.9}\text{Sn}_{0.15}$ based solid state hydrogen storage device with embedded cooling tubes – Part A: Absorption process
- I.E. MALKA and J. BYSTRZYCKI 3352 The effect of storage time on the thermal behavior of nanocrystalline magnesium hydride with metal halide additives

Portable Hydrogen

- L. YANG, J. SU, W. LUO and G. CHENG 3360 Strategic synthesis of graphene supported trimetallic Ag-based core-shell nanoparticles toward hydrolytic dehydrogenation of amine boranes
- W. FENG, L. YANG, N. CAO, C. DU, H. DAI, W. LUO and G. CHENG 3371 In situ facile synthesis of bimetallic CoNi catalyst supported on graphene for hydrolytic dehydrogenation of amine borane

PE Fuel cells

- G. ADILBISH, J.-W. LEE, Y.-S. JANG, H.-G. LEE and Y.-T. YU 3381 Preparation of Pt/C electrode with double catalyst layers by electrophoresis deposition method for PEMFC
- J.M. LAMANNA, S. CHAKRABORTY, J.J. GAGLIARDO and M.M. MENCH 3387 Isolation of transport mechanisms in PEFCs using high resolution neutron imaging
- K. SU, S. SUI, X. YAO, Z. WEI, J. ZHANG and S. DU 3397 Controlling Pt loading and carbon matrix thickness for a high performance Pt-nanowire catalyst layer in PEMFCs

SO Fuel Cells

- Y. LIU, J. CHEN, F. WANG, B. CHI, J. PU and L. JIAN 3404 Performance stability of impregnated $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_{0.2}\text{Fe}_{0.8}\text{O}_{3-\delta}$ - Y_2O_3 stabilized ZrO_2 cathodes of intermediate temperature solid oxide fuel cells

MH Batteries

- E. SHANGGUAN, J. LI, D. GUO, Z. CHANG, X.-Z. YUAN and H. WANG 3412 Effects of different electrolytes containing Na_2WO_4 on the electrochemical performance of nickel hydroxide electrodes for nickel-metal hydride batteries
- Q. WU, L. JIANG, L. QI, E. WANG and G. SUN 3423 Electrocatalytic performance of Ni modified MnO_x/C composites toward oxygen reduction reaction and their application in Zn-air battery

Transportation

- L.J. KERE, S. KELOUWANI, K. AGBOSSOU, Y. DUBÉ, N. HENAO and R. COURTEAU 3433 Tracking maximum efficiency of hydrogen genset used as electric vehicle range extender
- J.E. KANG, T. BROWN, W.W. RECKER and G.S. SAMUELSEN 3444 Refueling hydrogen fuel cell vehicles with 68 proposed refueling stations in California: Measuring deviations from daily travel patterns

Combustion

- Y. XIE, J. WANG, N. XU, S. YU and Z. HUANG 3450 Comparative study on the effect of CO_2 and H_2O dilution on laminar burning characteristics of $\text{CO}/\text{H}_2/\text{air}$ mixtures
- H.-Y. SHIH, J.-R. HSU and Y.-H. LIN 3459 Computed flammability limits of opposed-jet H_2/CO syngas diffusion flames
- W. YANG, C. DENG, J. ZHOU, J. LIU, Y. WANG and K. CEN 3469 Experimental and numerical investigations of hydrogen-air premixed combustion in a converging-diverging micro tube
- D. LAPALME and P. SEERS 3477 Influence of CO_2 , CH_4 , and initial temperature on H_2/CO laminar flame speed

Contents continued from *bm VIII*

Embrittlement/Properties

- | | | |
|---|------|--|
| B. HONRADO GUERREIRO, M.H. MARTIN,
L. ROUÉ and D. GUAY | 3487 | Hydrogen solubility in PdCuAu alloy thin films prepared by electrodeposition |
| Y.Y. ZONG, S. HUANG, Y. WANG and
D.B. SHAN | 3498 | Strengthening versus softening mechanisms by hydrogen addition in β -Ti40 alloy |
| E. YAN, X. LI, M. RETTENMAYR, D. LIU,
Y. SU, J. GUO, D. XU and H. FU | 3505 | Design of hydrogen permeable Nb–Ni–Ti alloys by correlating the microstructures, solidification paths and hydrogen permeability |
| R. XIE, J. SU, Y. LIU and L. GUO | 3517 | Optical, structural and photoelectrochemical properties of CdS _{1-x} Se _x semiconductor films produced by chemical bath deposition |
| A. ALVARO, V. OLDEN and O.M. AKSELSEN | 3528 | 3D cohesive modelling of hydrogen embrittlement in the heat affected zone of an X70 pipeline steel – Part II |
| T. MATSUO, J. YAMABE and S. MATSUOKA | 3542 | Effects of hydrogen on tensile properties and fracture surface morphologies of Type 316L stainless steel |
| A.A. REDDY, D.U. TULYAGANOV,
G.C. MATHER, M.J. PASCUAL,
V.V. KHARTON, S.I. BREDIKHIN,
V.Á. KOLOTYGIN and J.M.F. FERREIRA | 3552 | Effect of strontium-to-calcium ratio on the structure, crystallization behavior and functional properties of diopside-based glasses |

Safety/Sensors

- | | | |
|----------------------------------|------|--|
| M.M. DOROODMAND and M. DARABPOUR | 3564 | Image processing of non-thermal glow discharge plasma during gas ionization process as a novel hydrogen detection system at parts per billion levels |
|----------------------------------|------|--|

Criticisms/Responses

- | | | |
|--------------------------------|------|--|
| Y. DU and P.W. WANG | 3572 | Comment on: “CFD modeling of hydrogen production using steam reforming of methane in monolith reactors: Surface or volume-base reaction model?” by Mohammad Irani et al., <i>Int J Hydrogen Energy</i> 2011;36:15602–15610 |
| M. IRANI and A. ALIZADEHDAKHEL | 3574 | Answer to comment on: “CFD modeling of hydrogen production using steam reforming of methane in monolith reactors: Surface or volume-base reaction model?” by Mohammad Irani et al., <i>Int J Hydrogen Energy</i> 2011;36:15602–15610 |