

Volume 39

Issue 10

26 March 2014

ISSN 0360-3199

International Journal of **HYDROGEN ENERGY**

Editor-in-Chief:

Emre A. Veziroğlu

Senior Associate Editor:

J.W. Sheffield

Associate Editors:

**S.I. Allakhverdiev, A. Basile,
M.B. Gorenssek,**

E.C. Kumbur and N.Z. Muradov

Assistant Editors:

**F. Chen, S.L. Garrison, J. Gong,
M.D. Mat and D.P. Mishra**

includes SPECIAL SECTION

**HYCELTEC 2013 IV Iberian Symposium on Hydrogen,
Fuel Cells and advanced Batteries**

Guest Editors: Carmen M. Rangel and Félix Barreras

Available online at www.sciencedirect.com

ScienceDirect






ELSEVIER

Available online at www.sciencedirect.com

ScienceDirect

International Journal of Hydrogen Energy 39 (2014) v–ix



www.elsevier.com/locate/ijhydene

Contents

Regular Articles

Electrolysis/Electrolyzers

- P. KUNTKE, T.H.J.A. SLEUTELS, M. SAAKES and C.J.N. BUISMAN 4771 Hydrogen production and ammonium recovery from urine by a Microbial Electrolysis Cell
- J. HNÁT, M. PAIDAR, J. SCHAUER and K. BOUZEK 4779 Polymer anion-selective membrane for electrolytic water splitting: The impact of a liquid electrolyte composition on the process parameters and long-term stability
- C.-L. HSU, Y.-H. CHANG, T.-Y. CHEN, C.-C. TSENG, K.-H. WEI and L.-J. LI 4788 Enhancing the electrocatalytic water splitting efficiency for amorphous MoS_x
- M. XIA, T. LEI, N. LV and N. LI 4794 Synthesis and electrocatalytic hydrogen evolution performance of Ni–Mo–Cu alloy coating electrode
- J.-M. YOU, H.S. HAN, H.K. LEE, S. CHO and S. JEON 4803 Enhanced electrocatalytic activity of oxygen reduction by cobalt-porphyrin functionalized with graphene oxide in an alkaline solution

Solar Hydrogen

- D.P. SERRANO, G. CALLEJA, P. PIZARRO and P. GÁLVEZ 4812 Enhanced photocatalytic hydrogen production by improving the Pt dispersion over mesostructured TiO_2
- S. XIE, T. ZHAI, Y. ZHU, W. LI, R. QIU, Y. TONG and X. LU 4820 NiO decorated Mo:BiVO_4 photoanode with enhanced visible-light photoelectrochemical activity
- A. METTENBÖRGER, T. SINGH, A.P. SINGH, T.T. JÄRVI, M. MOSELER, M. VALLDOR and S. MATHUR 4828 Plasma-chemical reduction of iron oxide photoanodes for efficient solar hydrogen production
- C. KONG, S. MIN and G. LU 4836 Dye-sensitized cobalt catalysts for high efficient visible light hydrogen evolution
- M. KATO, T. YASUDA, K. MIYAKE, M. ICHIMURA and T. HATAYAMA 4845 Epitaxial p-type SiC as a self-driven photocathode for water splitting

Bio Hydrogen

- Z.-L. WANG, Y. PING, J.-M. YAN, H.-L. WANG and Q. JIANG 4850 Hydrogen generation from formic acid decomposition at room temperature using a NiAuPd alloy nanocatalyst
- L. DIPASQUALE, G. D'IPPOLITO and A. FONTANA 4857 Capnophilic lactic fermentation and hydrogen synthesis by *Thermotoga neapolitana*: An unexpected deviation from the dark fermentation model
- V. PIEMONTE, L. DI PAOLA, S. CHAKRABORTY and A. BASILE 4863 Sequencing batch reactors (SBRs) for BioH_2 production: Reactor operation criteria

Catalysts/Electrocatalysts

- K. BEN LIEW, W.R.W. DAUD, M. GHASEMI, J.X. LEONG, S. SU LIM and M. ISMAIL 4870 Non-Pt catalyst as oxygen reduction reaction in microbial fuel cells: A review

- W. ZHOU, W. DENG, L. LU, J. ZHANG,
L. QIN, S. MA and Y. TANG 4884 Laser micro-milling of microchannel on copper sheet as catalyst support used in microreactor for hydrogen production
- A. GOYAL, S. BANSAL and S. SINGHAL 4895 Facile reduction of nitrophenols: Comparative catalytic efficiency of MFe_2O_4 ($M = Ni, Cu, Zn$) nano ferrites
- Y. BANG, S.J. HAN, J. YOO, S. PARK,
J.H. CHOI, Y.J. LEE, J.H. SONG and
I.K. SONG 4909 Hydrogen production by steam reforming of liquefied natural gas (LNG) over mesoporous nickel–phosphorus–alumina aerogel catalyst
- Y.-J. SU, K.-L. PAN and M.-B. CHANG 4917 Modifying perovskite-type oxide catalyst $LaNiO_3$ with Ce for carbon dioxide reforming of methane
- U. RHYNER, P. EDINGER, T.J. SCHILDHAUER
and S.M.A. BIOLLAZ 4926 Experimental study on high temperature catalytic conversion of tars and organic sulfur compounds
- S. LEE, J. BAE and S.P. KATIKANENI 4938 $La_{0.8}Sr_{0.2}Cr_{0.95}Ru_{0.05}O_{3-x}$ and $Sm_{0.8}Ba_{0.2}Cr_{0.95}Ru_{0.05}O_{3-x}$ as partial oxidation catalysts for diesel
- H. DAI, J. SU, K. HU, W. LUO and
G. CHENG 4947 Pd nanoparticles supported on MIL-101 as high-performance catalysts for catalytic hydrolysis of ammonia borane
- Gasification**
- J. NAKANO and J. BENNETT 4954 CO_2 and H_2O gas conversion into CO and H_2 using highly exothermic reactions induced by mixed industrial slags
- Nanocrystalline Mg**
- R. FLORIANO, D.R. LEIVA, J.A. CARVALHO,
T.T. ISHIKAWA and W.J. BOTTA 4959 Cold rolling under inert atmosphere: A powerful tool for Mg activation
- Storage**
- S. ANBARASU, P. MUTHUKUMAR and
S.C. MISHRA 4966 Tests on $LmNi_{4.91}Sn_{0.15}$ based solid state hydrogen storage device with embedded cooling tubes – Part B: Desorption process
- R. LAVANYA, V.J. SURYA, I. LAKSHMI,
K. IYAKUTTI, V. VASU, H. MIZUSEKI and
Y. KAWAZOE 4973 Hydrogen storage in TiO_2 functionalized (10, 10) single walled carbon nanotube (SWCNT) – First principles study
- S. YADAV, Z. ZHU and C.V. SINGH 4981 Defect engineering of graphene for effective hydrogen storage
- M.C. TELLEZ-JUÁREZ, V. FIERRO, W. ZHAO,
N. FERNÁNDEZ-HUERTA, M.T. IZQUIERDO,
E. REGUERA and A. CELZARD 4996 Hydrogen storage in activated carbons produced from coals of different ranks: Effect of oxygen content
- C. NI and L. YANG 5003 Reaction pathways and roles of *N*-alkylmorpholine in amine-alane transamination: A mechanistic study
- F. COVA, F. GENNARI and
P. ARNEODO LAROCLETTE 5010 Numerical modeling of hydrogen absorption measurements in Ni-catalyzed Mg
- Portable Hydrogen**
- R. GOSALAWIT-UTKE, S. MEETHOM,
C. PISTIDDA, C. MILANESE, D. LAIPPLE,
T. SAISOPA, A. MARINI, T. KLASSEN and
M. DORNHEIM 5019 Destabilization of $LiBH_4$ by nanoconfinement in PMMA-co-BM polymer matrix for reversible hydrogen storage
- C. PISTIDDA, D. POTTMAIER, F. KARIMI,
S. GARRONI, A. RZESZUTEK, M. TOLKIEHN,
M. FICHTNER, W. LOHSTROH, M. BARICCO,
T. KLASSEN and M. DORNHEIM 5030 Effect of NaH/MgB_2 ratio on the hydrogen absorption kinetics of the system $NaH + MgB_2$
- Purification/Membranes/Separation**
- Z. MA, X. ZHAO, Q. TANG and Z. ZHOU 5037 Computational prediction of experimentally possible g- C_3N_3 monolayer as hydrogen purification membrane

- H.Z. CHEN, Z. THONG, P. LI and T.-S. CHUNG 5043 High performance composite hollow fiber membranes for CO₂/H₂ and CO₂/N₂ separation
- F. KARAS, J. HNÁT, M. PAIDAR, J. SCHAUER and K. BOUZEK 5054 Determination of the ion-exchange capacity of anion-selective membranes
- PE Fuel Cells**
- R. ESCUDERO-CID, A.S. VARELA, P. HERNÁNDEZ-FERNÁNDEZ, E. FATÁS and P. OCÓN 5063 The effect of functionalised multi-walled carbon nanotubes in the hydrogen electrooxidation reaction in reactive currents impurified with CO
- Y. TAKABATAKE, Z. NODA, S.M. LYTH, A. HAYASHI and K. SASAKI 5074 Cycle durability of metal oxide supports for PEFC electrocatalysts
- SO Fuel Cells**
- W. GONG, Z. CAI, J. YANG, X. LI and L. JIAN 5083 Parameter identification of an SOFC model with an efficient, adaptive differential evolution algorithm
- T. TANAKA, H. KAMIKO, T. BANDO, A. ZAFFIRAH, N. KAKIMOTO, Y. INUI and T. MAEDA 5097 Energetic analysis of SOFC co-generation system integrated with EV charging station installed in multifamily apartment
- J. XIAO, W. CAI, J. LIU and M. LIU 5105 A novel low-pressure injection molding technique for fabricating anode supported solid oxide fuel cells
- Z. TAO, G. HOU, N. XU and Q. ZHANG 5113 A highly coking-resistant solid oxide fuel cell with a nickel doped ceria: Ce_{1-x}Ni_xO_{2-y} reformation layer
- DM/DE Fuel Cells**
- S. MOLLÁ and V. COMPAÑ 5121 Polymer blends of SPEEK for DMFC application at intermediate temperatures
- Fuel Cells - General**
- M. PEKSEN 5137 3D transient multiphysics modelling of a complete high temperature fuel cell system using coupled CFD and FEM
- M.H.M.T. ASSUMPCÃO, S.G. DA SILVA, R.F.B. DE SOUZA, G.S. BUZZO, E.V. SPINACÉ, A.O. NETO and J.C.M. SILVA 5148 Direct ammonia fuel cell performance using PtIr/C as anode electrocatalysts
- I.C. Engines**
- D. FENNELL, J. HERREROS and A. TSOLAKIS 5153 Improving gasoline direct injection (GDI) engine efficiency and emissions with hydrogen from exhaust gas fuel reforming
- Combustion**
- S. IMRAN, D.R. EMBERSON, B. IHRACSKA, D.S. WEN, R.J. CROOKES and T. KORAKIANITIS 5163 Effect of pilot fuel quantity and type on performance and emissions of natural gas and hydrogen based combustion in a compression ignition engine
- M. ZHANG, J. WANG, J. WU, Z. WEI, Z. HUANG and H. KOBAYASHI 5176 Flame front structure of turbulent premixed flames of syngas oxyfuel mixtures
- Embrittlement/Properties**
- G.K. VEERASUBRAMANI, K. KRISHNAMOORTHY, S. RADHAKRISHNAN, N.-J. KIM and S.J. KIM 5186 Synthesis, characterization, and electrochemical properties of CoMoO₄ nanostructures
- Safety/Sensors**
- S. ÖZTÜRK, N. KILIÇ, İ. TORUN, A. KÖSEMEN, Y. ŞAHİN and Z.Z. ÖZTÜRK 5194 Hydrogen sensing properties of ZnO nanorods: Effects of annealing, temperature and electrode structure

Corrigendum

- I. FUJIMOTO, N. WANG, R. SAITO, Y. MISEKI, T. GUNJI and K. SAYAMA 5202 Corrigendum to “WO₃/BiVO₄ composite photoelectrode prepared by improved auto-combustion method for highly efficient water splitting” [Int J Hydrogen Energy 39 (6) (2014) 2454–2461]

Special Section: HYCELTEC 2013 IV Iberian Symposium on Hydrogen, Fuel Cells and advanced Batteries

Guest Editors: Carmen M. Rangel and Felix Barreras

- C.M. RANGEL and F. BARRERAS 5203 Editorial Foreword
- Hydrogen Production**
- F.J. PÉREZ-ALONSO, C. ADÁN, S. ROJAS, M.A. PEÑA and J.L.G. FIERRO 5204 Ni/Fe electrodes prepared by electrodeposition method over different substrates for oxygen evolution reaction in alkaline medium
- A. IGLESIAS-GONZÁLEZ, J.L. AYASTUY, M.P. GONZÁLEZ-MARCOS and M.A. GUTIÉRREZ-ORTIZ 5213 CuO/Ce_xSn_{1-x}O₂ catalysts with low tin content for CO removal from H₂-rich streams
- L. YERMÁN, N. HOMS, E.B. PEREIRA and P. RAMÍREZ DE LA PISCINA 5225 H₂ production from oxidative steam reforming of 1-propanol and propylene glycol over yttria-stabilized supported bimetallic Ni–M (M = Pt, Ru, Ir) catalysts
- S. SAYAS and A. CHICA 5234 Furfural steam reforming over Ni-based catalysts. Influence of Ni incorporation method
- R. COSTA NETO, I. MONTEIRO, R. MAXIMINO and J.T. AZEVEDO 5242 Longevity test for a Water–Gas Shift catalyst
- U. IZQUIERDO, M. WICHERT, G. KOLB, V.L. BARRIO, R. ZAPP, A. ZIOGAS, S. NEUBERG, P.L. ARIAS and J.F. CAMBRA 5248 Micro reactor hydrogen production from ethylene glycol reforming using Rh catalysts supported on CeO₂ and La₂O₃ promoted α-Al₂O₃
- E. ACHA, J. REQUIES, M.B. GÜEMEZ, V.L. BARRIO, J.F. CAMBRA and P.L. ARIAS 5257 Process integration for hydrogen production, purification and storage using iron oxides
- E. HORMILLEJA, P. DURÁN, J. PLOU, J. HERGUIDO and J.A. PEÑA 5267 Hydrogen from ethanol by steam iron process in fixed bed reactor
- J. MARUGÁN, J.A. BOTAS, R. MOLINA and C. HERRADÓN 5274 Study of the hydrogen production step of the Mn₂O₃/MnO thermochemical cycle
- P. JANA, C. MATA MONTERO, P. PIZARRO, J.M. CORONADO, D.P. SERRANO and V.A. DE LA PEÑA O’ SHEA 5283 Photocatalytic hydrogen production in the water/methanol system using Pt/RE:NaTaO₃ (RE = Y, La, Ce, Yb) catalysts
- T. SOUSA and C.M. RANGEL 5291 A dynamic two phase flow model for a pilot scale sodium borohydride hydrogen generation reactor

Proton Exchange Membrane Fuel Cells

- M.A. RASO, I. CARRILLO, E. MORA, E. NAVARRO, M.A. GARCIA and T.J. LEO 5301 Electrochemical study of platinum deposited by electron beam evaporation for application as fuel cell electrodes
- C. DOMÍNGUEZ, F.J. PÉREZ-ALONSO, M. ABDEL SALAM, J.L. GÓMEZ DE LA FUENTE, S.A. AL-THABAITI, S.N. BASAHEL, M.A. PEÑA, J.L.G. FIERRO and S. ROJAS 5309 Effect of transition metal (M: Fe, Co or Mn) for the oxygen reduction reaction with non-precious metal catalysts in acid medium
- N. RUIZ, A.R. PIERNA and M. SANCHEZ 5319 Low loading Pt catalysts based on Ni₅₉Nb₄₀Pt_{0.6}X_{0.4} (X = Pd, Rh, Ru, Co) as anodes and Nafion XL membranes as support in PEMFCs

- C. DEL RÍO, E. MORALES and P.G. ESCRIBANO 5326 Nafion/sPOSS hybrid membranes for PEMFC. Single cell performance and electrochemical characterization at different humidity conditions
- N.C. ROSERO-NAVARRO, E.M. DOMINGUES, N. SOUSA, P. FERREIRA and F.M. FIGUEIREDO 5338 Protonic conductivity and viscoelastic behaviour of Nafion® membranes with periodic mesoporous organosilica fillers
- S. LATORRATA, P. GALLO STAMPINO, C. CRISTIANI and G. DOTELLI 5350 Novel superhydrophobic microporous layers for enhanced performance and efficient water management in PEM fuel cells
- K. SUAREZ-ALCANTARA, D.C. MARTÍNEZ-CASILLAS, K.B. ZHENG, Q. ZHU, M. ABDELLAH, D. HAASE, T. PULLERITS, O. SOLORZA-FERIA and S.E. CANTON 5358 SEM and XAS characterization at beginning of life of Pd-based cathode electrocatalysts in PEM fuel cells
- V. CELORRIO, J. FLÓREZ-MONTAÑO, R. MOLINER, E. PASTOR and M.J. LÁZARO 5371 Fuel cell performance of Pt electrocatalysts supported on carbon nanocoils
- S. STRAHL, N. GASAMANS, J. LLORCA and A. HUSAR 5378 Experimental analysis of a degraded open-cathode PEM fuel cell stack
- F. BARRERAS, A. LOZANO, V. RODA, J. BARROSO and J. MARTÍN 5388 Optimal design and operational tests of a high-temperature PEM fuel cell for a combined heat and power unit
- V. BAGLIO, C. D'URSO, D. SEBASTIÁN, A. STASSI and A.S. ARICÒ 5399 PtCo catalyst with modulated surface characteristics for the cathode of direct methanol fuel cells
- R.W. VERJULIO, J. SANTANDER, N. SABATÉ, J.P. ESQUIVEL, N. TORRES-HERRERO, A. HABRIOUX and N. ALONSO-VANTE 5406 Fabrication and evaluation of a passive alkaline membrane micro direct methanol fuel cell
- D. SEBASTIÁN, M.J. LÁZARO, R. MOLINER, I. SUELVE, A.S. ARICÒ and V. BAGLIO 5414 Oxidized carbon nanofibers supporting PtRu nanoparticles for direct methanol fuel cells
- Solid Oxide Fuel Cells**
- C.M.C. SOARES, S.G. PATRÍCIO, F.M.L. FIGUEIREDO and F.M.B. MARQUES 5424 Relevance of the ceramic content on dual oxide and carbonate-ion transport in composite membranes
- B. MORENO, R. FERNÁNDEZ-GONZÁLEZ, J.R. JURADO, A. MAKRAZI, P. NUÑEZ and E. CHINARRO 5433 Fabrication and characterization of ceria-based buffer layers for solid oxide fuel cells
- J.C. PÉREZ-FLORES, A. GÓMEZ-PÉREZ, M. YUSTE, J. CANALES-VÁZQUEZ, E. CLIMENT-PASCUAL, C. RITTER, M.T. AZCONDO, U. AMADOR and F. GARCÍA-ALVARADO 5440 Characterization of $\text{La}_{2-x}\text{Sr}_x\text{CoTiO}_6$ ($0.6 \leq x \leq 1.0$) series as new cathodes of solid oxide fuel cells
- M. MORALES, J.M. PÉREZ-FALCÓN, A. MOURE, J. TARTAJ, F. ESPIELL and M. SEGARRA 5451 Performance and degradation of $\text{La}_{0.8}\text{Sr}_{0.2}\text{Ga}_{0.85}\text{Mg}_{0.15}\text{O}_{3-\delta}$ electrolyte-supported cells in single-chamber configuration
- A.I.B. RONDÃO, S.G. PATRÍCIO, F.M.L. FIGUEIREDO and F.M.B. MARQUES 5460 Composite electrolytes for fuel cells: Long-term stability under variable atmosphere
- H. MONZÓN, M.A. LAGUNA-BERCERO, A. LARREA, B.I. ARIAS, A. VÁREZ and B. LEVENFELD 5470 Design of industrially scalable microtubular solid oxide fuel cells based on an extruded support
- Other Fuel Cells**
- M. ROCA-AYATS, G. GARCÍA, J.L. GALANTE, M.A. PEÑA and M.V. MARTÍNEZ-HUERTA 5477 Electrocatalytic stability of Ti based-supported Pt_3Ir nanoparticles for unitized regenerative fuel cells