

Volume 39

Issue 30

13 October 2014

ISSN 0360-3199

International Journal of **HYDROGEN ENERGY**

Editor-in-Chief:

Emre A. Veziroğlu

Senior Associate Editor:

J.W. Sheffield

Associate Editors:

**S.I. Allakhverdiev, A. Basile,
M.B. Gorenssek, E.C. Kumbur
and N.Z. Muradov**

Assistant Editors:

**F. Chen, S.L. Garrison, J. Gong,
M.D. Mat and D.P. Mishra**

includes SPECIAL SECTION

NANOSMAT-ASIA 2013

Guest Editors: Mahmood Aliofkhaeaei, Nasar Ali

Available online at www.sciencedirect.com

ScienceDirect






ELSEVIER

Available online at www.sciencedirect.com

ScienceDirect

International Journal of Hydrogen Energy 39 (2014) v–ix



www.elsevier.com/locate/ijhydene

Contents

Regular Articles

Economy

- M. MANSOURI MAJOURMARD and M. ASSADI 16771 Techno-economic assessment of fossil fuel power plants with CO₂ capture – Results of EU H₂-IGCC project

Electrolysis / Electrolyzers

- T. AUDICHON, E. MAYOUSSE, S. MORISSET, C. MORAIS, C. COMMINGES, T.W. NAPPORN and K.B. KOKOH 16785 Electroactivity of RuO₂-IrO₂ mixed nanocatalysts toward the oxygen evolution reaction in a water electrolyzer supplied by a solar profile
- M. BATTAGLIA, R. INGUANTA, S. PIAZZA and C. SUNSERI 16797 Fabrication and characterization of nanostructured Ni-IrO₂ electrodes for water electrolysis

Electrochemical Hydrogen

- Q. LI, Z. XING, A.M. ASIRI, P. JIANG and X. SUN 16806 Cobalt phosphide nanoparticles film growth on carbon cloth: A high-performance cathode for electrochemical hydrogen evolution

Solar Hydrogen

- L. CLARIZIA, D. SPASIANO, I. DI SOMMA, R. MAROTTA, R. ANDREOZZI and D.D. DIONYSIOU 16812 Copper modified-TiO₂ catalysts for hydrogen generation through photoreforming of organics. A short review
- W. GUO and D. WU 16832 Facile synthesis of VS₄/graphene nanocomposites and their visible-light-driven photocatalytic water splitting activities

Bio Hydrogen

- M.D. YATES, M. SIEGERT and B.E. LOGAN 16841 Hydrogen evolution catalyzed by viable and non-viable cells on biocathodes
- A. DJALMA NUNES FERRAZ JÚNIOR, J. WENZEL, C. ETCHEBEHRE and M. ZAIAT 16852 Effect of organic loading rate on hydrogen production from sugarcane vinasse in thermophilic acidogenic packed bed reactors
- D.-Y. LEE, K.-Q. XU, T. KOBAYASHI, Y.-Y. LI and Y. INAMORI 16863 Effect of organic loading rate on continuous hydrogen production from food waste in submerged anaerobic membrane bioreactor
- M. CANO, A. VOLBEDA, G. GUEDENEY, E. AUBERT-JOUSSET, P. RICHAUD, G. PELTIER and L. CURNAC 16872 Improved oxygen tolerance of the *Synechocystis* sp. PCC 6803 bidirectional hydrogenase by site-directed mutagenesis of putative residues of the gas diffusion channel
- G. KUMAR, H.-C. CHEON and S.-H. KIM 16885 Effects of 5-hydroxymethylfurfural, levulinic acid and formic acid, pretreatment byproducts of biomass, on fermentative H₂ production from glucose and galactose
- M. REILLY, R. DINSDALE and A. GUWY 16891 Mesophilic biohydrogen production from calcium hydroxide treated wheat straw
- R.G. PUHULWELLA, L. BECKERS, F. DELVIGNE, A.S. GRIGORESCU, P. THONART and S. HILIGSMANN 16902 Mesophilic biohydrogen production by *Clostridium butyricum* CWBI1009 in trickling biofilter reactor

- K. TRCHOUNIAN and A. TRCHOUNIAN 16914 Hydrogen producing activity by *Escherichia coli* hydrogenase 4 (*hyf*) depends on glucose concentration

Catalysts / Electrocatalysts / Photocatalysts

- W. BEN AZIZA, J.F. PETIT, U.B. DEMIRCI, Q. XU and P. MIELE 16919 Bimetallic nickel-based nanocatalysts for hydrogen generation from aqueous hydrazine borane: Investigation of iron, cobalt and palladium as the second metal
- RATNAWATI, J. GUNLAZUARDI, E.L. DEWI and SLAMET 16927 Effect of NaBF_4 addition on the anodic synthesis of TiO_2 nanotube arrays photocatalyst for production of hydrogen from glycerol–water solution
- N. WANG, H.X. MENG, Y.M. DONG, Z.L. JIA, L.J. GAO and Y.J. CHAI 16936 Cobalt–iron–boron catalyst-induced aluminum–water reaction
- Z.-F. SONG, J. WEI, X. LI, W.-Y. ZHOU, Z.-Q. CHANG and C.A. SERRA 16944 Synthesis of size-controlled Pt/C/PTFE hydrophobic catalyst pellets in a capillary-based microfluidic system
- A. LUENGNARUEMITCHAI, S. CHAWLA and R. WANCHANTHUEK 16953 The catalytic performance of Au/La-CeO_x catalyst for PROX reaction in H₂ rich stream
- H.-J. ZHANG, H. LI, X. LI, B. ZHAO and J. YANG 16964 Electrocatalysis of oxygen reduction on carbon nanotubes with different surface functional groups in acid and alkaline solutions
- M.L. DIEUZEIDE, M. JOBBAGY and N. AMADEO 16976 Glycerol steam reforming over Ni/mg/ γ -Al₂O₃ catalysts effect of Ni(II) content

Fossil Hydrogen

- T.L. LEVALLEY, A.R. RICHARD and M. FAN 16983 The progress in water gas shift and steam reforming hydrogen production technologies – A review
- M.H. SEDGHKERDAR, E. MOSTAFAVI and N. MAHINPEY 17001 Sorbent enhanced hydrogen production from steam gasification of coal integrated with CO₂ capture
- M.A. NAEEM, A.S. AL-FATESH, A.H. FAKEEHA and A.E. ABASAEED 17009 Hydrogen production from methane dry reforming over nickel-based nanocatalysts using surfactant-assisted or polyol method
- M. DE SAINT JEAN, P. BAURENS and C. BOUALLOU 17024 Parametric study of an efficient renewable power-to-substitute-natural-gas process including high-temperature steam electrolysis

Adsorption / Desorption

- G. BLANITA, I. COLDEA, I. MISAN and D. LUPU 17040 Hydrogen cryo-adsorption by hexagonal prism monoliths of MIL-101
- A. MOTAVALLI and M. RAJABI 17047 Catalytic effect of melt-spun Ni₃FeMn alloy on hydrogen desorption properties of nanocrystalline MgH₂ synthesized by mechanical alloying

Storage

- A. MAZZUCCO, M. DORNHEIM, M. SLOTH, T.R. JENSEN, J.O. JENSEN and M. ROKNI 17054 Bed geometries, fueling strategies and optimization of heat exchanger designs in metal hydride storage systems for automotive applications: A review
- A. VALENTONI, S. GARRONI, C. PISTIDDA, E. MASOLO, E. NAPOLITANO, P. MORETTO, M. DORNHEIM, G. MULAS and S. ENZO 17075 New insights into the thermal desorption of the 2LiNH₂ + KBH₄ + LiH mixture
- C. CORGNALE, B. HARDY, R. CHAHINE, D. COSSEMENT, D. TAMBURELLO and D. ANTON 17083 Simulation of hydrogen adsorption systems adopting the flow through cooling concept
- L. MOOII, T. PERKISAS, G. PÁLSSON, H. SCHREUDERS, M. WOLFF, B. HJÖRVARSSON, S. BALS and B. DAM 17092 The effect of microstructure on the hydrogenation of Mg/Fe thin film multilayers

- B. XU, X.L. LEI, G. LIU, M.S. WU and C.Y. OUYANG 17104 Li-decorated graphyne as high-capacity hydrogen storage media: First-principles plane wave calculations
- J. LU, Y. GUO, Y. ZHANG and J. CAO 17112 Li decorated 6,6,12-graphyne: A new star for hydrogen storage material
- R. URBANCZYK, K. PEINECKE, M. FELDERHOFF, K. HAUSCHILD, W. KERSTEN, S. PEIL and D. BATHEN 17118 Aluminium alloy based hydrogen storage tank operated with sodium aluminium hexahydride Na_3AlH_6

Borohydrides

- L. WEN, J. SU, X. WU, P. CAI, W. LUO and G. CHENG 17129 Ruthenium supported on MIL-96: An efficient catalyst for hydrolytic dehydrogenation of ammonia borane for chemical hydrogen storage
- N. TOYAMA, T. UMEGAKI and Y. KOJIMA 17136 Fabrication of hollow silica–alumina composite spheres and their activity for hydrolytic dehydrogenation of ammonia borane
- P. ZHANG, B. XU, X. LI, Y. ZENG and L. MENG 17144 Effects of Mg and Al doping on the electronic structure and dehydrogenation of $\text{LiBH}_4\cdot\text{NH}_3$

Capacitors

- W. ZHANG, H. LIN, H. KONG, H. LU, Z. YANG and T. LIU 17153 High energy density PbO_2 /activated carbon asymmetric electrochemical capacitor based on lead dioxide electrode with three-dimensional porous titanium substrate

Purification / Membranes / Separation

- S.-H. LEE, S.-H. CHOI, S.-A. GOPALAN, K.-P. LEE and G. ANANTHA-IVENGAR 17162 Preparation of new self-humidifying composite membrane by incorporating graphene and phosphotungstic acid into sulfonated poly(ether ether ketone) film
- G.-L. ZHUANG, H.-H. TSENG and M.-Y. WEY 17178 Preparation of PPO-silica mixed matrix membranes by in-situ sol–gel method for H_2/CO_2 separation
- Y. YANG, H. GAO, F. LU and L. ZHENG 17191 Preparation and characterization of directional conducting and lower methanol permeable ultrathin membrane based on poly (vinyl alcohol) and imidazolium compounds
- H. KUROKAWA, H. YAKABE, I. YASUDA, T. PETERS and R. BREDESEN 17201 Inhibition effect of CO on hydrogen permeability of Pd–Ag membrane applied in a microchannel module configuration

PE Fuel Cells

- J. LIU, S. LAGHROUCHE, F.-S. AHMED and M. WACK 17210 PEM fuel cell air-feed system observer design for automotive applications: An adaptive numerical differentiation approach
- X. ZHANG, Y. GAO, H. OSTADI, K. JIANG and R. CHEN 17222 Modelling water intrusion and oxygen diffusion in a reconstructed microporous layer of PEM fuel cells
- A. BHARGAV, M. LYUBOVSKY and M. DIXIT 17231 Managing fuel variability in LPG-based PEM fuel cell systems – I: Thermodynamic simulations
- A. IRANZO and P. BOILLAT 17240 Liquid water distribution patterns featuring back-diffusion transport in a PEM fuel cell with neutron imaging

SO Fuel Cells

- J. PURANEN, M. PIHLATIE, J. LAGERBOM, T. SALMINEN, J. LAAKSO, L. HYVÄRINEN, M. KYLMÄLAHTI, O. HIMANEN, J. KIVIAHO and P. VUORISTO 17246 Influence of powder composition and manufacturing method on electrical and chromium barrier properties of atmospheric plasma sprayed spinel coatings prepared from MnCo_2O_4 and $\text{Mn}_2\text{CoO}_4 + \text{Co}$ powders on Crofer 22 APU interconnectors
- T. DEY, D. SINGDEO, R.N. BASU, M. BOSE and P.C. GHOSH 17258 Improvement in solid oxide fuel cell performance through design modifications: An approach based on root cause analysis
- W.-S. HSIEH, P. LIN and S.-F. WANG 17267 Characteristics of electrolyte supported micro-tubular solid oxide fuel cells with GDC-ScSZ bilayer electrolyte

- Z.Y. VAHC, C.-Y. JUNG and S.C. YI 17275 Performance degradation of solid oxide fuel cells due to sulfur poisoning of the electrochemical reaction and internal reforming reaction
- J. PURANEN, M. PIHLATIE, J. LAGERBOM, G. BOLELLI, J. LAAKSO, L. HYVÄRINEN, M. KYLMÄLAHTI, O. HIMANEN, J. KIVIAHO, L. LUSVARGHI and P. VUORISTO 17284 Post-mortem evaluation of oxidized atmospheric plasma sprayed Mn–Co–Fe oxide spinel coatings on SOFC interconnectors
- DM / DE Fuel Cells**
- N.A. KARIM, S.K. KAMARUDIN, L.K. SHYUAN, Z. YAAKOB, W.R.W. DAUD and A.A.H. KHADUM 17295 Novel cathode catalyst for DMFC: Study of the density of states of oxygen adsorption using density functional theory
- J. PANDEY, F.Q. MIR and A. SHUKLA 17306 Performance of PVDF supported silica immobilized phosphotungstic acid membrane (Si-PWA/PVDF) in direct methanol fuel cell
- Fuel Cells - General**
- C. LI, E.K. LEE, Y.-T. KIM and D. LEE 17314 Enhancing triple-phase boundary at fuel electrode of direct carbon fuel cell using a fuel-filled ceria-coated porous anode
- C.F. NØRGAARD, S.N. STAMATIN and E.M. SKOU 17322 Redeposition of electrochemically dissolved platinum as nanoparticles on carbon
- Transportation**
- A.R. MAYYAS, D. RAMANI, A.M. KANNAN, K. HSU, A. MAYYAS and T. SCHWENN 17327 Cooling strategy for effective automotive power trains: 3D thermal modeling and multi-faceted approach for integrating thermoelectric modules into proton exchange membrane fuel cell stack
- F.-C. WANG, C.-Y. GAO and S.-C. LI 17336 Impacts of power management on a PEMFC electric vehicle
- Combustion**
- S.I. YANG and M.S. WU 17347 Properties of premixed hydrogen/propane/air flame in ceramic granular beds
- A.B. SAHU and R.V. RAVIKRISHNA 17358 A detailed numerical study of NO_x kinetics in low calorific value H₂/CO syngas flames
- H.-M. LI, G.-X. LI, Z.-Y. SUN, Y. ZHAI and Z.-H. ZHOU 17371 Measurement of the laminar burning velocities and markstein lengths of lean and stoichiometric syngas premixed flames under various hydrogen fractions
- A.M. POLYANSKIY, V.A. POLYANSKIY and Y.A. YAKOVLEV 17381 Experimental determination of parameters of multichannel hydrogen diffusion in solid probe
- S. TAN, Y. WU, T. LIANG and X. YANG 17391 Kinetic modeling of anhydrous proton conduction in side chain liquid crystal polyacrylates
- Embrittlement / Properties**
- V. GASPARD and D. DELAFOSSE 17398 Hydrogenation method based on electrodeposited layers controlling the hydrogen desorption rate
- D. WEN, Y. ZONG, W. XU, D. SHAN and B. GUO 17404 The effect of hydrogen on phase transformation and mechanical properties of a β containing γ–TiAl based alloy
- V.I. CHIZHIK, I.A. RYKOV, M.G. SHELYAPINA and D. FRUCHART 17416 Proton relaxation and hydrogen mobility in Ti–V–Cr alloys: Improved exchange model
- K. OUARAS, S. DINE, D. VREL, X. BONNIN, M. REDOLFI, G. LOMBARDI and K. HASSOUNI 17422 Synthesis and hydrogen plasma interaction of model mixed materials for fusion
- S. BASU, S. KHAMRUI and N.R. BANDYOPADHYAY 17429 Sintering and electrical properties of Ce_{0.75}Sm_{0.2}Li_{0.05}O_{1.95}

Safety / Sensors

M. KOŽUH 17434 Preventing hydrogen detonations in road tunnels hydrogen trap concept

Corrigendum

M. DEB, R. BANERJEE, A. MAJUMDER, G.R.K. SASTRY and P.K. BOSE 17440 Corrigendum to “Multi objective optimization of performance parameters of a single cylinder diesel engine with hydrogen as a dual fuel using pareto-based genetic algorithm” [Int J Hydrogen Energy 39 (2014) 8063–8077]

Special Section: NANOSMAT-ASIA 2013

Guest Editors: Mahmood Aliofkhaezrai, Nasar Ali

- M. ALIOFKHAZRAEI and N. ALI 17441 Preface to the special section NANOSMAT-ASIA 2013
- Z. JIANG, Q. PAN, J. XU and T. FANG 17442 Current situation and prospect of hydrogen storage technology with new organic liquid
- J. LI, S.J. LI, Y.L. HAO and R. YANG 17452 Electrochemical characterization of nanostructured Ti–24Nb–4Zr–8Sn alloy in 3.5% NaCl solution
- Y. MA, M. SINGH, X. WANG, F. YANG, Q. HUANG and B. ZHU 17460 Study on GDC-KZnAl composite electrolytes for low-temperature solid oxide fuel cells
- G. LI, M. LI, L. DONG, X. LI and D. LI 17466 Low energy ion beam assisted deposition of controllable solid state electrolyte LiPON with increased mechanical properties and ionic conductivity
- J.S. KIM, H.S. HAN, S. SHIN, G.S. HAN, H.S. JUNG, K.S. HONG and J.H. NOH 17473 In₂O₃:Sn/TiO₂/CdS heterojunction nanowire array photoanode in photoelectrochemical cells
- K.C. KIL, S.-G. HONG, J.O. PARK, C. PAK, H. CHANG and U. PAIK 17481 The use of MWCNT to enhance oxygen reduction reaction and adhesion strength between catalyst layer and gas diffusion layer in polymer electrolyte membrane fuel cell
- M.A. AHMAD, N. AKRAM and R. RAZA 17487 Structural and electrical characterisation of nanostructure electrodes for SOFCs
- J.-Y. LEE and L.-K. LIU 17492 Graphite oxide functionalized with ionic liquid and ruthenium as hydrogenation catalyst
- M.H. LEE, J.H. PARK, H.S. HAN, H.J. SONG, I.S. CHO, J.H. NOH and K.S. HONG 17501 Nanostructured Ti-doped hematite (α -Fe₂O₃) photoanodes for efficient photoelectrochemical water oxidation
- S. PARK, C.W. LEE, I.S. CHO, S. KIM, J.H. PARK, H.J. KIM, D.-W. KIM, S. LEE and K.S. HONG 17508 Growth of anatase and rutile TiO₂@Sb:SnO₂ heterostructures and their application in photoelectrochemical water splitting
- S.W. SEO, T.H. NOH, S. PARK, C.W. LEE, S.H. KIM, H.J. KIM, H.K. PARK and K.S. HONG 17517 Solvothermal synthesis of SnNb₂O₆ nanoplates and enhanced photocatalytic H₂ evolution under visible light
- D.J. KIM, H.J. LEE and S.Y. NAM 17524 Sulfonated poly(arylene ether sulfone) membranes blended with hydrophobic polymers for direct methanol fuel cell applications