


FUW
1-69/he



Volume 39

Issue 31

22 October 2014

ISSN 0360-3199

International Journal of **HYDROGEN ENERGY**

Editor-in-Chief:

Emre A. Veziroğlu

Senior Associate Editor:

J.W. Sheffield

Associate Editors:

**S.I. Allakhverdiev, A. Basile,
M.B. Gorenssek, E.C. Kumbur
and N.Z. Muradov**

Assistant Editors:

**F. Chen, S.L. Garrison, J. Gong,
M.D. Mat and D.P. Mishra**

includes SPECIAL SECTION

Fuel Processing for Hydrogen Production

Guest Editors: Gunther Kolb, David A. Berry, Dushyant Shekhawat

Available online at www.sciencedirect.com

ScienceDirect






ELSEVIER

Available online at www.sciencedirect.com

ScienceDirect

International Journal of Hydrogen Energy 39 (2014) v–viii



www.elsevier.com/locate/ijhydene

Contents

Regular Articles

Solar Hydrogen

- C. BELABED, N. HAINE, Z. BENABDELGHANI, 17533 Photocatalytic hydrogen evolution on the hetero-system polypyrrol/TiO₂
B. BELLAL and M. TRARI under visible light

Bio Hydrogen

- L. YAN, B. HE, X. PEI, C. WANG, Z. DUAN, 17540 Design and comparisons of three biomass based hydrogen generation
J. SONG and X. LI systems with chemical looping process
- K. KUMPROA, A. NUNTIYA, Q. ZHANG, 17554 High-purity hydrogen gas production by catalytic thermal decomposition
J. KANO and F. SAITO using mechanochemical treatment
- F. MICOLUCCI, M. GOTTARDO, 17563 Automatic process control for stable bio-hythane production in two-phase
D. BOLZONELLA and P. PAVAN thermophilic anaerobic digestion of food waste

Catalysts / Electrocatalysts / Photocatalysts

- H. ZHANG, Y.A. ALHAMED, A. AL-ZAHRANI, 17573 Tuning catalytic performances of cobalt catalysts for clean hydrogen
M. DAOUS, H. INOKAWA, Y. KOJIMA and generation via variation of the type of carbon support and catalyst
L.A. PETROV post-treatment temperature
- H. MAO, L. WANG, P. ZHU, Q. XU and Q. LI 17583 Carbon-supported PdSn–SnO₂ catalyst for ethanol electro-oxidation in
alkaline media
- L. PASTOR-PÉREZ, R. BUITRAGO-SIERRA and 17589 CeO₂-promoted Ni/activated carbon catalysts for the water–gas shift (WGS)
A. SEPÚLVEDA-ESCRIBANO reaction
- J. DUFOUR, C. MARTOS, A. RUIZ, 17600 Synthesis of copper promoted high temperature water–gas shift catalysts by
M. MAROÑO and J.M. SÁNCHEZ oxidation–precipitation
- Y. LI, S. LI, Y. LI, Y. GUO and J. WANG 17608 Visible-light driven photocatalyst (Er³⁺:YAlO₃/Pt–NaTaO₃) for hydrogen
production from water splitting
- Y. YU, T. WANG, Y. FU, W. SU and J. HU 17617 Platinum nanoparticles ion-implanted-modified indium tin oxide electrode
for electrocatalytic oxidation of formaldehyde
- K. DING, Y. ZHAO, L. LIU, Y. CAO, Q. WANG, 17622 Pt–Ni bimetallic composite nanocatalysts prepared by using multi-walled
H. GU, X. YAN and Z. GUO carbon nanotubes as reductants for ethanol oxidation reaction
- J.-J. DU, C. CHEN, Y.-L. GAN, R.-H. ZHANG, 17634 Facile one-pot hydrothermal synthesis of Pt nanoparticles and their
C.-Y. YANG and X.-W. ZHOU electrocatalytic performance

Fossil Hydrogen / Gasification

- N. DAVID, K. VON SCHILLING, P.M. WILD 17638 *In situ* measurement of relative humidity in a PEM fuel cell using fibre
and N. DJILALI Bragg grating sensors
- S.Y. LEE, H. LIM and H.C. WOO 17645 Catalytic activity and characterizations of Ni/K₂Ti_xO_y–Al₂O₃ catalyst for
steam methane reforming
- A. WU, J. YAN, H. ZHANG, M. ZHANG, 17656 Study of the dry methane reforming process using a rotating gliding arc
C. DU and X. LI reactor
- B. KAINI and K. MONDAL 17671 Thermodynamic evaluation of hydrogen production from methane

- D. MEI, L. LIANG, M. QIAN and Y. FENG 17690 A performance study of methanol steam reforming in an A-type microchannel reactor
- I. PISA, G. LAZAROIU and T. PRISECARU 17702 Influence of hydrogen enriched gas injection upon polluting emissions from pulverized coal combustion

Storage

- C. PADUANI 17710 Energetics of hydrogen desorption from highly reactive clusters based on the sodium and magnesium alanates and boranates
- H. LE-QUOC, A. LACOSTE, S. MIRAGLIA, S. BÉCHU, A. BÈS and L. LAVERSENNE 17718 MgH_2 thin films deposited by one-step reactive plasma sputtering
- M. BHOURI, I. BÜRGER and M. LINDER 17726 Optimization of hydrogen charging process parameters for an advanced complex hydride reactor concept
- A. DAGHER, H.G. SALEM, T.M. MOUSTAFA, E.B. METTAWEE and E. ABDEL-RAHMAN 17740 Hydrogen absorption characteristics of mechanically alloyed Ti–Zr–Ni and Ti–V–Ni powders
- Y. WANG, Y. WANG, X. WANG, H. ZHANG, L. JIAO and H. YUAN 17747 Destabilization effects of $Mg(AlH_4)_2$ on MgH_2 : Improved desorption performances and its reaction mechanism
- C. LIANG, M. GAO, H. PAN, Y. LIU and M. YAN 17754 Effect of gas back pressure on hydrogen storage properties and crystal structures of $Li_2Mg(NH)_2$

Regenerative Fuel Cells

- M. GABBASA, K. SOPIAN, A. FUDHOLI and N. ASIM 17765 A review of unitized regenerative fuel cell stack: Material, design and research achievements

PE Fuel Cells

- Q. ZHU, N. WANG and L. ZHANG 17779 Circular genetic operators based RNA genetic algorithm for modeling proton exchange membrane fuel cells
- R. BANERJEE, D. HOWE, V. MEJIA and S.G. KANDLIKAR 17791 Experimental validation of two-phase pressure drop multiplier as a diagnostic tool for characterizing PEM fuel cell performance
- S. CHAUDHARY, V.K. SACHAN and P.K. BHATTACHARYA 17802 Two dimensional modelling of water uptake in proton exchange membrane fuel cell

SO Fuel Cells

- X. LIU, H. FAN, J. SHI, G. DONG and Q. LI 17819 High oxide ion conducting solid electrolytes of bismuth and niobium co-substituted $La_2Mo_2O_9$
- H. JUNG, K. BAE, D.Y. JANG, Y.H. LEE, S.-W. CHA and J.H. SHIM 17828 Evaluation of porous platinum, nickel, and lanthanum strontium cobaltite as electrode materials for low-temperature solid oxide fuel cells
- G. WANG, W. GUAN, F. MIAO and W.G. WANG 17836 Factors of cathode current-collecting layer affecting cell performance inside solid oxide fuel cell stacks
- K. XU, C. CHEN, H. LIU, Y. TIAN, X. LI and H. YAO 17845 Effect of coal based pyrolysis gases on the performance of solid oxide direct carbon fuel cells
- J.-W. YIN, Y.-M. YIN, J. LU, C. ZHANG, N.Q. MINH, W. ZHANG and Z.-F. MA 17852 $Nd_{0.5}Sr_{0.5}Fe_{0.8}Cu_{0.2}O_{3-\delta}-xSm_{0.2}Ce_{0.8}O_{1.9}$ cobalt-free composite cathodes for intermediate temperature solid oxide fuel cells

DM / DE Fuel Cells

- S. ZHONG, X. CUI, Y. GAO, W. LIU and S. DOU 17857 Fabrication and properties of poly(vinyl alcohol)-based polymer electrolyte membranes for direct methanol fuel cell applications

Microbial Fuel Cells

- J. LIU, L. LIU, B. GAO, F. YANG, J. CRITTENDEN and N. REN 17865 Integration of microbial fuel cell with independent membrane cathode bioreactor for power generation, membrane fouling mitigation and wastewater treatment

Transportation

- A. LE DUIGOU and A. SMATTI 17873 On the comparison and the complementarity of batteries and fuel cells for electric driving

I.C. Engines

- F.Y. HAGOS, A.R.A. AZIZ and S.A. SULAIMAN 17884 Syngas (H_2/CO) in a spark-ignition direct-injection engine. Part 1: Combustion, performance and emissions comparison with CNG

Combustion

- M.T. ABDUL RAHMAN, N. KAWAHARA, K. TSUBOI and E. TOMITA 17896 Visualization and concentration measurement of a direct-injection hydrogen jet in a constant-volume vessel using spark-induced breakdown spectroscopy
- K.C. SANDEEP, R. BHATTACHARYYA, C. WARGHAT, K. BHANJA and S. MOHAN 17906 Experimental investigation on the kinetics of catalytic recombination of hydrogen with oxygen in air

Embrittlement / Properties

- S. ZHANG, Q. ZHANG, H. WANG, Y. NI and Z. ZHU 17913 Absorption behaviors study on doped Li_4SiO_4 under a humidified atmosphere with low CO_2 concentration
- Y. YAN, Y. YAN, Y. HE, J. LI, Y. SU and L. QIAO 17921 Hydrogen-induced cracking and service safety evaluation for precipitation strengthened austenitic stainless steel as hydrogen storage tank

Safety / Sensors

- M. DIXIT, Y. FULPAGARE, J. SHUKLA, P. BASARKAR, D. PARIKH, R. JAIN and A. BHARGAV 17929 Design of fuel cell systems laboratory for hydrogen, carbon monoxide and hydrocarbon safety
- Y.-C. ZHANG, W. JIANG, S.-T. TU and J.-F. WEN 17941 Simulation of creep and damage in the bonded compliant seal of planar solid oxide fuel cell

Special Section: Fuel Processing for Hydrogen Production

Guest Editors: Gunther Kolb, David A. Berry, Dushyant Shekhawat

- G. KOLB, D.A. BERRY and D. SHEKHAWAT 17952 Editorial
- S. SPECCHIA 17953 Fuel processing activities at European level: A panoramic overview
- A.C.D. FREITAS and R. GUIRARDELLO 17969 Comparison of several glycerol reforming methods for hydrogen and syngas production using Gibbs energy minimization
- D.M. ANDERSON, P.A. KOTTKE and A.G. FEDOROV 17985 Thermodynamic analysis of hydrogen production via sorption-enhanced steam methane reforming in a new class of variable volume batch-membrane reactor
- C. DIEHM and O. DEUTSCHMANN 17998 Hydrogen production by catalytic partial oxidation of methane over staged Pd/Rh coated monoliths: Spatially resolved concentration and temperature profiles
- F. WANG, W. CAI, C. DESCORME, H. PROVENDIER, W. SHEN, C. MIRODATOS and Y. SCHUURMAN 18005 From mechanistic to kinetic analyses of ethanol steam reforming over Ir/CeO₂ catalyst
- E. ROMEO, M. SAEYS, A. MONZÓN and A. BORGNA 18016 Carbon nanotube formation during propane decomposition on boron-modified Co/Al₂O₃ catalysts: A kinetic study
- J. PASEL, R.C. SAMSUN, R. PETERS, B. THIELE and D. STOLTEN 18027 Long-term stability at fuel processing of diesel and kerosene
- M.Z. GRANLUND, O. GÖRKE, P. PFEIFER and L.J. PETERSSON 18037 Comparison between a micro reactor with multiple air inlets and a monolith reactor for oxidative steam reforming of diesel

- H. BUTCHER, C.J.E. QUENZEL,
L. BREZINER, J. METTES, B.A. WILHITE and
P. BOSSARD 18046 Design of an annular microchannel reactor (AMR) for hydrogen and/or
syngas production via methane steam reforming
- T. BOELTKEN, A. WUNSCH, T. GIETZELT,
P. PFEIFER and R. DITTMAYER 18058 Ultra-compact microstructured methane steam reformer with integrated
Palladium membrane for on-site production of pure hydrogen: Experimental
demonstration
- M.F. NEIRA D'ANGELO, V. ORDOMSKY,
J. VAN DER SCHAAF, J.C. SCHOUTEN and
T.A. NIJHUIS 18069 Continuous hydrogen stripping during aqueous phase reforming of sorbitol
in a washcoated microchannel reactor with a Pt–Ru bimetallic catalyst
- N.O. RICHARDS and P.A. ERICKSON 18077 An investigation of a stratified catalyst bed for small-scale hydrogen
production from methanol autothermal reforming
- P.J. LINDNER, E. BENDER and R.S. BESSER 18084 Failure analysis of novel microhollow cathode discharge microplasma
reactors
- F. HE and F. LI 18092 Hydrogen production from methane and solar energy – Process evaluations
and comparison studies
- G. AVGOUROPOULOS, A. PAXINOU and
S. NEOPHYTIDES 18103 In situ hydrogen utilization in an internal reforming methanol fuel cell
- M.A. ASHRAF, G. ERCOLINO, S. SPECCHIA
and V. SPECCHIA 18109 Final step for CO syngas clean-up: Comparison between CO-PROX and
CO-SMET processes
- S. NEUBERG, S. KELLER, M. O'CONNELL,
J. SCHÜRER, R. THIELE, R. ZAPF, A. ZIOGAS
and G. KOLB 18120 Effect of oxygen addition on the water–gas shift reaction over Pt/CeO₂
catalysts in microchannels – Results from catalyst testing and reactor
performance in the kW scale
- C.H. LEE and K.B. LEE 18128 Application of one-body hybrid solid pellets to sorption-enhanced water gas
shift reaction for high-purity hydrogen production
- U. GARDEMANN, M. STEFFEN and
A. HEINZEL 18135 Design and demonstration of an ethanol fuel processor for HT-PEM fuel
cell applications
- P. ENGELHARDT, M. MAXIMINI,
F. BECKMANN, M. BRENNER and O. MORITZ 18146 Coupled operation of a diesel steam reformer and an LT- and HT-PEFC
- M. MAXIMINI, P. ENGELHARDT,
M. BRENNER, F. BECKMANN and O. MORITZ 18154 Fast start-up of a diesel fuel processor for PEM fuel cells