

Volume 39

Issue 34

20 November 2014

ISSN 0360-3199

International Journal of **HYDROGEN ENERGY**

Editor-in-Chief:

Emre A. Veziroğlu

Senior Associate Editor:


J.W. Sheffield

Associate Editors:

**S.I. Allakhverdiev, A. Basile,
M.B. Gorenssek, E.C. Kumbur
and N.Z. Muradov**

Assistant Editors:

**F. Chen, S.L. Garrison, J. Gong,
M.D. Mat and D.P. Mishra**



Available online at www.sciencedirect.com

ScienceDirect

**Regular Articles****Electrolysis / Electrolyzers**

- H. HOU, X. CHEN, J. LIU, X. ZHU, 19407 Repression of hydrogen uptake using conjugated oligoelectrolytes in
G.C. BAZAN and B.E. LOGAN microbial electrolysis cells

Chemical / Thermochemical Hydrogen

- M. YU, M. KIM, B. YOON, S. OH, 19416 Carbon nanotubes/aluminum composite as a hydrogen source for PEMFC
D.-H. NAM and H. KWON

Solar Hydrogen

- S. DEVI, P. KORAKE, S.N. ACHARY and 19424 Genesis of enhanced photoactivity of CdS/Ni_x nanocomposites for
N.M. GUPTA visible-light-driven splitting of water
Z. ZHANG, B. DONG, M. ZHANG, J. HUANG, 19434 Electrospun Pt/TiO₂ hybrid nanofibers for visible-light-driven H₂ evolution
F. LIN and C. SHAO

Bio Hydrogen / Bio Gas

- H. MASUKAWA, H. SAKURAI, 19444 Sustained photobiological hydrogen production in the presence of N₂ by
R.P. HAUSINGER and K. INOUE nitrogenase mutants of the heterocyst-forming cyanobacterium *Anabaena*
A. PAPAZI, A.-I. GJINDALI, E. KASTANAKI, 19452 Potassium deficiency, a "smart" cellular switch for sustained high yield
K. ASSIMAKOPOULOS, K. STAMATAKIS and hydrogen production by the green alga *Scenedesmus obliquus*
K. KOTZABASIS
N. MEI, N. ZERGANE, A. POSTEC, 19465 Fermentative hydrogen production by a new alkaliphilic *Clostridium*
G. ERAUSO, A. OLLIER, C. PAYRI, sp. (strain PROH2) isolated from a shallow submarine hydrothermal
B. PELLETIER, M.-L. FARDEAU, chimney in Prony Bay, New Caledonia
B. OLLIVIER and M. QUÉMÉNEUR
K. SANDEEP and S. DASAPPA 19474 First and second law thermodynamic analysis of air and oxy-steam biomass
gasification
S. KIM and J. BAE 19485 Numerical analysis of a 20-kW_e biogas steam reformer in PEMFC
applications

Methanol / Ethanol Hydrogen

- R.-X. YANG, K.-H. CHUANG and 19494 Hydrogen production through methanol steam reforming: Effect of
M.-Y. WEY synthesis parameters on Ni-Cu/CaO-SiO₂ catalysts activity

Contents continued on inside back cover

Indexed/Abstracted in: *Chemical Abstracts (Online)*, *Chemical Engineering and Biotechnology Abstracts (Online)*, *Chimica*, *Compendex*, *Currents Abstracts*, *Current Contents*, *EnCompassLit*, *Energy & Power Source*, *Engineering Index*, *Environment Complete*, *Environment Index*, *International Building Services Abstracts*, *Inspec*, *PubMed*, *Referativnyi Zhurnal*, *Russian Academy of Sciences Bibliographies*, *Science Citation Index Expanded*, *TEMA-Technology and Management*, *Web of Science*, Also covered in the abstract and citation database SCOPUS®. Full text available on ScienceDirect®.

ISSN 0360-3199



ELSEVIER



0360-3199(20141120)39:34;1-W

Catalysts / Electrocatalysts

- W. HAN, C. ZANG, Z. HUANG, H. ZHANG, L. REN, X. QI and J. ZHONG 19502 Enhanced photocatalytic activities of three-dimensional graphene-based aerogel embedding TiO_2 nanoparticles and loading MoS_2 nanosheets as Co-catalyst
- P.S. LAU and K.M. NG 19513 Carbon dioxide reforming of methane by solid state synthesis supported catalysts
- M.A. AMIN, S.A. FADLALLAH and G.S. ALOSAIMI 19519 In situ aqueous synthesis of silver nanoparticles supported on titanium as active electrocatalyst for the hydrogen evolution reaction
- A.A. AL-MUSA, Z.S. IOAKEIMIDIS, M.S. AL-SALEH, A. AL-ZAHRANY, G.E. MARNELLOS and M. KONSOLAKIS 19541 Steam reforming of iso-octane toward hydrogen production over mono- and bi-metallic Cu-Co/ CeO_2 catalysts: Structure-activity correlations
- W.-K. CHEN, H.-H. TSENG, M.-C. WEI, E.-C. SU and I.-C. CHIU 19555 Transesterification of canola oil as biodiesel over Na/Zr-SBA-15 catalysts: Effect of zirconium content
- Ö. YALÇIN and I. ÖNAL 19563 DFT investigation of high temperature water gas shift reaction on chromium-iron mixed oxide catalyst
- L. LI, L. SONG, C. CHEN, Y. ZHANG, Y. ZHAN, X. LIN, Q. ZHENG, H. WANG, H. MA, L. DING and W. ZHU 19570 Modified precipitation processes and optimized copper content of CuO-CeO_2 catalysts for water-gas shift reaction

Fossil Hydrogen / Gasification

- Z. GE, H. JIN and L. GUO 19583 Hydrogen production by catalytic gasification of coal in supercritical water with alkaline catalysts: Explore the way to complete gasification of coal
- X. XU, S. ZHANG and P. LI 19593 Autothermal reforming of *n*-dodecane and desulfurized Jet-A fuel for producing hydrogen-rich syngas

Storage

- I. DOVGALIUK, H. HAGEMANN, T. LEYSSENS, M. DEVILLERS and Y. FILINCHUK 19603 CO_2 -promoted hydrolysis of KBH_4 for efficient hydrogen co-generation
- I.A. KHAN, A. BADSHAH, M.A. NADEEM, N. HAIDER and M.A. NADEEM 19609 A copper based metal-organic framework as single source for the synthesis of electrode materials for high-performance supercapacitors and glucose sensing applications
- Z. YANG, D. WANG, L.-C. XU, X. LIU, X. LI and B. XU 19621 The adsorption of H_2 on Fe-coated C_5H_5 and its application in hydrogen storage
- N. ZHOU and D. JU 19630 Study on preparation and properties evaluation of Mg/Ni/Ti hydrogen storage material
- Y.L. ZHANG, J.S. LI, T.B. ZHANG, H.C. KOU, R. HU and X.Y. XUE 19637 Microstructural characterization and hydrogenation properties of non-stoichiometric $\text{Zr}_{0.9}\text{Ti}_x\text{V}_2$ alloys
- C.M.J. BENNETT, A.J. PATMAN, C. MILANESE, C.N. EASTWICK and G.S. WALKER 19646 Effect of powder characteristics for a magnesium based metal hydride store
- M.-Y. YAN, F. SUN, X.-P. LIU and J.-H. YE 19656 Effects of compaction pressure and graphite content on hydrogen storage properties of $\text{Mg}(\text{NH}_2)_2\text{-2LiH}$ hydride
- P. KULA, Ł. KACZMAREK, P. ZAWADZKI, Ł. KOŁODZIEJCZYK, W. SZYMAŃSKI, P. NIEDZIELSKI, R. PIETRASIK, K. DYBOWSKI, D. KAZIMIERSKI and D. NOWAK 19662 Functionality of graphene as a result of its heterogenic growth on SiC nanoparticles on the basis of reversible hydrogen storage
- X. HOU, R. HU, T. ZHANG, H. KOU, W. SONG and J. LI 19672 Hydrogen desorption performance of high-energy ball milled Mg_2NiH_4 catalyzed by multi-walled carbon nanotubes coupling with TiF_3

Contents continued from inside back cover

Purification / Membranes / Separation

- V.N. ALIMOV, A.O. BUSNYUK, 19682 Substitutional V–Pd alloys for the membranes permeable to hydrogen:
M.E. NOTKIN, E.Y. PEREDISTOV and Hydrogen solubility at 150–400 °C
A.I. LIVSHITS

PE Fuel Cells

- K. INMAN and X. WANG 19691 Detection of liquid water in the flow channels of PEM fuel cell using an optical sensor
- X. WANG, P. BAKER, X. ZHANG, 19701 An experimental overview of the effects of hydrogen impurities on polymer
H.F. GARCES, L.J. BONVILLE, electrolyte membrane fuel cell performance
U. PASAOGULLARI and T.M. MOLTER
- M. SONG, H.-Y. KIM and K. KIM 19714 Effects of hydrophilic/hydrophobic properties of gas flow channels on liquid water transport in a serpentine polymer electrolyte membrane fuel cell

SO Fuel Cells

- M. WEST and A. MANTHIRAM 19722 Improved phase stability and electrochemical performance of (Y,In,Ca) $\text{BaCo}_3\text{ZnO}_{7+\delta}$ cathodes for intermediate temperature solid oxide fuel cells
- T. YAMAGUCHI, H. SUMI, K. HAMAMOTO, 19731 Effect of nanostructured anode functional layer thickness on the
T. SUZUKI, Y. FUJISHIRO, J.D. CARTER and solid-oxide fuel cell performance in the intermediate temperature
S.A. BARNETT
- W.-J. SHONG, C.-K. LIU, S.-H. WU, 19737 Oxidation behavior of nickel coating on ferritic stainless steel interconnect
H.-C. LIU and P. YANG for SOFC application
- K. LI, X. WANG, L. JIA, D. YAN, J. PU, 19747 High performance Ni–Fe alloy supported SOFCs fabricated by low cost
B. CHI and L. JIAN tape casting-screen printing-cofiring process
- M. FARDADI, D.F. McLARTY, J. BROUWER 19753 Enhanced performance of counter flow SOFC with partial internal
and F. JABBARI reformation

Fuel Cells – General

- X. HAN, D.J. CHADDERDON, J. QI, L. XIN, 19767 Numerical analysis of anion-exchange membrane direct glycerol fuel cells
W. LI and W. ZHOU under steady state and dynamic operations
- N. NASANI, Z.-J. WANG, M.G. WILLINGER, 19780 *In-situ* redox cycling behaviour of Ni–BaZr_{0.85}Y_{0.15}O_{3–δ} cermet anodes for
A.A. YAREMCHENKO and D.P. FAGG Protonic Ceramic Fuel Cells

MH Batteries / MH Cooling & Heating / MH Compressors

- W.H. ZHU, Y. ZHU and B.J. TATARCHUK 19789 Self-discharge characteristics and performance degradation of Ni-MH batteries for storage applications

I.C. Engines

- S. VOSHTANI, M. REYHANIAN, 19799 Investigating various effects of reformer gas enrichment on a natural
M. EHTERAM and V. HOSSEINI gas-fueled HCCI combustion engine

Combustion

- S. VOSS, S. HARTL and C. HASSE 19810 Determination of laminar burning velocities for lean low calorific H_2/N_2 and $\text{H}_2/\text{CO}/\text{N}_2$ gas mixtures
- I. HRAIECH, J.-C. SAUTET, 19818 Effects of hydrogen addition and Carbon dioxide dilution on the velocity
M.A. MERGHENI, H. BEN TICHA, field in non reacting and reacting flows
H. TOUATI and A. MHIMID
- N. KHAN and V. RAGHAVAN 19832 Structure and reaction zones of hydrogen – Carbon-monoxide laminar jet diffusion flames

Contents continued on bm VIII

Criticisms / Responses

- | | | |
|--|-------|--|
| V. KHARIN | 19846 | Comments on “Computational analysis of geometrical factors affecting experimental data extracted from hydrogen permeation tests: I – Consequences of trapping” [Int J Hydrogen Energy 36 (2011) 12644–12652] and “... II – Consequences of trapping and an oxide layer” [Int J Hydrogen Energy 37 (2012) 13574–13582], “Corrigenda ...” to both [Int J Hydrogen Energy 39 (2014) 2430], and on “... III – Comparison with experimental results from the literature” [Int J Hydrogen Energy 39 (2014) 1145–1155] with “Generalized model of desorption kinetics: Characterization of hydrogen trapping in a homogeneous membrane” [Int J Hydrogen Energy 39 (2014) 8374–8384] |
| E. LEGRAND, J. BOUHATTATE, A. OUDRISS,
S. FRAPPART, J. CREUS, X. FEAUGAS and
H. GARMESTANI | 19851 | Response to comments on “Computational analysis of geometrical factors affecting experimental data extracted from hydrogen permeation test: I – Consequences of trapping” [Int J Hydrogen Energy 36 (2011) 12644–12652] and “II – Consequences of trapping and an oxide layer” [Int J Hydrogen Energy 37 (2012) 13574–13582], “Corrigenda” to both [Int J Hydrogen Energy 39 (2014) 2430], and on “III – Comparison with experimental results from the literature” [Int J Hydrogen Energy 39 (2014) 1145–1155] with “Generalized model of desorption kinetics: Characterization of hydrogen trapping in a homogeneous membrane” [Int J Hydrogen Energy 39 (2014) 8374–8384] |

Corrigendum

- | | | |
|---|-------|--|
| J. LIU, S. LAGHROUCHE, F.-S. AHMED and
M. WACK | 19853 | Corrigendum to “PEM fuel cell air-feed system observer design for automotive applications: An adaptive numerical differentiation approach” [Int J Hydrogen Energy 39 (2014) 17210–17221] |
|---|-------|--|