

74
J80/2ac



Volume 566


25 July 2013
ISSN 0925-8388

Journal of ALLOYS AND COMPOUNDS

An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics

EDITOR-IN-CHIEF
L. SCHULTZ

EDITORS
K.H.J. BUSCHOW
J. CHAN
D.G. ESKIN
H. FAN
J.-M. GRENECHE
V.G. HARRIS
H. KLEINKE
C. KOCH
H.G. PAN
V. PECHARSKY
H. SAKAGUCHI
H. ZUR LOYE

**Contents**

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.® Full text available on ScienceDirect.®

Effects of dehydrogenation heat-treatment on electrical-mechanical properties for hydrogenated Cu-3 mass%Ti alloys A. Kamegawa, T. Kuriwa (Sendai, Japan) and M. Okada (Sendai, Hachinohe, Japan)	1
Intrinsic electromagnetic parameters of particulate inclusions Z. Qu, Q. Wang and S. Qin (Shijiazhuang, China)	5
Effect of post-annealing treatment on the microstructure and optical properties of ZnO/PS nanocomposite films S.Y. Ma, X.H. Yang, X.L. Huang, A.M. Sun, H.S. Song and H.B. Zhu (Gansu, China)	9
Effects of precursor treatment on the structure and electrochemical properties of spinel LiMn ₂ O ₄ cathode H. Tang, Z. Chang, H. Zhao (Henan, China), X.-Z. Yuan, H. Wang (Vancouver, China) and S. Gao (Henan, China)	16
Impact of hydrogen absorption on crystal structure and magnetic properties of geometrically frustrated Nd ₂ Ni ₂ In S. Mašková, L. Havela, S. Daniš (Prague, Czech Republic), A. Llobet (Alamos, USA), H. Nakotte, K. Kothapalli (Las Cruces, USA), R. Černý (Geneva, Switzerland) and A. Kolomietz (Prague, Czech Republic, Lviv, Ukraine)	22
Induced magnetic anisotropy features in FeCrSiBNbCu nanocrystalline alloy: Role of stress distribution proven by direct X-ray measurements G.V. Kurlyandskaya (Bilbao, Spain, Ekaterinburg, Russia), V.A. Lukshina (Ekaterinburg, Russia), A. Larrañaga, I. Orue (Bilbao, Spain), A.A. Zaharova and D.A. Shishkin (Ekaterinburg, Russia)	31
Hydrogen storage and electrochemical properties of the Ti _{0.32} Cr _{0.43-x-y} V _{0.25} Fe _x Mn _y ($x = 0\text{--}0.055$, $y = 0\text{--}0.080$) alloys and their composites with MmNi _{3.99} Al _{0.29} Mn _{0.3} Co _{0.6} alloy H.-G. Lee, M.G. Chourashiya, C.-N. Park and C.-J. Park (Gwangju, Republic of Korea)	37
Transport and magnetic properties of yttrium doped NdFeAs(O,F) superconductor J.B. Anooja, P.M. Aswathy, N. Varghese (Trivandrum, India), K. Vinod, A. Bharathi (Kalpakkam, India) and U. Syamaprasad (Trivandrum, India)	43
Electrical and thermal transport properties of AgIn ₅ Te ₈ Y.-L. Pei, C. Zhang (Beijing, China), J. Li and J. Sui (Harbin, China)	50
Influence of Co ²⁺ distribution and spin-orbit coupling on the resultant magnetic properties of spinel cobalt ferrite nanocrystals S.R. Naik, A.V. Salker (Goa, India), S.M. Yusuf and S.S. Meena (Mumbai, India)	54
Modeling the hot deformation behavior of Al alloy 3003 J. Guo (Shaanxi, China, Tokushima, Japan), S. Zhao (Shaanxi, China), R.-i. Murakami (Tokushima, Japan), R. Ding and S. Fan (Shaanxi, China)	62
Microstructure and hydrogen permeability in Nb-TiFe alloys K. Ishikawa (Ishikawa, Japan), S. Watanabe and K. Aoki (Hokkaido, Japan)	68
Luminescence properties and energy transfer mechanism of Ce ³⁺ /Mn ²⁺ co-doped transparent glass-ceramics containing β-Zn ₂ SiO ₄ nanocrystals for white light emission R. Ye (Hangzhou, China), H. Ma (Hangzhou, Shanghai, China), C. Zhang, Y. Gao, Y. Hua, D. Deng, P. Liu and S. Xu (Hangzhou, China)	73
Influence of coumarin as an additive on CuO nanostructures prepared by successive ionic layer adsorption and reaction (SILAR) method F. Bayansal, B. Şahin (Hatay, Turkey), M. Yüksel, N. Biyikli (Ankara, Turkey), H.A. Çetinkara and H.S. Güder (Hatay, Turkey)	78
Structural and optical properties of Zn-In-Te thin films deposited by thermal evaporation technique H.H. Güllü, Ö. Bayraklı, İ. Candan (Ankara, Turkey), E. Cosákun (Ankara, Çanakkale, Turkey) and M. Parlak (Ankara, Turkey)	83
Improvement of 1.53 μm band fluorescence and energy transfer in Er ³⁺ /Ce ³⁺ codoped tellurite glasses S. Zheng, Y. Zhou, D. Yin, X. Xu, Y. Qi and S. Peng (Zhejiang, China)	90
Activation of {1 0 1 2} twinning and slip in high ductile Mg-2.0Zn-0.8Gd rolled sheet with non-basal texture during tensile deformation at room temperature H. Yan (Shenyang, China, Nagaoka, Japan), S.W. Xu (Nagaoka, Japan), R.S. Chen (Shenyang, China), S. Kamado, T. Honma (Nagaoka, Japan) and E.H. Han (Shenyang, China)	98
Trapping levels in TlGaSe ₂ single crystals S. Ozdemir and Ş. Altindal (Ankara, Turkey)	108

Electrical and magnetic transport properties of Ni–Cu–Mg ferrite nanoparticles prepared by sol-gel method K.M. Batoo (Riyadh, Saudi Arabia) and M.-S. Abd El-sadek (Qena, Egypt)	112
Comparative study of photocatalytic performance on different TiO ₂ nano-tubes arrays X. Cheng, H. Liu, Q. Chen, J. Li and X. Yu (Harbin, PR China)	120
Ablation behavior of ZrB ₂ –SiC sharp leading edges X. Jin, R. He, X. Zhang and P. Hu (Harbin, PR China).	125
Reduced graphene oxide/CoFe ₂ O ₄ –Co nanocomposite as high performance anode for lithium ion batteries M. Zhang, M. Jia, Y. Jin, Q. Wen and C. Chen (Beijing, China)	131
Reversible hydrogen storage properties of NaAlH ₄ enhanced with TiN catalyst L. Li, Y. Wang, F. Qiu, Y. Wang, Y. Xu, C. An, L. Jiao and H. Yuan (Tianjin, PR China)	137
Luminescence properties of Na ₃ YSi ₃ O ₉ :M ³⁺ (M = Sm, Tb, Tm) glass ceramics W. Zhao (Baotou, Beijing, China), S. An (Beijing, Baotou, China), B. Fan and S. Li (Baotou, China)	142
Effect of heat treatment in air on physical properties of AgInS ₂ sprayed thin films D. Gherouel (Tunis, Tunisia), I. Gaiad (Nabeul, Tunisia) and M. Amlouk (Tunis, Tunisia)	147
Ternary diffusion in Cu-rich fcc Cu-Al-Si alloys at 1073 K D. Liu, L. Zhang, Y. Du, H. Xu and Z. Jin (Hunan, PR China)	156
Photoluminescence properties of Sm ³⁺ ions doped oxyfluoride calcium borosilicate glasses Y. Zhang, Z. Zhu, W. Zhang and Y. Qiao (Xi'an, PR China).	164
Effect of ball milling time on the thermoelectric properties of p-type (Bi,Sb) ₂ Te ₃ J.H. Son, M.W. Oh, B.S. Kim, S.D. Park, B.K. Min, M.H. Kim and H.W. Lee (Changwon, Republic of Korea)	168
The effects of the post-annealing temperature on the growth mechanism of Bi ₂ Sr ₂ Ca ₁ Cu ₂ O _{8+δ} thin films produced on MgO (1 0 0) single crystal substrates by pulsed laser deposition (PLD) O. Nane (Adana, Hakkari, Turkey), B. Özçelik (Adana, Turkey) and D. Abukay (Izmir, Turkey).	175
Crystallographic properties and elemental migration in two-stage prepared Culn _{1-x} Al _x Se ₂ thin films for photovoltaic applications R. Aniat, G. Zoppi (Newcastle upon Tyne, UK), A. Tempez, P. Chapon (Palaiseau, France), N.S. Beattie, R. Miles and I. Forbes (Newcastle upon Tyne, UK)	180
Strain effects on the electronic structure of the FeSe _{0.5} Te _{0.5} superconductor M.J. Winiarski, M. Samsel-Czekala (Wrocław, Poland) and A. Ciechan (Warsaw, Poland).	187
Kinetics and microstructure evolution of Ti ₂ SC during in situ synthesis process W.B. Zhu, J.H. Song and B.C. Mei (Wuhan, China)	191
Microstructure and isothermal magnetic entropy change of La(Fe _{0.89} Si _{0.11}) ₁₃ in a single-phase formation process by annealing S. Fujieda, K. Fukamichi and S. Suzuki (Japan)	196
Bias-voltage dependent ultraviolet photodetectors prepared by GaO _x + ZnO mixture phase nanocrystalline thin films R. Wang, L. Yang (Suzhou, China), S. Xu (Suzhou, Hong Kong, China), X. Zhang, X. Dong, Y. Zhao, K. Fu, B. Zhang and H. Yang (Suzhou, China)	201
Improving rate performance of LiFePO ₄ cathode materials by hybrid coating of nano-Li ₃ PO ₄ and carbon S.-X. Zhao (Shenzhen, PR China), H. Ding, Y.-C. Wang (Shenzhen, Beijing, PR China), B.-H. Li (Shenzhen, PR China) and C.-W. Nan (Beijing, PR China).	206
Synthesis of 3C–SiC nanowires by reaction of poly(ethylene terephthalate) waste with SiO ₂ microspheres L. Gao, H. Zhong and Q. Chen (Hefei, China)	212
Unravelling the materials genome: Symmetry relationships in alloy properties I. Toda-Caraballo (Cambridge, UK), E.I. Galindo-Nava (Cambridge, UK, Delft, Netherlands) and P.E.J. Rivera-Díaz-del-Castillo (Cambridge, UK)	217
Spectroscopic properties and orthogonally polarized dual-wavelength laser of Yb ³⁺ :NaY(WO ₄) ₂ crystals with high Yb ³⁺ concentrations J. Feng (Fujian, Beijing, PR China), J. Xu, Z. Zhu, Y. Wang, Z. You, J. Li (Fujian, PR China), H. Wang (Qingdao, PR China) and C. Tu (Fujian, PR China)	229
Structural phase transition and thermal expansion in Bi _{1-2.5x} Pr _{1.5x} Ba _x FeO ₃ ceramics G.F. Cheng (Nanjing, Shanghai, PR China), Y.J. Ruan, Y.H. Huang (Shanghai, PR China) and X.S. Wu (Nanjing, PR China).	235
Microstructure evolution and mechanical properties of Sn0.7Cu0.7Bi lead-free solders produced by directional solidification X. Hu, K. Li (Nanchang, China) and Z. Min (Hefei, China).	239
Keywords.	III