



Volume 573

5 October 2013
ISSN 0925-8388

Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF

L. SCHULTZ

EDITORS

K.H.J. BUSCHOW

J. CHAN

D.G. ESKIN

H. FAN

J.-M. GRENECHE

V.G. HARRIS

H. KLEINKE


C. KOCH

H.G. PAN

V. PECHARSKY

H. SAKAGUCHI

H. ZUR LOYE



Contents

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.[®] Full text available on ScienceDirect.[®]

Effect of stacking fault energy and strain rate on the mechanical properties of Cu and Cu alloys X. Wu (Yunnan, China), C. Wen (Victoria, Australia), Y. Gong, S. Ren, J. Tao, L. Chen, Y. Long and X. Zhu (Yunnan, China)	1
Structural and electronic properties of $\text{SrAl}_2\text{O}_4:\text{Eu}^{2+}$ from density functional theory calculations M. Nazarov (Pulau Pinang, Malaysia, Chisinau, Moldova), M.G. Brik (Tartu, Estonia), D. Spassky (Tartu, Estonia), (Moscow, Russia), B. Tsukerblat (Beer-Sheva, Israel), A. Nor Nazida (Pulau Pinang, Perak, Malaysia) and M.N. Ahmad-Fauzi (Pulau Pinang, Malaysia)	6
Mössbauer studies of the states of Fe atoms in the antiferromagnetic Fe–Mn Invar alloys N.N. Delyagin, A.L. Erzinkyan, V.P. Parfenova and I.N. Rozantsev (Moscow, Russia)	11
Microstructure characteristic and its effect on mechanical and shape memory properties in a Fe–17Mn–8Si–0.3C alloy M. Koyama, T. Sawaguchi and K. Tsuzaki (Ibaraki, Japan)	15
A new hard phase of ReB_4 predicted from first principles B. Wang, D.Y. Wang (Kaifeng, People's Republic of China) and Y.X. Wang (Kaifeng, Guiyang, People's Republic of China)	20
Room temperature chemical synthesis of $\text{Cu}(\text{OH})_2$ thin films for supercapacitor application K.V. Gurav (Gwangju, South Korea), U.M. Patil (Kolhapur, India), S.W. Shin, G.L. Agawane, M.P. Suryawanshi, S.M. Pawar, P.S. Patil (Gwangju, South Korea), C.D. Lokhande (Kolhapur, India) and J.H. Kim (Gwangju, South Korea)	27
Region of glass formation and main physicochemical properties of glasses from the $\text{As}_2\text{Se}_3\text{–Ag}_4\text{SSe–PbTe}$ system A. Amova, T. Hristova-Vasileva, L. Aljihmani, I. Bineva and V. Vassilev (Sofia, Bulgaria)	32
Use of conventional electrochemical techniques to produce crystalline FeRh alloys induced by Ag seed layer R.D. Noce, A.V. Benedetti (Araraquara, Brazil), E.C. Passamani (Vitória, Brazil), H. Kumar, D.R. Cornejo (São Paulo, Brazil) and M. Magnani (Campinas, Brazil)	37
Structural, FT-IR, XRD and Raman scattering of new rare-earth-titanate pyrochlore-type oxides $\text{LnEuTi}_2\text{O}_7$ (Ln = Gd, Dy) A. Garbout, I. Ben Taazayet-Belgacem and M. Férid (Hammam-Lif, Tunisia)	43
Synthesis and characterization of $\text{Zn}_3\text{Ta}_2\text{O}_8$ nanomaterials by hydrothermal method M. Birdeanu, A.-V. Birdeanu, A.S. Gruia, E. Fagadar-Cosma and C.N. Avram (Timisoara, Romania)	53
Effect of addition of tartaric acid on synthesis of boron carbide powder from condensed boric acid–glycerin product N. Tahara, M. Kakiage, I. Yanase and H. Kobayashi (Saitama, Japan)	58
Structure and properties of PbS films S.I. Sadovnikov and A.I. Gusev (Ekaterinburg, Russia)	65
Structural modification by Li^{3+} ion irradiation and intrinsic magnetic properties of un-irradiated and Li^{3+} irradiated $\text{Zn}_{0.96}\text{Mn}_{0.04}\text{O}$ samples S.K. Neogi, S. Chattopadhyay, R. Karmakar, A. Banerjee, S. Bandyopadhyay (Kolkata, India) and A. Banerjee (Indore, India)	76
Electronic structure and half-metallic ferromagnetism in (C, Si, Ge and Sn) doped alkaline-earth sulfides: A first principles approach M. Yogeswari and G. Kalpana (Chennai, India)	83
Phase transitions and electrical properties of $\text{Bi}_2\text{W}_{1-x}\text{Nb}_x\text{O}_{6-y}$ and $\text{Bi}_2\text{W}_{1-x}\text{Ta}_x\text{O}_{6-y}$ E.P. Kharitonova, V.I. Voronkova (Moscow, Russia), A.B. Gagar, A.P. Pietraszko (Wrocław, Poland) and O.A. Alekseeva (Moscow, Russia)	90
Microstructure and mechanical properties of multi-component AlCrFeNiMo_x high-entropy alloys Y. Dong, Y. Lu, J. Kong, J. Zhang and T. Li (Dalian, China)	96
Effect of vanadium on the microstructures and mechanical properties of an Al–Mg–Si–Cu–Cr–Ti alloy of 6XXX series Y. Meng, J. Cui, Z. Zhao and Y. Zuo (Shenyang, PR China)	102
A comparative study of thermal annealing effects under various atmospheres on nano-structured CdS thin films prepared by CBD L. Kong, J. Li, G. Chen, C. Zhu and W. Liu (Hefei, China)	112
Controlling of magnetic domain structure by sputtering films on tilted substrates G. Wang, C. Dong, Z. Yan, T. Wang, G. Chai, C. Jiang and D. Xue (Lanzhou, People's Republic of China)	118

An optimum path to obtain β Cu–Zn–Al by mechanical alloying F.G. Sesma, F.C. Gennari, J. Andrade-Gamboa and J.L. Pelegrina (San Carlos de Bariloche, Argentina)	122
A significant improvement in material of foam A. Đukić, V. Alar, M. Firak and S. Jakovljević (Zagreb, Croatia)	128
Evolution of the structure and electronic properties of neutral and anion FeS_n^μ ($n = 1-7$, $\mu = 0, -1$) clusters: A comprehensive analysis L.-P. Ding (Chengdu, China), X.-Y. Kuang (Chengdu, Shenyang, China), P. Shao and M.-M. Zhong (Chengdu, China)	133
Grain size stabilization of nanocrystalline copper at high temperatures by alloying with tantalum K.A. Darling, A.J. Roberts (USA), Y. Mishin (Fairfax, USA), S.N. Mathaudhu (USA) and L.J. Kecskes (USA).	142
Synthesis and excellent electromagnetic absorption properties of polypyrrole-reduced graphene oxide– Co_3O_4 nanocomposites P. Liu, Y. Huang, L. Wang and W. Zhang (Xi an, PR China)	151
Magnetic properties of nanocrystalline Fe–10%Ni alloy obtained by planetary ball mills R. Hamzaoui (Cachan, France) and O. Elkedim (Belfort Cedex, France)	157
Growth and characterization of p- Cu_2O /n- ZnO nanorod heterojunctions prepared by a two-step potentiostatic method Y.S. Jeong, H. Kim and H.S. Lee (Daegu, Republic of Korea)	163
Meso-scale modelling of directional solidification and comparison with <i>in situ</i> X-ray radiographic observations made during the MASER-12 XRMON microgravity experiment A.G. Murphy (Dublin, Ireland), G. Reinhart, H. Nguyen-Thi, G. Salloum Abou Jaoude (Marseille Cedex, France) and D.J. Browne (Dublin, Ireland)	170
Fluorescence of Eu^{3+} as a probe of phase transformation of zirconia Y. Hui, Y. Zhao, S. Zhao, L. Gu, X. Fan (Jilin, Beijing, China), L. Zhu (Changsha, China), B. Zou, Y. Wang and X. Cao (Jilin, China)	177
Quantitative investigation of oxidation behavior of boron carbide powders in air X. Hou and K.-C. Chou (Beijing, China)	182
Intense 2.7 μm emission from $\text{Er}^{3+}/\text{Tm}^{3+}/\text{Pr}^{3+}$ triply doped LiYF_4 single crystal grown by Bridgman method H. Hu, H. Xia, J. Hu, P. Wang, J. Peng, Y. Zhang, H. Jiang (Zhejiang, China) and B. Chen (Liaoning Province, China)	187
Microstructural analysis of thermal degradation of palladium-coated niobium membrane K. Sasaki, M. Hattori, K. Tsuchimoto, H. Yukawa, S. Arai, T. Tokunaga, Y. Murata and T. Yamamoto (Nagoya, Japan).	192
Influence of Ni^{2+} substitution on the structural, dielectric and magnetic properties of Cu–Cd ferrite nanoparticles Mohd. Hashim, Alimuddin (Aligarh, India), S.E. Shirsath (Nagano, Japan), R.K. Kotnala, (New Delhi, India), S.S. Meena (Mumbai, India), S. Kumar (Pohang, Republic of Korea), A. Roy (Gulbarga, India), R.B. Jotania (Ahmedabad, India), P. Bhatt (Mumbai, India) and R. Kumar (Hamirpur, India)	198
Keywords.	I