



Volume 575

25 October 2013
ISSN 0925-8388

Journal of ALLOYS AND COMPOUNDS

**An Interdisciplinary Journal
of Materials Science and
Solid-State Chemistry and Physics**

EDITOR-IN-CHIEF
L. SCHULTZ

EDITORS
K.H.J. BUSCHOW
J. CHAN
D.G. ESKIN
H. FAN
J.-M. GRENECHE
V.G. HARRIS
H. KLEINKE
C. KOCH
H.G. PAN
V. PECHARSKY
H. SAKAGUCHI
H. ZUR LOYE

**Contents**

Abstracting Services Abstracted/indexed in: Cambridge Scientific Abstracts, Ceramics Abstracts, Chemical Abstracts, Current Contents, Engineering Index, FIZ Karlsruhe, Metals Abstracts, PASCAL/CNRS, Physics Abstracts, Physikalische Berichte, Research Alert, Science Citation Index. Also covered in the abstract and citation database SCOPUS.® Full text available on ScienceDirect.®

Magnetic properties and magnetocaloric effect of GdCr ₂ Si ₂ compound under hydrostatic pressure L. Li (Hangzhou, China), (Toyama, Japan), G. Hu, I. Umebara (Yokohama, Japan), D. Huo (Hangzhou, China), W.D. Hutchison (Canberra, Australia), T. Namiki and K. Nishimura (Toyama, Japan)	1
Effects of iron concentrations on the electrical properties of La _{0.67} Ba _{0.33} Mn _{1-x} Fe _x O ₃ H. Rahmouni, B. Cherif (Gabès, Tunisia), M. Baazaoui (Monastir, Tunisia) and K. Khirouni (Gabès, Tunisia)	5
Evolution of the microstructure of Ni ₇₅ V ₂₅ and Ni ₇₅ V ₂₀ Al ₅ alloys at changing the temperature of their heat treatment Y. Ustinovshikov (Izhevsk, Russia)	10
Effects of annealing in oxygen on electrical properties of AlGaN/GaN heterostructures grown on Si A.Y. Polyakov, N.B. Smirnov (Moscow, Russia), M.-W. Ha, C.-K. Hahn (Gyeonggi, Republic of Korea), E.A. Kozhukhova, A.V. Govorkov, R.V. Ryzhuk, N.I. Kargin (Moscow, Russia), H.-S. Cho and I.-H. Lee (Jeonju, Republic of Korea)	17
Synthesis and photoluminescence properties of string-like ZnO/SnO nanowire/nanosheet nano-heterostructures C. Lan (Chengdu, China), J. Gong (Nanjing, China) and Y. Jiang (Chongqing, China)	24
Properties of Eu doped TiO ₂ nanoparticles prepared by using organic additives C. Leostean, M. Stefan, O. Pana, A.I. Cadis, R.C. Suci, T.D. Silipas (Cluj-Napoca, Romania) and E. Gautron (Nantes Cedex, France)	29
N-doped rutile TiO ₂ nano-rods show tunable photocatalytic selectivity J. Zhang, W. Fu, J. Xi (Hangzhou, People's Republic of China), H. He (Wuxi, People's Republic of China), S. Zhao, H. Lu and Z. Ji (Hangzhou, People's Republic of China)	40
Constitution of the ternary system Cr–Ni–Ti N. Krendelsberger, F. Weitzer (Wien, Austria), Y. Du (Hunan, PR China) and J.C. Schuster (Wien, Austria)	48
New analyses of energy level datasets for LaCl ₃ :Ln ³⁺ (Ln=Pr, Nd, Er) Y.Y. Yeung and P.A. Tanner (Hong Kong, PR China)	54
Structure and electrical properties of SrBi ₂ Nb ₂ O ₉ -based ferroelectric ceramics with lithium and cerium modification P. Fang, Z. Xi, W. Long, X. Li, and J. Li (Xi'an, China)	61
Improvement in -40°C electrochemical properties of AB ₂ metal hydride alloy by silicon incorporation K. Young, T. Ouchi, B. Huang, B. Reichman and R. Blankenship (Rochester Hills, USA)	65
Magnetic properties and magnetocaloric effect in Heusler-type glass-coated NiMnGa microwires A. Zhukov (San Sebastian, Bilbao, Spain), V. Rodionova (San Sebastian, Spain), (Moscow, Kaliningrad, Russia), M. Ilyn (San Sebastian, Spain), A.M. Aliev (Makhachkala, Russia), R. Varga, S. Michalik (Kosice, Slovakia), A. Aronin, G. Abrosimova, A. Kiselev (Moscow, Russia), M. Ipatov and V. Zhukova (San Sebastian, Spain)	73
Structural and vibrational investigations on Ge ₃₄ Sb ₆₆ solid solutions produced by mechanical alloying Q.H.F. Rebelo, E.A. Cotta, S.M. de Souza, D.M. Trichés (Amazonas, Brazil), K.D. Machado (Curitiba, Brazil), J.C. de Lima, T.A. Grandi, C.M. Poffo (Santa Catarina, Brazil) and L. Manzato (Amazonas, Brazil)	80
Phonons in nonlinear optical δ-Bi ₂ O ₆ crystal: Raman and infrared spectra and lattice dynamics M. Maćzka, L. Macalik (Wrocław, Poland) and A. Majchrowski (Warszawa, Poland)	86
Effect of bivalent Co ion doping on electric properties of Bi _{0.85} Nd _{0.15} FeO ₃ thin film X. Xue and G. Tan (Xi'an, PR China)	90
Containerless solidification of Ag–Al and Ag–Cu eutectic alloys in a drop tube M. Erol (Yozgat, Turkey), U. Böyük (Kayseri, Turkey), T. Volkmann and D.M. Herlach (Köln, Germany)	96
Synthesis and crystal structure of a novel ludwigite borate: Mg ₂ InBO ₅ H.K. Li, L. Wang, G.M. Cai, J.J. Fan, X. Fan and Z.P. Jin (Hunan, PR China)	104
Crystal structure refinement and investigation of electrically heterogeneous microstructure of single phased Sr substituted BaTiO ₃ ceramics M. Sindhu, N. Ahlawat, S. Sanghi, R. Kumari and A. Agarwal (Haryana, India)	109

Preparation of porous flower-like CuO/ZnO nanostructures and analysis of their gas-sensing property J. Huang, Y. Dai, C. Gu, Y. Sun (Wuhu, PR China) and J. Liu (Hefei, PR China)	115
The microwave absorbing properties of SmCo attached single wall carbon nanotube/epoxy composites L. Yu, B. Li, L. Sheng, K. An and X. Zhao (Shanghai, China)	123
Hierarchical nitrogen and cobalt co-doped TiO ₂ prepared by an interface-controlled self-aggregation process S. Liu, Q. Li, C. Hou, X. Feng and Z. Guan (Nanjing, PR China)	128
Mechanical deformation modes and anisotropy of IVB transition metal nitrides Z.-Q. Chen, J. Wang and C.-M. Li (Chongqing, People's Republic of China)	137
Permeability and magnetic interactions in Co ²⁺ substituted Li _{0.5} Fe _{2.5} O ₄ alloys S.E. Shirasath (Aurangabad, India), (Nagano, Japan), R.H. Kadam (Osmanabad, India), M.L. Mane (Paranda, India), A. Ghasemi (Shahin Shahr, Iran), Y. Yasukawa, X. Liu and A. Morisako (Nagano, Japan)	145
Hydrothermal synthesis of Ni@C core-shell composites with high capacitance L. Niu (Lanzhou, PR China), (Beijing, PR China), Z. Li (Lanzhou, PR China), J. Sun, Z. Fan, Y. Xu (Lanzhou, PR China), (Beijing, PR China), P. Gong, S. Yang and J. Wang (Lanzhou, PR China)	152
Anomalous band-gap bowing of AlN _{1-x} P _x alloy M.J. Winiarski, M. Polak and P. Scharoch (Wroclaw, Poland)	158
Large reversible magnetocaloric effect in RMn ₂ (R=Tb, Dy, Ho, Er) compounds W. Zuo, F. Hu, J. Sun and B. Shen (Beijing, People's Republic of China)	162
Double light-scattering layer film based on TiO ₂ hollow spheres and TiO ₂ nanosheets: Improved efficiency in dye-sensitized solar cells L. Zhao, J. Li, Y. Shi, S. Wang, J. Hu, B. Dong, H. Lu and P. Wang (Wuhan, PR China)	168
Investigation of aluminum-gallium co-doped zinc oxide targets for sputtering thin film and photovoltaic application J. Liu, W. Zhang, D. Song, Q. Ma, L. Zhang, H. Zhang (Baoding, China), L. Zhang and R. Wu (Beijing, China)	174
Intermetallic compounds Ce ₄ Ru ₃ Ga ₃ and La ₃ Ru ₂ Ga ₂ with crystal structures of new types K. Shablinskaya, E. Murashova, Z. Kurenbaeva, A. Yaroslavtsev, Y. Seropegin (Moscow, Russia) and D. Kaczorowski (Wroclaw, Poland)	183
First-principles investigation on the electronic and magnetic properties of cubic Be _{0.75} Mn _{0.25} X (X=S, Se, Te) J. Li, X. Xu, Y. Zhou, M. Zhang and X. Luo (Xi'an, China)	190
Electrical transport, microstructure and optical properties of Cr-doped In ₂ O ₃ thin film prepared by sol-gel method H. Baqiah, N.B. Ibrahim, M.H. Abdi and S.A. Halim (Selangor, Malaysia)	198
Effect of hybridizing micron-sized Ti with nano-sized SiC on the microstructural evolution and mechanical response of Mg-5.6Ti composite S. Sankaranarayanan (Singapore, Singapore), R.K. Sabat (Bangalore, India), S. Jayalakshmi (Singapore, Singapore), S. Suwas (Bangalore, India) and M. Gupta (Singapore, Singapore)	207
Composite interfacial modification in TiO ₂ nanorod array/poly(3-hexylthiophene) hybrid photovoltaic devices H. Xia, T. Zhang, D. Wang (Wuhan, PR China), J. Wang (Xiangyang, PR China), and K. Liang (Wuhan, PR China)	218
Organic-inorganic composite polymer electrolyte based on PEO-LiClO ₄ and nano-Al ₂ O ₃ filler for lithium polymer batteries: Dielectric and transport properties E.M. Masoud, A.-A. El-Bellahi, W.A. Bayoumy and M.A. Mousa (Benha, Egypt)	223
High tolerance of proton irradiation of Ge ₂ Sb ₂ Te ₅ phase change material D. Zhou (Urumqi, Shanghai, Beijing, PR China), L. Wu (Shanghai, PR China), Q. Guo (Urumqi, PR China), C. Peng (Shanghai, PR China), C. He (Urumqi, PR China), Z. Song, F. Rao (Shanghai, PR China), Y. Li (Urumqi, PR China) and S. Xi (Urumqi, Beijing, PR China)	229
A comparative study on electroluminescence from ZnO-based double heterojunction light emitting diodes grown on different lattice mismatch substrates Y. Li, B. Yao, R. Deng, B. Li, Z. Zhang, C. Shan, D. Zhao and D. Shen (Changchun, People's Republic of China)	233
Effective size of vacancies in aliovalently doped SrTiO ₃ perovskites R. Ubic, K. Tolman, K. Chan, N. Lundy (Boise, USA), S. Letourneau and W.M. Kriven (Urbana, USA)	239
Lithium alloys and metal oxides as high-capacity anode materials for lithium-ion batteries C. Liang, M. Gao, H. Pan, Y. Liu and M. Yan (Hangzhou, China)	246
Properties of Ba-hexaferrite thin films with an interfacial layer deposited at various substrate temperatures Z. Xu (Chengdu, Zhaoqing, PR China), Z. Lan, K. Sun, Z. Yu, X. Jiang, R. Guo and C. Wu (Chengdu, PR China)	257
Role of the Yb ³⁺ concentration in the high efficient UV-blue up-conversion emission from hydrothermally grown Yb ³⁺ /Er ³⁺ -doped K ₂ YF ₅ crystals J. Méndez-Ramos, P. Acosta-Mora, J.C. Ruiz-Morales (Tenerife, Spain) and N.M. Khaidukov (Moscow, Russia)	263
Structural and electrochemical performance of Na-doped Li ₃ V ₂ (PO ₄) ₃ /C cathode materials for lithium-ion batteries via rheological phase reaction R. Wang (Guilin, Hunan, PR China), S. Xiao (Guilin, PR China), X. Li, J. Wang, H. Guo (Hunan, PR China), and F. Zhong (Guilin, PR China)	268
Modification mechanism of eutectic silicon in Al-6Si-0.3Mg alloy with scandium U. Patakham (Bangkok, Thailand), J. Kajornchaiyakul (Pathumthani, Thailand), and C. Limmaneevichit (Bangkok, Thailand)	273
Surface acidity and catalytic activity of aged SO ₄ ²⁻ /SnO ₂ catalyst supported with WO ₃ M.N. Alaya and M.A. Rabah (Syria)	285
A first-principles study of RuMn ₂ Si: Magnetic, electronic and mechanical properties D.C. Gupta and I.H. Bhat (Gwalior, India)	292
Site preference and phase stability of Ti doping Ni-Mn-Ga shape memory alloys from first-principles calculations Z. Gao, B. Chen (Harbin, Daqing, China), X. Meng and W. Cai (Harbin, China)	297

Bulk and surface half-metallicity of CsS in CsCl structure: A density functional theory study M. Rostami, M. Afshari and M. Moradi (Shiraz, Iran)	301
Near UV-pumped bluish-white emitting K(Ba,Sr,Ca)BP ₂ O ₈ :Eu ²⁺ phosphors S. Su, W. Liu, R. Duan, L. Cao, G. Su and C. Zhao (Qingdao, China)	309
Properties-structure relationship research on LiCaPO ₄ :Eu ²⁺ as blue phosphor for NUV LED application X. Zhang (Nanning, Guangzhou, China), F. Mo, L. Zhou (Nanning, China), and M. Gong (Guangzhou, China)	314
Ketjen black/Co ₃ O ₄ nanocomposite prepared using polydopamine pre-coating layer as a reaction agent: Effective catalyst for air electrodes of Li/air batteries D.S. Kim and Y.J. Park (Gyeonggi-do, Republic of Korea)	319
Design and characterization of highly porous titanium foams with bioactive surface sintering in air H.-C. Hsu, S.-K. Hsu, S.-C. Wu, P.-H. Wang and W.-F. Ho (Taiwan, ROC)	326
Electrospinning direct preparation of SnO ₂ /Fe ₂ O ₃ heterojunction nanotubes as an efficient visible-light photocatalyst C. Zhu, Y. Li, Q. Su, B. Lu, J. Pan, J. Zhang, E. Xie and W. Lan (Lanzhou, People's Republic of China)	333
Synthesis and optical properties of Tb ³⁺ doped CdF ₂ single crystals H. Boubekri (Algiers, Annaba, Algeria), M. Diaf, K. Labbac (Annaba, Algeria), L. Guerbous (Algiers, Algeria), T. Duvaut and J.P. Jouart (France)	339
Experimental study of the Mn-Re system Y. Graz, J.-M. Fiorani, N. David (Vandoeuvre-lès-Nancy, France), J.-M. Joubert (Thiais, France) and M. Vilasi (Vandoeuvre-lès-Nancy, France)	344
Interfacial reactions between Sn-3.0Ag-0.5Cu solder and Cu-xZn ($x=0\text{--}35\text{wt\%}$) or Cu-xZn-yNi ($x=20$ and 25wt\% , $y=15$ and 10wt\%) substrates Y.M. Kim, T.J. Kim, M.Y. Choi and Y.-H. Kim (Seoul, Republic of Korea)	350
Optical properties and photocatalytic activities of spherical ZnO and flower-like ZnO structures synthesized by facile hydrothermal method Y. Fang, Z. Li (Changzhou, Jilin, PR China), S. Xu (Changzhou, PR China), D. Han and D. Lu (Jilin, PR China)	359
MgH ₂ as dopant for improved activation of commercial Mg ingot P. Jain, J. Lang (Québec, Canada), N.Y. Skryabina (Perm, Russia), D. Fruchart (Grenoble Cedex, France), S.F. Santos (Santo André, Brazil), K. Binder, T. Klassen (Hamburg, Germany) and J. Huot (Québec, Canada)	364
Silver-insertion induced improvements in dielectric characteristics of the Hf-based film B. Wu (Zunyi, Chongqing, People's Republic of China), P. Zhang (Zunyi, People's Republic of China), B. Sun (Chongqing, People's Republic of China) and Q. Gao (Zunyi, People's Republic of China)	370
De-quenching influence of aluminum ions on Y/B ratio of Dy ³⁺ ions in lead silicate glass matrix M. Sundara Rao (Guntur, India), V. Sudarsan (Mumbai, India), M.G. Brik (Tartu, Estonia), Y. Gandhi (Nandigama, India), K. Bhargavi (Guntur, India), M. Piasecki (Czestochowa, Poland), I.V. Kityk (Czestochowa, Poland), (Lutsk, Ukraine) and N. Veeraiah (Guntur, India)	375
Effects of post-deposition annealing ambient on chemical, structural, and electrical properties of RF magnetron sputtered Y ₂ O ₃ gate on gallium nitride H.J. Quah and K.Y. Cheong (Pulau Pinang, Malaysia)	382
Mitigation of degradation in the dehydrogenation behavior of air-exposed MgH ₂ catalyzed with NbF ₅ M. Park, J.-H. Shim, Y.-S. Lee (Seoul, Republic of Korea), Y.H. Im (Jeonju, Republic of Korea) and Y.W. Cho (Seoul, Republic of Korea)	393
Ionic conductivity of Sm _x Nd _y Ce _{0.9} O _{2-δ} codoped ceria electrolytes R.M. Kasse and J.C. Nino (Gainesville, United States)	399
Thermodynamic stability of Li ₂ C ₂ and LiC ₆ M. Drüe, M. Seyring, A. Kozlov (Germany), X. Song (China), R. Schmid-Fetzer and M. Rettenmayr (Germany)	403
Enhanced mechanical properties of AZ31 magnesium alloy sheets processed by three-directional rolling H. Zhang (Chongqing, China), (Trondheim, Norway), G. Huang, L. Wang (Chongqing, China), H.J. Roven (Trondheim, Norway) and F. Pan (Chongqing, China)	408
Investigation on the structure, thermodynamic and electrochemical properties of the MmNi _{3.55} Mn _{0.4} Al _{0.3} Fe _{0.75} compound used as negative electrode in Ni-MH batteries M. Ben Moussa (Sidi Thabet, Avenu Taha Hussein, Tunisie), (Makkah, Saudi Arabia), M. Abdellaoui (Sidi Thabet, Tunisie), J. Lamloumi (Avenu Taha Hussein, Tunisie) and A. Percheron Guégan (Thiais-Cedex, France)	414
Anisotropic magnetoresistance of Ni ₈₁ Fe ₁₉ films on NiFeNb buffer layer S. Wang, C. Wang, Y. Gao, T. Gao, G. Hu and H. Zhang (Ji'an, China)	419
First-principles study of generalized-stacking-fault (GSF) energy in Mg with Al and Zn alloyings C. Wang, H.-Y. Wang, H.-Y. Zhang, X.-L. Nan, E.-S. Xue and Q.-C. Jiang (Changchun, PR China)	423
Luminescent characteristics of Eu ³⁺ doped di-calcium silicate nano-powders for white LEDs D.V. Sunitha, H. Nagabhushana, S.C. Sharma (Tumkur, India), B.M. Nagabhushana and R.P.S. Chakradhar (Bangalore, India)	434
Recrystallization of as-solidified highly-undercooled Fe ₄₀ Ni ₄₀ B ₂₀ eutectic alloy: In situ formation of duplex structure K. Zhang, F. Liu, B. Gu and G. Yang (Xi'an Shaanxi, PR China)	444
The effect of simulated thermal cycling on thermal and mechanical stability of a Ti-based bulk metallic glass X. Wang, Y. Shao, P. Gong and K.F. Yao (Beijing, China)	449
Effect of sintering aid (CoO) on transport properties of nanocrystalline Gd doped ceria (GDC) materials prepared by co-precipitation method A.K. Baral, H.P. Dasari, B.-K. Kim and J.-H. Lee (Seoul, Republic of Korea)	455
Keywords	iii